

Fatima Gunning

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8841291/publications.pdf>

Version: 2024-02-01

33
papers

1,010
citations

567281

15
h-index

526287

27
g-index

33
all docs

33
docs citations

33
times ranked

867
citing authors

#	ARTICLE	IF	CITATIONS
1	Spectral density enhancement using coherent WDM. IEEE Photonics Technology Letters, 2005, 17, 504-506.	2.5	213
2	Demonstration of amplified data transmission at 2 μm in a low-loss wide bandwidth hollow core photonic bandgap fiber. Optics Express, 2013, 21, 28559.	3.4	112
3	100 Gbit/s WDM transmission at 2 μm : transmission studies in both low-loss hollow core photonic bandgap fiber and solid core fiber. Optics Express, 2015, 23, 4946.	3.4	111
4	Multi-wavelength source using low drive-voltage amplitude modulators for optical communications. Optics Express, 2007, 15, 2981.	3.4	106
5	Inducing a large second-order optical nonlinearity in soft glasses by poling. Applied Physics Letters, 1998, 72, 3252-3254.	3.3	59
6	InP-Based Active and Passive Components for Communication Systems at 2 μm . Journal of Lightwave Technology, 2015, 33, 971-975.	4.6	44
7	Dense WDM transmission at 2 μm enabled by an arrayed waveguide grating. Optics Letters, 2015, 40, 3308.	3.4	42
8	Expressions for the nonlinear transmission performance of multi-mode optical fiber. Optics Express, 2013, 21, 22834.	3.4	33
9	Etching of Silica Glass under Electric Fields. Physical Review Letters, 1997, 78, 2172-2175.	7.8	31
10	Key enabling technologies for optical communications at 2000 nm. Applied Optics, 2018, 57, E64.	1.8	31
11	40 Gb/s WDM Transmission Over 1.15-km HC-PBGF Using an InP-Based Mach-Zehnder Modulator at 2 μm . Journal of Lightwave Technology, 2016, 34, 1706-1711.	4.6	30
12	Dispersion tolerance of coherent WDM. IEEE Photonics Technology Letters, 2006, 18, 1338-1340.	2.5	27
13	Butterfly packaged high-speed and low leakage InGaAs quantum well photodiode for 2000nm wavelength systems. Electronics Letters, 2013, 49, 281-282.	1.0	24
14	Unrepeated field transmission of 2 Tbit/s multi-banded coherent WDM over 124 km of installed SMF. Optics Express, 2010, 18, 24745.	3.4	23
15	Towards a Practical Implementation of Coherent WDM: Analytical, Numerical, and Experimental Studies. IEEE Photonics Journal, 2010, 2, 833-847.	2.0	19
16	Poling of a channel waveguide. Optics Express, 2003, 11, 3041.	3.4	15
17	InGaAs Surface Normal Photodiode for 2 μm Wavelengths. IEEE Photonics Technology Letters, 2015, 27, 1469-1472.	2.5	15
18	10 Gb/s InP-based Mach-Zehnder modulator for operation at 2 μm wavelengths. Optics Express, 2015, 23, 10905.	3.4	13

#	ARTICLE	IF	CITATIONS
19	Experimental Demonstration of Improved Equalization Algorithm for IM/DD Fast OFDM. IEEE Photonics Technology Letters, 2015, 27, 1780-1783.	2.5	9
20	Hollow core photonic crystal fiber based viscometer with Raman spectroscopy. Journal of Chemical Physics, 2012, 137, 224504.	3.0	8
21	Dynamic characteristics of InGaAs/InP multiple quantum well discrete mode laser diodes emitting at 2 μ m. Electronics Letters, 2014, 50, 948-950.	1.0	8
22	Comparison of Frequency Symmetric Signal Generation From a BPSK Input Using Fiber and Semiconductor-Based Nonlinear Elements. IEEE Photonics Technology Letters, 2011, 23, 651-653.	2.5	7
23	Four-wave mixing for clock recovery of phase modulated optical OFDM superchannel. Optics Express, 2014, 22, 7007.	3.4	6
24	Gain-switched dual frequency comb at 2 μ m. Optics Express, 2022, 30, 5213.	3.4	5
25	Coherent WDM, toward > 1 bit/s/Hz information spectral density. , 2005, , .		4
26	Generation of a widely spaced optical frequency comb using an amplitude modulator pair. , 2005, , .		3
27	PMD tolerance of 288 Gbit/s Coherent WDM and transmission over unrepeated 124 km of field-installed single mode optical fiber. Optics Express, 2010, 18, 13908.	3.4	3
28	Practical and cost-effective high-fidelity optical carrier dissemination using coherent communication techniques. Optics Express, 2015, 23, 21678.	3.4	3
29	Mach-Zehnder interferometer using single standard telecommunication optical fibre. Electronics Letters, 2001, 37, 1440.	1.0	2
30	Impact of DWDM at 50GHz spacing in the 2 μ m waveband. , 2016, , .		2
31	Practical implementation of coherent WDM. , 2009, , .		1
32	SOAs for Phase-Based Optical Signal Processing. , 2014, , .		1
33	Stable injection locking with slotted Fabry-Perot lasers at 2 μ m. JPhys Photonics, 2019, 1, 015005.	4.6	0