

J Timothy Greenamyre

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8841390/publications.pdf>

Version: 2024-02-01

212
papers

27,877
citations

5268

83
h-index

5679

162
g-index

221
all docs

221
docs citations

221
times ranked

19847
citing authors

#	ARTICLE	IF	CITATIONS
1	Preventing Parkinson's Disease: An Environmental Agenda. <i>Journal of Parkinson's Disease</i> , 2022, 12, 45-68.	2.8	45
2	LRRK2 and idiopathic Parkinson's disease. <i>Trends in Neurosciences</i> , 2022, 45, 224-236.	8.6	53
3	NADPH oxidase 2 activity in Parkinson's disease. <i>Neurobiology of Disease</i> , 2022, 170, 105754.	4.4	18
4	Vesicular glutamate transporter modulates sex differences in dopamine neuron vulnerability to age-related neurodegeneration. <i>Aging Cell</i> , 2021, 20, e13365.	6.7	20
5	VGLUT2 Is a Determinant of Dopamine Neuron Resilience in a Rotenone Model of Dopamine Neurodegeneration. <i>Journal of Neuroscience</i> , 2021, 41, 4937-4947.	3.6	17
6	The industrial solvent trichloroethylene induces LRRK2 kinase activity and dopaminergic neurodegeneration in a rat model of Parkinson's disease. <i>Neurobiology of Disease</i> , 2021, 153, 105312.	4.4	28
7	LRRK2 inhibition prevents endolysosomal deficits seen in human Parkinson's disease. <i>Neurobiology of Disease</i> , 2020, 134, 104626.	4.4	73
8	α -Synuclein amplifies cytoplasmic peroxide flux and oxidative stress provoked by mitochondrial inhibitors in CNS dopaminergic neurons in vivo. <i>Redox Biology</i> , 2020, 37, 101695.	9.0	26
9	Acquired dysregulation of dopamine homeostasis reproduces features of Parkinson's disease. <i>Npj Parkinson's Disease</i> , 2020, 6, 34.	5.3	29
10	Protection from α -Synuclein induced dopaminergic neurodegeneration by overexpression of the mitochondrial import receptor TOM20. <i>Npj Parkinson's Disease</i> , 2020, 6, 38.	5.3	21
11	Trichloroethylene, a ubiquitous environmental contaminant in the risk for Parkinson's disease. <i>Environmental Sciences: Processes and Impacts</i> , 2020, 22, 543-554.	3.5	29
12	Response to Rotenone and Parkinson's Disease; Reduced Sensitivity in Females. <i>Toxicological Sciences</i> , 2019, 170, 563-563.	3.1	3
13	Sex Differences in Rotenone Sensitivity Reflect the Male-to-Female Ratio in Human Parkinson's Disease Incidence. <i>Toxicological Sciences</i> , 2019, 170, 133-143.	3.1	41
14	Phenothiazine normalizes the NADH/NAD ⁺ ratio, maintains mitochondrial integrity and protects the nigrostriatal dopamine system in a chronic rotenone model of Parkinson's disease. <i>Redox Biology</i> , 2019, 24, 101164.	9.0	31
15	Revisiting protein aggregation as pathogenic in sporadic Parkinson and Alzheimer diseases. <i>Neurology</i> , 2019, 92, 329-337.	1.1	194
16	Spectrum of tau pathologies in Huntington's disease. <i>Laboratory Investigation</i> , 2019, 99, 1068-1077.	3.7	23
17	Long-term RNAi knockdown of α -synuclein in the adult rat substantia nigra without neurodegeneration. <i>Neurobiology of Disease</i> , 2019, 125, 146-153.	4.4	38
18	Astrocyte-specific DJ-1 overexpression protects against rotenone-induced neurotoxicity in a rat model of Parkinson's disease. <i>Neurobiology of Disease</i> , 2018, 115, 101-114.	4.4	83

#	ARTICLE	IF	CITATIONS
19	RAD52 is required for RNA-templated recombination repair in post-mitotic neurons. <i>Journal of Biological Chemistry</i> , 2018, 293, 1353-1362.	3.4	69
20	Mitochondrial Complex I Reversible S-Nitrosation Improves Bioenergetics and Is Protective in Parkinson's Disease. <i>Antioxidants and Redox Signaling</i> , 2018, 28, 44-61.	5.4	21
21	What's wrong with mitochondria in Parkinson's disease?. <i>Movement Disorders</i> , 2018, 33, 1515-1517.	3.9	7
22	New Frontiers in Parkinson's Disease: From Genetics to the Clinic. <i>Journal of Neuroscience</i> , 2018, 38, 9375-9382.	3.6	32
23	Newly Revised Quantitative PCR-Based Assay for Mitochondrial and Nuclear DNA Damage. <i>Current Protocols in Toxicology / Editorial Board, Mahin D Maines (editor-in-chief) [et Al]</i> , 2018, 76, e50.	1.1	11
24	LRRK2 activation in idiopathic Parkinson's disease. <i>Science Translational Medicine</i> , 2018, 10, .	12.4	363
25	Evidence for Compartmentalized Axonal Mitochondrial Biogenesis: Mitochondrial DNA Replication Increases in Distal Axons As an Early Response to Parkinson's Disease-Relevant Stress. <i>Journal of Neuroscience</i> , 2018, 38, 7505-7515.	3.6	51
26	Editor's Highlight: Base Excision Repair Variants and Pesticide Exposure Increase Parkinson's Disease Risk. <i>Toxicological Sciences</i> , 2017, 158, 188-198.	3.1	31
27	Synthetic alpha-synuclein fibrils cause mitochondrial impairment and selective dopamine neurodegeneration in part via iNOS-mediated nitric oxide production. <i>Cellular and Molecular Life Sciences</i> , 2017, 74, 2851-2874.	5.4	94
28	LRRK2 G2019S-induced mitochondrial DNA damage is LRRK2 kinase dependent and inhibition restores mtDNA integrity in Parkinson's disease. <i>Human Molecular Genetics</i> , 2017, 26, 4340-4351.	2.9	76
29	The Gordon Research Seminar & Conference on Parkinson's disease: state of the Science 200 years after James Parkinson's essay on the Shaking Palsy. <i>Npj Parkinson's Disease</i> , 2017, 3, .	5.3	0
30	Samay Jain, MD, June 2, 1974-September 8, 2016. <i>Movement Disorders</i> , 2016, 31, 1800-1801.	3.9	0
31	Î±-Synuclein binds to TOM20 and inhibits mitochondrial protein import in Parkinson's disease. <i>Science Translational Medicine</i> , 2016, 8, 342ra78.	12.4	432
32	Folding Landscape of Mutant Huntingtin Exon1: Diffusible Multimers, Oligomers and Fibrils, and No Detectable Monomer. <i>PLoS ONE</i> , 2016, 11, e0155747.	2.5	48
33	shRNA targeting Î±-synuclein prevents neurodegeneration in a Parkinson's disease model. <i>Journal of Clinical Investigation</i> , 2015, 125, 2721-2735.	8.2	143
34	LC/MS analysis of cardiolipins in substantia nigra and plasma of rotenone-treated rats: Implication for mitochondrial dysfunction in Parkinson's disease. <i>Free Radical Research</i> , 2015, 49, 681-691.	3.3	60
35	Post-translational modification of Î±-synuclein in Parkinson's disease. <i>Brain Research</i> , 2015, 1628, 247-253.	2.2	138
36	Fruit flies, bile acids, and Parkinson disease. <i>Neurology</i> , 2015, 85, 838-839.	1.1	9

#	ARTICLE	IF	CITATIONS
37	PCR Based Determination of Mitochondrial DNA Copy Number in Multiple Species. <i>Methods in Molecular Biology</i> , 2015, 1241, 23-38.	0.9	307
38	Behavioral, neurochemical, and pathologic alterations in bacterial artificial chromosome transgenic G2019S leucine-rich repeated kinase 2 rats. <i>Neurobiology of Aging</i> , 2015, 36, 505-518.	3.1	42
39	Post-status epilepticus treatment with the cannabinoid agonist WIN 55,212-2 prevents chronic epileptic hippocampal damage in rats. <i>Neurobiology of Disease</i> , 2015, 73, 356-365.	4.4	37
40	Pomegranate juice exacerbates oxidative stress and nigrostriatal degeneration in Parkinson's disease. <i>Neurobiology of Aging</i> , 2014, 35, 1162-1176.	3.1	78
41	LRRK2 mutations cause mitochondrial DNA damage in iPSC-derived neural cells from Parkinson's disease patients: Reversal by gene correction. <i>Neurobiology of Disease</i> , 2014, 62, 381-386.	4.4	235
42	Mitochondrial DNA Damage as a Peripheral Biomarker for Mitochondrial Toxin Exposure in Rats. <i>Toxicological Sciences</i> , 2014, 142, 395-402.	3.1	23
43	Transient muscarinic and glutamatergic stimulation of neural stem cells triggers acute and persistent changes in differentiation. <i>Neurobiology of Disease</i> , 2014, 70, 252-261.	4.4	10
44	Mitochondrial DNA damage: Molecular marker of vulnerable nigral neurons in Parkinson's disease. <i>Neurobiology of Disease</i> , 2014, 70, 214-223.	4.4	155
45	Slowing of neurodegeneration in Parkinson's disease and Huntington's disease: future therapeutic perspectives. <i>Lancet, The</i> , 2014, 384, 545-555.	13.7	336
46	A Rapid and Sensitive Automated Image-Based Approach for In Vitro and In Vivo Characterization of Cell Morphology and Quantification of Cell Number and Neurite Architecture. <i>Current Protocols in Cytometry</i> , 2014, 68, 12.33.1-22.	3.7	16
47	Rotenone as Preclinical Model Compound in Parkinson Disease. , 2014, , 995-1012.		3
48	Gene-environment interactions in Parkinson's disease: Specific evidence in humans and mammalian models. <i>Neurobiology of Disease</i> , 2013, 57, 38-46.	4.4	158
49	Automated imaging system for fast quantitation of neurons, cell morphology and neurite morphometry in vivo and in vitro. <i>Neurobiology of Disease</i> , 2013, 54, 158-168.	4.4	41
50	Thiol oxidation and altered NR2B/NMDA receptor functions in in vitro and in vivo pilocarpine models: Implications for epileptogenesis. <i>Neurobiology of Disease</i> , 2013, 49, 87-98.	4.4	43
51	Expression of human E46K-mutated α -synuclein in BAC-transgenic rats replicates early-stage Parkinson's disease features and enhances vulnerability to mitochondrial impairment. <i>Experimental Neurology</i> , 2013, 240, 44-56.	4.1	61
52	Oxidative damage to macromolecules in human Parkinson disease and the rotenone model. <i>Free Radical Biology and Medicine</i> , 2013, 62, 111-120.	2.9	275
53	DJ-1 Expression Modulates Astrocyte-Mediated Protection Against Neuronal Oxidative Stress. <i>Journal of Molecular Neuroscience</i> , 2013, 49, 507-511.	2.3	63
54	Toxin Models of Mitochondrial Dysfunction in Parkinson's Disease. <i>Antioxidants and Redox Signaling</i> , 2012, 16, 920-934.	5.4	206

#	ARTICLE	IF	CITATIONS
55	Hypokinesia and Reduced Dopamine Levels in Zebrafish Lacking $\hat{\imath}^2$ - and $\hat{\imath}^3$ -Synucleins. <i>Journal of Biological Chemistry</i> , 2012, 287, 2971-2983.	3.4	71
56	Overexpression of VMAT-2 and DT-diaphorase protects substantia nigra-derived cells against aminochrome neurotoxicity. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2012, 1822, 1125-1136.	3.8	49
57	Regulation of complex I by Engrailed is complex too. <i>Nature Neuroscience</i> , 2011, 14, 1221-1222.	14.8	3
58	Single-Cell Redox Imaging Demonstrates a Distinctive Response of Dopaminergic Neurons to Oxidative Insults. <i>Antioxidants and Redox Signaling</i> , 2011, 15, 855-871.	5.4	70
59	Mouse ES cells overexpressing DNMT1 produce abnormal neurons with upregulated NMDA/NR1 subunit. <i>Differentiation</i> , 2011, 82, 9-17.	1.9	19
60	Autonomic insufficiency in pupillary and cardiovascular systems in Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2011, 17, 119-122.	2.2	36
61	Pseudotype-dependent lentiviral transduction of astrocytes or neurons in the rat substantia nigra. <i>Experimental Neurology</i> , 2011, 228, 41-52.	4.1	56
62	Pilocapine alters NMDA receptor expression and function in hippocampal neurons: NADPH oxidase and ERK1/2 mechanisms. <i>Neurobiology of Disease</i> , 2011, 42, 482-495.	4.4	82
63	Pupillary unrest correlates with arousal symptoms and motor signs in Parkinson disease. <i>Movement Disorders</i> , 2011, 26, 1344-1347.	3.9	17
64	Peroxiredoxin-2 Protects against 6-Hydroxydopamine-Induced Dopaminergic Neurodegeneration via Attenuation of the Apoptosis Signal-Regulating Kinase (ASK1) Signaling Cascade. <i>Journal of Neuroscience</i> , 2011, 31, 247-261.	3.6	136
65	The Role of Environmental Exposures in Neurodegeneration and Neurodegenerative Diseases. <i>Toxicological Sciences</i> , 2011, 124, 225-250.	3.1	334
66	Autophagy Protects Against Aminochrome-Induced Cell Death in Substantia Nigra-Derived Cell Line. <i>Toxicological Sciences</i> , 2011, 121, 376-388.	3.1	63
67	Mitochondrial Iron Metabolism and Its Role in Neurodegeneration. <i>Journal of Alzheimer's Disease</i> , 2010, 20, S551-S568.	2.6	159
68	Neuron-selective changes in RNA transcripts related to energy metabolism in toxic models of parkinsonism in rodents. <i>Neurobiology of Disease</i> , 2010, 38, 476-481.	4.4	26
69	Melatonin treatment potentiates neurodegeneration in a rat rotenone Parkinson's disease model. <i>Journal of Neuroscience Research</i> , 2010, 88, 420-427.	2.9	81
70	Gene-Environment Interactions in Parkinson's Disease: The Importance of Animal Modeling. <i>Clinical Pharmacology and Therapeutics</i> , 2010, 88, 467-474.	4.7	65
71	Lessons from the rotenone model of Parkinson's disease. <i>Trends in Pharmacological Sciences</i> , 2010, 31, 141-142.	8.7	127
72	Neurotoxic in vivo models of Parkinson's disease. <i>Progress in Brain Research</i> , 2010, 184, 17-33.	1.4	164

#	ARTICLE	IF	CITATIONS
73	Peroxidase Mechanism of Lipid-dependent Cross-linking of Synuclein with Cytochrome c. <i>Journal of Biological Chemistry</i> , 2009, 284, 15951-15969.	3.4	86
74	A highly reproducible rotenone model of Parkinson's disease. <i>Neurobiology of Disease</i> , 2009, 34, 279-290.	4.4	601
75	A novel transferrin/TfR2-mediated mitochondrial iron transport system is disrupted in Parkinson's disease. <i>Neurobiology of Disease</i> , 2009, 34, 417-431.	4.4	162
76	Chronic rotenone exposure reproduces Parkinson's disease gastrointestinal neuropathology. <i>Neurobiology of Disease</i> , 2009, 36, 96-102.	4.4	200
77	NeuN is not a reliable marker of dopamine neurons in rat substantia nigra. <i>Neuroscience Letters</i> , 2009, 464, 14-17.	2.1	52
78	A FRET-based method to study protein thiol oxidation in histological preparations. <i>Free Radical Biology and Medicine</i> , 2008, 45, 971-981.	2.9	30
79	Sequential and concerted gene expression changes in a chronic in vitro model of parkinsonism. <i>Neuroscience</i> , 2008, 152, 198-207.	2.3	10
80	Complex I Inhibition, Rotenone and Parkinson's Disease. , 2008, , 195-206.		0
81	Protection by the NDI1 Gene against Neurodegeneration in a Rotenone Rat Model of Parkinson's Disease. <i>PLoS ONE</i> , 2008, 3, e1433.	2.5	94
82	Randomized Controlled Trial of Ethyl-Eicosapentaenoic Acid in Huntington Disease. <i>Archives of Neurology</i> , 2008, 65, 1582-9.	4.5	71
83	N-Terminal Mutant Huntingtin Associates with Mitochondria and Impairs Mitochondrial Trafficking. <i>Journal of Neuroscience</i> , 2008, 28, 2783-2792.	3.6	362
84	Huntington's Disease: Getting Closer. <i>American Journal of Psychiatry</i> , 2007, 164, 1318-1318.	7.2	4
85	Blockade of Cannabinoid Type 1 Receptors Augments the Antiparkinsonian Action of Levodopa without Affecting Dyskinesias in 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine-Treated Rhesus Monkeys. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007, 323, 318-326.	2.5	97
86	Huntington's Disease " Making Connections. <i>New England Journal of Medicine</i> , 2007, 356, 518-520.	27.0	31
87	Obligatory Role for Complex I Inhibition in the Dopaminergic Neurotoxicity of 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP). <i>Toxicological Sciences</i> , 2007, 95, 196-204.	3.1	109
88	Parkinson's disease: animal models. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2007, 83, 265-287.	1.8	11
89	Mechanism of toxicity of pesticides acting at complex I: relevance to environmental etiologies of Parkinson's disease. <i>Journal of Neurochemistry</i> , 2007, 100, 070214184024016-???.	3.9	265
90	Pink, parkin and the brain. <i>Nature</i> , 2006, 441, 1058-1058.	27.8	24

#	ARTICLE	IF	CITATIONS
91	Update on huntingtonâ€™s disease. <i>Current Neurology and Neuroscience Reports</i> , 2006, 6, 281-286.	4.2	7
92	Protection against oxidant-induced apoptosis by mitochondrial thioredoxin in SH-SY5Y neuroblastoma cells. <i>Toxicology and Applied Pharmacology</i> , 2006, 216, 256-262.	2.8	30
93	Intersecting pathways to neurodegeneration in Parkinson's disease: Effects of the pesticide rotenone on DJ-1, Î±-synuclein, and the ubiquitinâ€™proteasome system. <i>Neurobiology of Disease</i> , 2006, 22, 404-420.	4.4	313
94	Interrater agreement in the assessment of motor manifestations of Huntington's disease. <i>Movement Disorders</i> , 2005, 20, 293-297.	3.9	83
95	Ca ²⁺ -induced permeability transition in human lymphoblastoid cell mitochondria from normal and Huntington's disease individuals. <i>Molecular and Cellular Biochemistry</i> , 2005, 269, 143-152.	3.1	88
96	Mitochondria, metabolic inhibitors and neurodegeneration. , 2005, , 33-43.		0
97	Ethyl-EPA in Huntington disease: A double-blind, randomized, placebo-controlled trial. <i>Neurology</i> , 2005, 65, 286-292.	1.1	143
98	Rotenone Model of Parkinson Disease. <i>Journal of Biological Chemistry</i> , 2005, 280, 42026-42035.	3.4	244
99	Oxidative Damage in Parkinson's Disease. <i>Antioxidants and Redox Signaling</i> , 2005, 7, 627-629.	5.4	24
100	Paraquat Neurotoxicity is Distinct from that of MPTP and Rotenone. <i>Toxicological Sciences</i> , 2005, 88, 193-201.	3.1	215
101	Rotenone induces oxidative stress and dopaminergic neuron damage in organotypic substantia nigra cultures. <i>Molecular Brain Research</i> , 2005, 134, 109-118.	2.3	227
102	Gene expression profiling of rat midbrain dopamine neurons: implications for selective vulnerability in parkinsonism. <i>Neurobiology of Disease</i> , 2005, 18, 19-31.	4.4	160
103	Ubiquitinâ€™proteasome system and Parkinson's diseases. <i>Experimental Neurology</i> , 2005, 191, S17-S27.	4.1	198
104	Rotenone Rat and Other Neurotoxin Models of Parkinson Disease. , 2005, , 161-172.		0
105	Parkinson's--Divergent Causes, Convergent Mechanisms. <i>Science</i> , 2004, 304, 1120-1122.	12.6	391
106	Role of External Pallidal Segment in Primate Parkinsonism: Comparison of the Effects of 1-Methyl-4-Phenyl-1,2,3,6-Tetrahydropyridine-Induced Parkinsonism and Lesions of the External Pallidal Segment. <i>Journal of Neuroscience</i> , 2004, 24, 6417-6426.	3.6	179
107	Prolongation of levodopa responses by glycineB antagonists in parkinsonian primates. <i>Annals of Neurology</i> , 2004, 56, 723-727.	5.3	13
108	Differential expression and ser897 phosphorylation of striatal N -methyl- d -aspartate receptor subunit NR1 in animal models of Parkinson's disease. <i>Experimental Neurology</i> , 2004, 187, 76-85.	4.1	32

#	ARTICLE	IF	CITATIONS
109	Regulation of dopamine receptor and neuropeptide expression in the basal ganglia of monkeys treated with MPTP. <i>Experimental Neurology</i> , 2004, 189, 393-403.	4.1	30
110	Quantitative evaluation of the effects of mitochondrial permeability transition pore modifiers on accumulation of calcium phosphate: comparison of rat liver and brain mitochondria. <i>Archives of Biochemistry and Biophysics</i> , 2004, 424, 44-52.	3.0	56
111	Rotenone, Deguelin, Their Metabolites, and the Rat Model of Parkinson's Disease. <i>Chemical Research in Toxicology</i> , 2004, 17, 1540-1548.	3.3	175
112	Subcutaneous Rotenone Exposure Causes Highly Selective Dopaminergic Degeneration and α -Synuclein Aggregation. <i>Experimental Neurology</i> , 2003, 179, 9-16.	4.1	599
113	In vitro effects of polyglutamine tracts on Ca^{2+} -dependent depolarization of rat and human mitochondria: relevance to Huntington's disease. <i>Archives of Biochemistry and Biophysics</i> , 2003, 410, 1-6.	3.0	94
114	Selective microglial activation in the rat rotenone model of Parkinson's disease. <i>Neuroscience Letters</i> , 2003, 341, 87-90.	2.1	283
115	The rotenone model of Parkinson's disease: genes, environment and mitochondria. <i>Parkinsonism and Related Disorders</i> , 2003, 9, 59-64.	2.2	207
116	Mechanism of Toxicity in Rotenone Models of Parkinson's Disease. <i>Journal of Neuroscience</i> , 2003, 23, 10756-10764.	3.6	887
117	Environment, Mitochondria, and Parkinson's Disease. <i>Neuroscientist</i> , 2002, 8, 192-197.	3.5	120
118	An <i>In Vitro</i> Model of Parkinson's Disease: Linking Mitochondrial Impairment to Altered α -Synuclein Metabolism and Oxidative Damage. <i>Journal of Neuroscience</i> , 2002, 22, 7006-7015.	3.6	547
119	Acute Mitochondrial and Chronic Toxicological Effects of 1-Methyl-4-Phenylpyridinium in Human Neuroblastoma Cells. <i>NeuroToxicology</i> , 2002, 23, 569-580.	3.0	28
120	Animal models of Parkinson's disease. <i>BioEssays</i> , 2002, 24, 308-318.	2.5	494
121	Exacerbation of NMDA, AMPA, and l-Glutamate Excitotoxicity by the Succinate Dehydrogenase Inhibitor Malonate. <i>Journal of Neurochemistry</i> , 2002, 64, 2332-2338.	3.9	68
122	Manipulation of Membrane Potential Modulates Malonate-Induced Striatal Excitotoxicity In Vivo. <i>Journal of Neurochemistry</i> , 2002, 66, 637-643.	3.9	49
123	Early mitochondrial calcium defects in Huntington's disease are a direct effect of polyglutamines. <i>Nature Neuroscience</i> , 2002, 5, 731-736.	14.8	925
124	Mechanistic Approaches to Parkinson's Disease Pathogenesis. <i>Brain Pathology</i> , 2002, 12, 499-510.	4.1	115
125	Environment, Mitochondria, and Parkinson's Disease. <i>Neuroscientist</i> , 2002, 8, 192-197.	3.5	116
126	Chronic Complex I Inhibition Reproduces Features of Parkinson's Disease. <i>Advances in Behavioral Biology</i> , 2002, , 271-276.	0.2	0

#	ARTICLE	IF	CITATIONS
127	Response: Parkinson's disease, pesticides and mitochondrial dysfunction. Trends in Neurosciences, 2001, 24, 247.	8.6	18
128	Pesticides and Parkinson's Disease. Scientific World Journal, The, 2001, 1, 207-208.	2.1	18
129	Glutamatergic Influences on the Basal Ganglia. Clinical Neuropharmacology, 2001, 24, 65-70.	0.7	80
130	Blockade of subthalamic glutamatergic activity corrects changes in neuronal metabolism and motor behavior in rats with nigrostriatal lesions. Neurological Sciences, 2001, 22, 49-50.	1.9	27
131	Subthalamic infusion of an NMDA antagonist prevents basal ganglia metabolic changes and nigral degeneration in a rodent model of Parkinson's disease. Annals of Neurology, 2001, 49, 525-529.	5.3	65
132	Complex I and Parkinson's Disease. IUBMB Life, 2001, 52, 135-141.	3.4	305
133	A randomized, controlled trial of remacemide for motor fluctuations in Parkinson's disease. Neurology, 2001, 56, 455-462.	1.1	58
134	Immunocytochemical Characterization of the Mitochondrially Encoded ND1 Subunit of Complex I (NADH : Ubiquinone Oxidoreductase) in Rat Brain. Journal of Neurochemistry, 2000, 75, 383-392.	3.9	25
135	Glur1 Glutamate Receptor Subunit Is Regulated Differentially in the Primate Basal Ganglia Following Nigrostriatal Dopamine Denervation. Journal of Neurochemistry, 2000, 74, 1166-1174.	3.9	58
136	Chronic systemic pesticide exposure reproduces features of Parkinson's disease. Nature Neuroscience, 2000, 3, 1301-1306.	14.8	3,216
137	Glutathione Depletion in PC12 Results in Selective Inhibition of Mitochondrial Complex I Activity. Journal of Biological Chemistry, 2000, 275, 26096-26101.	3.4	228
138	Antiparkinsonian Actions of CP-101,606, an Antagonist of NR2B Subunit-Containing N-Methyl-d-Aspartate Receptors. Experimental Neurology, 2000, 163, 239-243.	4.1	124
139	In Vivo Labeling of Mitochondrial Complex I (NADH:UbiquinoneOxidoreductase) in Rat Brain Using [³ H]Dihydrorotenone. Journal of Neurochemistry, 2000, 75, 2611-2621.	3.9	116
140	"Ottorino Rossi" Award 2000. New targets for therapy in Parkinson's disease: pathogenesis and pathophysiology. Functional Neurology, 2000, 15, 67-80.	1.3	5
141	Mitochondrial dysfunction in Parkinson's disease. Biochemical Society Symposia, 1999, 66, 85-97.	2.7	227
142	Increased apoptosis of Huntington disease lymphoblasts associated with repeat length-dependent mitochondrial depolarization. Nature Medicine, 1999, 5, 1194-1198.	30.7	516
143	Ca ²⁺ -Dependent Permeability Transition and Complex I Activity in Lymphoblast Mitochondria from Normal Individuals and Patients with Huntington's or Alzheimer's Disease. Annals of the New York Academy of Sciences, 1999, 893, 365-368.	3.8	22
144	Synthesis and evaluation of a new fluorine-18 labeled rotenoid as a potential PET probe of mitochondrial complex I activity. Journal of Labelled Compounds and Radiopharmaceuticals, 1999, 42, 1039-1051.	1.0	10

#	ARTICLE	IF	CITATIONS
145	Differential Expression of Glutamate Receptors by the Dopaminergic Neurons of the Primate Striatum. <i>Experimental Neurology</i> , 1999, 159, 401-408.	4.1	25
146	Prospects of glutamate antagonists in the therapy of Parkinson's disease. <i>Fundamental and Clinical Pharmacology</i> , 1998, 12, 4-12.	1.9	41
147	Quantitative study of mitochondrial complex I in platelets of parkinsonian patients. <i>Movement Disorders</i> , 1998, 13, 11-15.	3.9	41
148	3-Nitropropionic acid exacerbates N-methyl-d-aspartate toxicity in striatal culture by multiple mechanisms. <i>Neuroscience</i> , 1998, 84, 503-510.	2.3	77
149	Visualization of NMDA Receptor-Induced Mitochondrial Calcium Accumulation in Striatal Neurons. <i>Experimental Neurology</i> , 1998, 149, 1-12.	4.1	108
150	Privileged access to mitochondria of calcium influx through N-methyl-D-aspartate receptors. <i>Molecular Pharmacology</i> , 1998, 53, 974-80.	2.3	146
151	Lead-induced changes in NMDA receptor complex binding: correlations with learning accuracy and with sensitivity to learning impairments caused by MK-801 and NMDA administration. <i>Behavioural Brain Research</i> , 1997, 85, 161-174.	2.2	45
152	Dopaminergic Neurons Intrinsic to the Primate Striatum. <i>Journal of Neuroscience</i> , 1997, 17, 6761-6768.	3.6	244
153	Subthalamic Ablation Reverses Changes in Basal Ganglia Oxidative Metabolism and Motor Response to Apomorphine Induced by Nigrostriatal Lesion in Rats. <i>European Journal of Neuroscience</i> , 1997, 9, 1407-1413.	2.6	55
154	Intrastratial Neurotoxin Injections Reduce in Vitro and in Vivo Binding of Radiolabeled Rotenoids to Mitochondrial Complex I. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1997, 17, 265-272.	4.3	13
155	Susceptibility of Adult Rats to Lead-induced Changes in NMDA Receptor Complex Function. <i>Neurotoxicology and Teratology</i> , 1997, 19, 517-530.	2.4	9
156	Bioenergetics and glutamate excitotoxicity. <i>Progress in Neurobiology</i> , 1996, 48, 613-634.	5.7	225
157	ARL-15896, a Novel N-Methyl-D-aspartate Receptor Ion Channel Antagonist: Neuroprotection against Mitochondrial Metabolic Toxicity and Regional Pharmacology. <i>Experimental Neurology</i> , 1996, 137, 66-72.	4.1	19
158	[³ H]Dihydrorotenone Binding to NADH: Ubiquinone Reductase (Complex I) of the Electron Transport Chain: An Autoradiographic Study. <i>Journal of Neuroscience</i> , 1996, 16, 3807-3816.	3.6	95
159	Glutamate and Parkinson's disease. <i>Molecular Neurobiology</i> , 1996, 12, 73-94.	4.0	296
160	Coexistence of Huntington's disease and familial amyotrophic lateral sclerosis: case presentation. <i>Acta Neuropathologica</i> , 1996, 92, 421-427.	7.7	28
161	A controlled trial of remacemide hydrochloride in Huntington's disease. <i>Movement Disorders</i> , 1996, 11, 273-277.	3.9	100
162	Pharmacological pallidotomy with glutamate antagonists?. <i>Annals of Neurology</i> , 1996, 39, 557-558.	5.3	17

#	ARTICLE	IF	CITATIONS
163	Bioenergetics and excitotoxicity. , 1996, , 125-142.		3
164	The role of glutamate in the pathophysiology of Parkinson's disease. <i>Functional Neurology</i> , 1996, 11, 3-15.	1.3	51
165	Assay of [3H] Dihydrorotenone Binding to Complex I in Intact Human Platelets. <i>Analytical Biochemistry</i> , 1995, 230, 16-19.	2.4	11
166	Effect of subthalamic nucleus lesion on mitochondrial enzyme activity in rat basal ganglia. <i>Brain Research</i> , 1995, 669, 59-66.	2.2	32
167	Sprouting of dopaminergic fibers from spared mesencephalic dopamine neurons in the unilateral partial lesioned rat. <i>Brain Research</i> , 1995, 670, 197-204.	2.2	38
168	Intrastriatal injections of the succinate dehydrogenase inhibitor, malonate, cause a rise in extracellular amino acids that is blocked by MK-801. <i>Brain Research</i> , 1995, 684, 221-224.	2.2	29
169	Selective vulnerability of the CA1 region of hippocampus to the indirect excitotoxic effects of malonic acid. <i>Neuroscience Letters</i> , 1995, 192, 29-32.	2.1	39
170	Chronic treatment with thioctic acid does not protect against malonate toxicity in vivo. <i>Neuroscience Letters</i> , 1995, 196, 125-127.	2.1	2
171	Autoradiographic study of mitochondrial complex I and glutamate receptors in the basal ganglia of rats after unilateral subthalamic lesion. <i>Neuroscience Letters</i> , 1995, 186, 99-102.	2.1	15
172	Characterization of the Excitotoxic Potential of the Reversible Succinate Dehydrogenase Inhibitor Malonate. <i>Journal of Neurochemistry</i> , 1995, 64, 430-436.	3.9	107
173	Regional Variations in the Pharmacology of NMDA Receptor Channel Blockers: Implications for Therapeutic Potential. <i>Journal of Neurochemistry</i> , 1995, 64, 614-623.	3.9	128
174	Polysynaptic regulation of glutamate receptors and mitochondrial enzyme activities in the basal ganglia of rats with unilateral dopamine depletion. <i>Journal of Neuroscience</i> , 1994, 14, 7192-7199.	3.6	118
175	Antiparkinsonian effects of remacemide hydrochloride, a glutamate antagonist, in rodent and primate models of Parkinson's disease. <i>Annals of Neurology</i> , 1994, 35, 655-661.	5.3	150
176	Regional variations in the pharmacology of AMPA receptors as revealed by receptor autoradiography. <i>Brain Research</i> , 1994, 664, 202-206.	2.2	17
177	The endogenous cofactors, thioctic acid and dihydrolipoic acid, are neuroprotective against NMDA and malonic acid lesions of striatum. <i>Neuroscience Letters</i> , 1994, 171, 17-20.	2.1	61
178	Inhibition of autoradiographic MK-801 binding by an endogenous factor. <i>Neuroscience Letters</i> , 1994, 169, 105-108.	2.1	11
179	Inhibition of Succinate Dehydrogenase by Malonic Acid Produces an "Excitotoxic" Lesion in Rat Striatum. <i>Journal of Neurochemistry</i> , 1993, 61, 1151-1154.	3.9	210
180	NMDA and AMPA Receptors in Transgenic Mice Expressing Human β -Amyloid Protein. <i>Journal of Neurochemistry</i> , 1993, 61, 2286-2289.	3.9	16

#	ARTICLE	IF	CITATIONS
181	Glutamate-dopamine interactions in the basal ganglia: relationship to Parkinson's disease. <i>Journal of Neural Transmission</i> , 1993, 91, 255-269.	2.8	127
182	Neurotransmitter receptors in Alzheimer disease. <i>Cerebrovascular and Brain Metabolism Reviews</i> , 1993, 5, 61-94.	2.0	18
183	N-Methyl-D-Aspartate Antagonists, Schizophrenia, and Neuroleptic Malignant Syndrome-Reply. <i>Archives of Neurology</i> , 1992, 49, 901-901.	4.5	1
184	Alternative excitotoxic hypotheses. <i>Neurology</i> , 1992, 42, 733-733.	1.1	566
185	Quantitative Autoradiography of Dihydrorotenone Binding to Complex I of the Electron Transport Chain. <i>Journal of Neurochemistry</i> , 1992, 59, 746-749.	3.9	38
186	Neuronal bioenergetic defects, excitotoxicity and Alzheimer's disease: "Use it and lose it". <i>Neurobiology of Aging</i> , 1991, 12, 334-336.	3.1	31
187	A study of cortical and hippocampal NMDA and PCP receptors following selective cortical and subcortical lesions. <i>Brain Research</i> , 1991, 538, 36-45.	2.2	14
188	The AMPA receptor antagonist NBQX has antiparkinsonian effects in monoamine-depleted rats and MPTP-treated monkeys. <i>Annals of Neurology</i> , 1991, 30, 717-723.	5.3	251
189	N-Methyl-d-Aspartate Antagonists in the Treatment of Parkinson's Disease. <i>Archives of Neurology</i> , 1991, 48, 977-981.	4.5	227
190	Excitotoxicity and Dopaminergic Dysfunction in the Acquired Immunodeficiency Syndrome Dementia Complex. <i>Archives of Neurology</i> , 1991, 48, 1281.	4.5	74
191	Excitatory amino acid binding sites in the hippocampal region of Alzheimer's disease and other dementias. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1990, 53, 314-320.	1.9	92
192	Regional ontogeny of a unique glutamate recognition site in rat brain: An autoradiographic study. <i>International Journal of Developmental Neuroscience</i> , 1990, 8, 437-445.	1.6	20
193	Spectrophotometric determination of refractive index increment for bacterial cells. <i>Journal of Microbiological Methods</i> , 1990, 11, 255-260.	1.6	1
194	Sodium-dependent d-aspartate "binding" is not a measure of presynaptic neuronal uptake sites in an autoradiographic assay. <i>Brain Research</i> , 1990, 511, 310-318.	2.2	34
195	Contamination of commercially available quisqualic acid by glutamate-like and aspartate-like substances. <i>Journal of Neuroscience Methods</i> , 1989, 27, 143-148.	2.5	8
196	Authors' response to commentaries. <i>Neurobiology of Aging</i> , 1989, 10, 618-620.	3.1	16
197	Synaptic localization of striatal NMDA, quisqualate and kainate receptors. <i>Neuroscience Letters</i> , 1989, 101, 133-137.	2.1	90
198	Excitatory amino acids and Alzheimer's disease. <i>Neurobiology of Aging</i> , 1989, 10, 593-602.	3.1	489

#	ARTICLE	IF	CITATIONS
199	Properties of Quisqualate-Sensitive L-[3H]Glutamate Binding Sites in Rat Brain as Determined by Quantitative Autoradiography. <i>Journal of Neurochemistry</i> , 1988, 51, 469-478.	3.9	57
200	Glutamate transmission and toxicity in alzheimer's disease. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1988, 12, 421-478.	4.8	155
201	Glutamate recognition sites in human fetal brain. <i>Neuroscience Letters</i> , 1988, 84, 131-136.	2.1	63
202	NMDA receptor losses in putamen from patients with Huntington's disease. <i>Science</i> , 1988, 241, 981-983.	12.6	380
203	Glutamate dysfunction in Alzheimer's disease: an hypothesis. <i>Trends in Neurosciences</i> , 1987, 10, 65-68.	8.6	313
204	Autoradiographic localization of cerebellar excitatory amino acid binding sites in the mouse. <i>Neuroscience</i> , 1987, 22, 913-923.	2.3	82
205	Dementia of the Alzheimer's Type: Changes in Hippocampal L-[3H]Glutamate Binding. <i>Journal of Neurochemistry</i> , 1987, 48, 543-551.	3.9	274
206	High correlation between the localization of [3H]TCP binding and NMDA receptors. <i>European Journal of Pharmacology</i> , 1986, 123, 173-174.	3.5	120
207	The Role of Glutamate in Neurotransmission and in Neurologic Disease. <i>Archives of Neurology</i> , 1986, 43, 1058-1063.	4.5	292
208	Glutamate Receptors and Glutamate Corticofugal Pathways. , 1986, , 355-365.		0
209	Alterations in L-glutamate binding in Alzheimer's and Huntington's diseases. <i>Science</i> , 1985, 227, 1496-1499.	12.6	331
210	Autoradiographic characterization of N-methyl-D-aspartate-, quisqualate- and kainate-sensitive glutamate binding sites. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 1985, 233, 254-63.	2.5	235
211	Quantitative autoradiographic distribution of L-[3H]glutamate-binding sites in rat central nervous system. <i>Journal of Neuroscience</i> , 1984, 4, 2133-2144.	3.6	332
212	Quantitative autoradiography of L-[3H]glutamate binding to rat brain. <i>Neuroscience Letters</i> , 1983, 37, 155-160.	2.1	48