

Wilfredo Oliva-Olivera

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8843807/wilfredo-oliva-olivera-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

17 papers	263 citations	10 h-index	16 g-index
18 ext. papers	323 ext. citations	6.4 avg, IF	2.63 L-index

#	Paper	IF	Citations
17	Human adipose tissue-derived stem cell paracrine networks vary according metabolic risk and after TNF-induced death: An analysis at the single-cell level. <i>Metabolism: Clinical and Experimental</i> , 2021 , 116, 154466	12.7	
16	Human adipose tissue H3K4me3 histone mark in adipogenic, lipid metabolism and inflammatory genes is positively associated with BMI and HOMA-IR. <i>PLoS ONE</i> , 2019 , 14, e0215083	3.7	24
15	Metabolic endotoxemia promotes adipose dysfunction and inflammation in human obesity. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2019 , 316, E319-E332	6	35
14	Differences in the neovascular potential of thymus versus subcutaneous adipose-derived stem cells from patients with myocardial ischaemia. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2018 , 12, e1772-e1784	4.4	2
13	Involvement of acetyl-CoA-producing enzymes in the deterioration of the functional potential of adipose-derived multipotent cells from subjects with metabolic syndrome. <i>Metabolism: Clinical and Experimental</i> , 2018 , 88, 12-21	12.7	3
12	Survivin, a key player in cancer progression, increases in obesity and protects adipose tissue stem cells from apoptosis. <i>Cell Death and Disease</i> , 2017 , 8, e2802	9.8	16
11	Neovascular deterioration, impaired NADPH oxidase and inflammatory cytokine expression in adipose-derived multipotent cells from subjects with metabolic syndrome. <i>Metabolism: Clinical and Experimental</i> , 2017 , 71, 132-143	12.7	7
10	Different response to hypoxia of adipose-derived multipotent cells from obese subjects with and without metabolic syndrome. <i>PLoS ONE</i> , 2017 , 12, e0188324	3.7	10
9	Adipogenic Impairment of Adipose Tissue-Derived Mesenchymal Stem Cells in Subjects With Metabolic Syndrome: Possible Protective Role of FGF2. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 478-487	5.6	14
8	Adipose tissue infiltration in normal-weight subjects and its impact on metabolic function. <i>Translational Research</i> , 2016 , 172, 6-17.e3	11	22
7	RPL13A and EEF1A1 Are Suitable Reference Genes for qPCR during Adipocyte Differentiation of Vascular Stromal Cells from Patients with Different BMI and HOMA-IR. <i>PLoS ONE</i> , 2016 , 11, e0157002	3.7	19
6	Effects of glucagon-like peptide-1 on the differentiation and metabolism of human adipocytes. <i>British Journal of Pharmacology</i> , 2016 , 173, 1820-34	8.6	29
5	Parathyroid Hormone-Related Protein, Human Adipose-Derived Stem Cells Adipogenic Capacity and Healthy Obesity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, E826-35	5.6	6
4	Differences in the Osteogenic Differentiation Capacity of Omental Adipose-Derived Stem Cells in Obese Patients With and Without Metabolic Syndrome. <i>Endocrinology</i> , 2015 , 156, 4492-501	4.8	22
3	Hypoxia is associated with a lower expression of genes involved in lipogenesis in visceral adipose tissue. <i>Journal of Translational Medicine</i> , 2015 , 13, 373	8.5	21
2	Myocardial Ischemic Subjects Thymus Fat: A Novel Source of Multipotent Stromal Cells. <i>PLoS ONE</i> , 2015 , 10, e0144401	3.7	4
1	Progression from high insulin resistance to type 2 diabetes does not entail additional visceral adipose tissue inflammation. <i>PLoS ONE</i> , 2012 , 7, e48155	3.7	29

