

Saba Alzabin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8844003/publications.pdf>

Version: 2024-02-01

20
papers

2,215
citations

516215

16
h-index

752256

20
g-index

21
all docs

21
docs citations

21
times ranked

4032
citing authors

#	ARTICLE	IF	CITATIONS
1	IRF5 promotes inflammatory macrophage polarization and TH1-TH17 responses. <i>Nature Immunology</i> , 2011, 12, 231-238.	7.0	1,068
2	<i>Porphyromonas gingivalis</i> Facilitates the Development and Progression of Destructive Arthritis through Its Unique Bacterial Peptidylarginine Deiminase (PAD). <i>PLoS Pathogens</i> , 2013, 9, e1003627.	2.1	212
3	Blockade of tumor necrosis factor in collagen-induced arthritis reveals a novel immunoregulatory pathway for Th1 and Th17 cells. <i>Journal of Experimental Medicine</i> , 2008, 205, 2491-2497.	4.2	186
4	Incomplete response of inflammatory arthritis to TNF \pm blockade is associated with the Th17 pathway. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 1741-1748.	0.5	133
5	Immunization with <i>Porphyromonas gingivalis</i> enolase induces autoimmunity to mammalian α -enolase and arthritis in DR4-IE-transgenic mice. <i>Arthritis and Rheumatism</i> , 2011, 63, 3818-3823.	6.7	103
6	Reporter gene assay for the quantification of the activity and neutralizing antibody response to TNF \pm antagonists. <i>Journal of Immunological Methods</i> , 2011, 373, 229-239.	0.6	91
7	Effector T cells in rheumatoid arthritis: Lessons from animal models. <i>FEBS Letters</i> , 2011, 585, 3649-3659.	1.3	65
8	Hematopoietic Progenitor Kinase 1 Is a Negative Regulator of Dendritic Cell Activation. <i>Journal of Immunology</i> , 2009, 182, 6187-6194.	0.4	48
9	Hematopoietic progenitor kinase 1 is a critical component of prostaglandin E2-mediated suppression of the anti-tumor immune response. <i>Cancer Immunology, Immunotherapy</i> , 2010, 59, 419-429.	2.0	44
10	IL-17 induces hyperalgesia via TNF-dependent neutrophil infiltration. <i>Pain</i> , 2011, 152, 1838-1845.	2.0	43
11	Investigation of the role of endosomal Toll-like receptors in murine collagen-induced arthritis reveals a potential role for TLR7 in disease maintenance. <i>Arthritis Research and Therapy</i> , 2012, 14, R142.	1.6	43
12	Anti-tumour necrosis factor treatment increases circulating T helper type 17 cells similarly in different types of inflammatory arthritis. <i>Clinical and Experimental Immunology</i> , 2015, 181, 401-406.	1.1	40
13	Prostaglandin E2 Activates HPK1 Kinase Activity via a PKA-dependent Pathway. <i>Journal of Biological Chemistry</i> , 2007, 282, 34693-34699.	1.6	31
14	Response to Treatment with TNF \pm Inhibitors in Rheumatoid Arthritis Is Associated with High Levels of GM-CSF and GM-CSF+ T Lymphocytes. <i>Clinical Reviews in Allergy and Immunology</i> , 2017, 53, 265-276.	2.9	25
15	CD200R1 regulates the severity of arthritis but has minimal impact on the adaptive immune response. <i>Clinical and Experimental Immunology</i> , 2010, 162, 163-168.	1.1	20
16	Targeting the MAPK7/MMP9 axis for metastasis in primary bone cancer. <i>Oncogene</i> , 2020, 39, 5553-5569.	2.6	20
17	Companion Diagnostics: State of the Art and New Regulations. <i>Biomarker Insights</i> , 2021, 16, 117727192110477.	1.0	18
18	Etiology of autoimmune disease: past, present and future. <i>Expert Review of Clinical Immunology</i> , 2012, 8, 111-113.	1.3	13

#	ARTICLE	IF	CITATIONS
19	HPK1 Influences Regulatory T Cell Functions. <i>ImmunoHorizons</i> , 2020, 4, 382-391.	0.8	8
20	Mouse p10, an Alternative Spliced Form of p15INK4b, Inhibits Cell Cycle Progression and Malignant Transformation. <i>Cancer Research</i> , 2005, 65, 3249-3256.	0.4	4