## Yuriy S Shmaliy

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/884474/publications.pdf Version: 2024-02-01



YIIDIV S SHMALIV

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Generalized Dissipativity-Based Receding Horizon FIR Filtering with Deadbeat Property. IEEE<br>Transactions on Circuits and Systems II: Express Briefs, 2024, , 1-1.   | 2.2 | 1         |
| 2  | Frobenius Norm-Based Unbiased Finite Impulse Response Fusion Filtering for Wireless Sensor<br>Networks. IEEE Transactions on Industrial Electronics, 2022, 69, 1867-1876.  | 5.2 | 12        |
| 3  | Predictive Tracking Under Persistent Disturbances and Data Errors Using \$H_2\$ FIR Approach. IEEE Transactions on Industrial Electronics, 2022, 69, 6121-6129.  | 5.2 | 10        |
| 4  | Bias-Constrained <i>H</i> â,, Optimal Finite Impulse Response Filtering for Object Tracking Under<br>Disturbances and Data Errors. IEEE Transactions on Control Systems Technology, 2022, 30, 1782-1789.   | 3.2 | 8         |
| 5  | Robust \$q\$-LAG Unbiased FIR Smoother for LTV Systems and Recursive Forms. IEEE Signal Processing<br>Letters, 2022, 29, 379-383.  | 2.1 | Ο         |
| 6  | Bounding Box Stabilization for Visual Object Tracking Using Kalman and FIR Filters. WSEAS<br>Transactions on Signal Processing, 2022, 18, 11-20.   | 0.3 | 0         |
| 7  | Effect of sampling time jitter on robust <mml:math<br>xmlns:mml="http://www.w3.org/1998/Math/MathML"<br/>altimg="si1.svg"&gt;<mml:msub><mml:mi>H</mml:mi><mml:mn>2</mml:mn></mml:msub><br/>filtering estimates_Signal Processing_2022_198_108597</mml:math<br> | 2.1 | 0         |
| 8  | Edge testing of Noisy image Based on Wavelet Neural Network. WSEAS Transactions on Signal Processing, 2022, 18, 116-122.   | 0.3 | 0         |
| 9  | Uncertain disturbed systems: Robust <i>H</i> <sub>2</sub> â€OUFIR filtering under measurement errors.<br>International Journal of Adaptive Control and Signal Processing, 2022, 36, 2383-2400.   | 2.3 | 3         |
| 10 | Self-Tuning Unbiased Finite Impulse Response Filtering Algorithm for Processes With Unknown<br>Measurement Noise Covariance. IEEE Transactions on Control Systems Technology, 2021, 29, 1372-1379.   | 3.2 | 37        |
| 11 | Improving Tightly LiDAR/Compass/Encoder-Integrated Mobile Robot Localization with Uncertain Sampling Period Utilizing EFIR Filter. Mobile Networks and Applications, 2021, 26, 440-448.  | 2.2 | 6         |
| 12 | Backward optimal FIR filtering and recursive forms for discrete LTV processes. Signal Processing, 2021, 180, 107857.   | 2.1 | 2         |
| 13 | Multipass Optimal FIR Filtering for Processes With Unknown Initial States and Temporary Mismatches.<br>IEEE Transactions on Industrial Informatics, 2021, 17, 5360-5368.   | 7.2 | 33        |
| 14 | Tightly Coupled Integration of INS and UWB Using Fixed-Lag Extended UFIR Smoothing for Quadrotor Localization. IEEE Internet of Things Journal, 2021, 8, 1716-1727.  | 5.5 | 46        |
| 15 | Optimal FIR Filter for Discrete-Time LTV Systems and Fast Iterative Algorithm. IEEE Transactions on Circuits and Systems II: Express Briefs, 2021, 68, 1527-1531.  | 2.2 | 11        |
| 16 | A Novel \$H_2\$ Approach to FIR Prediction Under Disturbances and Measurement Errors. IEEE Signal Processing Letters, 2021, 28, 150-154.   | 2.1 | 12        |
| 17 | Blind Robust Multi-Horizon EFIR Filter for Tightly Integrating INS and UWB. IEEE Sensors Journal, 2021, 21, 23037-23045.   | 2.4 | 3         |
| 18 | Denoising ECG Signals Using Unbiased FIR Smoother and Harmonic State-Space Model. , 2021, , .  |     | 1         |

 $Denoising \ {\rm ECG} \ {\rm Signals} \ {\rm Using} \ {\rm Unbiased} \ {\rm FIR} \ {\rm Smoother} \ {\rm and} \ {\rm Harmonic} \ {\rm State-Space} \ {\rm Model.} \ , \ 2021, \ , \ .$ 18

| #  | Article   | IF                   | CITATIONS |
|----|---|----------------------|-----------|
| 19 | Improving Myoelectric Prosthetic Arm Proportional Control Under MUAP Envelope Colored Noise.<br>IEEE Access, 2021, 9, 42845-42856.  | 2.6                  | 0         |
| 20 | Distributed UFIR Filtering with Applications to Environmental Monitoring. WSEAS Transactions on Signal Processing, 2021, 16, 185-190.   | 0.3                  | 2         |
| 21 | UFIR Filtering Under Uncertain One-Step Delayed and Missing Data. WSEAS Transactions on Signal Processing, 2021, 16, 191-196.   | 0.3                  | 2         |
| 22 | Three-Wheeled Omnidirectional Robot Localization in RFID-Tag Environments using UFIR Filtering.<br>WSEAS Transactions on Signal Processing, 2021, 17, 16-21.  | 0.3                  | 2         |
| 23 | INS/UWB-Based Quadrotor Localization Under Colored Measurement Noise. IEEE Sensors Journal, 2021, 21, 6384-6392.  | 2.4                  | 18        |
| 24 | Distributed UFIR Filtering with Applications to Environmental Monitoring. International Journal of<br>Circuits, Systems and Signal Processing, 2021, 15, 349-355.   | 0.2                  | 1         |
| 25 | Outliers detection for accurate HRV-seizure baseline estimation using modern numerical algorithms.<br>Biomedical Signal Processing and Control, 2021, 67, 102553.   | 3.5                  | 0         |
| 26 | Unbiased FIR, Kalman, and game theory <mml:math <br="" xmlns:mml="http://www.w3.org/1998/Math/MathML">altimg="si33.svg"&gt;<mml:mrow><mml:msub><mml:mrow><mml:mi>H</mml:mi></mml:mrow><ml:mrow><m<br>under bernoulli distributed random delays and packet dropouts. Neurocomputing, 2021, 442, 89-97.</m<br></ml:mrow></mml:msub></mml:mrow></mml:math> | ml <b>:≋∩</b> ₅>â^ž∢ | nl:mi>    |
| 27 | UFIR State Estimator for Network Systems with Two-Step Delayed and Lost Data. WSEAS Transactions on Signal Processing, 2021, 17, 81-86.   | 0.3                  | 0         |
| 28 | One-Step Predictive H2 FIR Tracking under Persistent Disturbances and Data Errors. WSEAS Transactions on Signal Processing, 2021, 17, 87-92.  | 0.3                  | 0         |
| 29 | Improving Gaussianity of EMG Envelope for Myoelectric Robot Arm Control. WSEAS Transactions on Biology and Biomedicine, 2021, 18, 106-112.  | 0.3                  | 3         |
| 30 | Critical evaluation of CNA estimators for DNA data using matching confidence masks and WGS technology. Biomedical Signal Processing and Control, 2021, 70, 103004.  | 3.5                  | 0         |
| 31 | Unbiased FIR Filtering under Bernoulli-Distributed Binary Randomly Delayed and Missing Data. , 2021, , .  |                      | 0         |
| 32 | Decision tree-extended finite impulse response filtering for pedestrian tracking over tightly<br>integrated inertial navigation system/ultra wide band data. Measurement Science and Technology,<br>2021, 32, 034007.   | 1.4                  | 6         |
| 33 | Distributed Kalman filter for UWB/INS integrated pedestrian localization under colored measurement noise. Satellite Navigation, 2021, 2, .  | 4.6                  | 16        |
| 34 | Discrete Time \$q\$-Lag Maximum Likelihood FIR Smoothing and Iterative Recursive Algorithm. IEEE<br>Transactions on Signal Processing, 2021, 69, 6342-6354.   | 3.2                  | 32        |
| 35 | Backward Iterations for OFIR Filtering in Discrete-Time State-Space. , 2021, , .  |                      | 1         |
| 36 | An Approach to Optimal Filtering of Time-Variant Systems via Finite Measurements. , 2021, 1, 11-16.   |                      | 0         |

36 An Approach to Optimal Filtering of Time-Variant Systems via Finite Measurements. , 2021, 1, 11-16.

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Combined Particle/FIR Filtering for Indoor Localization Based on Wireless Sensor Networks. , 2021, 1, 34-40.   |     | 0         |
| 38 | Improving Jitter Distribution in the Breakpoints of Genome CNVs. , 2021, 1, 23-30.   |     | 0         |
| 39 | Embedded Unbiasedness: Effect on Optimal FIR Filtering Estimates. , 2021, 1, 55-61.  |     | 0         |
| 40 | Factors Affecting Self-Localization in UHF RFID Tag Networks. , 2021, 1, 72-77.  |     | 0         |
| 41 | Probabilistic Monitoring of Correlated Sensors for Nonlinear Processes in State Space. IEEE<br>Transactions on Industrial Electronics, 2020, 67, 2294-2303.  | 5.2 | 34        |
| 42 | Distributed UFIR Filtering Over WSNs With Consensus on Estimates. IEEE Transactions on Industrial<br>Informatics, 2020, 16, 1645-1654.   | 7.2 | 14        |
| 43 | An Improved Iterative FIR State Estimator and Its Applications. IEEE Transactions on Industrial Informatics, 2020, 16, 1003-1012.  | 7.2 | 40        |
| 44 | Unbiased FIR Filtering for Time-Stamped Discretely Delayed and Missing Data. IEEE Transactions on Automatic Control, 2020, 65, 2155-2162.  | 3.6 | 27        |
| 45 | Fusion Kalman and Weighted UFIR State Estimator With Improved Accuracy. IEEE Transactions on Industrial Electronics, 2020, 67, 10713-10722.  | 5.2 | 8         |
| 46 | Optimal extraction of EMG signal envelope and artifacts removal assuming colored measurement noise. Biomedical Signal Processing and Control, 2020, 57, 101679.  | 3.5 | 19        |
| 47 | Kalman and UFIR state estimation with coloured measurement noise using backward Euler method. IET<br>Signal Processing, 2020, 14, 64-71.   | 0.9 | 30        |
| 48 | Robust inertial navigation system/ultra wide band integrated indoor quadrotor localization<br>employing adaptive interacting multiple model-unbiased finite impulse response/Kalman filter<br>estimator. Aerospace Science and Technology, 2020, 98, 105683. | 2.5 | 26        |
| 49 | Improving Accuracy of Mobile Robot Localization by Tightly Fusing LiDAR and DR data. Lecture Notes of the Institute for Computer Sciences, Social-Informatics and Telecommunications Engineering, 2020, , 116-123.   | 0.2 | 1         |
| 50 | Removing Artifacts from EMG Envelope for Improving Myoelectric Robot Arm Control. WSEAS<br>Transactions on Signal Processing, 2020, 16, 31-36.   | 0.3 | 0         |
| 51 | Algorithms Design for Tracking Moving Objects with Colored Process Noise. , 2020, , .  |     | 1         |
| 52 | Visual Object Tracking with Colored Measurement Noise using Kalman and UFIR Filters. , 2020, , .   |     | 2         |
| 53 | Indoor INS UWB-based human localization with missing data utilizing predictive UFIR filtering.<br>IEEE/CAA Journal of Automatica Sinica, 2019, 6, 952-960.   | 8.5 | 32        |
| 54 | Analysis and Smoothing of EMG Signal Envelope Using Kalman and UFIR Filtering under Colored Measurement Noise. MATEC Web of Conferences, 2019, 292, 04002.   | 0.1 | 2         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Denoising and Features Extraction of ECG Signals in State Space Using Unbiased FIR Smoothing. IEEE Access, 2019, 7, 152166-152178.  | 2.6 | 18        |
| 56 | Bayesian State Estimation for Markovian Jump Systems: Employing Recursive Steps and Pseudocodes.<br>IEEE Systems, Man, and Cybernetics Magazine, 2019, 5, 27-36.  | 1.2 | 24        |
| 57 | Indoor INS/LiDAR-Based Robot Localization With Improved Robustness Using Cascaded FIR Filter. IEEE Access, 2019, 7, 34189-34197.  | 2.6 | 32        |
| 58 | ECG Signal Denoising and Features Extraction Using Unbiased FIR Smoothing. BioMed Research<br>International, 2019, 2019, 1-16.  | 0.9 | 31        |
| 59 | Object Tracking Over Distributed WSNs With Consensus on Estimates and Missing Data. IEEE Access, 2019, 7, 39448-39458.  | 2.6 | 12        |
| 60 | Optimal and Unbiased Filtering With Colored Process Noise Using State Differencing. IEEE Signal<br>Processing Letters, 2019, 26, 548-551.   | 2.1 | 26        |
| 61 | Procedure for Removing Artifacts from EMG Signals Envelope Assuming CMN. , 2019, , .  |     | Ο         |
| 62 | Comparison between CNA Estimators and WGS technology based on the Refinement of Breakpoints using the Confidence Masks. , 2019, , .   |     | 0         |
| 63 | ECG Signals Denoising and Features Extraction by Applying UFIR Smoothing with Optimal \$q\$-Lag in the State Space. , 2019, , .   |     | Ο         |
| 64 | Correcting estimates of DNA CNAs using improved confidence masks tuned to gold standard. IET<br>Signal Processing, 2019, 13, 464-471.   | 0.9 | 1         |
| 65 | Viewing sector optimisation for indoor localisation using multiâ€lateration with unilateral nodes deployment. IET Wireless Sensor Systems, 2019, 9, 151-157.  | 1.3 | 1         |
| 66 | Accurate Jitter Computation in CNA Breakpoints Using Hybrid Confidence Masks With Applications to SNP Array Probing. IEEE Access, 2018, 6, 3376-3386.   | 2.6 | 1         |
| 67 | Minimum Weighted Frobenius Norm Discrete-Time FIR Filter With Embedded Unbiasedness. IEEE<br>Transactions on Circuits and Systems II: Express Briefs, 2018, 65, 1284-1288.  | 2.2 | 13        |
| 68 | Matching Confidence Masks with Experts Annotations for Estimates of Chromosomal Copy Number<br>Alterations. Lecture Notes in Computer Science, 2018, , 85-94.   | 1.0 | 1         |
| 69 | Iterative Maximum Likelihood FIR Estimation of Dynamic Systems With Improved Robustness. IEEE/ASME<br>Transactions on Mechatronics, 2018, 23, 1467-1476.  | 3.7 | 16        |
| 70 | A New Unbiased FIR Filter With Improved Robustness Based on Frobenius Norm With Exponential<br>Weight. IEEE Transactions on Circuits and Systems II: Express Briefs, 2018, 65, 521-525.                                     | 2.2 | 21        |
| 71 | Adaptive-Horizon Iterative UFIR Filtering Algorithm With Applications. IEEE Transactions on Industrial Electronics, 2018, 65, 6393-6402.  | 5.2 | 30        |
| 72 | Further Results on Induced <inline-formula> <tex-math notation="LaTeX">\$I_infty\$ </tex-math><br/></inline-formula> RH FIR Filtering. IEEE Transactions on Circuits and Systems II: Express Briefs, 2018, 65,<br>1124-1128 | 2.2 | 1         |

| #  | ARTICLE<br>On the & It in line-formula>: & It tex-math notation="LaTeX">:\$ _2\$ & It./tex-math>:  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | - <inline-formula> <tex-math notation="LaTeX">\$l_infty\$<br/></tex-math> </inline-formula> and <inline-formula> <tex-math<br>notation="LaTeX"&gt;\$H_infty\$  </tex-math<br></inline-formula> Performances of the<br>Continuous-Time Deadbeat <inline-for. and="" briefs,<="" circuits="" express="" ieee="" ii:="" on="" systems="" td="" transactions=""><td>2.2</td><td>8</td></inline-for.> | 2.2 | 8         |
| 74 | 2018, 65, 1798-1802.<br>Adaptive robust INS/UWB-integrated human tracking using UFIR filter bank. Measurement: Journal of<br>the International Measurement Confederation, 2018, 123, 1-7.  | 2.5 | 74        |
| 75 | Bias-Constrained Optimal Fusion Filtering for Decentralized WSN With Correlated Noise Sources. IEEE Transactions on Signal and Information Processing Over Networks, 2018, 4, 727-735.   | 1.6 | 15        |
| 76 | New Receding Horizon FIR Estimator for Blind Smart Sensing of Velocity via Position Measurements.<br>IEEE Transactions on Circuits and Systems II: Express Briefs, 2018, 65, 135-139.  | 2.2 | 14        |
| 77 | A Revisit to Strictly Passive FIR Filtering. IEEE Transactions on Circuits and Systems II: Express Briefs, 2018, 65, 516-520.  | 2.2 | 3         |
| 78 | Fiducial Features Extraction for ECG Signals using State-Space Unbiased FIR Smoothing. , 2018, , .   |     | 2         |
| 79 | GPS-based Tracking over WSNs with Delayed and Missing Data using UFIR Filtering. MATEC Web of Conferences, 2018, 210, 05002.   | 0.1 | 1         |
| 80 | ECG Signals Denoising in State Space using UFIR Filtering for Features Extraction. , 2018, , .   |     | 1         |
| 81 | Jitter Approximation and Confidence Masks in Simulated SCNA Using AEP Distribution. Lecture Notes in Computer Science, 2018, , 326-337.  | 1.0 | 0         |
| 82 | Design of Blind Robust Estimator for Smart Sensors. Lecture Notes in Computer Science, 2018, ,<br>354-365.   | 1.0 | 2         |
| 83 | Comparing Robustness of the Kalman, <inline-formula> <tex-math<br>notation="LaTeX"&gt;\$H_infty\$ </tex-math<br></inline-formula> , and UFIR Filters. IEEE<br>Transactions on Signal Processing, 2018, 66, 3447-3458.  | 3.2 | 65        |
| 84 | Robust and accurate UWBâ€based indoor robot localisation using integrated EKF/EFIR filtering. IET<br>Radar, Sonar and Navigation, 2018, 12, 750-756.   | 0.9 | 39        |
| 85 | Hankel-Norm Approach to Robust FIR Estimation of Dynamic Systems Under External Disturbances.<br>IEEE/ASME Transactions on Mechatronics, 2018, 23, 1973-1980.  | 3.7 | 2         |
| 86 | Fast Kalman-like optimal FIR filter for time-variant systems with improved robustness. ISA<br>Transactions, 2018, 80, 160-168.   | 3.1 | 10        |
| 87 | UFIR Filtering for GPS-Based Tracking over WSNs with Delayed and Missing Data. Journal of Electrical and Computer Engineering, 2018, 2018, 1-9.  | 0.6 | 11        |
| 88 | Receding-Horizon <inline-formula> <tex-math<br>notation="LaTeX"&gt;\$I_{2}{-}I_{infty}\$ </tex-math<br></inline-formula> FIR Filter With<br>Embedded Deadbeat Property. IEEE Transactions on Circuits and Systems II: Express Briefs, 2017, 64,<br>211-215.  | 2.2 | 26        |
| 89 | Distributed Unbiased FIR Filtering With Average Consensus on Measurements for WSNs. IEEE<br>Transactions on Industrial Informatics, 2017, 13, 1440-1447.   | 7.2 | 39        |
| 90 | Blind Robust Estimation With Missing Data for Smart Sensors Using UFIR Filtering. IEEE Sensors<br>Journal, 2017, 17, 1819-1827.  | 2.4 | 23        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Frequency-Efficient Receding Horizon \$H_infty \$ FIR Filtering in Discrete-Time State-Space. IEEE<br>Transactions on Circuits and Systems I: Regular Papers, 2017, 64, 2945-2953.                | 3.5 | 16        |
| 92  | On the Iterative Computation of Error Matrix in Unbiased FIR Filtering. IEEE Signal Processing Letters, 2017, 24, 555-558.  | 2.1 | 12        |
| 93  | Fast biasâ€constrained optimal FIR filtering for timeâ€invariant state space models. International Journal of Adaptive Control and Signal Processing, 2017, 31, 1061-1076.                        | 2.3 | 4         |
| 94  | Fusion Kalman/UFIR Filter for State Estimation With Uncertain Parameters and Noise Statistics. IEEE<br>Transactions on Industrial Electronics, 2017, 64, 3075-3083.                               | 5.2 | 83        |
| 95  | Bayesian state estimation on finite horizons: The case of linear state–space model. Automatica, 2017,<br>85, 91-99.   | 3.0 | 22        |
| 96  | UWB-Based Indoor Human Localization With Time-Delayed Data Using EFIR Filtering. IEEE Access, 2017, 5, 16676-16683.   | 2.6 | 89        |
| 97  | General Unbiased FIR Filter With Applications to GPS-Based Steering of Oscillator Frequency. IEEE<br>Transactions on Control Systems Technology, 2017, 25, 1141-1148.                             | 3.2 | 26        |
| 98  | Accurate and Reliable Human Localization Using Composite Particle/FIR Filtering. IEEE Transactions on<br>Human-Machine Systems, 2017, 47, 332-342.  | 2.5 | 45        |
| 99  | Improving estimates of the breakpoints in genome copy number alteration profiles with confidence masks. Biomedical Signal Processing and Control, 2017, 31, 238-248.                              | 3.5 | 6         |
| 100 | Continuous-Time Deadbeat \$H_{2}\$ FIR Filter. IEEE Transactions on Circuits and Systems II: Express Briefs, 2017, 64, 987-991.   | 2.2 | 16        |
| 101 | Real-Time Optimal State Estimation of Multi-DOF Industrial Systems Using FIR Filtering. IEEE<br>Transactions on Industrial Informatics, 2017, 13, 967-975.  | 7.2 | 28        |
| 102 | Distributed Hybrid Particle/FIR Filtering for Mitigating NLOS Effects in TOA-Based Localization Using Wireless Sensor Networks. IEEE Transactions on Industrial Electronics, 2017, 64, 5182-5191. | 5.2 | 125       |
| 103 | Unbiased FIR denoising of ECG signals. , 2017, , .  |     | 6         |
| 104 | Jitter representation in SCNA breakpoints using asymmetric exponential power distribution. , 2017, , .  |     | 2         |
| 105 | Approximation of Jitter probability in the breakpoints using AEP distribution and confidence masks of SCNA. , 2017, , .   |     | 0         |
| 106 | Design of an unbiased finite impulse response filter for a smart sensor to estimate state of CO concentration. , 2017, , .  |     | 0         |
| 107 | Unbiased FIR denoising of ECG data for features extraction. , 2017, , .   |     | 0         |
| 108 | Features Extraction from ECG Signals Using Unbiased FIR Filtering. , 2017, , .  |     | 0         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Design of blind distributed UFIR filter based on average consensus for WSNs. , 2016, , .  |     | Ο         |
| 110 | Improving robustness of distributed filtering for sensor networks using FIR filtering. , 2016, , .  |     | 0         |
| 111 | Improving approximation of jitter probability in the breakpoints of simulated copy number alterations. , 2016, , .  |     | 1         |
| 112 | Ultimate iterative UFIR filtering algorithm. Measurement: Journal of the International Measurement<br>Confederation, 2016, 92, 236-242.   | 2.5 | 32        |
| 113 | Unified Maximum Likelihood Form for Bias Constrained FIR Filters. IEEE Signal Processing Letters, 2016, 23, 1848-1852.  | 2.1 | 20        |
| 114 | Unbiased, optimal, and inâ€betweens: the tradeâ€off in discrete finite impulse response filtering. IET Signal<br>Processing, 2016, 10, 325-334.   | 0.9 | 14        |
| 115 | Fast Kalman-Like Optimal Unbiased FIR Filtering With Applications. IEEE Transactions on Signal Processing, 2016, 64, 2284-2297.   | 3.2 | 124       |
| 116 | Switching Extensible FIR Filter Bank for Adaptive Horizon State Estimation With Application. IEEE<br>Transactions on Control Systems Technology, 2016, 24, 1052-1058.                           | 3.2 | 78        |
| 117 | Effect of embedded unbiasedness on discrete-time optimal FIR filtering estimates. Eurasip Journal on<br>Advances in Signal Processing, 2015, 2015, .  | 1.0 | 7         |
| 118 | Improving state estimates over finite data using optimal FIR filtering with embedded unbiasedness. , 2015, , .  |     | 0         |
| 119 | New results in nonlinear state estimation using extended unbiased fir filtering. , 2015, , .  |     | 1         |
| 120 | An Algorithm for Bounding Error in Estimates of Genome Copy Number Variations Using SNP Array<br>Technology. , 2015, , .  |     | 1         |
| 121 | Minimum variance unbiased FIR filter for discrete time-variant systems. Automatica, 2015, 53, 355-361.  | 3.0 | 75        |
| 122 | Self-Localization Over RFID Tag Grid Excess Channels Using Extended Filtering Techniques. IEEE<br>Journal on Selected Topics in Signal Processing, 2015, 9, 229-238.                            | 7.3 | 18        |
| 123 | Improving Reliability of Particle Filter-Based Localization in Wireless Sensor Networks via Hybrid<br>Particle/FIR Filtering. IEEE Transactions on Industrial Informatics, 2015, 11, 1089-1098. | 7.2 | 204       |
| 124 | Algorithmic innovations in extended unbiased FIR filtering of nonlinear models. , 2015, , .   |     | 1         |
| 125 | Unbiased FIR smoother for discrete time-variant systems with backward structure. , 2015, , .  |     | 0         |
| 126 | Fast Computation of Discrete Optimal FIR Estimates in White Gaussian Noise. IEEE Signal Processing Letters, 2015, 22, 718-722.  | 2.1 | 53        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | A generalized algorithm for nonlinear state estimation using extended UFIR filtering. , 2014, , .  |     | 0         |
| 128 | Optimal FIR estimator for discrete time-variant state-space model. , 2014, , .   |     | 0         |
| 129 | Triangulation-based indoor robot localization using extended FIR/Kalman filtering. , 2014, , .   |     | 2         |
| 130 | Adapting horizon size in finite impulse response filtering through switching extensible FIR filter bank. , 2014, , .   |     | 0         |
| 131 | Accurate Self-Localization in RFID Tag Information Grids Using FIR Filtering. IEEE Transactions on Industrial Informatics, 2014, 10, 1317-1326.                                    | 7.2 | 80        |
| 132 | Optimal Memory for Discrete-Time FIR Filters in State-Space. IEEE Transactions on Signal Processing, 2014, 62, 557-561.  | 3.2 | 109       |
| 133 | Confidence masks for genome DNA copy number variations in applications to HR-CGH array measurements. Biomedical Signal Processing and Control, 2014, 13, 337-344.                  | 3.5 | 15        |
| 134 | Embedded microcontroller using GPS as a security resource for disabled people. , 2014, , .   |     | 0         |
| 135 | Confidence limits for genome DNA copy number variations in HR-CGH array measurements. Biomedical Signal Processing and Control, 2014, 10, 166-173.                                 | 3.5 | 16        |
| 136 | Combined extended FIR/Kalman filtering for indoor robot localization via triangulation.<br>Measurement: Journal of the International Measurement Confederation, 2014, 50, 236-243. | 2.5 | 38        |
| 137 | Iterative unbiased FIR state estimation: a review of algorithms. Eurasip Journal on Advances in Signal<br>Processing, 2013, 2013, .  | 1.0 | 47        |
| 138 | Unified forms for Kalman and finite impulse response filtering and smoothing. Automatica, 2013, 49, 1892-1899.   | 3.0 | 64        |
| 139 | A new class of discrete orthogonal polynomials for blind fitting of finite data. , 2013, , .   |     | 3         |
| 140 | Approximate jitter probability in the breakpoints of genome copy number variations. , 2013, , .  |     | 6         |
| 141 | Iterative algorithms for unbiased FIR state estimation in discrete time. , 2013, , .   |     | 1         |
| 142 | Toward to Recurrent Form of the Impulse Response of UFIR Filters. Procedia Technology, 2013, 7, 111-117.   | 1.1 | 2         |
| 143 | A new class of discrete orthogonal polynomials for blind fitting of finite data. Signal Processing, 2013, 93, 1785-1793.   | 2.1 | 21        |
| 144 | Time-variant forward-backward FIR denoising of piecewise-smooth signals. AEU - International Journal of Electronics and Communications, 2013, 67, 406-413.                         | 1.7 | 8         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Clock state estimation with the Kalman-like UFIR algorithm via TIE measurement. Measurement: Journal of the International Measurement Confederation, 2013, 46, 476-483.                   | 2.5 | 11        |
| 146 | A forward-backward UFIR algorithm for denoising of piecewise-smooth signals. , 2013, , .  |     | 0         |
| 147 | Optimal finite impulse response estimation of linear models in receiver channels with imbedded digital signal processing units. IET Signal Processing, 2012, 6, 281.                      | 0.9 | 5         |
| 148 | Optimal estimation of hybrid models in state-space with FIR structures. , 2012, , .   |     | 0         |
| 149 | Peak-pulse detection error probability for RFID saw-tags with pulse position coding. , 2012, , .  |     | 2         |
| 150 | Suboptimal FIR Filtering of Nonlinear Models in Additive White Gaussian Noise. IEEE Transactions on Signal Processing, 2012, 60, 5519-5527.   | 3.2 | 79        |
| 151 | Studies of optimal memory for discrete-time fir filters in state-space. , 2012, , .   |     | 2         |
| 152 | Error probability for RFID SAW tags with pulse position coding and peak-pulse detection. IEEE<br>Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2012, 59, 2528-2536. | 1.7 | 3         |
| 153 | A new recursive scheme of the unbiased FIR filter to image processing. Procedia Engineering, 2012, 35, 202-209.   | 1.2 | 10        |
| 154 | Extended UFIR filtering of nonlinear models corrupted by white Gaussian noise. , 2012, , .  |     | 0         |
| 155 | Computationally Efficient FIR Filtering of Polynomial Signals in DFT Domain. Circuits, Systems, and Signal Processing, 2012, 31, 2153-2166.   | 1.2 | 3         |
| 156 | Optimal and unbiased FIR filtering in discrete time state space with smoothing and predictive properties. Eurasip Journal on Advances in Signal Processing, 2012, 2012, .                 | 1.0 | 12        |
| 157 | Timeâ€variant linear optimal finite impulse response estimator for discrete stateâ€space models.<br>International Journal of Adaptive Control and Signal Processing, 2012, 26, 95-104.    | 2.3 | 64        |
| 158 | Implementation of Digital Unbiased FIR Filters with Polynomial Impulse Responses. Circuits, Systems, and Signal Processing, 2012, 31, 611-626.  | 1.2 | 7         |
| 159 | A Linear Optimal Transversal Filter for Time-Varying Receiver Channels. IEEE Transactions on Aerospace and Electronic Systems, 2012, 48, 1703-1712.                                       | 2.6 | Ο         |
| 160 | Error probability for RFID SAW tags with pulse position coding and peak-pulse detection. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2012, 59, 2528-36.      | 1.7 | 0         |
| 161 | Clock current state estimation with a Kalman-like algorithm employing measurement of time errors. , 2011, , .   |     | 1         |
| 162 | Noise Power Gain for Discrete-Time FIR Estimators. IEEE Signal Processing Letters, 2011, 18, 207-210.   | 2.1 | 26        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Threshold-based identification of wireless SAW RFID-tags with pulse position encoding. Measurement:<br>Journal of the International Measurement Confederation, 2011, 44, 730-737. | 2.5 | 10        |
| 164 | Full horizon optimal FIR estimator of clock state employing measurement of time errors. AEU -<br>International Journal of Electronics and Communications, 2011, 65, 117-122.      | 1.7 | 5         |
| 165 | Noise power gain as a measure of errors in discrete-time transversal estimators. , 2011, , .  |     | 0         |
| 166 | Smoothing fir filtering of discrete state-space polynomial signal models. , 2011, , .   |     | 0         |
| 167 | An Iterative Kalman-Like Algorithm Ignoring Noise and Initial Conditions. IEEE Transactions on Signal Processing, 2011, 59, 2465-2473.  | 3.2 | 183       |
| 168 | A Kalman-like algorithm with no requirements for noise and initial conditions. , 2011, , .  |     | 0         |
| 169 | Thresholds for the identification of wireless SAW RFID-tags with ASK. , 2010, , .   |     | 2         |
| 170 | Studies of optimal FIR estimator of clock state employing measurement of time errors. , 2010, , .   |     | 0         |
| 171 | Optimal and unbiased fir estimates of clock state for space and ground applications. , 2010, , .  |     | Ο         |
| 172 | FIR Smoothing of Discrete-Time Polynomial Signals in State Space. IEEE Transactions on Signal<br>Processing, 2010, 58, 2544-2555.   | 3.2 | 59        |
| 173 | Linear Optimal FIR Estimation of Discrete Time-Invariant State-Space Models. IEEE Transactions on Signal Processing, 2010, 58, 3086-3096.   | 3.2 | 159       |
| 174 | Studies of discrete-time unbiased FIR filters of polynomial state-space models. , 2010, , .   |     | 0         |
| 175 | Moving Average Hybrid Filter to the Enhancing Ultrasound Image Processing. IEEE Latin America<br>Transactions, 2010, 8, 9-16.   | 1.2 | 9         |
| 176 | Thresholds for the Identification of Commercial Wireless SAW ID-Tags. , 2010, , .   |     | 1         |
| 177 | Efficient predictive steering of local clocks in GPS-based timekeeping. , 2009, , .   |     | 3         |
| 178 | Drift errors in passive remote wireless SAW sensing with multiple DPM. , 2009, , .  |     | 1         |
| 179 | Drift Errors in Passive Remote Wireless SAW Sensing With Multiple DPM. IEEE Sensors Journal, 2009, 9, 774-781.  | 2.4 | 5         |
| 180 | Optimal Synchronization of Local Clocks by GPS 1PPS Signals Using Predictive FIR Filters. IEEE Transactions on Instrumentation and Measurement, 2009, 58, 1833-1840.              | 2.4 | 52        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | An unbiased p-step predictive FIR filter for a class of noise-free discrete-time models with independently observed states. Signal, Image and Video Processing, 2009, 3, 127-135.                             | 1.7 | 42        |
| 182 | Probability density of the phase of a random RF pulse in the presence of Gaussian noise. AEU -<br>International Journal of Electronics and Communications, 2009, 63, 15-23.                                   | 1.7 | 12        |
| 183 | Probability density of the differential phase difference in applications to passive wireless surface acoustic wave sensing. AEU - International Journal of Electronics and Communications, 2009, 63, 623-631. | 1.7 | 3         |
| 184 | Unbiased FIR Filtering of Discrete-Time Polynomial State-Space Models. IEEE Transactions on Signal Processing, 2009, 57, 1241-1249.   | 3.2 | 78        |
| 185 | Linear unbiased prediction of clock errors. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2009, 56, 2027-2029.   | 1.7 | 10        |
| 186 | A thinning algorithm for GPS-based unbiased FIR estimation of a clock TIE model. Measurement: Journal of the International Measurement Confederation, 2008, 41, 538-550.                                      | 2.5 | 30        |
| 187 | Optimal horizons for a one-parameter family of unbiased FIR filters. , 2008, 18, 739-750.   |     | 40        |
| 188 | Estimation of the clock TIE state space model using a thinning unbiased FIR filtering algorithm. , 2008, ,  |     | 1         |
| 189 | A holdover algorithm for applications in GPS-based clock synchronization. , 2008, , .   |     | 0         |
| 190 | Efficient predictive estimator for holdover in GPS-based clock synchronization. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2008, 55, 2131-2139.                                 | 1.7 | 19        |
| 191 | Optimal FIR filtering of the clock time errors. Metrologia, 2008, 45, 571-576.  | 0.6 | 21        |
| 192 | Optimal Gains of FIR Estimators for a Class of Discrete-Time State-Space Models. IEEE Signal Processing Letters, 2008, 15, 517-520.   | 2.1 | 40        |
| 193 | <title>A probabilistic analysis of the crystal oscillator behavior at low drive levels</title> .<br>Proceedings of SPIE, 2008, , .  | 0.8 | Ο         |
| 194 | <title>Approximate estimates of errors in wireless SAW sensing with DPM</title> ., 2008, , .  |     | 0         |
| 195 | Real-time Frequency Estimation of Local Oscillators Using GPS Timing Receivers. Frequency Control Symposium and Exhibition, Proceedings of the IEEE International, 2007, , .                                  | 0.0 | Ο         |
| 196 | On Real-Time Optimal FIR Estimation of Linear TIE Models of Local Clocks. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2007, 54, 2403-2406.                                       | 1.7 | 20        |
| 197 | An Optimal FIR Filter for Linear TIE Models of Local Clocks. Frequency Control Symposium and Exhibition, Proceedings of the IEEE International, 2007, , .   | 0.0 | 1         |
| 198 | Imperfections Influence Modeling upon Eigenvibrations in a Convex Piezoelectric Plate of AT-cut.<br>Frequency Control Symposium and Exhibition, Proceedings of the IEEE International, 2007, , .              | 0.0 | 1         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Optimum Time Step and Memory for GPS-based Unbiased FIR Estimates of the Local Clock TIE Model.<br>Frequency Control Symposium and Exhibition, Proceedings of the IEEE International, 2007, , . | 0.0 | 0         |
| 200 | On the Multivariate Conditional Probability Density of a Vector Perturbed by Gaussian Noise. IEEE<br>Transactions on Information Theory, 2007, 53, 4792-4797.                                   | 1.5 | 21        |
| 201 | Experimental Comparison of the Unbiased FIR Estimates vs. the Sawtooth Correction in GPS-based<br>Timekeeping. , 2006, , .  |     | 3         |
| 202 | An unbiased FIR filter for TIE model of a local clock in applications to GPS-based timekeeping. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2006, 53, 862-870.     | 1.7 | 110       |
| 203 | Investigation of an Optimum Sampling Interval for a Local Clock TIE Model with an Unbiased FIR<br>Filtering Algorithm. , 2006, , .  |     | 9         |
| 204 | A Stochastic Model of "Sleeping Sickness" of Crystal Oscillators. , 2006, , .   |     | 0         |
| 205 | Statistical Modeling of Remote Wireless SAW Sensing with Multiple DPM Employing Tikhonov<br>Distribution. , 2006, , .   |     | 0         |
| 206 | An unbiased fir filter for a polynomial model in presence of noise of arbitrary distribution. , 2006, , .   |     | 0         |
| 207 | Von Mises/Tikhonov-based distributions for systems with differential phase measurement. Signal Processing, 2005, 85, 693-703.   | 2.1 | 23        |
| 208 | Approximate estimates of limiting errors of passive wireless SAW sensing with DPM. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2005, 52, 1797-1805.                | 1.7 | 17        |
| 209 | One-port noise model of a crystal oscillator. IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2004, 51, 25-32.   | 1.7 | 13        |
| 210 | Limiting Phase Errors of Passive Wireless SAW Sensing With Differential Measurement. IEEE Sensors<br>Journal, 2004, 4, 819-827.   | 2.4 | 23        |
| 211 | The noise conversion method for oscillatory systems. IEEE Transactions on Ultrasonics,<br>Ferroelectrics, and Frequency Control, 2004, 51, 948-956.   | 1.7 | 4         |
| 212 | Noise conversion in crystal oscillators. , 2004, , .  |     | 0         |
| 213 | <title>Dynamics of the mean signal amplitude of a crystal oscillator with a nonlinear resonator and<br/>low drives</title> . , 2004, , .  |     | 1         |
| 214 | <title>A generalized asymptotical model of a single-mode noisy crystal oscillator with a nonlinear resonator</title> . , 2004, , .  |     | 1         |
| 215 | A stochastic analysis of an anharmonic sensor phase response. IEEE Sensors Journal, 2003, 3, 158-163.   | 2.4 | 7         |
| 216 | A simple optimally unbiased MA filter for timekeeping. IEEE Transactions on Ultrasonics,<br>Ferroelectrics, and Frequency Control, 2002, 49, 789-797.   | 1.7 | 34        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 217 | System fusion in passive sensing using a modified hopfield network. Journal of the Franklin Institute, 2001, 338, 405-427.   | 1.9 | 37        |
| 218 | Probability distributions of the envelope and phase, and their derivatives in time of the sum of a non-stationary sine signal and narrow-band Gaussian noise. Journal of the Franklin Institute, 1999, 336, 1013-1022. | 1.9 | 6         |