

Zhenhua Wang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8844899/zhenhua-wang-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

132
papers

3,126
citations

33
h-index

48
g-index

137
ext. papers

4,011
ext. citations

8.1
avg, IF

5.6
L-index

#	Paper	IF	Citations
132	Promoting effective electrochemical oxidation of CO by Cu-doping for highly active hybrid direct carbon fuel cell anode. <i>Journal of Power Sources</i> , 2022 , 521, 230966	8.9	0
131	Nitrogen and sulfur co-doped hierarchically mesoporous carbon derived from biomass as high-performance anode materials for superior sodium storage. <i>Journal of Power Sources</i> , 2022 , 526, 231019	8.9	3
130	Catalytic Mechanism of Oxygen Vacancies in Perovskite Oxides for Lithium-Sulfur Batteries.. <i>Advanced Materials</i> , 2022 , e2202222	24	7
129	Constructing highly active alloy-perovskite interfaces for efficient electrochemical CO ₂ reduction reaction. <i>Separation and Purification Technology</i> , 2022 , 121411	8.3	0
128	Sn and Y co-doped BaCo _{0.6} Fe _{0.4} O ₃ - cathodes with enhanced oxygen reduction activity and CO ₂ tolerance for solid oxide fuel cells. <i>Chinese Chemical Letters</i> , 2021 ,	8.1	1
127	Influence of Dopant Uniformity on Electron Transport in Cu _x Bi ₂ Se ₃ Films. <i>Crystal Growth and Design</i> , 2021 , 21, 608-616	3.5	1
126	Enhancing Polysulfide Confinement and Electrochemical Kinetics by Amorphous Cobalt Phosphide for Highly Efficient Lithium-Sulfur Batteries. <i>ACS Nano</i> , 2021 , 15, 739-750	16.7	41
125	Achieving Highly Efficient Carbon Dioxide Electrolysis by Construction of the Heterostructure. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 20060-20069	9.5	8
124	Pr-Doping Motivating the Phase Transformation of the BaFeO- Perovskite as a High-Performance Solid Oxide Fuel Cell Cathode. <i>ACS Applied Materials & Interfaces</i> , 2021 ,	9.5	8
123	Enhancing Stability and Catalytic Activity by In Situ Exsolution for High-Performance Direct Hydrocarbon Solid Oxide Fuel Cell Anodes. <i>Industrial & Engineering Chemistry Research</i> , 2021 , 60, 7826-7834	3.9	4
122	Progress and challenges of carbon-fueled solid oxide fuel cells anode. <i>Journal of Energy Chemistry</i> , 2021 , 56, 209-222	12	17
121	A novel synthesis of Nb ₂ O ₅ @rGO nanocomposite as anode material for superior sodium storage. <i>Chinese Chemical Letters</i> , 2021 , 32, 1144-1148	8.1	6
120	A highly active and carbon-tolerant anode decorated with in situ grown cobalt nano-catalyst for intermediate-temperature solid oxide fuel cells. <i>Applied Catalysis B: Environmental</i> , 2021 , 282, 119553	21.8	24
119	Enhanced Performance of Lithium-Sulfur Batteries with Co-Doped g-C ₃ N ₄ Nanosheet-Based Separator. <i>Industrial & Engineering Chemistry Research</i> , 2021 , 60, 1231-1240	3.9	4
118	A high strength hybrid separator with fast ionic conductor for dendrite-free lithium metal batteries. <i>Chemical Engineering Journal</i> , 2021 , 416, 129119	14.7	12
117	Enhanced Electrochemical Performance of the Fe-Based Layered Perovskite Oxygen Electrode for Reversible Solid Oxide Cells. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 34282-34291	9.5	5
116	Fluorinated Pr ₂ NiO ₄ + δ as high-performance air electrode for tubular reversible protonic ceramic cells. <i>Journal of Power Sources</i> , 2021 , 508, 230343	8.9	2

115	Metal-organic frameworks-derived CoO/C penetrated with self-supporting graphene enabling accelerated polysulfide conversion for lithium-sulfur batteries. <i>Electrochimica Acta</i> , 2021 , 398, 139311	6.7	1
114	A highly active perovskite anode with an in situ exsolved nanoalloy catalyst for direct carbon solid oxide fuel cells. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 17327-17335	13	0
113	Correlated states in doubly-aligned hBN/graphene/hBN heterostructures. <i>Nature Communications</i> , 2021 , 12, 7196	17.4	1
112	An easily controllable flash sintering process for densification of electrolyte for application in solid oxide fuel cells. <i>International Journal of Hydrogen Energy</i> , 2020 , 45, 17824-17832	6.7	2
111	Honeycombed Porous, Size-Matching Architecture for High-Performance Hybrid Direct Carbon Fuel Cell Anode. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 30411-30419	9.5	6
110	Spinel-type bimetal sulfides derived from Prussian blue analogues as efficient polysulfides mediators for lithium-sulfur batteries. <i>Chinese Chemical Letters</i> , 2020 , 32, 4063-4063	8.1	1
109	Attenuating a metal-oxygen bond of a double perovskite oxide via anion doping to enhance its catalytic activity for the oxygen reduction reaction. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 14091-14098	13	14
108	Enhancing the Catalytic Activity of $\text{Y}_0.08\text{Sr}_0.92\text{TiO}_3$ Anodes through in Situ Cu Exsolution for Direct Carbon Solid Oxide Fuel Cells. <i>Industrial & Engineering Chemistry Research</i> , 2020 , 59, 13105-13112	3.9	7
107	Enhanced Stability and Catalytic Activity on Layered Perovskite Anode for High-Performance Hybrid Direct Carbon Fuel Cells. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 12938-12948	9.5	14
106	Highly active and CO ₂ -tolerant $\text{Sr}_2\text{Fe}_{1.3}\text{Ga}_{0.2}\text{Mo}_{0.5}\text{O}_{6-x}$ Cathode for intermediate-temperature solid oxide fuel cells. <i>Journal of Power Sources</i> , 2020 , 450, 227722	8.9	27
105	Development of topological insulator and topological crystalline insulator nanostructures. <i>Nanotechnology</i> , 2020 , 31, 192001	3.4	7
104	Boosting the Electrochemical Performance of Fe-Based Layered Double Perovskite Cathodes by Zn Doping for Solid Oxide Fuel Cells. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 23959-23967	9.5	33
103	Multiradical-stabilized hollow carbon spheres as a pressure-resistant cathode for fast lithium/sodium storage with excellent performance. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 8875-8882	13	3
102	Tailoring the Oxygen Vacancy to Achieve Fast Intrinsic Proton Transport in a Perovskite Cathode for Protonic Ceramic Fuel Cells. <i>ACS Applied Energy Materials</i> , 2020 , 3, 4914-4922	6.1	36
101	Construction of Heterointerfaces with Enhanced Oxygen Reduction Kinetics for Intermediate-Temperature Solid Oxide Fuel Cells. <i>ACS Applied Energy Materials</i> , 2020 , 3, 447-455	6.1	11
100	Enhanced linear magneto-resistance near the Dirac point in topological insulator $\text{Bi}_2(\text{Te}_{1-x}\text{S}_x)_3$ nanowires. <i>Nano Research</i> , 2020 , 13, 1332-1338	10	3
99	FeF ₂ @MHCS Cathodes with High Capacity and Fast Sodium Storage Based on Nanostructure Construction. <i>ACS Applied Energy Materials</i> , 2020 , 3, 10340-10348	6.1	2
98	Recent progress of tubular solid oxide fuel cell: From materials to applications. <i>Journal of Power Sources</i> , 2020 , 477, 228693	8.9	18

97	Rational Design of Sandwich-Like Gel-Liquid-Gel Electrolytes for Dendrite-Free Lithium Metal Batteries. <i>Industrial & Engineering Chemistry Research</i> , 2020 , 59, 14207-14216	3.9	4
96	Engineering of carbon nanotube-grafted carbon nanosheets encapsulating cobalt nanoparticles for efficient electrocatalytic oxygen evolution. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 25268-25274	13	9
95	Room temperature ferromagnetism in ultra-thin van der Waals crystals of 1T-CrTe ₂ . <i>Nano Research</i> , 2020 , 13, 3358-3363	10	59
94	Achieving strong chemical adsorption ability for efficient carbon dioxide electrolysis. <i>Applied Catalysis B: Environmental</i> , 2020 , 272, 118968	21.8	22
93	Vertically Oriented Topological Insulator Bi ₂ Se ₃ Nanoplates on Silicon for Broadband Photodetection. <i>Journal of Physical Chemistry C</i> , 2020 , 124, 10135-10142	3.8	10
92	Multimetallic Core-Shell Ni@Au@Pd nanoparticles with reduced graphene oxide as an efficient bifunctional electrocatalyst for oxygen reduction/evolution reactions. <i>Journal of Alloys and Compounds</i> , 2019 , 811, 151882	5.7	8
91	Resolving the chemical identity of HSO derived anions on Pt(111) electrodes: they're sulfate. <i>Physical Chemistry Chemical Physics</i> , 2019 , 21, 19147-19152	3.6	5
90	Cu-Doped SrFeMoO as a highly active cathode for solid oxide electrolytic cells. <i>Chemical Communications</i> , 2019 , 55, 8009-8012	5.8	18
89	The dimensional crossover of quantum transport properties in few-layered Bi ₂ Se ₃ thin films. <i>Nanoscale Advances</i> , 2019 , 1, 2303-2310	5.1	10
88	Heteroatom-Doped Mesoporous Hollow Carbon Spheres for Fast Sodium Storage with an Ultralong Cycle Life. <i>Advanced Energy Materials</i> , 2019 , 9, 1900036	21.8	142
87	Nb-doped Sr ₂ Fe _{1.5} Mo _{0.5} O _{6-δ} electrode with enhanced stability and electrochemical performance for symmetrical solid oxide fuel cells. <i>Ceramics International</i> , 2019 , 45, 15696-15704	5.1	26
86	Biomass-derived hierarchically porous carbon skeletons with in situ decorated IrCo nanoparticles as high-performance cathode catalysts for LiO ₂ batteries. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 10662-10671	12	27
85	Polynitroxide-grafted-graphene: a superior cathode for lithium ion batteries with enhanced charge hopping transportation. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 4438-4445	13	14
84	Tuning the defects of the triple conducting oxide BaCo _{0.4} Fe _{0.4} Zr _{0.1} Y _{0.1} O _{3-δ} perovskite toward enhanced cathode activity of protonic ceramic fuel cells. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 18365-18372	13	52
83	Broadband Photodetection of GeSe Films of Vertically Grown Nanoflakes. <i>ACS Applied Electronic Materials</i> , 2019 , 1, 2236-2243	4	8
82	The Effect of Core-Shell Structure on Microwave Absorption Properties of Graphite-Coated Magnetic Nanocapsules. <i>Journal of Electronic Materials</i> , 2019 , 48, 1429-1435	1.9	2
81	Improved rate and cycling performance of FeF ₂ -rGO hybrid cathode with poly (acrylic acid) binder for sodium ion batteries. <i>Journal of Power Sources</i> , 2019 , 413, 449-458	8.9	16
80	In-situ nitrogen-doped hierarchical porous hollow carbon spheres anchored with iridium nanoparticles as efficient cathode catalysts for reversible lithium-oxygen batteries. <i>Chemical Engineering Journal</i> , 2019 , 358, 340-350	14.7	28

79	From linear magnetoresistance to parabolic magnetoresistance in Cu and Cr-doped topological insulator Bi ₂ Se ₃ films. <i>Journal of Physics and Chemistry of Solids</i> , 2019 , 128, 331-336	3.9	7
78	Reduced graphene oxide supported Ni@Au@Pd core@shell nanoparticles as highly active electrocatalysts for ethanol oxidation reactions and alkaline direct bioethanol fuel cells applications. <i>Electrochimica Acta</i> , 2018 , 271, 1-9	6.7	17
77	Achieving high capacity hybrid-cathode FeF@LiCO/rGO based on morphology control synthesis and interface engineering. <i>Chemical Communications</i> , 2018 , 54, 3235-3238	5.8	6
76	Synthesis and characterization of Sr ₂ Fe _{1.4} Ni _{0.1} Mo _{0.5-x} Nb _x O ₆ (x = 0, 0.05, 0.1, and 0.15) cathodes for solid oxide fuel cells. <i>Ionics</i> , 2018 , 24, 421-428	2.7	2
75	Improved structural design of single- and double-wall MnCoO nanotube cathodes for long-life Li-O batteries. <i>Nanoscale</i> , 2018 , 10, 13149-13158	7.7	22
74	Bismuth oxyfluoride @ CMK-3 nanocomposite as cathode for lithium ion batteries. <i>Journal of Power Sources</i> , 2018 , 374, 166-174	8.9	17
73	Revealing how molten salts promote CO ₂ capture on CaO via an impedance study and sorption kinetics simulation. <i>Sustainable Energy and Fuels</i> , 2018 , 2, 68-72	5.8	15
72	Magnetic Field Modulated Weak Localization and Antilocalization State in Bi ₂ (Te _{0.9} Se _{0.1}) ₃ Films. <i>Physica Status Solidi (B): Basic Research</i> , 2018 , 255, 1800272	1.3	4
71	Magneto-transport and weak anti-localization in ferromagnetic semiconductor CrSiTe ₃ single crystal. <i>Applied Physics Letters</i> , 2018 , 113, 142404	3.4	4
70	Electrocatalysis in Lithium Sulfur Batteries under Lean Electrolyte Conditions. <i>Angewandte Chemie</i> , 2018 , 130, 15775-15778	3.6	55
69	Electrocatalysis in Lithium Sulfur Batteries under Lean Electrolyte Conditions. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 15549-15552	16.4	130
68	Electrospinning Derived Hierarchically Porous Hollow CuCo ₂ O ₄ Nanotubes as an Effectively Bifunctional Catalyst for Reversible LiO ₂ Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 15180-15190	8.3	18
67	Role of flower-like ultrathin CoO nanosheets in water splitting and non-aqueous Li-O batteries. <i>Nanoscale</i> , 2018 , 10, 10221-10231	7.7	46
66	Growth and quantum transport properties of vertical BiSe nanoplate films on Si substrates. <i>Nanotechnology</i> , 2018 , 29, 315706	3.4	7
65	A heterogenized Ni-doped zeolitic imidazolate framework to guide efficient trapping and catalytic conversion of polysulfides for greatly improved lithium-sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 13593-13598	13	43
64	Bioethanol as a new sustainable fuel for anion exchange membrane fuel cells with carbon nanotube supported surface dealloyed PtCo nanocomposite anodes. <i>Chemical Engineering Journal</i> , 2017 , 317, 623-631	14.7	17
63	Ni modified Ce(Mn, Fe)O ₂ cermet anode for high-performance direct carbon fuel cell. <i>Electrochimica Acta</i> , 2017 , 232, 174-181	6.7	13
62	Facile Synthesis of Hierarchical Porous Three-Dimensional Free-Standing MnCoO Cathodes for Long-Life Li-O Batteries. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 12355-12365	9.5	49

61	Inspired by the π p effect—a novel structural design strategy for the cathode in advanced lithium-sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 3140-3144	13	18
60	Broadband photovoltaic effect of n-type topological insulator Bi ₂ Te ₃ films on p-type Si substrates. <i>Nano Research</i> , 2017 , 10, 1872-1879	10	25
59	Controllable Phase Transition for Layered FeSe Superconductor Synthesized by Solution Chemistry. <i>Chemistry of Materials</i> , 2017 , 29, 842-848	9.6	13
58	Transport properties of MnTe films with cracks produced in thermal cycling process. <i>Applied Physics A: Materials Science and Processing</i> , 2017 , 123, 1	2.6	
57	Investigation of B-site doped perovskites Sr ₂ Fe _{1.4} X _{0.1} Mo _{0.5} O ₆ (X=Bi, Al, Mg) as high-performance anodes for hybrid direct carbon fuel cell. <i>Journal of Power Sources</i> , 2017 , 365, 109-116	8.9	25
56	Electron delocalization and relaxation behavior in Cu-doped Bi ₂ Se ₃ films. <i>Physical Review B</i> , 2017 , 96,	3.3	10
55	Dendrite-Free Lithium Metal Anodes in High Performance Lithium-Sulfur Batteries with Bifunctional Carbon Nanofiber Interlayers. <i>Electrochimica Acta</i> , 2017 , 252, 127-137	6.7	40
54	Densification of 8 mol% yttria-stabilized zirconia at low temperature by flash sintering technique for solid oxide fuel cells. <i>Ceramics International</i> , 2017 , 43, 14037-14043	5.1	13
53	Hierarchical hollow nanofiber networks for high-performance hybrid direct carbon fuel cells. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 17216-17220	13	13
52	Wide-band microwave absorption by in situ tailoring morphology and optimized N-doping in nano-SiC. <i>Applied Physics Letters</i> , 2017 , 111, 223105	3.4	23
51	Achieving high specific capacity of lithium-ion battery cathodes by modification with NiO radicals and oxygen-containing functional groups. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 24636-24644	4.3	10
50	3D free-standing hierarchical CuCoO nanowire cathodes for rechargeable lithium-oxygen batteries. <i>Chemical Communications</i> , 2017 , 53, 8711-8714	5.8	37
49	Investigation of Sc doped Sr ₂ Fe _{1.5} Mo _{0.5} O ₆ as a cathode material for intermediate temperature solid oxide fuel cells. <i>Journal of Power Sources</i> , 2017 , 343, 237-245	8.9	16
48	Flexible carbon nanofiber/polyvinylidene fluoride composite membranes as interlayers in high-performance Lithium Sulfur batteries. <i>Journal of Power Sources</i> , 2016 , 329, 305-313	8.9	45
47	Carbon-Encapsulated Fe Nanoparticles Embedded in Organic Polypyrrole Polymer as a High Performance Microwave Absorber. <i>Journal of Physical Chemistry C</i> , 2016 , 120, 28320-28329	3.8	51
46	Facile synthesis of copper-manganese spinel anodes with high capacity and cycling performance for lithium-ion batteries. <i>Materials Letters</i> , 2016 , 182, 147-150	3.3	6
45	Macro-mesoporous hollow carbon spheres as anodes for lithium-ion batteries with high rate capability and excellent cycling performance. <i>Journal of Power Sources</i> , 2016 , 331, 10-15	8.9	36
44	Development and performance of anode material based on A-site deficient Sr _{2-x} Fe _{1.4} Ni _{0.1} Mo _{0.5} O ₆ -perovskites for solid oxide fuel cells. <i>Electrochimica Acta</i> , 2016 , 215, 592-599	6.7	30

43	Gradient Mn-La-Pt Catalysts with Three-layered Structure for Li-O battery. <i>Scientific Reports</i> , 2016 , 6, 34950	4.9	3
42	Novel Ni@Co ₃ O ₄ Web-like Nanofiber Arrays as Highly Effective Cathodes for Rechargeable Li-O ₂ Batteries. <i>Electrochimica Acta</i> , 2016 , 220, 654-663	6.7	12
41	Improved electrochemical performance of Sr ₂ Fe _{1.5} Mo _{0.4} Nb _{0.1} O ₆ δm _{0.2} Ce _{0.8} O ₂ composite cathodes by a one-pot method for intermediate temperature solid oxide fuel cells. <i>International Journal of Hydrogen Energy</i> , 2016 , 41, 3052-3061	6.7	7
40	Flash-Sintering and Characterization of La _{0.8} Sr _{0.2} Ga _{0.8} Mg _{0.2} O ₃ -Electrolytes for Solid Oxide Fuel Cells. <i>Electrochimica Acta</i> , 2016 , 196, 487-495	6.7	27
39	An effective three-dimensional ordered mesoporous CuCo ₂ O ₄ as electrocatalyst for Li-O ₂ batteries. <i>Solid State Ionics</i> , 2016 , 289, 17-22	3.3	32
38	High rate and stable cycling of lithium-sulfur batteries with carbon fiber cloth interlayer. <i>Electrochimica Acta</i> , 2016 , 209, 691-699	6.7	59
37	Ultrastrong Polyoxazole Nanofiber Membranes for Dendrite-Proof and Heat-Resistant Battery Separators. <i>Nano Letters</i> , 2016 , 16, 2981-7	11.5	97
36	A simply effective double-coating cathode with MnO ₂ nanosheets/graphene as functionalized interlayer for high performance lithium-sulfur batteries. <i>Electrochimica Acta</i> , 2016 , 207, 198-206	6.7	74
35	The Ca element effect on the enhancement performance of Sr ₂ Fe _{1.5} Mo _{0.5} O ₆ δ perovskite as cathode for intermediate-temperature solid oxide fuel cells. <i>Journal of Power Sources</i> , 2016 , 331, 400-407	8.9	27
34	Eco-friendly polyvinyl alcohol/cellulose nanofiber/Pi+ composite separator for high-performance lithium-ion batteries. <i>RSC Advances</i> , 2016 , 6, 97912-97920	3.7	34
33	Three-dimensional graphene/Co ₃ O ₄ cathodes for rechargeable Li-O ₂ batteries. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 1504-1510	13	86
32	An effective three-dimensional ordered mesoporous ZnCo ₂ O ₄ as electrocatalyst for Li-O ₂ batteries. <i>Materials Letters</i> , 2015 , 158, 84-87	3.3	24
31	One-dimensional porous La _{0.5} Sr _{0.5} CoO _{2.91} nanotubes as a highly efficient electrocatalyst for rechargeable lithium-oxygen batteries. <i>Electrochimica Acta</i> , 2015 , 165, 78-84	6.7	29
30	Electrochemical and chemical stability performance improvement of Ba _{0.5} Sr _{0.5} Fe _{0.91} Al _{0.09} O ₃ δ cathode for IT-SOFC through the introduction of a GDC interlayer. <i>International Journal of Hydrogen Energy</i> , 2015 , 40, 5939-5946	6.7	12
29	Excellent microwave-absorption performances by matched magnetic/dielectric properties in double-shelled Co/C/polyaniline nanocomposites. <i>RSC Advances</i> , 2015 , 5, 40384-40392	3.7	70
28	Preparation of La ₂ NiO ₄ +δ powders as a cathode material for SOFC via a PVP-assisted hydrothermal route. <i>Journal of Solid State Electrochemistry</i> , 2015 , 19, 957-965	2.6	4
27	Linear magnetoresistance versus weak antilocalization effects in Bi ₂ Te ₃ . <i>Nano Research</i> , 2015 , 8, 2963-2969	3.6	36
26	Porous bimetallic Mn ₂ Co ₁ O _x catalysts prepared by a one-step combustion method for the low temperature selective catalytic reduction of NO _x with NH ₃ . <i>Catalysis Communications</i> , 2015 , 72, 111-115	3.2	39

25	Co-tape casting fabrication, field assistant sintering and evaluation of a coke resistant La _{0.2} Sr _{0.7} TiO ₃ Ni/YSZ functional gradient anode supported solid oxide fuel cell. <i>International Journal of Hydrogen Energy</i> , 2015 , 40, 12790-12797	6.7	11
24	Characteristic and preparation of Ce _{0.5} Zr _{0.5} O ₂ as the anode support for solid oxide fuel cells by phase inversion technology. <i>International Journal of Hydrogen Energy</i> , 2015 , 40, 12784-12789	6.7	6
23	Understanding the Flash Sintering of Rare-Earth-Doped Ceria for Solid Oxide Fuel Cell. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 1717-1723	3.8	55
22	A design strategy of large grain lithium-rich layered oxides for lithium-ion batteries cathode. <i>Electrochimica Acta</i> , 2015 , 160, 131-138	6.7	21
21	Investigation into the effect of Fe-site substitution on the performance of Sr ₂ Fe _{1.5} Mo _{0.5} O ₆ anodes for SOFCs. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 17628-17634	13	53
20	Compositionally continuously graded cathode layers of (Ba _{0.5} Sr _{0.5})(Fe _{0.91} Al _{0.09})O ₃ and 0.1Ce _{0.9} O ₂ by wet powder spraying technique for solid oxide fuel cells. <i>Journal of Power Sources</i> , 2014 , 247, 858-864	8.9	15
19	Investigation into the effect of molybdenum-site substitution on the performance of Sr ₂ Fe _{1.5} Mo _{0.5} O ₆ for intermediate temperature solid oxide fuel cells. <i>Journal of Power Sources</i> , 2014 , 272, 759-765	8.9	36
18	A new family of barium-doped Sr ₂ Fe _{1.5} Mo _{0.5} O ₆ perovskites for application in intermediate temperature solid oxide fuel cells. <i>Journal of Power Sources</i> , 2014 , 268, 176-182	8.9	34
17	An improved direct current sintering technique for proton conductor BaZr _{0.1} Ce _{0.7} Y _{0.1} Yb _{0.1} O ₃ : The effect of direct current on sintering process. <i>Journal of Power Sources</i> , 2014 , 248, 70-76	8.9	28
16	Photoelectrochemical oxidation of glucose for sensing and fuel cell applications. <i>Chemical Communications</i> , 2013 , 49, 8632-4	5.8	30
15	Preparation and electrochemical characterization of Ruddlesden-Popper oxide La ₄ Ni ₃ O ₁₀ cathode for IT-SOFCs by sol-gel method. <i>Journal of Solid State Electrochemistry</i> , 2013 , 17, 2703-2709	2.6	16
14	Synthesis and characterization of B-site Ni-doped perovskites Sr ₂ Fe _{1.5-x} Ni _x Mo _{0.5} O ₆ (x = 0, 0.05, 0.1, 0.2, 0.4) as cathodes for SOFCs. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 14147	13	53
13	Preparation and characterization of silver-modified La _{0.8} Sr _{0.2} MnO ₃ cathode powders for solid oxide fuel cells by chemical reduction method. <i>International Journal of Hydrogen Energy</i> , 2013 , 38, 1074-1081	6.7	14
12	Ambipolar surface conduction in ternary topological insulator Bi _{1-x} Te _x Se _x nanoribbons. <i>ACS Nano</i> , 2013 , 7, 2126-31	16.7	34
11	Metal-insulator transition in variably doped (Bi _{1-x} Sb _x) ₂ Se ₃ nanosheets. <i>Nanoscale</i> , 2013 , 5, 4337-43	7.7	27
10	Synthesis and electrochemical characterization of Sr ₂ Fe _{1.5} Mo _{0.5} O ₆ Sr _{0.2} Ce _{0.8} O _{1.9} composite cathode for intermediate-temperature solid oxide fuel cells. <i>Journal of Power Sources</i> , 2013 , 243, 766-772	8.9	31
9	A novel sintering method to obtain fully dense gadolinia doped ceria by applying a direct current. <i>Journal of Power Sources</i> , 2012 , 210, 86-91	8.9	107
8	Synthesis and characterization of aluminum-doped perovskites as cathode materials for intermediate temperature solid oxide fuel cells. <i>International Journal of Hydrogen Energy</i> , 2012 , 37, 11345-11350	6.7	14

7	A newly-developed effective direct current assisted sintering technique for electrolyte film densification of anode-supported solid oxide fuel cells. <i>Journal of Power Sources</i> , 2012 , 215, 296-300	8.9	15
6	One-step synthesis of high performance Sr ₂ Fe _{1.5} Mo _{0.5} O ₆ Bm _{0.2} Ce _{0.8} O _{1.9} composite cathode for intermediate-temperature solid oxide fuel cells using a self-combustion technique. <i>Journal of Power Sources</i> , 2012 , 217, 519-523	8.9	14
5	High performance La ₃ Ni ₂ O ₇ cathode prepared by a facile sol-gel method for intermediate temperature solid oxide fuel cells. <i>Electrochemistry Communications</i> , 2012 , 22, 97-100	5.1	28
4	Effect of co-sintering temperature on the performance of SOFC with YSZ electrolyte thin films fabricated by dip-coating method. <i>Journal of Solid State Electrochemistry</i> , 2010 , 14, 637-642	2.6	14
3	Improved SOFC performance with continuously graded anode functional layer. <i>Electrochemistry Communications</i> , 2009 , 11, 1120-1123	5.1	70
2	Preparation of YSZ thin films for intermediate temperature solid oxide fuel cells by dip-coating method. <i>Journal of Membrane Science</i> , 2008 , 320, 500-504	9.6	42
1	Phosphorus Vacancies as Effective Polysulfide Promoter for High-Energy-Density Lithium Sulfur Batteries. <i>Advanced Energy Materials</i> , 2102739	21.8	12