

Elbert Geuze

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8846426/elbert-geuze-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

88

papers

3,392

citations

32

h-index

57

g-index

96

ext. papers

4,296

ext. citations

6.3

avg, IF

5.13

L-index

#	Paper	IF	Citations
88	Long-term risk for mental health symptoms in Dutch ISAF veterans: the role of perceived social support.. <i>Psychological Medicine</i> , 2022 , 1-11	6.9	1
87	Epigenome-wide meta-analysis of PTSD symptom severity in three military cohorts implicates DNA methylation changes in genes involved in immune system and oxidative stress.. <i>Molecular Psychiatry</i> , 2022 ,	15.1	3
86	Seeking treatment for mental illness and substance abuse: A cross-sectional study on attitudes, beliefs, and needs of military personnel with and without mental illness.. <i>Journal of Psychiatric Research</i> , 2022 , 147, 221-231	5.2	0
85	Cortical volume abnormalities in posttraumatic stress disorder: an ENIGMA-psychiatric genomics consortium PTSD workgroup mega-analysis. <i>Molecular Psychiatry</i> , 2021 , 26, 4331-4343	15.1	8
84	Trauma and posttraumatic stress disorder modulate polygenic predictors of hippocampal and amygdala volume.. <i>Translational Psychiatry</i> , 2021 , 11, 637	8.6	1
83	Decision (not) to disclose mental health conditions or substance abuse in the work environment: a multiperspective focus group study within the military. <i>BMJ Open</i> , 2021 , 11, e049370	3	2
82	Effects of tDCS during inhibitory control training on performance and PTSD, aggression and anxiety symptoms: a randomized-controlled trial in a military sample. <i>Psychological Medicine</i> , 2021 , 1-11	6.9	2
81	Altered white matter microstructural organization in posttraumatic stress disorder across 3047 adults: results from the PGC-ENIGMA PTSD consortium. <i>Molecular Psychiatry</i> , 2021 , 26, 4315-4330	15.1	33
80	Successful treatment of post-traumatic stress disorder reverses DNA methylation marks. <i>Molecular Psychiatry</i> , 2021 , 26, 1264-1271	15.1	27
79	Coordinating Global Multi-Site Studies of Military-Relevant Traumatic Brain Injury: Opportunities, Challenges, and Harmonization Guidelines. <i>Brain Imaging and Behavior</i> , 2021 , 15, 585-613	4.1	4
78	Acceptability of tDCS in treating stress-related mental health disorders: a mixed methods study among military patients and caregivers. <i>BMC Psychiatry</i> , 2021 , 21, 97	4.2	1
77	Enhancing Discovery of Genetic Variants for Posttraumatic Stress Disorder Through Integration of Quantitative Phenotypes and Trauma Exposure Information. <i>Biological Psychiatry</i> , 2021 ,	7.9	3
76	The Relationship between Resilience Resources and Long-Term Deployment-Related PTSD Symptoms: A Longitudinal Study in Dutch Veterans. <i>Military Behavioral Health</i> , 2021 , 9, 267-274	0.6	2
75	An epigenome-wide association study of posttraumatic stress disorder in US veterans implicates several new DNA methylation loci. <i>Clinical Epigenetics</i> , 2020 , 12, 46	7.7	31
74	Longitudinal epigenome-wide association studies of three male military cohorts reveal multiple CpG sites associated with post-traumatic stress disorder. <i>Clinical Epigenetics</i> , 2020 , 12, 11	7.7	24
73	Does non-invasive brain stimulation modulate emotional stress reactivity?. <i>Social Cognitive and Affective Neuroscience</i> , 2020 , 15, 23-51	4	14
72	Barriers and facilitators for treatment-seeking for mental health conditions and substance misuse: multi-perspective focus group study within the military. <i>BJPsych Open</i> , 2020 , 6, e146	5	3

71	Long-term development of post-traumatic stress symptoms and associated risk factors in military service members deployed to Afghanistan: Results from the PRISMO 10-year follow-up. <i>European Psychiatry</i> , 2020 , 64, e10	6	3
70	Associations between the development of PTSD symptoms and longitudinal changes in the DNA methylome of deployed military servicemen: A comparison with polygenic risk scores. <i>Comprehensive Psychoneuroendocrinology</i> , 2020 , 4, 100018	1.1	1
69	Regions of white matter abnormalities in the arcuate fasciculus in veterans with anger and aggression problems. <i>Brain Structure and Function</i> , 2020 , 225, 1401-1411	4	4
68	Molecular genetic overlap between posttraumatic stress disorder and sleep phenotypes. <i>Sleep</i> , 2020 , 43,	1.1	9
67	Epigenome-wide meta-analysis of PTSD across 10 military and civilian cohorts identifies methylation changes in AHRR. <i>Nature Communications</i> , 2020 , 11, 5965	17.4	34
66	Individual differences in the encoding of contextual details following acute stress: An explorative study. <i>European Journal of Neuroscience</i> , 2020 ,	3.5	2
65	MicroRNA regulation of persistent stress-enhanced memory. <i>Molecular Psychiatry</i> , 2020 , 25, 965-976	15.1	16
64	Cohort profile: the Prospective Research In Stress-Related Military Operations (PRISMO) study in the Dutch Armed Forces. <i>BMJ Open</i> , 2019 , 9, e026670	3	8
63	Childhood trauma and the role of self-blame on psychological well-being after deployment in male veterans. <i>Høge Utbildning</i> , 2019 , 10, 1558705	5	12
62	Shared vulnerability for connectome alterations across psychiatric and neurological brain disorders. <i>Nature Human Behaviour</i> , 2019 , 3, 988-998	12.8	32
61	Time-dependent effects of psychosocial stress on the contextualization of neutral memories. <i>Psychoneuroendocrinology</i> , 2019 , 108, 140-149	5	6
60	The Predictive Value of Early-Life Trauma, Psychopathy, and the Testosterone-Cortisol Ratio for Impulsive Aggression Problems in Veterans. <i>Chronic Stress</i> , 2019 , 3, 2470547019871901	3	3
59	International meta-analysis of PTSD genome-wide association studies identifies sex- and ancestry-specific genetic risk loci. <i>Nature Communications</i> , 2019 , 10, 4558	17.4	151
58	Multivariate genome-wide analysis of stress-related quantitative phenotypes. <i>European Neuropsychopharmacology</i> , 2019 , 29, 1354-1364	1.2	4
57	The effect of genetic vulnerability and military deployment on the development of post-traumatic stress disorder and depressive symptoms. <i>European Neuropsychopharmacology</i> , 2019 , 29, 405-415	1.2	5
56	No Time-Dependent Effects of Psychosocial Stress on Fear Contextualization and Generalization: A Randomized-Controlled Study With Healthy Participants. <i>Chronic Stress</i> , 2019 , 3, 2470547019896547	3	3
55	Individual prediction of psychotherapy outcome in posttraumatic stress disorder using neuroimaging data. <i>Translational Psychiatry</i> , 2019 , 9, 326	8.6	14
54	Circulating Serum MicroRNAs as Potential Diagnostic Biomarkers of Posttraumatic Stress Disorder: A Pilot Study. <i>Frontiers in Genetics</i> , 2019 , 10, 1042	4.5	8

53	Biological profiling of plasma neuropeptide Y in relation to posttraumatic stress symptoms in two combat cohorts. <i>Biological Psychology</i> , 2018 , 134, 72-79	3.2	11
52	Traumatic stress and accelerated DNA methylation age: A meta-analysis. <i>Psychoneuroendocrinology</i> , 2018 , 92, 123-134	5	107
51	Smaller Hippocampal Volume in Posttraumatic Stress Disorder: A Multisite ENIGMA-PGC Study: Subcortical Volumetry Results From Posttraumatic Stress Disorder Consortia. <i>Biological Psychiatry</i> , 2018 , 83, 244-253	7.9	192
50	Development of Self-Directedness and Cooperativeness in Relation to Post-Traumatic Stress Disorder Symptom Trajectories After Military Deployment. <i>Chronic Stress</i> , 2018 , 2, 2470547018803511	3	
49	Anger and aggression problems in veterans are associated with an increased acoustic startle reflex. <i>Biological Psychology</i> , 2017 , 123, 119-125	3.2	22
48	The resilience framework as a strategy to combat stress-related disorders. <i>Nature Human Behaviour</i> , 2017 , 1, 784-790	12.8	210
47	Epigenome-wide association of PTSD from heterogeneous cohorts with a common multi-site analysis pipeline. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017 , 174, 619-630	3.5	53
46	Individual variation in plasma oxytocin and vasopressin levels in relation to the development of combat-related PTSD in a large military cohort. <i>Journal of Psychiatric Research</i> , 2017 , 94, 88-95	5.2	17
45	Proximity alert! Distance related cuneus activation in military veterans with anger and aggression problems. <i>Psychiatry Research - Neuroimaging</i> , 2017 , 266, 114-122	2.9	10
44	Resting-state functional connectivity in combat veterans suffering from impulsive aggression. <i>Social Cognitive and Affective Neuroscience</i> , 2017 , 12, 1881-1889	4	22
43	SKA2 Methylation is Involved in Cortisol Stress Reactivity and Predicts the Development of Post-Traumatic Stress Disorder (PTSD) After Military Deployment. <i>Neuropsychopharmacology</i> , 2016 , 41, 1350-6	8.7	44
42	Predicting Treatment Outcome in PTSD: A Longitudinal Functional MRI Study on Trauma-Unrelated Emotional Processing. <i>Neuropsychopharmacology</i> , 2016 , 41, 1156-65	8.7	69
41	Development of psychopathology in deployed armed forces in relation to plasma GABA levels. <i>Psychoneuroendocrinology</i> , 2016 , 73, 263-270	5	14
40	The long-term burden of military deployment on the health care system. <i>Journal of Psychiatric Research</i> , 2016 , 79, 78-85	5.2	7
39	Post-traumatic stress symptoms 5 years after military deployment to Afghanistan: an observational cohort study. <i>Lancet Psychiatry</i> , 2016 , 3, 58-64	23.3	56
38	Pre-deployment differences in glucocorticoid sensitivity of leukocytes in soldiers developing symptoms of PTSD, depression or fatigue persist after return from military deployment. <i>Psychoneuroendocrinology</i> , 2015 , 51, 513-24	5	19
37	Resting state functional connectivity of the anterior cingulate cortex in veterans with and without post-traumatic stress disorder. <i>Human Brain Mapping</i> , 2015 , 36, 99-109	5.9	71
36	Longitudinal measures of hostility in deployed military personnel. <i>Psychiatry Research</i> , 2015 , 229, 479-84	9.9	19

35	Longitudinal changes of telomere length and epigenetic age related to traumatic stress and post-traumatic stress disorder. <i>Psychoneuroendocrinology</i> , 2015 , 51, 506-12	5	137
34	The effect of deployment to a combat zone on testosterone levels and the association with the development of posttraumatic stress symptoms: A longitudinal prospective Dutch military cohort study. <i>Psychoneuroendocrinology</i> , 2015 , 51, 525-33	5	26
33	Neural correlates of inhibition and contextual cue processing related to treatment response in PTSD. <i>Neuropsychopharmacology</i> , 2015 , 40, 667-75	8.7	68
32	Treatment Outcome-Related White Matter Differences in Veterans with Posttraumatic Stress Disorder. <i>Neuropsychopharmacology</i> , 2015 , 40, 2434-42	8.7	41
31	Cytokine production as a putative biological mechanism underlying stress sensitization in high combat exposed soldiers. <i>Psychoneuroendocrinology</i> , 2015 , 51, 534-46	5	27
30	Impaired right inferior frontal gyrus response to contextual cues in male veterans with PTSD during response inhibition. <i>Journal of Psychiatry and Neuroscience</i> , 2014 , 39, 330-8	4.5	51
29	Neural correlates of personality: an integrative review. <i>Neuroscience and Biobehavioral Reviews</i> , 2013 , 37, 73-95	9	162
28	Predicting PTSD: pre-existing vulnerabilities in glucocorticoid-signaling and implications for preventive interventions. <i>Brain, Behavior, and Immunity</i> , 2013 , 30, 12-21	16.6	89
27	Altered functional connectivity in posttraumatic stress disorder with versus without comorbid major depressive disorder: a resting state fMRI study. <i>F1000Research</i> , 2013 , 2, 289	3.6	16
26	Glucocorticoid receptor number predicts increase in amygdala activity after severe stress. <i>Psychoneuroendocrinology</i> , 2012 , 37, 1837-44	5	24
25	Glucocorticoid sensitivity of leukocytes predicts PTSD, depressive and fatigue symptoms after military deployment: A prospective study. <i>Psychoneuroendocrinology</i> , 2012 , 37, 1822-36	5	70
24	IL-1 β reactivity and the development of severe fatigue after military deployment: a longitudinal study. <i>Journal of Neuroinflammation</i> , 2012 , 9, 205	10.1	11
23	Glucocorticoid receptor pathway components predict posttraumatic stress disorder symptom development: a prospective study. <i>Biological Psychiatry</i> , 2012 , 71, 309-16	7.9	155
22	Persistent and reversible consequences of combat stress on the mesofrontal circuit and cognition. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 15508-13	11.5	52
21	Symptom structure of PTSD: support for a hierarchical model separating core PTSD symptoms from dysphoria. <i>Högre Utbildning</i> , 2012 , 3,	5	13
20	A prospective study on personality and the cortisol awakening response to predict posttraumatic stress symptoms in response to military deployment. <i>Journal of Psychiatric Research</i> , 2011 , 45, 713-9	5.2	53
19	Type D personality, temperament, and mental health in military personnel awaiting deployment. <i>International Journal of Behavioral Medicine</i> , 2011 , 18, 131-8	2.6	15
18	Pre-existing high glucocorticoid receptor number predicting development of posttraumatic stress symptoms after military deployment. <i>American Journal of Psychiatry</i> , 2011 , 168, 89-96	11.9	139

17	Type D personality and the development of PTSD symptoms: a prospective study. <i>Journal of Abnormal Psychology</i> , 2011 , 120, 299-307	7	33
16	Cytokine production by leukocytes of military personnel with depressive symptoms after deployment to a combat-zone: a prospective, longitudinal study. <i>PLoS ONE</i> , 2011 , 6, e29142	3.7	32
15	Neuropsychological performance is related to current social and occupational functioning in veterans with posttraumatic stress disorder. <i>Depression and Anxiety</i> , 2009 , 26, 7-15	8.4	58
14	Personality dimensions harm avoidance and self-directedness predict the cortisol awakening response in military men. <i>Biological Psychology</i> , 2009 , 81, 177-83	3.2	22
13	Deployment-related severe fatigue with depressive symptoms is associated with increased glucocorticoid binding to peripheral blood mononuclear cells. <i>Brain, Behavior, and Immunity</i> , 2009 , 23, 1132-9	16.6	20
12	Differentiation of pain ratings in combat-related posttraumatic stress disorder. <i>Pain</i> , 2009 , 143, 179-1858		43
11	Neural correlates of associative learning and memory in veterans with posttraumatic stress disorder. <i>Journal of Psychiatric Research</i> , 2008 , 42, 659-69	5.2	86
10	Differences in the response to the combined DEX-CRH test between PTSD patients with and without co-morbid depressive disorder. <i>Psychoneuroendocrinology</i> , 2008 , 33, 313-20	5	51
9	Hostility is related to clusters of T-cell cytokines and chemokines in healthy men. <i>Psychoneuroendocrinology</i> , 2008 , 33, 1041-50	5	35
8	Thinner prefrontal cortex in veterans with posttraumatic stress disorder. <i>NeuroImage</i> , 2008 , 41, 675-81	7.9	118
7	Self-reported early trauma as a predictor of adult personality: a study in a military sample. <i>Journal of Clinical Psychology</i> , 2008 , 64, 863-75	2.8	46
6	Precuneal activity during encoding in veterans with posttraumatic stress disorder. <i>Progress in Brain Research</i> , 2008 , 167, 293-7	2.9	29
5	Altered pain processing in veterans with posttraumatic stress disorder. <i>Archives of General Psychiatry</i> , 2007 , 64, 76-85		170
4	Pharmacotherapy for disordered sleep in post-traumatic stress disorder: a systematic review. <i>International Clinical Psychopharmacology</i> , 2006 , 21, 193-202	2.2	53
3	Neuroimaging of pain perception in Dutch veterans with and without posttraumatic stress disorder: preliminary results. <i>Annals of the New York Academy of Sciences</i> , 2006 , 1071, 401-4	6.5	3
2	Pharmacotherapeutic treatment of nightmares and insomnia in posttraumatic stress disorder: an overview of the literature. <i>Annals of the New York Academy of Sciences</i> , 2006 , 1071, 502-7	6.5	23
1	Hippocampal subfield volumes are uniquely affected in PTSD and depression: International analysis of 31 cohorts from the PGC-ENIGMA PTSD Working Group		2