Hans-Juergen Rumpf

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/884703/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	An international consensus for assessing internet gaming disorder using the new <scp>DSM</scp> â€5 approach. Addiction, 2014, 109, 1399-1406.	1.7	710
2	Preventing problematic internet use during the COVID-19 pandemic: Consensus guidance. Comprehensive Psychiatry, 2020, 100, 152180.	1.5	522
3	Screening for mental health: validity of the MHI-5 using DSM-IV Axis I psychiatric disorders as gold standard. Psychiatry Research, 2001, 105, 243-253.	1.7	474
4	Gaming disorder: Its delineation as an important condition for diagnosis, management, and prevention. Journal of Behavioral Addictions, 2017, 6, 271-279.	1.9	359
5	SCREENING FOR ALCOHOL USE DISORDERS AND AT-RISK DRINKING IN THE GENERAL POPULATION: PSYCHOMETRIC PERFORMANCE OF THREE QUESTIONNAIRES. Alcohol and Alcoholism, 2002, 37, 261-268.	0.9	273
6	Manifesto for a European research network into Problematic Usage of the Internet. European Neuropsychopharmacology, 2018, 28, 1232-1246.	0.3	216
7	Including gaming disorder in the ICD-11: The need to do so from a clinical and public health perspective. Journal of Behavioral Addictions, 2018, 7, 556-561.	1.9	214
8	Screening and assessment tools for gaming disorder: A comprehensive systematic review. Clinical Psychology Review, 2020, 77, 101831.	6.0	200
9	Smoking, nicotine dependence and psychiatric comorbidity—a population-based study including smoking cessation after three years. Drug and Alcohol Dependence, 2004, 76, 287-295.	1.6	197
10	Self-reported dependence on mobile phones in young adults: A European cross-cultural empirical survey. Journal of Behavioral Addictions, 2017, 6, 168-177.	1.9	171
11	Which conditions should be considered as disorders in the International Classification of Diseases (ICD-11) designation of "other specified disorders due to addictive behaviors�. Journal of Behavioral Addictions, 2020, , .	1.9	165
12	Occurence of Internet Addiction in a General Population Sample: A Latent Class Analysis. European Addiction Research, 2014, 20, 159-166.	1.3	155
13	The Reliability and Validity of the Alcohol Use Disorders Identification Test (AUDIT) in a German General Practice Population Sample. Journal of Studies on Alcohol and Drugs, 2006, 67, 473-481.	2.4	130
14	Association of Smoking and Nicotine Dependence With Trauma and Posttraumatic Stress Disorder in a General Population Sample. Journal of Nervous and Mental Disease, 2005, 193, 843-846.	0.5	126
15	High Involvement Versus Pathological Involvement in Video Games: a Crucial Distinction for Ensuring the Validity and Utility of Gaming Disorder. Current Addiction Reports, 2019, 6, 323-330.	1.6	122
16	Expert appraisal of criteria for assessing gaming disorder: an international Delphi study. Addiction, 2021, 116, 2463-2475.	1.7	113
17	Screening Questionnaires for Problem Drinking in Adolescents: Performance of AUDIT, AUDIT-C, CRAFFT and POSIT. European Addiction Research, 2013, 19, 121-127.	1.3	105
18	Probabilities of alcohol high-risk drinking, abuse or dependence estimated on grounds of tobacco smoking and nicotine dependence. Addiction, 2003, 98, 805-814.	1.7	99

#	Article	IF	CITATIONS
19	Smoking status, cigarettes per day, and their relationship to overweight and obesity among former and current smokers in a national adult general population sample. International Journal of Obesity, 2005, 29, 1289-1294.	1.6	98
20	STRENGTH OF THE RELATIONSHIP BETWEEN TOBACCO SMOKING, NICOTINE DEPENDENCE AND THE SEVERITY OF ALCOHOL DEPENDENCE SYNDROME CRITERIA IN A POPULATION-BASED SAMPLE. Alcohol and Alcoholism, 2003, 38, 606-612.	0.9	97
21	Evaluation of a telephone-based stepped care intervention for alcohol-related disorders: A randomized controlled trial. Drug and Alcohol Dependence, 2008, 93, 244-251.	1.6	97
22	Development of a Screening Questionnaire for the General Hospital and General Practices. Alcoholism: Clinical and Experimental Research, 1997, 21, 894-898.	1.4	96
23	Prevalence of alcohol consumption, abuse and dependence in a country with high per capita consumption: findings from the German TACOS study. Social Psychiatry and Psychiatric Epidemiology, 2000, 35, 539-547.	1.6	89
24	Relationships of Psychiatric Disorders with Overweight and Obesity in an Adult General Population ^{**} . Obesity, 2005, 13, 101-109.	4.0	82
25	Genome-wide association study of pathological gambling. European Psychiatry, 2016, 36, 38-46.	0.1	82
26	Nicotine dependence, quit attempts, and quitting among smokers in a regional population sample from a country with a high prevalence of tobacco smoking. Preventive Medicine, 2004, 38, 350-358.	1.6	81
27	Lifetime-comorbidity of obsessive-compulsive disorder and subclinical obsessive-compulsive disorder in northern Germany. European Archives of Psychiatry and Clinical Neuroscience, 2001, 251, 130-135.	1.8	78
28	Ten-Item Internet Gaming Disorder Test (IGDT-10): Measurement invariance and cross-cultural validation across seven language-based samples Psychology of Addictive Behaviors, 2019, 33, 91-103.	1.4	76
29	Proactive interventions for smoking cessation in general medical practice: a quasiâ€randomized controlled trial to examine the efficacy of computerâ€tailored letters and physicianâ€delivered brief advice*. Addiction, 2008, 103, 294-304.	1.7	74
30	ALCOHOL-RELATED DISEASES IN GENERAL HOSPITAL PATIENTS. Alcohol and Alcoholism, 1997, 32, 179-184.	0.9	73
31	Clarifying terminologies in research on gaming disorder and other addictive behaviors: distinctions between core symptoms and underlying psychological processes. Current Opinion in Psychology, 2020, 36, 49-54.	2.5	70
32	Assessment of Problematic Internet Use by the Compulsive Internet Use Scale and the Internet Addiction Test: A Sample of Problematic and Pathological Gamblers. European Addiction Research, 2014, 20, 75-81.	1.3	69
33	Physicians' low detection rates of alcohol dependence or abuse: a matter of methodological shortcomings?. General Hospital Psychiatry, 2001, 23, 133-137.	1.2	67
34	Studies on natural recovery from alcohol dependence: sample selection bias by media solicitation?. Addiction, 2000, 95, 765-775.	1.7	65
35	Measuring Sense of Coherence with only three items: A useful tool for population surveys. British Journal of Health Psychology, 2003, 8, 409-421.	1.9	62
36	A short form of the Fagerström Test for Nicotine Dependence and the Heaviness of Smoking Index in two adult population samples. Addictive Behaviors, 2004, 29, 1207-1212.	1.7	60

#	Article	IF	CITATIONS
37	Randomized controlled trial of a brief intervention for problematic prescription drug use in nonâ€treatmentâ€seeking patients. Addiction, 2009, 104, 109-117.	1.7	59
38	Depressive Disorders Are Related to Nicotine Dependence in the Population But Do Not Necessarily Hamper Smoking Cessation. Journal of Clinical Psychiatry, 2004, 65, 169-176.	1.1	57
39	Comorbid Axis I-disorders among subjects with pathological, problem, or at-risk gambling recruited from the general population in Germany: Results of the PAGE study. Psychiatry Research, 2013, 210, 1065-1070.	1.7	55
40	The association between Internet addiction and personality disorders in a general population-based sample. Journal of Behavioral Addictions, 2016, 5, 691-699.	1.9	55
41	Motivation to change drinking behavior: comparison of alcohol-dependent individuals in a general hospital and a general population sample. General Hospital Psychiatry, 1999, 21, 348-353.	1.2	54
42	Brief alcohol intervention for general hospital inpatients: A randomized controlled trial. Drug and Alcohol Dependence, 2008, 93, 233-243.	1.6	54
43	Protective mental health factors in children of parents with alcohol and drug use disorders: A systematic review. PLoS ONE, 2017, 12, e0179140.	1.1	54
44	Relationships of psychiatric disorders with sleep duration in an adult general population sample. Journal of Psychiatric Research, 2005, 39, 577-583.	1.5	53
45	Excess Mortality of Alcoholâ€Dependent Individuals After 14ÂYears and Mortality Predictors Based on Treatment Participation and Severity of Alcohol Dependence. Alcoholism: Clinical and Experimental Research, 2013, 37, 156-163.	1.4	53
46	Gender differences in unipolar depression: a general population survey of adults between age 18 to 64 of German nationality. Journal of Affective Disorders, 2003, 77, 203-211.	2.0	50
47	READINESS FOR CHANGE AND READINESS FOR HELP-SEEKING: A COMPOSITE ASSESSMENT OF CLIENT MOTIVATION. Alcohol and Alcoholism, 2005, 40, 540-544.	0.9	49
48	Efficacy of the Community Reinforcement and Family Training for concerned significant others of treatment-refusing individuals with alcohol dependence: A randomized controlled trial. Drug and Alcohol Dependence, 2016, 163, 179-185.	1.6	49
49	Specific Somatoform Disorder in the General Population. Psychosomatics, 2003, 44, 304-311.	2.5	48
50	Somatoform Pain Disorder in the General Population. Psychotherapy and Psychosomatics, 2003, 72, 88-94.	4.0	48
51	Suicidal events among pathological gamblers: The role of comorbidity of axis I and axis II disorders. Psychiatry Research, 2015, 225, 413-419.	1.7	48
52	Relation among stage of change, demographic characteristics, smoking history, and nicotine dependence in an adult German population. Preventive Medicine, 2003, 37, 368-374.	1.6	47
53	Adherence to the principles of Motivational Interviewing, clients' characteristics and behavior outcome in a smoking cessation and relapse prevention trial in women postpartum. Addictive Behaviors, 2007, 32, 2297-2303.	1.7	45
54	Smoking cessation and relapse prevention for postpartum women: Results from a randomized controlled trial at 6, 12, 18 and 24Âmonths. Addictive Behaviors, 2009, 34, 1-8.	1.7	45

#	Article	IF	CITATIONS
55	Factors influencing remission from alcohol dependence without formal help in a representative population sample. Addiction, 2001, 96, 1327-1336.	1.7	43
56	Impact of psychiatric disorders in the general population: satisfaction with life and the influence of comorbidity and disorder duration. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 435-41.	1.6	43
57	Diagnostic performance of the Alcohol Use Disorders Identification Test (AUDIT) in detecting DSM-5 alcohol use disorders in the General population. Drug and Alcohol Dependence, 2019, 204, 107530.	1.6	42
58	The effect of online gambling on gambling problems and resulting economic health costs in Germany. European Journal of Health Economics, 2018, 19, 967-978.	1.4	41
59	Measurement Invariance of the Short Version of the Problematic Mobile Phone Use Questionnaire (PMPUQ-SV) across Eight Languages. International Journal of Environmental Research and Public Health, 2018, 15, 1213.	1.2	41
60	Intentionally reduced smoking among untreated general population smokers: prevalence, stability, prediction of smoking behaviour change and differences between subjects choosing either reduction or abstinence. Addiction, 2003, 98, 1101-1110.	1.7	40
61	Provision of smoking cessation counseling by general practitioners assisted by training and screening procedure. Patient Education and Counseling, 2006, 63, 232-238.	1.0	39
62	Effectiveness of brief alcohol interventions for general practice patients with problematic drinking behavior and comorbid anxiety or depressive disorders. Drug and Alcohol Dependence, 2008, 94, 214-220.	1.6	39
63	Cross-Cultural Validation of the Compulsive Internet Use Scale in Four Forms and Eight Languages. Cyberpsychology, Behavior, and Social Networking, 2019, 22, 451-464.	2.1	39
64	THE READINESS TO CHANGE QUESTIONNAIRE IN SUBJECTS WITH HAZARDOUS ALCOHOL CONSUMPTION, ALCOHOL MISUSE AND DEPENDENCE IN A GENERAL POPULATION SURVEY. Alcohol and Alcoholism, 2002, 37, 362-369.	0.9	38
65	Alterations in DNA-methylation of the dopamine-receptor 2 gene are associated with abstinence and health care utilization in individuals with a lifetime history of pathologic gambling. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2015, 63, 30-34.	2.5	38
66	Maintenance Factors of Recovery From Alcohol Dependence in Treated and Untreated Individuals. Alcoholism: Clinical and Experimental Research, 2000, 24, 1773-1777.	1.4	37
67	The Fagerström test for nicotine dependence in two adult population samples—potential influence of lifetime amount of tobacco smoked on the degree of dependence. Drug and Alcohol Dependence, 2003, 71, 1-6.	1.6	37
68	Psychiatric disorders among at-risk consumers of alcohol in the general population Journal of Studies on Alcohol and Drugs, 2005, 66, 246-253.	2.4	37
69	Brief intervention in general hospital for problematic prescription drug use: 12-Month outcome. Drug and Alcohol Dependence, 2009, 105, 221-226.	1.6	37
70	Epidemiological Challenges in the Study of Behavioral Addictions: a Call for High Standard Methodologies. Current Addiction Reports, 2019, 6, 331-337.	1.6	37
71	Reasons for not using smoking cessation aids. BMC Public Health, 2008, 8, 129.	1.2	36
72	The "Pathological Gambling and Epidemiology―(PAGE) study program: design and fieldwork. International Journal of Methods in Psychiatric Research, 2015, 24, 11-31.	1.1	36

#	Article	IF	CITATIONS
73	COMPARISON OF CAGE AND MAST WITH THE ALCOHOL MARKERS CDT, Â-GT, ALAT, ASAT AND MCV. Alcohol and Alcoholism, 1998, 33, 424-430.	0.9	35
74	Gender differences in natural recovery from alcohol dependence Journal of Studies on Alcohol and Drugs, 2000, 61, 783-786.	2.4	34
75	A Self-Administered Version of a Brief Measure of Suffering: First Aspects of Validity. Psychotherapy and Psychosomatics, 2004, 73, 53-56.	4.0	34
76	Stage of Change Transitions and Processes of Change, Decisional Balance, and Self-Efficacy in Smokers: A Transtheoretical Model Validation Using Longitudinal Data Psychology of Addictive Behaviors, 2005, 19, 3-9.	1.4	34
77	Predictors and moderators of outcome in different brief interventions for smoking cessation in general medical practice. Patient Education and Counseling, 2010, 78, 57-64.	1.0	33
78	Prevalence of suicide attempts in pathological gamblers in a nationwide Austrian treatment sample. General Hospital Psychiatry, 2014, 36, 342-346.	1.2	33
79	Internet-Related Disorders: Development of the Short Compulsive Internet Use Scale. Cyberpsychology, Behavior, and Social Networking, 2017, 20, 709-717.	2.1	33
80	ESTIMATING PREVALENCE OF ALCOHOL ABUSE AND DEPENDENCE IN ONE GENERAL HOSPITAL: AN APPROACH TO REDUCE SAMPLE SELECTION BIAS. Alcohol and Alcoholism, 1999, 34, 786-794.	0.9	32
81	Stability of subtypes of natural recovery from alcohol dependence after two years. Addiction, 2007, 102, 904-908.	1.7	32
82	Intention to quit smoking: Is the partner's smoking status associated with the smoker's intention to quit?. International Journal of Behavioral Medicine, 2008, 15, 328-335.	0.8	32
83	Post-partum intention to resume smoking. Health Education Research, 2006, 21, 386-392.	1.0	31
84	Gaming Disorder Is a Disorder due to Addictive Behaviors: Evidence from Behavioral and Neuroscientific Studies Addressing Cue Reactivity and Craving, Executive Functions, and Decision-Making. Current Addiction Reports, 2019, 6, 296-302.	1.6	31
85	The association between degree of nicotine dependence and other health behaviours: Findings from a German general population study. European Journal of Public Health, 2001, 11, 450-452.	0.1	29
86	Readiness to change versus readiness to seek help for alcohol problems: the development of the Treatment Readiness Tool (TReaT) Journal of Studies on Alcohol and Drugs, 2004, 65, 801-809.	2.4	29
87	Motivation to change risky drinking and motivation to seek help for alcohol risk drinking among general hospital inpatients with problem drinking and alcohol-related diseases. General Hospital Psychiatry, 2010, 32, 86-93.	1.2	29
88	Differences between hospital patients with alcohol problems referred for counselling by physicians' routine clinical practice versus screening questionnaires. Addiction, 1998, 93, 1777-1785.	1.7	28
89	The Composite International Diagnostic Interview: feasibility and necessity of editing and interviewer training in general population surveys. International Journal of Methods in Psychiatric Research, 2000, 9, 32-42.	1.1	28
90	Onset and maintenance of psychiatric disorders after serious accidents. European Archives of Psychiatry and Clinical Neuroscience, 2006, 256, 497-503.	1.8	28

#	Article	IF	CITATIONS
91	Development and Evaluation of a Screening Instrument for Alcohol-Use Disorders and At-Risk Drinking: The Brief Alcohol Screening Instrument for Medical Care (BASIC). Journal of Studies on Alcohol and Drugs, 2007, 68, 607-614.	0.6	28
92	Measurement invariance of the alcohol use disorders identification test: Establishing its factor structure in different settings and across gender. Drug and Alcohol Dependence, 2018, 189, 55-61.	1.6	28
93	Prevalence of Alcohol Dependence and Abuse in General Practice. Alcoholism: Clinical and Experimental Research, 1998, 22, 935-940.	1.4	27
94	INTENTION TO CHANGE DRINKING BEHAVIOUR IN GENERAL PRACTICE PATIENTS WITH PROBLEMATIC DRINKING AND COMORBID DEPRESSION OR ANXIETY. Alcohol and Alcoholism, 2005, 40, 394-400.	0.9	27
95	The relationship between impaired decision-making, sensation seeking and readiness to change in cigarette smokers. Addictive Behaviors, 2006, 31, 581-592.	1.7	27
96	The Role of Family and Partnership in Recovery from Alcohol Dependence: Comparison of Individuals Remitting with and without Formal Help. European Addiction Research, 2002, 8, 122-127.	1.3	26
97	Type of gambling as an independent risk factor for suicidal events in pathological gamblers Psychology of Addictive Behaviors, 2016, 30, 263-269.	1.4	26
98	Naturalistic Changes in the Readiness to Quit Tobacco Smoking in a German General Population Sample. Preventive Medicine, 2002, 35, 326-333.	1.6	25
99	Prevalence, Characteristics, Associated Mental Disorders and Predictors of DSM-IV Nicotine Dependence. European Addiction Research, 2004, 10, 29-34.	1.3	25
100	Remission from alcohol dependence without help: how restrictive should our definition of treatment be?. Journal of Studies on Alcohol and Drugs, 2002, 63, 229-236.	2.4	24
101	Intention to utilize formal help in a sample with alcohol problems: A prospective study. Drug and Alcohol Dependence, 2007, 87, 210-216.	1.6	24
102	Gender differences in the efficacy of brief interventions with a stepped care approach in general practice patients with alcohol-related disorders. Alcohol and Alcoholism, 2008, 43, 334-340.	0.9	24
103	Adoption, reach and effectiveness of computer-based, practitioner delivered and combined smoking interventions in general medical practices: A three-arm cluster randomized trial. Drug and Alcohol Dependence, 2012, 121, 124-132.	1.6	24
104	Griffiths <i>et al</i> .'s comments on the international consensus statement of internet gaming disorder: furthering consensus or hindering progress?. Addiction, 2016, 111, 175-178.	1.7	24
105	Performance of the DSM-5-based criteria for Internet addiction: A factor analytical examination of three samples. Journal of Behavioral Addictions, 2019, 8, 288-294.	1.9	24
106	Previous Help Seeking and Motivation to Change Drinking Behavior in Alcohol-Dependent General Hospital Patients. General Hospital Psychiatry, 1998, 20, 115-119.	1.2	23
107	Effects of item sequence on the performance of the AUDIT in general practices. Drug and Alcohol Dependence, 2005, 79, 373-377.	1.6	23
108	Changes in the "stages of change―as outcome measures of a smoking cessation intervention: A randomized controlled trial. Preventive Medicine, 2006, 43, 101-106.	1.6	23

#	Article	IF	CITATIONS
109	Prevalence of dependence on prescription drugs and associated mental disorders in a representative sample of general hospital patients. General Hospital Psychiatry, 2007, 29, 257-263.	1.2	23
110	Factor Structure of the Compulsive Internet Use Scale. Cyberpsychology, Behavior, and Social Networking, 2014, 17, 46-51.	2.1	23
111	Thresholds of probable problematic gambling involvement for the German population: Results of the Pathological Gambling and Epidemiology (PAGE) Study Psychology of Addictive Behaviors, 2015, 29, 794-804.	1.4	23
112	Nicotine dependence and lifetime amount of smoking in a population sample. European Journal of Public Health, 2004, 14, 182-185.	0.1	22
113	STABILITY OF REMISSION FROM ALCOHOL DEPENDENCE WITHOUT FORMAL HELP. Alcohol and Alcoholism, 2006, 41, 311-314.	0.9	22
114	Dose-response relation between volume of drinking and alcohol-related diseases in male general hospital inpatients. Alcohol and Alcoholism, 2007, 43, 34-38.	0.9	20
115	Contribution of Game Genre and Structural Game Characteristics to the Risk of Problem Gaming and Gaming Disorder: a Systematic Review. Current Addiction Reports, 2021, 8, 263-281.	1.6	20
116	The Potential of Digital Phenotyping and Mobile Sensing for Psycho-Diagnostics of Internet Use Disorders. Current Addiction Reports, 2021, 8, 422-430.	1.6	20
117	Psychiatric comorbidity including nicotine dependence among individuals with eating disorder criteria in an adult general population sample. Psychiatry Research, 2006, 141, 71-79.	1.7	19
118	Alcohol problem drinking among general hospital inpatients in northeastern Germany. General Hospital Psychiatry, 2008, 30, 147-154.	1.2	19
119	Estimating the prevalence of drinking problems among physicians. General Hospital Psychiatry, 2013, 35, 561-564.	1.2	19
120	Demographic Risk Factors and Gambling Preference May Not Explain the High Prevalence of Gambling Problems Among the Population with Migration Background: Results from a German Nationwide Survey. Journal of Gambling Studies, 2015, 31, 741-757.	1.1	19
121	Development and validation of a nine-item short screening test for ICD-11 gaming disorder (GAMES) Tj ETQq1 1 Addictions, 2021, 10, 263-280.	0.784314 1.9	4 rgBT /Overlo 19
122	Differences in help seeking rates after brief intervention for alcohol use disorders in general practice patients with and without comorbid anxiety or depressive disorders. International Journal of Methods in Psychiatric Research, 2008, 17, S74-S77.	1.1	18
123	Need for cognition as a predictor and a moderator of outcome in a tailored letters smoking cessation intervention Health Psychology, 2010, 29, 367-373.	1.3	18
124	The role of self-esteem in Internet addiction within the context of comorbid mental disorders: Findings from a general population-based sample. Journal of Behavioral Addictions, 2018, 7, 976-984.	1.9	18
125	Use of machine learning to classify adult ADHD and other conditions based on the Conners' Adult ADHD Rating Scales. Scientific Reports, 2020, 10, 18871.	1.6	18
126	From screen time to the digital level of analysis: a scoping review of measures for digital media use in children and adolescents. BMJ Open, 2021, 11, e046367.	0.8	18

#	Article	IF	CITATIONS
127	Addiction Research Unit: Affective and cognitive mechanisms of specific Internetâ€use disorders. Addiction Biology, 2021, 26, e13087.	1.4	18
128	Screening questionnaires in the detection of hazardous alcohol consumption in the general hospital: direct or disguised assessment?. Journal of Studies on Alcohol and Drugs, 1998, 59, 698-703.	2.4	17
129	Psychometric properties of the â€~Processes of Change' scale for alcohol misuse and its short form (POC-20). Addictive Behaviors, 2006, 31, 821-832.	1.7	17
130	Alcohol Consumption and Health-Services Utilizationin Germany. Journal of Studies on Alcohol and Drugs, 2006, 67, 429-435.	2.4	17
131	Does the smoking status of general practitioners affect the efficacy of smoking cessation counselling?. Patient Education and Counseling, 2009, 74, 23-28.	1.0	17
132	Postpartum return to smoking: Identifying different groups to tailor interventions. Addictive Behaviors, 2006, 31, 1785-1796.	1.7	16
133	Predictors of Increased Body Mass Index Following Cessation of Smoking. American Journal on Addictions, 2006, 15, 192-197.	1.3	16
134	Computer-tailored smoking cessation intervention in a general population setting in Germany: Outcome of a randomized controlled trial. Nicotine and Tobacco Research, 2008, 10, 371-379.	1.4	16
135	Multiple dimensions of health locus of control in a representative population sample: ordinal factor analysis and cross-validation of an existing three and a new four factor model. BMC Medical Research Methodology, 2011, 11, 114.	1.4	16
136	Association of Sociodemographic, Psychopathological and Gambling-Related Factors with Treatment Utilization for Pathological Gambling. European Addiction Research, 2014, 20, 167-173.	1.3	16
137	DSM-5 Internet gaming disorder among a sample of Mexican first-year college students. Journal of Behavioral Addictions, 2019, 8, 714-724.	1.9	16
138	Nicotine dependence criteria and nicotine withdrawal symptoms in relation to pain among an adult general population sample. European Journal of Pain, 2009, 13, 82-88.	1.4	15
139	Effectiveness of a cognitive behavioral self-help program for patients with primary insomnia in general practice – A pilot study. Sleep Medicine, 2012, 13, 463-468.	0.8	15
140	Sub-threshold panic attacks and agoraphobic avoidance increase comorbidity of mental disorders: Results from an adult general population sample. Journal of Anxiety Disorders, 2013, 27, 485-493.	1.5	15
141	Moving internet gaming disorder forward: A reply. Addiction, 2014, 109, 1412-1413.	1.7	15
142	Acute psychosis in a verified Huntington disease gene carrier with subtle motor signs: psychiatric criteria should be considered for the diagnosis. General Hospital Psychiatry, 2014, 36, 361.e3-361.e4.	1.2	15
143	Can brief alcohol interventions in general hospital inpatients improve mental and general health over 2 years? Results from a randomized controlled trial. Psychological Medicine, 2019, 49, 1722-1730.	2.7	15
144	Project 4: substance use, abuse and dependence among the adult population in a rural and urban region of northern Germany. European Addiction Research, 1998, 4, 208-9.	1.3	15

#	Article	IF	CITATIONS
145	Performance of the Pictorial Representation of Illness and Self Measure in Individuals with Alcohol Dependence, Alcohol Abuse or At-Risk Drinking. Psychotherapy and Psychosomatics, 2006, 75, 249-256.	4.0	14
146	Motivating smokers to quit using computer-generated letters that target either reduction or cessation: A population-based randomized controlled trial among smokers who do not intend to quit. Drug and Alcohol Dependence, 2016, 166, 177-186.	1.6	14
147	Subtyping general population smokers not intending to quit by stages to reduce smoking. Nicotine and Tobacco Research, 2004, 6, 1043-1050.	1.4	13
148	Population-based smoking cessation in women post partum: adherence to motivational interviewing in relation to client characteristics and behavioural outcomes. Midwifery, 2010, 26, 202-210.	1.0	13
149	Smokers' Expectations Toward the Engagement of Their General Practitioner in Discussing Lifestyle Behaviors. Journal of Health Communication, 2011, 16, 135-147.	1.2	13
150	Proactive multipurpose health risk screening in health care settings: Methods, design, and reach. International Journal of Methods in Psychiatric Research, 2019, 28, e1760.	1.1	13
151	Alcohol abstinence and mortality in a general population sample of adults in Germany: A cohort study. PLoS Medicine, 2021, 18, e1003819.	3.9	13
152	Development of a screening questionnaire for the general hospital and general practices. Alcoholism: Clinical and Experimental Research, 1997, 21, 894-8.	1.4	13
153	Consistency or Change in Nicotine Dependence According to the Fagerstrom Test for Nicotine Dependence Over Three Years in a Population Sample. Journal of Addictive Diseases, 2005, 24, 85-100.	0.8	12
154	Gender-specific predictors of risky alcohol use among general hospital inpatients. General Hospital Psychiatry, 2013, 35, 9-15.	1.2	12
155	Policy and prevention efforts for gaming should consider a broad perspective. Journal of Behavioral Addictions, 2018, 7, 543-547.	1.9	12
156	Feasibility and Acceptability of an Intervention Providing Computer-Generated Tailored Feedback to Target Alcohol Consumption and Depressive Symptoms in Proactively Recruited Health Care Patients and Reactively Recruited Media Volunteers: Results of a Pilot Study. European Addiction Research, 2019, 25, 119-131.	1.3	12
157	Severity of unhealthy alcohol consumption in medical inpatients and the general population: is the general hospital a suitable place for brief interventions?. International Journal of Public Health, 2010, 55, 637-643.	1.0	11
158	Explaining the relation between pathological gambling and depression: Rumination as an underlying common cause. Journal of Behavioral Addictions, 2018, 7, 384-391.	1.9	11
159	Does impaired mental health interfere with the outcome of brief alcohol intervention at general hospitals?. Journal of Consulting and Clinical Psychology, 2017, 85, 562-573.	1.6	11
160	Brief overview of the WHO Collaborative Project on the Development of New International Screening and Diagnostic Instruments for Gaming Disorder and Gambling Disorder. Addiction, 2022, 117, 2119-2121.	1.7	11
161	Associations of specific psychiatric disorders with isolated focal dystonia, and monogenic and idiopathic Parkinson's disease. Journal of Neurology, 2017, 264, 1076-1084.	1.8	10
162	Early Intervention in Gaming Disorder: What Can We Learn from Findings in the Substance Abuse Field?. Current Addiction Reports, 2018, 5, 511-516.	1.6	10

#	Article	IF	CITATIONS
163	Deficits in emotion regulation strategies among problematic and pathological gamblers in a sample of vocational school students. Journal of Behavioral Addictions, 2019, 8, 94-102.	1.9	10
164	Mental disorders and total mortality after 20Âyears in an adult general population sample. European Psychiatry, 2020, 63, e30.	0.1	10
165	Assessment of Criteria for Specific Internet-use Disorders (ACSID-11): Introduction of a new screening instrument capturing ICD-11 criteria for gaming disorder and other potential Internet-use disorders. Journal of Behavioral Addictions, 2022, , .	1.9	10
166	Where to put Compulsive Sexual Behavior Disorder (CSBD)? Phenomenology matters •. Journal of Behavioral Addictions, 2022, 11, 230-233.	1.9	10
167	ESTIMATION OF TOBACCO- OR ALCOHOL-ATTRIBUTABLE DISEASE RATES IN NATIONAL HOSPITAL CARE: AN APPROACH BASED ON ROUTINE IN-PATIENT DISEASE REGISTER DATA AND SYSTEMATIC DIAGNOSIS OF ALCOHOL USE DISORDERS. Alcohol and Alcoholism, 2003, 38, 339-346.	0.9	9
168	Does precontemplation represent a homogeneous stage category? A latent class analysis on German smokers Journal of Consulting and Clinical Psychology, 2008, 76, 840-851.	1.6	9
169	The Performance of Two Motivation Measures and Outcome after Alcohol Detoxification. Alcohol and Alcoholism, 2008, 44, 77-83.	0.9	8
170	Workplace smoking restrictions: smoking behavior and the intention to change among continuing smokers. International Journal of Public Health, 2010, 55, 599-608.	1.0	8
171	Alcohol dependent inpatients who receive general hospital care vs. detoxification in psychiatric care and alcohol problem 1 year later. Addictive Behaviors, 2010, 35, 756-763.	1.7	8
172	Dopamine-receptor 2 gene-methylation and gambling behavior in relation to impulsivity. Psychiatry Research, 2016, 239, 154-155.	1.7	8
173	Requirements of a Group Intervention for Adolescents with Internet Gaming Disorder in a Clinical Setting: A Qualitative Interview Study. International Journal of Environmental Research and Public Health, 2021, 18, 7813.	1.2	8
174	Patterns and predictors of change in a smoking intervention study: Latent growth analysis of a multivariate outcome model Health Psychology, 2008, 27, S233-S242.	1.3	8
175	Stages of change and other factors in â€`light' cigarette smokers. European Journal of Public Health, 2005, 15, 146-151.	0.1	7
176	Self-rated general health and psychiatric disorders in a general population sample. European Psychiatry, 2005, 20, 223-228.	0.1	7
177	Screening for Hazardous Drinking in Nursing Home Residents: Evaluating the Validity of the Current Cutoffs of the Alcohol Use Disorder Identification Test-Consumption Questions by Using Ethyl Glucuronide in Hair. Alcoholism: Clinical and Experimental Research, 2017, 41, 1593-1601.	1.4	7
178	Addressing taxonomic challenges for Internet Use Disorders in light of changing technologies and diagnostic classifications. •. Journal of Behavioral Addictions, 2021, 9, 942-944.	1.9	7
179	Remission without Formal Help: New Directions in Studies Using Survey Data. , 2007, , 73-85.		7
180	The cost burden of problematic internet usage. Current Opinion in Behavioral Sciences, 2022, 44, 101107.	2.0	7

#	Article	IF	CITATIONS
181	From †screen time' to the digital level of analysis: protocol for a scoping review of digital media use in children and adolescents. BMJ Open, 2019, 9, e032184.	0.8	6
182	Latent alcohol use patterns and their link to depressive symptomatology in medical care patients. Addiction, 2021, 116, 1063-1073.	1.7	6
183	Dispositional and online-specific Fear of Missing Out are associated with the development of IUD symptoms in different internet applications. Journal of Behavioral Addictions, 2021, 10, 747-758.	1.9	6
184	Severity of alcohol dependence and mortality after 20Âyears in an adult general population sample. International Journal of Methods in Psychiatric Research, 2022, 31, e1915.	1.1	6
185	Longitudinal relationships among transtheoretical model constructs for smokers in the precontemplation and contemplation stages of change. Annals of Behavioral Medicine, 2005, 30, 12-20.	1.7	5
186	Predicting utilization of formal and informal help among general hospital inpatients with alcohol use disorders. International Journal of Methods in Psychiatric Research, 2008, 17, S70-S73.	1.1	5
187	Naturalistic changes in the readiness of postpartum women to quit smoking. Drug and Alcohol Dependence, 2009, 101, 196-201.	1.6	5
188	Effects of practitioner-delivered brief counseling and computer-generated tailored letters on cigarettes per day among smokers who do not quit—A quasi-randomized controlled trialâ~†. Drug and Alcohol Dependence, 2010, 112, 81-89.	1.6	5
189	Untreated pathological gamblers: who recovers and who does not?. International Gambling Studies, 2020, 20, 200-213.	1.3	5
190	Mini-Review: Recovery without treatment in gambling disorder and problematic gambling. Sucht, 2018, 64, 275-282.	0.1	5
191	Maintenance factors of recovery from alcohol dependence in treated and untreated individuals. Alcoholism: Clinical and Experimental Research, 2000, 24, 1773-7.	1.4	5
192	Prevalence and selfâ€rated health and depression of family members affected by addictive disorders: results of a nationâ€wide crossâ€sectional study. Addiction, 2022, 117, 3140-3147.	1.7	5
193	Measuring readiness to change for problematic consumption of prescription drugs: Development of an adapted and shortened Readiness to Change Questionnaire. Addiction Research and Theory, 2010, 18, 110-118.	1.2	4
194	At-Risk and Heavy Episodic Drinking, Motivation to Change, and the Development of Alcohol Dependence Among Men. Journal of Studies on Alcohol and Drugs, 2009, 70, 937-942.	0.6	3
195	Mental Health and Readiness to Change Smoking Behavior in Daily Smoking Primary Care Patients. International Journal of Behavioral Medicine, 2009, 16, 347-354.	0.8	3
196	The Impact of Having a Loved One With Alcohol Consumption-Related Problems on Subjective Health Status and Health-Risk Behaviors in a General Hospital Sample. Substance Use and Misuse, 2010, 45, 2470-2480.	0.7	3
197	Internet gaming and addiction: a reply to King & Delfabbro. Addiction, 2014, 109, 1567-1568.	1.7	3
198	Developmental and family considerations in internet use disorder taxonomy. Commentary on: How to overcome taxonomical problems in the study of Internet use disorders and what to do with "smartphone addiction� (Montag et al., 2020). Journal of Behavioral Addictions, 2021, 9, 920-923.	1.9	3

#	Article	IF	CITATIONS
199	Diagnostik von alkoholbezogenen Störungen im Alter. Zeitschrift Fuer Gerontopsychologie Und Psychiatrie, 2006, 19, 201-206.	0.7	3
200	Prevalence of alcohol dependence and abuse in general practice. Alcoholism: Clinical and Experimental Research, 1998, 22, 935-40.	1.4	3
201	Reported Beverage Consumed and Alcohol-Related Diseases among Male Hospital Inpatients with Problem Drinking. Alcohol and Alcoholism, 2009, 44, 216-221.	0.9	2
202	Copattern of depression and alcohol use in medical care patients: cross-sectional study in Germany. BMJ Open, 2020, 10, e032826.	0.8	2
203	The role of migration background and cognitive distortions in the trajectories of gambling problems - a longitudinal study. International Gambling Studies, 2021, 21, 17-37.	1.3	2
204	Association of Increased Impulsiveness and Internet Use Disorder in Adolescents and Young Adults with Different Main Activities on the Internet. Zeitschrift FÜr Kinder- Und Jugendpsychiatrie Und Psychotherapie, 2021, , .	0.4	2
205	Longitudinal measurement invariance of the patient health questionnaire in a German sample. BMC Psychiatry, 2021, 21, 386.	1.1	2
206	Conceptual and Methodological Considerations of Gaming Disorder and Internet Gaming Disorder. , 2021, , 967-977.		2
207	Stigma and gaming disorder: should we take a â€~glass half full' or â€~glass half empty' perspective?. Addiction, 2022, 117, 1816-1817.	1.7	2
208	Präention tabak- und alkoholbezogener Erkrankungen. Public Health Forum, 2004, 12, 29-30.	0.1	1
209	Supporting the intention to change health risk behaviors. Zeitschrift Fur Gesundheitswissenschaften, 2006, 14, 377-383.	0.8	1
210	Male At-Risk Drinkers With Heavy Episodic Drinking: A Subclinical Diagnosis?. Journal of Studies on Alcohol and Drugs, 2008, 69, 85-90.	0.6	1
211	Estimates on severity of alcohol use depend upon methodology. International Journal of Public Health, 2010, 55, 529-530.	1.0	1
212	Think-aloud analysis of commonly used screening instruments for Internet use disorders: The CIUS, the IGDT-10, and the BSMAS. Journal of Behavioral Addictions, 2022, , .	1.9	1
213	Comparison of a Population-Based Sample of "Risky Drinking―Smokers and Groups Consuming Just One Substance. Substance Use and Misuse, 2005, 40, 1721-1732.	0.7	Ο
214	[Commentary] SUPPORTING GPS IN THE PROVISION OF SMOKING CESSATION INTERVENTION—FROM RESEARCH TO DAILY ROUTINE. Addiction, 2008, 103, 309-309.	1.7	0
215	Problematischer Alkoholkonsum: Präalenz und Frühintervention. Public Health Forum, 2010, 18, 29-30.	0.1	0
216	Development and validation of the Decisional Balance Scale for problematic Prescription Drug use (DBS-PD)-20. Addictive Behaviors, 2012, 37, 444-448.	1.7	0

#	Article	IF	CITATIONS
217	Context matters: On the importance of context-specific analysis for the use of screening questionnaires. Drug and Alcohol Dependence, 2019, 205, 107663.	1.6	0
218	Pharmacotherapy of Alcohol Dependence: Treatment Readiness and Compliance Barriers. , 2021, , 1-12.		0
219	Alkoholkonsum – Bedeutung für die Präention und Gesundheitsförderung. The Springer Reference Pflegerapie, Gesundheit, 2021, , 441-457.	0.2	0
220	Autoevaluación de la salud general y trastornos psiquiátricos en una muestra de la población general. European Psychiatry (Ed Española), 2005, 12, 349-354.	0.0	0
221	Non-Substance-Related Disorders: Gambling Disorder and Internet Addiction. , 2015, , 221-236.		0
222	Alkoholkonsum – Bedeutung für Präention und Gesundheitsförderung. The Springer Reference Pflegerapie, Gesundheit, 2019, , 1-17.	0.2	0
223	Replik zum Leserbrief von R. Hüllinghorst. Sucht, 2019, 65, 385-386.	0.1	0
224	Aktuelle Themen zum Umgang mit konkurrierenden Interessen in der Wissenschaft. Sucht, 2019, 65, 349-354.	0.1	0
225	Gender and Age in Gambling Participation, Gambling Onset, and Problematic Gambling in a General Population Sample: Empirical Findings from Germany. International Journal of Mental Health and Addiction, 0, , 1.	4.4	0