## Richard AmlÃ't

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8847592/publications.pdf

Version: 2024-02-01

120 papers 5,853 citations

32 h-index 91884 69 g-index

149 all docs 149 docs citations

149 times ranked 7373 citing authors

#	Article	IF	Citations
1	Public perceptions, anxiety, and behaviour change in relation to the swine flu outbreak: cross sectional telephone survey. BMJ: British Medical Journal, 2009, 339, b2651-b2651.	2.3	859
2	COVID-19 vaccination intention in the UK: results from the COVID-19 vaccination acceptability study (CoVAccS), a nationally representative cross-sectional survey. Human Vaccines and Immunotherapeutics, 2021, 17, 1612-1621.	3.3	517
3	Applying principles of behaviour change to reduce SARS-CoV-2 transmission. Nature Human Behaviour, 2020, 4, 451-459.	12.0	437
4	A Systematic, Thematic Review of Social and Occupational Factors Associated With Psychological Outcomes in Healthcare Employees During an Infectious Disease Outbreak. Journal of Occupational and Environmental Medicine, 2018, 60, 248-257.	1.7	415
5	A systematic review of factors affecting vaccine uptake in young children. Vaccine, 2017, 35, 6059-6069.	3.8	294
6	Factors associated with adherence to self-isolation and lockdown measures in the UK: a cross-sectional survey. Public Health, 2020, 187, 41-52.	2.9	174
7	Adherence to the test, trace, and isolate system in the UK: results from 37 nationally representative surveys. BMJ, The, 2021, 372, n608.	6.0	170
8	Psychological resilience and post-traumatic growth in disaster-exposed organisations: overview of the literature. BMJ Military Health, 2020, 166, 52-56.	0.9	148
9	Harnessing behavioural science in public health campaigns to maintain †social distancing' in response to the COVID-19 pandemic: key principles. Journal of Epidemiology and Community Health, 2020, 74, 617-619.	3.7	141
10	Facilitating Collective Psychosocial Resilience in the Public in Emergencies: Twelve Recommendations Based on the Social Identity Approach. Frontiers in Public Health, 2019, 7, 141.	2.7	123
11	Social and occupational factors associated with psychological distress and disorder among disaster responders: a systematic review. BMC Psychology, 2016, 4, 18.	2.1	112
12	Risk and resilience factors affecting the psychological wellbeing of individuals deployed in humanitarian relief roles after a disaster. Journal of Mental Health, 2015, 24, 385-413.	1.9	110
13	What is the value of health emergency preparedness exercises? A scoping review study. International Journal of Disaster Risk Reduction, 2017, 21, 274-283.	3.9	86
14	Effect of evacuation and displacement on the association between flooding and mental health outcomes: a cross-sectional analysis of UK survey data. Lancet Planetary Health, The, 2017, 1, e134-e141.	11.4	85
15	The English national cohort study of flooding and health: cross-sectional analysis of mental health outcomes at year one. BMC Public Health, 2017, 17, 129.	2.9	83
16	Infection prevention behaviour and infectious disease modelling: a review of the literature and recommendations for the future. BMC Public Health, 2018, 18, 336.	2.9	81
17	Mediating the social and psychological impacts of terrorist attacks: The role of risk perception and risk communication. International Review of Psychiatry, 2007, 19, 279-288.	2.8	80
18	Emergent social identities in a flood: Implications for community psychosocial resilience. Journal of Community and Applied Social Psychology, 2018, 28, 3-14.	2.4	80

#	Article	IF	Citations
19	Multimodal visual–somatosensory integration in saccade generation. Neuropsychologia, 2003, 41, 1-15.	1.6	62
20	Reducing SARSâ€CoVâ€2 transmission in the UK: A behavioural science approach to identifying options for increasing adherence to social distancing and shielding vulnerable people. British Journal of Health Psychology, 2020, 25, 945-956.	3.5	59
21	Social and occupational factors associated with psychological wellbeing among occupational groups affected by disaster: a systematic review. Journal of Mental Health, 2017, 26, 373-384.	1.9	54
22	Psychological factors associated with uptake of the childhood influenza vaccine and perception of post-vaccination side-effects: A cross-sectional survey in England. Vaccine, 2017, 35, 1936-1945.	3.8	53
23	The role of religious fundamentalism in terrorist violence: A social psychological analysis. International Review of Psychiatry, 2007, 19, 253-262.	2.8	51
24	Examining the application of behaviour change theories in the context of infectious disease outbreaks and emergency response: a review of reviews. BMC Public Health, 2020, 20, 1483.	2.9	48
25	Reducing risks from coronavirus transmission in the homeâ€"the role of viral load. BMJ, The, 2020, 369, m1728.	6.0	48
26	Applying Crowd Psychology to Develop Recommendations for the Management of Mass Decontamination. Health Security, 2015, 13, 45-53.	1.8	46
27	Comparative Analysis of Showering Protocols for Mass-Casualty Decontamination. Prehospital and Disaster Medicine, 2010, 25, 435-439.	1.3	45
28	Effective Responder Communication Improves Efficiency and Psychological Outcomes in a Mass Decontamination Field Experiment: Implications for Public Behaviour in the Event of a Chemical Incident. PLoS ONE, 2014, 9, e89846.	2.5	45
29	The English National Cohort Study of Flooding and Health: the change in the prevalence of psychological morbidity at year two. BMC Public Health, 2018, 18, 330.	2.9	44
30	Protecting the psychological wellbeing of staff exposed to disaster or emergency at work: a qualitative study. BMC Psychology, 2019, 7, 78.	2.1	43
31	Ticking All the Boxes? A Systematic Review of Education and Communication Interventions to Prevent Tick-Borne Disease. Vector-Borne and Zoonotic Diseases, 2012, 12, 817-825.	1.5	42
32	Collective resilience in the disaster recovery period: Emergent social identity and observed social support are associated with collective efficacy, wellâ€being, and the provision of social support. British Journal of Social Psychology, 2021, 60, 1075-1095.	2.8	42
33	Training and post-disaster interventions for the psychological impacts on disaster-exposed employees: a systematic review. Journal of Mental Health, 2018, , 1-25.	1.9	40
34	The role of emergency preparedness exercises in the response to a mass casualty terrorist incident: A mixed methods study. International Journal of Disaster Risk Reduction, 2020, 46, 101503.	3.9	39
35	Anxiety, distress and anger among British nationals in Japan following the Fukushima nuclear accident. British Journal of Psychiatry, 2012, 201, 400-407.	2.8	36
36	Early Post-trauma Interventions in Organizations: A Scoping Review. Frontiers in Psychology, 2020, 11, 1176.	2.1	31

#	Article	IF	CITATIONS
37	Community resilience and flooding in UK guidance: A critical review of concepts, definitions, and their implications. Journal of Contingencies and Crisis Management, 2019, 27, 2-13.	2.8	30
38	Volunteer trials of a novel improvised dry decontamination protocol for use during mass casualty incidents as part of the UK'S Initial Operational Response (IOR). PLoS ONE, 2017, 12, e0179309.	2.5	28
39	COVID-19 vaccination acceptability in the UK at the start of the vaccination programme: a nationally representative cross-sectional survey (CoVAccS – wave 2). Public Health, 2022, 202, 1-9.	2.9	27
40	Public Experiences of Mass Casualty Decontamination. Biosecurity and Bioterrorism, 2012, 10, 280-289.	1.2	26
41	What lies beyond social capital? The role of social psychology in building community resilience to climate change Traumatology, 2020, 26, 253-265.	2.4	26
42	Methodological challenges in assessing general population reactions in the immediate aftermath of a terrorist attack. International Journal of Methods in Psychiatric Research, 2008, 17, S29-S35.	2.1	25
43	The effect of communication during mass decontamination. Disaster Prevention and Management, 2013, 22, 132-147.	1.2	25
44	Social Identity and Intergroup Relationships in the Management of Crowds during Mass Emergencies and Disasters: Recommendations for Emergency Planners and Responders 1. Policing (Oxford), 2021, 14, 931-944.	1.4	25
45	A social model of secondary stressors in relation to disasters, major incidents and conflict: Implications for practice. International Journal of Disaster Risk Reduction, 2021, 63, 102436.	3.9	25
46	Evaluation of absorbent materials for use as ad hoc dry decontaminants during mass casualty incidents as part of the UK's Initial Operational Response (IOR). PLoS ONE, 2017, 12, e0170966.	2.5	25
47	Communication during mass casualty decontamination: highlighting the gaps. International Journal of Emergency Services, 2013, 2, 29-48.	1.1	24
48	Effective responder communication, perceived responder legitimacy, and group identification predict public cooperation and compliance in a mass decontamination visualization experiment. Journal of Applied Social Psychology, 2015, 45, 173-189.	2.0	24
49	Engagement with daily testing instead of self-isolating in contacts of confirmed cases of SARS-CoV-2. BMC Public Health, 2021, 21, 1067.	2.9	23
50	Perceived Responder Legitimacy and Group Identification Predict Cooperation and Compliance in a Mass Decontamination Field Exercise. Basic and Applied Social Psychology, 2013, 35, 575-585.	2.1	20
51	Adapting Behavioral Interventions for a Changing Public Health Context: A Worked Example of Implementing a Digital Intervention During a Global Pandemic Using Rapid Optimisation Methods. Frontiers in Public Health, 2021, 9, 668197.	2.7	20
52	Is My Cough a Cold or Covid? A Qualitative Study of COVID-19 Symptom Recognition and Attitudes Toward Testing in the UK. Frontiers in Public Health, 2021, 9, 716421.	2.7	20
53	THE LONDON POLONIUM INCIDENT: LESSONS IN RISK COMMUNICATIONS. Health Physics, 2011, 101, 545-550.	0.5	19
54	Who is engaging with lateral flow testing for COVID-19 in the UK? The COVID-19 Rapid Survey of Adherence to Interventions and Responses (CORSAIR) study. BMJ Open, 2022, 12, e058060.	1.9	19

#	Article	IF	CITATIONS
55	Parental Expectation of Side Effects Following Vaccination Is Self-fulfilling: A Prospective Cohort Study. Annals of Behavioral Medicine, 2019, 53, 267-282.	2.9	18
56	Infection Control Behavior at Home During the COVID-19 Pandemic: Observational Study of a Web-Based Behavioral Intervention (Germ Defence). Journal of Medical Internet Research, 2021, 23, e22197.	4.3	18
57	Psychological and Physical Impacts of Extreme Events on Older Adults: Implications for Communications. Disaster Medicine and Public Health Preparedness, 2017, 11, 127-134.	1.3	17
58	UK healthcare staff experiences and perceptions of a mass casualty terrorist incident response: a mixed-methods study. Emergency Medicine Journal, 2021, 38, 756-764.	1.0	17
59	Design and characterisation of a novel in vitro skin diffusion cell system for assessing mass casualty decontamination systems. Toxicology in Vitro, 2014, 28, 492-501.	2.4	16
60	How to inform the public about protective actions in a nuclear or radiological incident: a systematic review. Lancet Psychiatry,the, 2019, 6, 72-80.	7.4	15
61	A controlled cross-over study to evaluate the efficacy of improvised dry and wet emergency decontamination protocols for chemical incidents. PLoS ONE, 2020, 15, e0239845.	2.5	15
62	Worry and behaviour at the start of the COVID-19 outbreak: Results from three UK surveys (the) Tj ETQq0 0 0 rgE Medicine Reports, 2022, 25, 101686.	BT /Overlo	ck 10 Tf 50 4 15
63	Chemical warfare agent simulants for human volunteer trials of emergency decontamination: A systematic review. Journal of Applied Toxicology, 2018, 38, 113-121.	2.8	14
64	Mass Casualty Decontamination for Chemical Incidents: Research Outcomes and Future Priorities. International Journal of Environmental Research and Public Health, 2021, 18, 3079.	2.6	14
65	Mass Casualty Decontamination Guidance and Psychosocial Aspects of CBRN Incident Management: A Review and Synthesis. PLOS Currents, 2016, 8, .	1.4	14
66	Holding a stigmatizing attitude at the start of the COVIDâ€19 outbreak: A crossâ€sectional survey. British Journal of Health Psychology, 2022, 27, 588-604.	3.5	14
67	Engagement with protective behaviours in the UK during the COVID-19 pandemic: a series of cross-sectional surveys (the COVID-19 rapid survey of adherence to interventions and responses) Tj ETQq1 1 0.78	34 <b>3.</b> ∮4 rgB	T ‡@verlock
68	An individual-based simulation of pneumonic plague transmission following an outbreak and the significance of intervention compliance. Epidemics, 2011, 3, 95-102.	3.0	13
69	Communicating Public Health Advice After a Chemical Spill: Results From National Surveys in the United Kingdom and Poland. Disaster Medicine and Public Health Preparedness, 2013, 7, 65-74.	1.3	13
70	Understanding public responses to chemical, biological, radiological and nuclear incidents — Driving factors, emerging themes and research gaps. Environment International, 2014, 72, 66-74.	10.0	13
71	Are somatosensory saccades voluntary or reflexive?. Experimental Brain Research, 2006, 168, 557-565.	1.5	12
72	Perceptions and Reactions with Regard to Pneumonic Plague. Emerging Infectious Diseases, 2010, 16, 120-122.	4.3	12

#	Article	IF	CITATIONS
73	Communicating with the Public Following Radiological Terrorism: Results from a Series of Focus Groups and National Surveys in Britain and Germany. Prehospital and Disaster Medicine, 2013, 28, 110-119.	1.3	12
74	Public perceptions of emergency decontamination: Effects of intervention type and responder management strategy during a focus group study. PLoS ONE, 2018, 13, e0195922.	2.5	12
75	Do members of the public think they should use lateral flow tests (LFT) or polymerase chain reaction (PCR) tests when they have COVID-19-like symptoms? The COVID-19 Rapid Survey of Adherence to Interventions and Responses study. Public Health, 2021, 198, 260-262.	2.9	11
76	Recent advances to address European Union Health Security from cross border chemical health threats. Environment International, 2014, 72, 3-14.	10.0	10
77	GC–MS/MS quantification of benzyl salicylate on skin and hair: A novel chemical simulant for human decontamination studies. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2019, 1129, 121818.	2.3	10
78	Intention to adhere to test, trace, and isolate during the COVIDâ€19 pandemic (the COVIDâ€19 Rapid Survey) Tj 1100-1118.	ETQq0 0 ( 3.5	) rgBT /Overlo
79	Responding to a Radiological Crisis: Experiences of British Foreign Office Staff in Japan After the Fukushima Nuclear Meltdown. Disaster Medicine and Public Health Preparedness, 2014, 8, 397-403.	1.3	9
80	Mass Casualty Decontamination in the United States: An Online Survey of Current Practice. Health Security, 2016, 14, 226-236.	1.8	9
81	Recommendations for improving public engagement with pre-incident information materials for initial response to a chemical, biological, radiological or nuclear (CBRN) incident: A systematic review. International Journal of Disaster Risk Reduction, 2020, 51, 101796.	3.9	9
82	Why do parents not re-vaccinate their child for influenza? A prospective cohort study. Vaccine, 2020, 38, 4230-4235.	3.8	9
83	What influences whether parents recognise COVID-19 symptoms, request a test and self-isolate: A qualitative study. PLoS ONE, 2022, 17, e0263537.	2.5	9
84	Analysis of Chemical Simulants in Urine: A Useful Tool for Assessing Emergency Decontamination Efficacy in Human Volunteer Studies. Prehospital and Disaster Medicine, 2020, 35, 482-487.	1.3	8
85	Intention to have the seasonal influenza vaccination during the COVID-19 pandemic among eligible adults in the UK: a cross-sectional survey. BMJ Open, 2021, 11, e049369.	1.9	8
86	What components of emergency preparedness exercises improve healthcare practitioners' emergency response learning?. International Journal of Disaster Risk Reduction, 2021, 62, 102357.	3.9	8
87	Effects of threat and efficacy messages on expected adherence to decontamination protocols in an immersive simulated chemical incident: A randomized controlled experiment. Journal of Contingencies and Crisis Management, 2021, 29, 54-76.	2.8	8
88	A scoping review of evaluation methods for health emergency preparedness exercises. American Journal of Disaster Medicine, 2018, 13, 107-127.	0.3	8
89	Emergency responders' experiences of and expectations regarding decontamination. International Journal of Emergency Services, 2014, 3, 179-192.	1.1	7
90	Optimisation and validation of a GC–MS/MS method for the analysis of methyl salicylate in hair and skin samples for use in human-volunteer decontamination studies. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2019, 1109, 84-89.	2.3	7

#	Article	IF	CITATIONS
91	Public responses to the Salisbury Novichok incident: a cross-sectional survey of anxiety, anger, uncertainty, perceived risk and avoidance behaviour in the local community. BMJ Open, 2020, 10, e036071.	1.9	7
92	Human volunteer study of the decontamination of chemically contaminated hair and the consequences for systemic exposure. Scientific Reports, 2020, 10, 20822.	3.3	7
93	Effectiveness of digital interventions to improve household and community infection prevention and control behaviours and to reduce incidence of respiratory and/or gastro-intestinal infections: a rapid systematic review. BMC Public Health, 2021, 21, 1180.	2.9	7
94	Experiences of supported isolation in returning travellers during the early COVID-19 response: a qualitative interview study. BMJ Open, 2021, 11, e050405.	1.9	7
95	Understanding the psychological impacts of responding to a terrorist incident. Högre Utbildning, 2021, 12, 1959116.	3.0	7
96	Patterns of social mixing in England changed in line with restrictions during the COVID-19 pandemic (September 2020 to April 2022). Scientific Reports, 2022, 12, .	3.3	7
97	Assessing Perceptions AbouT Hazardous Substances (PATHS): The PATHS questionnaire. Journal of Health Psychology, 2013, 18, 1100-1113.	2.3	6
98	Public Perceptions of the "Remove, Remove, Remove―Information Campaign Before and During a Hazardous Materials Incident: A Survey. Health Security, 2021, 19, 100-107.	1.8	6
99	Public health information on COVID-19 for international travellers: lessons learned from a mixed-method evaluation. Public Health, 2021, 193, 116-123.	2.9	6
100	Staying â€~Covidâ€safe': Proposals for embedding behaviours that protect against Covidâ€19 transmission in the UK. British Journal of Health Psychology, 2021, 26, 1238-1257.	3.5	6
101	Tiered restrictions for COVID-19 in England: knowledge, motivation and self-reported behaviour. Public Health, 2022, 204, 33-39.	2.9	6
102	A Qualitative Study Evaluating the Factors Affecting Families' Adherence to the First COVID-19 Lockdown in England Using the COM-B Model and TDF. International Journal of Environmental Research and Public Health, 2022, 19, 7305.	2.6	6
103	Learning about COVID-19 across borders: public health information and adherence among international travellers to the UK. Public Health, 2022, 203, 9-14.	2.9	5
104	Psychological wellbeing in the English population during the COVID-19 pandemic: A series of cross-sectional surveys. Journal of Psychiatric Research, 2022, 153, 254-259.	3.1	5
105	Public attitudes in England towards the sharing of personal data following a mass casualty incident: a cross-sectional study. BMJ Open, 2018, 8, e022852.	1.9	4
106	Evaluating a pilot mental health awareness for managers' training course. Occupational Medicine, 2019, 69, 251-257.	1.4	4
107	A randomized controlled trial to test the effect of simplified guidance with visuals on comprehension of COVID-19 guidelines and intention to stay home if symptomatic. BMC Public Health, 2021, 21, 892.	2.9	4
108	Evaluating the impact of decontamination interventions performed in sequence for mass casualty chemical incidents. Scientific Reports, 2021, 11, 14995.	3.3	4

#	Article	IF	CITATIONS
109	Impact of residual risk messaging to reduce false reassurance following test-negative results from asymptomatic coronavirus (SARS-CoV-2) testing: an online experimental study of a hypothetical test. BMJ Open, 2022, 12, e056533.	1.9	4
110	Public communication needs during incidents involving emergency decontamination. Lancet, The, 2012, 380, S28.	13.7	3
111	Public perceptions of pre-incident information campaign materials for the initial response to a chemical incident. Disaster Prevention and Management, $2019, \ldots$	1.2	3
112	Factors associated with non-essential workplace attendance during the COVID-19 pandemic in the UK in early 2021: evidence from cross-sectional surveys. Public Health, 2021, 198, 106-113.	2.9	3
113	Mental Health Presentations Across Health Care Settings During the First 9 Months of the COVID-19 Pandemic in England: Retrospective Observational Study. JMIR Public Health and Surveillance, 2022, 8, e32347.	2.6	3
114	COVID-19 and Ventilation in the Home; Investigating Peoples' Perceptions and Self-Reported Behaviour (the COVID-19 Rapid Survey of Adherence to Interventions and Responses [CORSAIR] Study). Environmental Health Insights, 2021, 15, 117863022110155.	1.7	1
115	Acceptability of, and barriers and facilitators to, a pilot physical health service for people who inject drugs: A qualitative study with service users and providers. International Journal of Drug Policy, 2022, 99, 103437.	3.3	1
116	Do people with symptoms of an infectious illness follow advice to stay at home? Evidence from a series of cross-sectional surveys about presenteeism in the UK. BMJ Open, 2022, 12, e060511.	1.9	1
117	Communicating Public Health Advice After a Chemical Spill: Results From National Surveys in the United Kingdom and Poland—ERRATUM. Disaster Medicine and Public Health Preparedness, 2013, 7, 112-112.	1.3	0
118	P346â€Psychosocial factors associated with chlamydia retesting among young people in the UK. , 2019, , .		0
119	Evaluation of emergency preparedness exercises: the design of a questionnaire to measure staff perceptions. International Journal of Emergency Management, 2020, 16, 317.	0.0	0
120	Corrigendum to â€Tiered restrictions for COVID-19 in England: Knowledge, motivation and self-reported behaviour' [Public Health 204 (2022) 33–39]. Public Health, 2022, 209, 1-3.	2.9	0