

J-M Michot

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8847899/publications.pdf>

Version: 2024-02-01

209
papers

10,041
citations

61857

43
h-index

38300

95
g-index

221
all docs

221
docs citations

221
times ranked

14486
citing authors

#	ARTICLE	IF	CITATIONS
1	Immune-related adverse events with immune checkpoint blockade: a comprehensive review. <i>European Journal of Cancer</i> , 2016, 54, 139-148.	1.3	1,687
2	Management of immune checkpoint blockade dysimmune toxicities: a collaborative position paper. <i>Annals of Oncology</i> , 2016, 27, 559-574.	0.6	749
3	Programmed Death-1 Blockade With Pembrolizumab in Patients With Classical Hodgkin Lymphoma After Brentuximab Vedotin Failure. <i>Journal of Clinical Oncology</i> , 2016, 34, 3733-3739.	0.8	586
4	Tazemetostat, an EZH2 inhibitor, in relapsed or refractory B-cell non-Hodgkin lymphoma and advanced solid tumours: a first-in-human, open-label, phase 1 study. <i>Lancet Oncology</i> , The, 2018, 19, 649-659.	5.1	450
5	Characterization of liver injury induced by cancer immunotherapy using immune checkpoint inhibitors. <i>Journal of Hepatology</i> , 2018, 68, 1181-1190.	1.8	372
6	Immune-checkpoint inhibitors associated with interstitial lung disease in cancer patients. <i>European Respiratory Journal</i> , 2017, 50, 1700050.	3.1	301
7	Tocilizumab, an anti-IL-6 receptor antibody, to treat COVID-19-related respiratory failure: a case report. <i>Annals of Oncology</i> , 2020, 31, 961-964.	0.6	280
8	Evaluation of Readministration of Immune Checkpoint Inhibitors After Immune-Related Adverse Events in Patients With Cancer. <i>JAMA Oncology</i> , 2019, 5, 1310.	3.4	268
9	Safety and tolerability of pembrolizumab in patients with relapsed/refractory primary mediastinal large B-cell lymphoma. <i>Blood</i> , 2017, 130, 267-270.	0.6	255
10	Safety and efficacy of anti-programmed death 1 antibodies in patients with cancer and pre-existing autoimmune or inflammatory disease. <i>European Journal of Cancer</i> , 2018, 91, 21-29.	1.3	222
11	Association of both Langerhans cell histiocytosis and Erdheim-Chester disease linked to the BRAFV600E mutation. <i>Blood</i> , 2014, 124, 1119-1126.	0.6	208
12	Haematological immune-related adverse events induced by anti-PD-1 or anti-PD-L1 immunotherapy: a descriptive observational study. <i>Lancet Haematology</i> , the, 2019, 6, e48-e57.	2.2	195
13	Prevalence of immune-related systemic adverse events in patients treated with anti-Programmed cell Death 1/anti-Programmed cell Death-Ligand 1 agents: A single-centre pharmacovigilance database analysis. <i>European Journal of Cancer</i> , 2017, 82, 34-44.	1.3	146
14	Prospective validation of a prognostic score for patients in immunotherapy phase I trials: The Gustave Roussy Immune Score (GRIm-Score). <i>European Journal of Cancer</i> , 2017, 84, 212-218.	1.3	132
15	Infectious complications associated with the use of immune checkpoint inhibitors in oncology: reactivation of tuberculosis after anti PD-1 treatment. <i>Clinical Microbiology and Infection</i> , 2018, 24, 216-218.	2.8	125
16	Inflammatory gastrointestinal diseases associated with PD-1 blockade antibodies. <i>Annals of Oncology</i> , 2017, 28, 2860-2865.	0.6	115
17	Metabolomic analyses of COVID-19 patients unravel stage-dependent and prognostic biomarkers. <i>Cell Death and Disease</i> , 2021, 12, 258.	2.7	113
18	PD-1 Blockade with the Monoclonal Antibody Pembrolizumab (MK-3475) in Patients with Classical Hodgkin Lymphoma after Brentuximab Vedotin Failure: Preliminary Results from a Phase 1b Study (KEYNOTE-013). <i>Blood</i> , 2014, 124, 290-290.	0.6	112

#	ARTICLE	IF	CITATIONS
19	Phase I Study of the Novel Enhancer of Zeste Homolog 2 (EZH2) Inhibitor GSK2816126 in Patients with Advanced Hematologic and Solid Tumors. <i>Clinical Cancer Research</i> , 2019, 25, 7331-7339.	3.2	110
20	¹⁸ F-FDG PET and CT Scans Detect New Imaging Patterns of Response and Progression in Patients with Hodgkin Lymphoma Treated by Anti-Programmed Death 1 Immune Checkpoint Inhibitor. <i>Journal of Nuclear Medicine</i> , 2018, 59, 15-24.	2.8	102
21	Renal toxicities associated with pembrolizumab. <i>CKJ: Clinical Kidney Journal</i> , 2019, 12, 81-88.	1.4	101
22	Rituximab decreases the risk of lymphoma in patients with HIV-associated multicentric Castleman disease. <i>Blood</i> , 2012, 119, 2228-2233.	0.6	98
23	Determinants of the outcomes of patients with cancer infected with SARS-CoV-2: results from the Gustave Roussy cohort. <i>Nature Cancer</i> , 2020, 1, 965-975.	5.7	98
24	Evaluation of rare but severe immune related adverse effects in PD-1 and PD-L1 inhibitors in non-small cell lung cancer: a meta-analysis. <i>Translational Lung Cancer Research</i> , 2017, 6, S8-S20.	1.3	97
25	Haematological immune-related adverse events with immune checkpoint inhibitors, how to manage?. <i>European Journal of Cancer</i> , 2019, 122, 72-90.	1.3	97
26	Long-Term Survival in Patients Responding to Anti-PD-1/PD-L1 Therapy and Disease Outcome upon Treatment Discontinuation. <i>Clinical Cancer Research</i> , 2019, 25, 946-956.	3.2	96
27	Detection of immune-related adverse events by medical imaging in patients treated with anti-programmed cell death 1. <i>European Journal of Cancer</i> , 2018, 96, 91-104.	1.3	94
28	Liver toxicity as a limiting factor to the increasing use of immune checkpoint inhibitors. <i>JHEP Reports</i> , 2020, 2, 100170.	2.6	86
29	Antiviral therapy is associated with a better survival in patients with hepatitis C virus and non-Hodgkin lymphomas, ANRS HC13 lympho study. <i>American Journal of Hematology</i> , 2015, 90, 197-203.	2.0	84
30	A randomized and double-blind controlled trial evaluating the safety and efficacy of rituximab for warm autoimmune hemolytic anemia in adults (the RAIHA study). <i>American Journal of Hematology</i> , 2017, 92, 23-27.	2.0	84
31	A retrospective pilot evaluation of switching thrombopoietic receptor-agonists in immune thrombocytopenia. <i>Haematologica</i> , 2013, 98, 881-887.	1.7	78
32	Worsening and newly diagnosed paraneoplastic syndromes following anti-PD-1 or anti-PD-L1 immunotherapies, a descriptive study. , 2019, 7, 337.		75
33	Hemolysis and schistocytosis in the emergency department: consider pseudothrombotic microangiopathy related to vitamin B12 deficiency. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2013, 106, 1017-1022.	0.2	70
34	Dual TORK/DNA-PK inhibition blocks critical signaling pathways in chronic lymphocytic leukemia. <i>Blood</i> , 2016, 128, 574-583.	0.6	69
35	From hepatitis C virus infection to B-cell lymphoma. <i>Annals of Oncology</i> , 2018, 29, 92-100.	0.6	63
36	Prevalence and Clinical Patterns of Ocular Complications Associated With Anti-PD-1/PD-L1 Anticancer Immunotherapy. <i>American Journal of Ophthalmology</i> , 2019, 202, 109-117.	1.7	62

#	ARTICLE	IF	CITATIONS
37	Safety and efficacy of oral direct inhibitors of thrombin and factor Xa in antiphospholipid syndrome. <i>Autoimmunity Reviews</i> , 2015, 14, 680-685.	2.5	58
38	Onset of connective tissue disease following anti-PD1/PD-L1 cancer immunotherapy. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 468-470.	0.5	56
39	Immune-related eosinophilia induced by anti-programmed death 1 or death-ligand 1 antibodies. <i>European Journal of Cancer</i> , 2017, 81, 135-137.	1.3	55
40	Abscopal effect in a Hodgkin lymphoma patient treated by an anti-programmed death 1 antibody. <i>European Journal of Cancer</i> , 2016, 66, 91-94.	1.3	54
41	Two cases of immune thrombocytopenia associated with pembrolizumab. <i>European Journal of Cancer</i> , 2016, 54, 172-174.	1.3	52
42	Outcomes of long-term responders to anti-programmed death 1 and anti-programmed death ligand 1 when being rechallenged with the same anti-programmed death 1 and anti-programmed death ligand 1 at progression. <i>European Journal of Cancer</i> , 2018, 101, 160-164.	1.3	52
43	How to manage patients with corticosteroids in oncology in the era of immunotherapy?. <i>European Journal of Cancer</i> , 2020, 141, 239-251.	1.3	52
44	Immuno-hematologic tolerance of chronic transfusion exchanges with erythrocytapheresis in sickle cell disease. <i>Transfusion</i> , 2015, 55, 357-363.	0.8	50
45	A LYSA Phase Ib Study of Tazemetostat (EPZ-6438) plus R-CHOP in Patients with Newly Diagnosed Diffuse Large B-Cell Lymphoma (DLBCL) with Poor Prognosis Features. <i>Clinical Cancer Research</i> , 2020, 26, 3145-3153.	3.2	48
46	Impact of aging on immune-related adverse events generated by anti-programmed death (ligand)PD-(L)1 therapies. <i>European Journal of Cancer</i> , 2020, 129, 71-79.	1.3	45
47	Kinetic Profiles and Management of Hepatitis B Virus Reactivation in Patients With Immune-Mediated Inflammatory Diseases. <i>Arthritis Care and Research</i> , 2013, 65, 1504-1514.	1.5	43
48	Phase I Dose-Escalation Study of the Anti-CD70 Antibody ARGX-110 in Advanced Malignancies. <i>Clinical Cancer Research</i> , 2017, 23, 6411-6420.	3.2	43
49	Drug-induced lupus erythematosus following immunotherapy with anti-programmed death-(ligand) 1. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, e67-e67.	0.5	40
50	KEYNOTE-013 4-year follow-up of pembrolizumab in classical Hodgkin lymphoma after brentuximab vedotin failure. <i>Blood Advances</i> , 2020, 4, 2617-2622.	2.5	38
51	Phase Ib study of anti-CSF-1R antibody emactuzumab in combination with CD40 agonist selicrelumab in advanced solid tumor patients. , 2020, 8, e001153.		37
52	The 2016-2019 ImmunoTOX assessment board report of collaborative management of immune-related adverse events, an observational clinical study. <i>European Journal of Cancer</i> , 2020, 130, 39-50.	1.3	37
53	Phase 1 Study of Tazemetostat (EPZ-6438), an Inhibitor of Enhancer of Zeste-Homolog 2 (EZH2): Preliminary Safety and Activity in Relapsed or Refractory Non-Hodgkin Lymphoma (NHL) Patients. <i>Blood</i> , 2015, 126, 473-473.	0.6	37
54	Immune-related bone marrow failure following anti-PD1 therapy. <i>European Journal of Cancer</i> , 2017, 80, 1-4.	1.3	36

#	ARTICLE	IF	CITATIONS
55	Immune checkpoint inhibitor-associated sarcoidosis: A usually benign disease that does not require immunotherapy discontinuation. <i>European Journal of Cancer</i> , 2021, 158, 208-216.	1.3	33
56	Bamlanivimab+ etesevimab therapy induces SARS-CoV-2 immune escape mutations and secondary clinical deterioration in COVID-19 patients with B-cell malignancies. <i>Annals of Oncology</i> , 2021, 32, 1445-1447.	0.6	33
57	Severe chronic primary neutropenia in adults: report on a series of 108 patients. <i>Blood</i> , 2015, 126, 1643-1650.	0.6	32
58	Concurrent Etoposide, Steroid, High-dose Ara-C and Platinum chemotherapy with radiation therapy in localised extranodal natural killer (NK)/T-cell lymphoma, nasal type. <i>European Journal of Cancer</i> , 2015, 51, 2386-2395.	1.3	32
59	Kinetics and nadir of responses to immune checkpoint blockade by anti-PD1 in patients with classical Hodgkin lymphoma. <i>European Journal of Cancer</i> , 2018, 91, 136-144.	1.3	32
60	Significance of Immune-related Lipase Increase Induced by Antiprogrammed Death-1 or Death Ligand-1 Antibodies: A Brief Communication. <i>Journal of Immunotherapy</i> , 2018, 41, 84-85.	1.2	30
61	Efficacy of Recombinant Human Interleukin 7 in a Patient With Severe Lymphopenia-Related Progressive Multifocal Leukoencephalopathy. <i>Open Forum Infectious Diseases</i> , 2014, 1, ofu074.	0.4	29
62	Longitudinally Extensive Myelitis Associated With Immune Checkpoint Inhibitors. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2021, 8, .	3.1	29
63	Burkitt and Burkitt-Like Lymphomas: a Systematic Review. <i>Current Oncology Reports</i> , 2020, 22, 33.	1.8	28
64	Poor predictive value of positive interim FDG-PET/CT in primary mediastinal large B-cell lymphoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 2018-2024.	3.3	27
65	Haemophagocytic lymphohistiocytosis associated with immune checkpoint inhibitors: a descriptive case study and literature review. <i>British Journal of Haematology</i> , 2020, 189, 985-992.	1.2	27
66	Antiviral Treatment of HCV-Infected Patients with B-Cell Non-Hodgkin Lymphoma: ANRS HC-13 Lympho-C Study. <i>PLoS ONE</i> , 2016, 11, e0162965.	1.1	27
67	Successful Outcome of a Corticoid-dependent Henoch-Schönlein Purpura Adult with Rituximab. <i>Case Reports in Medicine</i> , 2014, 2014, 1-4.	0.3	25
68	Challenges and perspectives in the immunotherapy of Hodgkin lymphoma. <i>European Journal of Cancer</i> , 2017, 85, 67-77.	1.3	25
69	Pembrolizumab in Patients with Classical Hodgkin Lymphoma after Brentuximab Vedotin Failure: Long-Term Efficacy from the Phase 1b Keynote-013 Study. <i>Blood</i> , 2016, 128, 1108-1108.	0.6	25
70	Immunotherapy phase I trials in patients Older than 70 years with advanced solid tumours. <i>European Journal of Cancer</i> , 2018, 95, 68-74.	1.3	24
71	Avadomide plus obinutuzumab in patients with relapsed or refractory B-cell non-Hodgkin lymphoma (CC-122-NHL-001): a multicentre, dose escalation and expansion phase 1 study. <i>Lancet Haematology</i> , 2020, 7, e649-e659.	2.2	24
72	Infectious complications in patients treated with immune checkpoint inhibitors. <i>European Journal of Cancer</i> , 2020, 141, 137-142.	1.3	24

#	ARTICLE	IF	CITATIONS
73	Immune-related adverse events: a retrospective look into the future of oncology in the intensive care unit. <i>Annals of Intensive Care</i> , 2020, 10, 143.	2.2	24
74	Can Next-Generation PI3K Inhibitors Unlock the Full Potential of the Class in Patients With B-Cell Lymphoma?. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021, 21, 8-20.e3.	0.2	23
75	PD-1 Blockade with Pembrolizumab in Patients with Classical Hodgkin Lymphoma after Brentuximab Vedotin Failure: Safety, Efficacy, and Biomarker Assessment. <i>Blood</i> , 2015, 126, 584-584.	0.6	23
76	Fever reaction and haemophagocytic syndrome induced by immune checkpoint inhibitors. <i>Annals of Oncology</i> , 2018, 29, 518-520.	0.6	22
77	Composite and sequential lymphoma between classical Hodgkin lymphoma and primary mediastinal lymphoma/diffuse large B-cell lymphoma, a clinico-pathological series of 25 cases. <i>British Journal of Haematology</i> , 2020, 189, 244-256.	1.2	21
78	Evidence of pseudoprogression in patients treated with PD1/PDL1 antibodies across tumor types. <i>Cancer Medicine</i> , 2020, 9, 2643-2652.	1.3	21
79	Preliminary Safety and Anti-Tumor Activity of XmAb13676, an Anti-CD20 x Anti-CD3 Bispecific Antibody, in Patients with Relapsed/Refractory Non-Hodgkin's Lymphoma and Chronic Lymphocytic Leukemia. <i>Blood</i> , 2019, 134, 4079-4079.	0.6	21
80	Vemurafenib in Patients With Relapsed Refractory Multiple Myeloma Harboring <i>BRAF</i> ^{V600} Mutations: A Cohort of the Histology-Independent VE-BASKET Study. <i>JCO Precision Oncology</i> , 2018, 2, 1-9.	1.5	20
81	Repurposing of Anticancer Drugs Expands Possibilities for Antiviral and Anti-Inflammatory Discovery in COVID-19. <i>Cancer Discovery</i> , 2021, 11, 1336-1344.	7.7	20
82	Psychosis, paraplegia and coma revealing methylenetetrahydrofolate reductase deficiency in a 56-year-old woman. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2008, 79, 963-964.	0.9	19
83	In Situ Hepatitis C NS3 Protein Detection Is Associated with High Grade Features in Hepatitis C-Associated B-Cell Non-Hodgkin Lymphomas. <i>PLoS ONE</i> , 2016, 11, e0156384.	1.1	19
84	A retrospective, matched paired analysis comparing bendamustine containing BeEAM versus BEAM conditioning regimen: results from a single center experience. <i>Leukemia and Lymphoma</i> , 2018, 59, 2580-2587.	0.6	18
85	Adenosine deaminase is a useful biomarker to diagnose pleural tuberculosis in low to medium prevalence settings. <i>Diagnostic Microbiology and Infectious Disease</i> , 2016, 84, 215-220.	0.8	16
86	Chemotherapy beyond immune checkpoint inhibitors in patients with metastatic colorectal cancer. <i>European Journal of Cancer</i> , 2020, 137, 117-126.	1.3	16
87	Outcomes of patients with cancer and sarcoid-like granulomatosis associated with immune checkpoint inhibitors: A case-control study. <i>European Journal of Cancer</i> , 2021, 156, 46-59.	1.3	16
88	Neurological complications induced by immune checkpoint inhibitors: a comprehensive descriptive case-series unravelling high risk of long-term sequelae. <i>Brain Communications</i> , 2021, 3, fcab220.	1.5	16
89	Ibrutinib-Induced Neutrophilic Dermatitis. <i>American Journal of Dermatopathology</i> , 2018, 40, 198-200.	0.3	15
90	Phase 1b Study of PD-1 Blockade with Pembrolizumab in Patients with Relapsed/Refractory Primary Mediastinal Large B-Cell Lymphoma (PMBCL). <i>Blood</i> , 2015, 126, 3986-3986.	0.6	15

#	ARTICLE	IF	CITATIONS
91	A Phase I Study of GSK2816126, an Enhancer of Zeste Homolog 2 (EZH2) Inhibitor, in Patients (pts) with Relapsed/Refractory Diffuse Large B-Cell Lymphoma (DLBCL), Other Non-Hodgkin Lymphomas (NHL), Transformed Follicular Lymphoma (tFL), Solid Tumors and Multiple Myeloma (MM). <i>Blood</i> , 2016, 128, 4203-4203.	0.6	15
92	Safety, recommended dose, efficacy and immune correlates for nintedanib in combination with pembrolizumab in patients with advanced cancers. <i>Journal of Experimental and Clinical Cancer Research</i> , 2022, 41, .	3.5	15
93	Myelodysplastic syndrome with clonal cytogenetic abnormalities followed by fatal erythroid leukemia after 14 years of exposure to hydroxyurea for sickle cell anemia. <i>American Journal of Hematology</i> , 2015, 90, E131-E132.	2.0	14
94	Human epidermal receptor family inhibitors in patients with ERBB3 mutated cancers: Entering the back door. <i>European Journal of Cancer</i> , 2018, 92, 1-10.	1.3	14
95	Severe COVID-19 in patients with hematological cancers presenting with viremia. <i>Annals of Oncology</i> , 2021, 32, 1297-1300.	0.6	14
96	Belantamab Mafotodin-Induced Epithelial Keratopathy Masquerading Myopic Surgery. <i>Ophthalmology</i> , 2020, 127, 1626.	2.5	13
97	Safety and Anti-Tumor Activity of Plamotamab (XmAb13676), an Anti-CD20 x Anti-CD3 Bispecific Antibody, in Subjects with Relapsed/Refractory Non-Hodgkin's Lymphoma. <i>Blood</i> , 2021, 138, 2494-2494.	0.6	13
98	Patterns of progression in patients treated for immuno-oncology antibodies combination. <i>Cancer Immunology, Immunotherapy</i> , 2021, 70, 221-232.	2.0	12
99	Efficacy of histology-agnostic and molecularly-driven HER2 inhibitors for refractory cancers. <i>Oncotarget</i> , 2018, 9, 9741-9750.	0.8	12
100	Cusatuzumab for treatment of CD70â€­positive relapsed or refractory cutaneous Tâ€­cell lymphoma. <i>Cancer</i> , 2022, 128, 1004-1014.	2.0	12
101	Severe gastro-intestinal angiodysplasia in context of Heyde's syndrome durably cured after aortic valve replacement. <i>Presse Medicale</i> , 2012, 41, 763-766.	0.8	10
102	Organisational factors influencing early clinical trials enrollment: Gustave Roussy experience. <i>European Journal of Cancer</i> , 2018, 98, 17-22.	1.3	10
103	New insights on IgA vasculitis with underlying solid tumor: a nationwide French study of 30 patients. <i>Clinical Rheumatology</i> , 2021, 40, 1933-1940.	1.0	10
104	Updates in the Treatment of Peripheral T-Cell Lymphomas. <i>Journal of Experimental Pharmacology</i> , 2021, Volume 13, 577-591.	1.5	10
105	Antiâ€­programmed death ligand 1 immunotherapies in cancer patients with pre-existing systemic sclerosis: A postmarketed phase IV safety assessment study. <i>European Journal of Cancer</i> , 2022, 160, 134-139.	1.3	10
106	Post-shingles granulomatous dermatosis related to anti-programmed cell death 1. <i>Immunotherapy</i> , 2019, 11, 591-598.	1.0	9
107	Pirtobrutinib shows evidence to inaugurate a third generation of BTK inhibitors. <i>Lancet, The</i> , 2021, 397, 855-857.	6.3	9
108	Vemurafenib (VEM) in Relapsed Refractory Multiple Myeloma Harboring BRAFV600 Mutations (V600m): A Cohort of the Histology-Independent VE-Basket Study. <i>Blood</i> , 2015, 126, 4263-4263.	0.6	9

#	ARTICLE	IF	CITATIONS
109	CD8+ T Lymphocytes Immune Depletion and LAG-3 Overexpression in Hodgkin Lymphoma Tumor Microenvironment Exposed to Anti-PD-1 Immunotherapy. <i>Cancers</i> , 2021, 13, 5487.	1.7	9
110	Allergic broncho-pulmonary aspergillosis following treatment with an anti-programmed cell death protein 1 monoclonal antibody therapy. <i>European Journal of Cancer</i> , 2017, 75, 308-309.	1.3	8
111	Repeated courses of low-dose ^{225}Ac radiation therapy in patients with indolent B-cell non-Hodgkin lymphomas. <i>Cancer Medicine</i> , 2020, 9, 3725-3732.	1.3	8
112	Phase 1b Study of Pembrolizumab in Patients with Relapsed/Refractory Primary Mediastinal Large B-Cell Lymphoma: Results from the Ongoing Keynote-013 Trial. <i>Blood</i> , 2016, 128, 619-619.	0.6	8
113	Very prolonged liposomal amphotericin B use leading to a lysosomal storage disease. <i>International Journal of Antimicrobial Agents</i> , 2014, 43, 566-569.	1.1	7
114	Time to progression ratio in cancer patients enrolled in early phase clinical trials: time for new guidelines?. <i>British Journal of Cancer</i> , 2018, 119, 937-939.	2.9	7
115	Phase I study of plitidepsin in combination with bortezomib and dexamethasone in patients with relapsed and/or refractory multiple myeloma. <i>Journal of Clinical Oncology</i> , 2016, 34, 8006-8006.	0.8	7
116	Haemophagocytic histiocyte in a peripheral blood film. <i>British Journal of Haematology</i> , 2014, 165, 163-163.	1.2	6
117	THU0628...IMMUNE-RELATED ADVERSE EVENTS INDUCED BY CANCER IMMUNOTHERAPIES. BIG DATA ANALYSIS OF 13,051 CASES (IMMUNOCANCER INTERNATIONAL REGISTRY)., 2019, , .		6
118	Outcomes of Transplant-Eligible Patients With Relapsed or Refractory Diffuse Large B-Cell Lymphoma After Second-Line Salvage Chemotherapy: The Gustave Roussy Experience. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021, 21, e373-e380.	0.2	6
119	Severe anti-PD1-related meningoencephalomyelitis successfully treated with anti-integrin $\alpha 4$ therapy. <i>European Journal of Cancer</i> , 2021, 145, 230-233.	1.3	6
120	Absence of significant clinical benefit for a systematic routine creatine phosphokinase measurement in asymptomatic patients treated with anti-programmed death protein (ligand) 1 immune checkpoint inhibitor to screen cardiac or neuromuscular immune-related toxicities. <i>European Journal of Cancer</i> , 2021, 157, 383-390.	1.3	6
121	Argx-110 for Treatment of CD70-Positive Advanced Cutaneous T-Cell Lymphoma in a Phase 1/2 Clinical Trial. <i>Blood</i> , 2018, 132, 1627-1627.	0.6	6
122	Incidence of immune related adverse events in patients 70 years old treated with anti-PD-(L)1 therapy. <i>Annals of Oncology</i> , 2018, 29, viii428-viii429.	0.6	5
123	Association between immune-related adverse events and efficacy in patients treated with anti-PD-(L)1. <i>Annals of Oncology</i> , 2018, 29, viii405.	0.6	5
124	Clinical Activity of CC-99282, a Novel, Oral Small Molecule Cereblon E3 Ligase Modulator (CELMoD) Agent, in Patients (Pts) with Relapsed or Refractory Non-Hodgkin Lymphoma (R/R NHL) - First Results from a Phase 1, Open-Label Study. <i>Blood</i> , 2021, 138, 3574-3574.	0.6	5
125	Phase I/II Study of MAK683 in Patients with Advanced Malignancies, Including Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2021, 138, 1422-1422.	0.6	5
126	Outcomes of older patients with diffuse large B-cell lymphoma treated with R-CHOP: 10-year follow-up of the LNH03-6B trial. <i>Blood Advances</i> , 2022, 6, 6169-6179.	2.5	5

#	ARTICLE	IF	CITATIONS
127	Large granular lymphocyte leukemia and lymphomatoid granulomatosis in the same patient: fortuitous association?. <i>Leukemia and Lymphoma</i> , 2013, 54, 432-434.	0.6	4
128	Long-term impact of immunotherapy on quality of life of surviving patients: A multi-dimensional descriptive clinical study. <i>European Journal of Cancer</i> , 2021, 148, 211-214.	1.3	4
129	Avadomide (CC-122), a Novel Cereblon Modulating Agent, in Combination with Obinutuzumab (GA101) in Patients with Relapsed or Refractory B-Cell Non-Hodgkin Lymphoma. <i>Blood</i> , 2018, 132, 449-449.	0.6	4
130	Clinical efficacy of HER3 partners' inhibitors in ERBB3 mutated cancer patients. <i>Annals of Oncology</i> , 2016, 27, vi38.	0.6	3
131	Outcomes and prognostic factors for relapsed or refractory lymphoma patients in phase I clinical trials. <i>Investigational New Drugs</i> , 2018, 36, 62-74.	1.2	3
132	High-dose cyclophosphamide for hard-to-treat patients with relapsed or refractory B-cell non-Hodgkin's lymphoma, a phase II result. <i>European Journal of Haematology</i> , 2020, 104, 281-290.	1.1	3
133	16O Phase I study of CC-90010, a reversible, oral BET inhibitor in patients (Pts) with advanced solid tumors (STs) and relapsed/refractory non-Hodgkin lymphoma (R/R NHL). <i>Annals of Oncology</i> , 2020, 31, S5.	0.6	3
134	Results from a Phase Ib Evaluation of Tazemetostat (EPZ-6438) in Combination with R-CHOP in Poor Prognosis Newly Diagnosed Diffuse Large B Cell Lymphoma (DLBCL): a Lysa Study. <i>Blood</i> , 2018, 132, 4191-4191.	0.6	3
135	BEAM or BeEAM High-Dose Chemotherapy Followed By ASCT: A Single Center Comparative Analysis of Toxicity. <i>Blood</i> , 2016, 128, 4648-4648.	0.6	3
136	BRAF V600E Targetable Mutation in Relapsed/Refractory Multiple Myeloma (R/R MM) Patients: A High Incidence in R/R MM Detected Using Cell Sorting Screening. <i>Blood</i> , 2016, 128, 5638-5638.	0.6	3
137	Clinical response observed in a phase I study in T cell lymphoma patients treated with anti-CD70 SIMPLE Antibody ARGX-110.. <i>Journal of Clinical Oncology</i> , 2016, 34, 7556-7556.	0.8	3
138	An open-label, multicohort Phase Ib trial of pembrolizumab (MK-3475) for advanced hematologic malignancies: KEYNOTE-013. , 2015, 3, .		2
139	Reply to: "Incidence of grade 3-4 liver injury under immune checkpoints inhibitors: A retrospective study". <i>Journal of Hepatology</i> , 2018, 69, 1397-1398.	1.8	2
140	CC-122, a novel cereblon-modulating agent, in combination with obinutuzumab (GA101) in patients with relapsed and refractory (R/R) B-cell non-hodgkin lymphoma (NHL). <i>Annals of Oncology</i> , 2018, 29, iii9.	0.6	2
141	Reply to: "Immune-related hepatitis with immunotherapy: Are corticosteroids always needed?". <i>Journal of Hepatology</i> , 2018, 69, 550-551.	1.8	2
142	Reply to: "Acute liver failure due to immune-mediated hepatitis successfully managed with plasma exchange: New settings call for new treatment strategies?". <i>Journal of Hepatology</i> , 2019, 70, 566-567.	1.8	2
143	Innovative therapies based on molecular orientation in patients with relapse and refractory diffuse large B-cell lymphoma: Results of LNH17-1 study. <i>American Journal of Hematology</i> , 2021, 96, E376-E379.	2.0	2
144	Multiple immune-related toxicities in cancer patients treated with anti-programmed cell death protein 1 immunotherapies: a new surrogate marker for clinical trials?. <i>Annals of Oncology</i> , 2021, 32, 936-937.	0.6	2

#	ARTICLE	IF	CITATIONS
145	Sustained cancer clinical trial activity in a French hospital during the first wave of the COVID-19 pandemic. <i>Cancer Cell</i> , 2021, 39, 1039-1041.	7.7	2
146	Abstract CT029: The effect of tazemetostat on CYP3A-mediated metabolism of midazolam in patients with solid tumors. <i>Cancer Research</i> , 2016, 76, CT029-CT029.	0.4	2
147	Long-Term Results from a Phase 1b Study of Avadomide in Combination with Obinutuzumab in Patients with Relapsed and/or Refractory B-Cell Non-Hodgkin Lymphoma. <i>Blood</i> , 2020, 136, 41-42.	0.6	2
148	Auto-Immune Origin of B Cells from HCV-Associated Lymphoma. <i>Blood</i> , 2015, 126, 1464-1464.	0.6	2
149	Evaluation of PFS ratio in patients with cancer enrolled in early-phase clinical trials: A single center, retrospective analysis.. <i>Journal of Clinical Oncology</i> , 2017, 35, e14025-e14025.	0.8	2
150	Notch inhibitors induce diarrhea, hypercrinia and secretory cell metaplasia in the human colon. <i>EXCLI Journal</i> , 2021, 20, 819-827.	0.5	2
151	Radiological patterns of tumour progression in patients treated with a combination of immune checkpoint blockers and antiangiogenic drugs. <i>European Journal of Cancer</i> , 2022, 167, 42-53.	1.3	2
152	Distinct efficacy of pegylated-interferon $\hat{\pm}2a$ and $\hat{\pm}2b$ during treatment of essential thrombocythemia. <i>International Journal of Hematology</i> , 2013, 97, 438-439.	0.7	1
153	Pembrolizumab in patients with relapsed/refractory primary mediastinal large B-cell lymphoma (rrPMBCL) or relapsed or refractory Richter syndrome (rrRS): Phase 2 KEYNOTE-170 study. <i>Annals of Oncology</i> , 2016, 27, vi325.	0.6	1
154	Identification of new prognostic factors in phase I patients treated by immunotherapy. <i>Annals of Oncology</i> , 2016, 27, vi124.	0.6	1
155	KEYNOTE-170: Phase 2 study of pembrolizumab in patients with relapsed/refractory primary mediastinal large B-cell lymphoma (rrPMBCL) or relapsed or refractory Richter syndrome (rrRS). <i>Annals of Oncology</i> , 2016, 27, viii15.	0.6	1
156	P3.02c-032 Interstitial Pneumonitis Associated with Immune Checkpoint Inhibitors Treatment in Cancer Patients. <i>Journal of Thoracic Oncology</i> , 2017, 12, S1292-S1293.	0.5	1
157	Prognostic factors and outcome of patients with hematological malignancies in phase I trials. <i>Anti-Cancer Drugs</i> , 2017, 28, 540-545.	0.7	1
158	Sarcoidosis-like reaction mimics progression in patients treated with immune checkpoint inhibitors. <i>Annals of Oncology</i> , 2019, 30, v529-v530.	0.6	1
159	MA05.11 Safety and Efficacy of Nintedanib in Combination with Pembrolizumab in Patients with Refractory/Relapsing Malignant Pleural Mesothelioma. <i>Journal of Thoracic Oncology</i> , 2019, 14, S268.	0.5	1
160	5270 CC-90010, a reversible, oral bromodomain and extra-terminal (BET) inhibitor in patients (Pts) with advanced solid tumours (STs) and relapsed/refractory (R/R) non-Hodgkin lymphoma: Updated results of a phase I study. <i>Annals of Oncology</i> , 2020, 31, S463-S464.	0.6	1
161	Attenuated cytarabine, etoposide, dexamethasone plus rituximab (R&Emini&CYVE) regimen for patients with relapsed or refractory B&Ecell non&E"Hodgkin&E" lymphoma not eligible for intensive chemotherapy. <i>European Journal of Haematology</i> , 2021, 106, 574-583.	1.1	1
162	22P Toxicity profile of immune and non-immune therapies in phase I/II trials: A comprehensive longitudinal analysis. <i>Annals of Oncology</i> , 2021, 32, S10.	0.6	1

#	ARTICLE	IF	CITATIONS
163	Non-Effectiveness of Using RICE Post RDHAP or RDHAP Post RICE after Failure of First Line Salvage Therapy in DLBCL Patients Who Are Eligible for ASCT. <i>Blood</i> , 2018, 132, 4226-4226.	0.6	1
164	A Multi-Centre Randomized and Double-Blind Controlled Trial of Rituximab for Warm Autoimmune Hemolytic Anemia in Adults. <i>Blood</i> , 2015, 126, 3338-3338.	0.6	1
165	A Phase 1B Study of CC-122 in Combination with Obinutuzumab (GA101) in Relapsed or Refractory Diffuse Large B-Cell Lymphoma and Indolent Non-Hodgkin Lymphoma. <i>Blood</i> , 2016, 128, 4199-4199.	0.6	1
166	Molecular Profiling Feasibility on Cell-Free Tumoral DNA in Relapse/Refractory (R/R) Multiple Myeloma (MM) Patients Screened for Phase I Trials. <i>Blood</i> , 2021, 138, 3763-3763.	0.6	1
167	Cell-free DNA sequencing as a potential screening tool for phase I targeted treatment in refractory/relapse diffuse large B-cell lymphoma. <i>Haematologica</i> , 2022, 107, 1928-1932.	1.7	1
168	Late Recurrent Testicular Seminoma: Histological Evidence Is Required. <i>Oncology Research and Treatment</i> , 2015, 38, 286-288.	0.8	0
169	Outcome of patients with relapsed/refractory lymphoma in a large cohort inside a phase 1 clinic department. <i>Annals of Oncology</i> , 2015, 26, ii16.	0.6	0
170	Patients with metastatic prostate cancer enrolled in phase 1 trials: Outcomes and molecular alterations. <i>Annals of Oncology</i> , 2016, 27, vi130.	0.6	0
171	Local treatment for scleritis secondary to Wiskott-Aldrich syndrome. <i>Journal Francais D'Ophthalmologie</i> , 2016, 39, e63-e64.	0.2	0
172	Gastrointestinal Immune Related Adverse Events Associated with Programmed-Death 1 Blockade. <i>Gastroenterology</i> , 2017, 152, S194.	0.6	0
173	Long-Term Outcomes in Patients With Solitary Bone Plasmacytoma Treated With Definitive Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017, 99, E426-E427.	0.4	0
174	Hematological adverse events related to the immune system with immune checkpoint inhibitors, a comprehensive review as a basis for clinical guidelines. <i>Hematologie</i> , 2018, 24, 183-193.	0.0	0
175	Safety assessment of anti-PD(L)1 rechallenge after immune-related adverse events. <i>Annals of Oncology</i> , 2018, 29, viii427-viii428.	0.6	0
176	Molecular screening in advanced cancer patients with head and neck cancers: A retrospective analysis of the MOSCATO-01 trial. <i>Annals of Oncology</i> , 2018, 29, viii378-viii379.	0.6	0
177	Precision medicine for patients with rare cancers: An effective strategy within the prospective MOSCATO trial. <i>Annals of Oncology</i> , 2018, 29, viii667.	0.6	0
178	Reply to: "Mortality due to immunotherapy related hepatitis". <i>Journal of Hepatology</i> , 2018, 69, 978-979.	1.8	0
179	Are epigenetic therapies modifying sensitivity to conventional chemotherapy?. <i>Annals of Oncology</i> , 2019, 30, v188-v189.	0.6	0
180	Clinical significance of immune-related creatine phosphokinase increase associated with anti PD1/PD-L1 immunotherapies. <i>Annals of Oncology</i> , 2019, 30, v526.	0.6	0

#	ARTICLE	IF	CITATIONS
181	Safety profile of epigenetic therapies in early phase trials: Do epidrugs deserve specific drug development processes?. <i>Annals of Oncology</i> , 2019, 30, i5.	0.6	0
182	1694P Discovery of circulating biomarkers in COVID-19 patients undergoing anti-IL6R immunotherapy. <i>Annals of Oncology</i> , 2020, 31, S1000-S1001.	0.6	0
183	47P Radiological patterns of tumour progression in patients treated with a combination of immune checkpoint blockers and antiangiogenic drugs. <i>Annals of Oncology</i> , 2020, 31, S1435.	0.6	0
184	1050P Does immunotherapy impact the outcomes of future anti-tumour therapies?. <i>Annals of Oncology</i> , 2020, 31, S718-S719.	0.6	0
185	66P High incidence of TP53 and epigenetic modifying oncogene mutations in a large cohort of patients enrolled in phase I clinical trials for R/R DLBCL. <i>Annals of Oncology</i> , 2020, 31, S1237.	0.6	0
186	24P Is molecular characterization useful for targeted therapy orientation in patients with relapsed or refractory diffuse large B-cell lymphoma (DLBCL) included in early phase clinical trials?. <i>Annals of Oncology</i> , 2020, 31, S1224.	0.6	0
187	Letter responds to the comment in "immune thrombocytopenia of haematological immune-related adverse events in cancer immunotherapy: Most and mighty". <i>European Journal of Cancer</i> , 2020, 134, 60-61.	1.3	0
188	8MO CC-90010, a reversible, potent oral bromodomain and extraterminal inhibitor (BETi) in patients (pts) with advanced solid tumours (aSTs) and relapsed/refractory (R/R) diffuse large B-cell lymphoma (DLBCL): Longer follow-up from parts A & B and first reporting of part C of a phase I study. <i>Annals of Oncology</i> , 2021, 32, S5.	0.6	0
189	9P Predictive factors and profiles of tumour response to epigenetic drugs in phase I trials. <i>Annals of Oncology</i> , 2021, 32, S5.	0.6	0
190	Relapsed and refractory classical Hodgkin lymphoma: could virotherapy help solve the equation?. <i>Human Vaccines and Immunotherapeutics</i> , 2021, 17, 3502-3510.	1.4	0
191	1773P Anti-PD1-induced acute interstitial pneumonitis is characterized by alveolar infiltration of PD-1+CD38+TIGIT+ cytotoxic effector CD8+ T cells and CD206+ inflammatory macrophages. <i>Annals of Oncology</i> , 2021, 32, S1216.	0.6	0
192	1617P Sustained cancer clinical trial activity during the COVID-19 pandemic. <i>Annals of Oncology</i> , 2021, 32, S1151.	0.6	0
193	1639P Impact of COVID-19 on ongoing oncological and hematological treatment strategy. <i>Annals of Oncology</i> , 2021, 32, S1159.	0.6	0
194	Histological Characteristics Of Hepatitis C-Associated B-Cell Non-Hodgkin Lymphomas. Results Of The French Lympho-C ANRS HC-13 Multicentric Study Of 133 Patients. <i>Blood</i> , 2013, 122, 3005-3005.	0.6	0
195	A Simple Scoring System for Identifying Relapsed/Refractory Lymphoma Patients Prematurely Withdrawn from Phase I Trials: The Gustave Roussy Experience. <i>Blood</i> , 2014, 124, 1759-1759.	0.6	0
196	Prognostic Factors and Outcome of Patients with Hematological Malignancies in Phase I Trials: The Gustave Roussy Scoring System. <i>Blood</i> , 2014, 124, 3504-3504.	0.6	0
197	Concurrent Radiation and ESHAP Regimen in Localized Extranodal NK/T-Cell Lymphoma Nasal Type, Phase II French Study. <i>Blood</i> , 2014, 124, 1707-1707.	0.6	0
198	Abstract CT031: The effect of food on the pharmacokinetics (pk) of tazemetostat in patients with cancer. , 2016, , .		0

#	ARTICLE	IF	CITATIONS
199	Repetitive Low-Dose Radiation Therapies As an Alternative Option for Indolent Non-Hodgkin Lymphoma. Blood, 2016, 128, 1784-1784.	0.6	0
200	Abstract CT141: Safety and efficacy results from a phase I dose-escalation trial of Nintedanib in combination with Pembrolizumab in patients with advanced solid tumors (PEMBIB trial). , 2018, , .		0
201	Immunological Cytopenias Induced By Anti-Programmed Cell Death (ligand) 1 Antibodies. Blood, 2018, 132, 2412-2412.	0.6	0
202	Outcomes of Patients with Relapsed or Refractory Diffuse Large B-Cell Lymphoma Included in Phase I Clinical Trials. Blood, 2018, 132, 2992-2992.	0.6	0
203	Feasibility and Benefit of Molecularly-Informed Enrollment into Personalized Therapies or Early Phase Trials for Patients with Relapsed or Refractory Multiple Myeloma. Blood, 2018, 132, 2001-2001.	0.6	0
204	Feasibility and Benefit of Molecularly-Informed Enrollment into Early Phase Clinical Trials for Patients with Relapsed or Refractory Diffuse Large B-Cell Lymphoma. Blood, 2018, 132, 4110-4110.	0.6	0
205	Comparative Study of Tumor Biopsy and Ctdna to Support Patient Selection in Phase I Trials: The Gustave Roussy Single Center Experience in Aggressive B-Cell Lymphomas. Blood, 2019, 134, 1496-1496.	0.6	0
206	Thromboembolic risk assessment in patients receiving combination of anti-angiogenic plus anti-PD1 or anti-PD-L1: A descriptive study. Annals of Oncology, 2019, 30, xi18.	0.6	0
207	High Incidence of <i>TP53</i> and Epigenetic Modifying Oncogenes Mutations in a Large Cohort of Patients Enrolled in Phase 1 Clinical Trials for Relapsed or Refractory Diffuse Large B-Cell Lymphoma. Blood, 2020, 136, 10-11.	0.6	0
208	Is Molecular Characterization Useful for Targeted Therapy Orientation in Patients with Relapsed or Refractory DLBCL Included in Early Phase Clinical Trials?. Blood, 2020, 136, 18-19.	0.6	0
209	193P Safety and efficacy of immunotherapy rechallenge following a previous immune-induced interstitial lung disease. Annals of Oncology, 2022, 33, S118-S119.	0.6	0