

Konstantinos Moutzouris

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8849962/publications.pdf>

Version: 2024-02-01

57
papers

1,203
citations

471509

17
h-index

395702

33
g-index

57
all docs

57
docs citations

57
times ranked

1268
citing authors

#	ARTICLE	IF	CITATIONS
1	Mid-infrared difference-frequency generation of ultrashort pulses tunable between 32 and 48 μm from a compact fiber source. <i>Optics Letters</i> , 2007, 32, 1138.	3.3	189
2	Refractive, dispersive and thermo-optic properties of twelve organic solvents in the visible and near-infrared. <i>Applied Physics B: Lasers and Optics</i> , 2014, 116, 617-622.	2.2	142
3	Phase-locked two-branch erbium-doped fiber laser system for long-term precision measurements of optical frequencies. <i>Optics Express</i> , 2004, 12, 5872.	3.4	119
4	Visible to near-infrared refractive properties of freshly-excised human-liver tissues: marking hepatic malignancies. <i>Scientific Reports</i> , 2016, 6, 27910.	3.3	74
5	Quasi phase matching in GaAs/AlAs superlattice waveguides through bandgap tuning by use of quantum-well intermixing. <i>Optics Letters</i> , 2000, 25, 1370.	3.3	68
6	Multimilliwatt ultrashort pulses continuously tunable in the visible from a compact fiber source. <i>Optics Letters</i> , 2006, 31, 1148.	3.3	60
7	Second-harmonic generation through optimized modal phase matching in semiconductor waveguides. <i>Applied Physics Letters</i> , 2003, 83, 620-622.	3.3	59
8	Complex refractive index of normal and malignant human colorectal tissue in the visible and near-infrared. <i>Journal of Biophotonics</i> , 2017, 10, 303-310.	2.3	50
9	Nonlinear frequency conversion in semiconductor optical waveguides using birefringent, modal and quasi-phase-matching techniques. <i>Journal of Optics</i> , 2004, 6, 569-584.	1.5	42
10	Efficient second-harmonic generation in birefringently phase-matched GaAs/Al ₂ O ₃ waveguides. <i>Optics Letters</i> , 2001, 26, 1785.	3.3	40
11	Highly efficient second, third and fourth harmonic generation from a two-branch femtosecond erbium fiber source. <i>Optics Express</i> , 2006, 14, 1905.	3.4	39
12	Quasi-phase-matched second-harmonic generation in a GaAs/AlAs superlattice waveguide by ion-implantation-induced intermixing. <i>Optics Letters</i> , 2003, 28, 911.	3.3	37
13	High-harmonic-repetition-rate, 1 GHz femtosecond optical parametric oscillator pumped by a 76 MHz Ti:sapphire laser. <i>Optics Letters</i> , 2009, 34, 428.	3.3	35
14	Highly versatile confocal microscopy system based on a tunable femtosecond Er: fiber source. <i>Journal of Biophotonics</i> , 2008, 1, 53-61.	2.3	31
15	Temperature-dependent visible to near-infrared optical properties of 8 mol% Mg-doped lithium tantalate. <i>Optical Materials Express</i> , 2011, 1, 458.	3.0	30
16	Temperature effects on the viscosity and the wavelength-dependent refractive index of imidazolium-based ionic liquids with a phosphorus-containing anion. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 8201-8209.	2.8	28
17	Measurements of optical loss in GaAs/Al ₂ O ₃ nonlinear waveguides in the infrared using femtosecond scattering technique. <i>Optics Communications</i> , 2002, 213, 223-228.	2.1	17
18	Influence of scattering and two-photon absorption on the optical loss in GaAs-Al ₂ O ₃ nonlinear waveguides measured using femtosecond pulses. <i>IEEE Journal of Quantum Electronics</i> , 2003, 39, 478-486.	1.9	16

#	ARTICLE	IF	CITATIONS
19	Generation of ultrashort electrical pulses in semiconductor waveguides. IEEE Photonics Technology Letters, 2003, 15, 428-430.	2.5	15
20	Data on the refractive index of freshly-excised human tissues in the visible and near-infrared spectral range. Results in Physics, 2021, 22, 103833.	4.1	13
21	A neural network approach for the prediction of the refractive index based on experimental data. Journal of Materials Science, 2012, 47, 883-891.	3.7	12
22	The derivative method of critical-angle refractometry for attenuating media. Journal of Optics (United Kingdom), 2020, 22, 075601.	2.2	11
23	Fiber Optic Measurement System for Fresnel Reflection Sensing: Calibration, Uncertainty, and Exemplary Application in Temperature-Modulated Isothermal Polymer Curing. Journal of Lightwave Technology, 2018, 36, 939-945.	4.6	10
24	On the Evaluation of Low-Cost PM Sensors for Air Quality Estimation. , 2019, , .		9
25	Influence of the cation partner on levulinate ionic liquids properties. Journal of Molecular Liquids, 2022, 354, 118850.	4.9	8
26	WSN Open Source Development Platform: Application to Green Learning. Procedia Engineering, 2011, 25, 1049-1052.	1.2	7
27	Sum frequency generation of continuously tunable blue pulses from a two-branch femtosecond fiber source. Optics Communications, 2007, 274, 417-421.	2.1	6
28	Temperature-dependent refractive index of potassium acid phthalate (KAP) in the visible and near-infrared. Optical Materials, 2011, 33, 812-816.	3.6	6
29	A comparative study on the use of the extended-Cauchy dispersion equation for fitting refractive index data in crystals. Optical and Quantum Electronics, 2013, 45, 837-859.	3.3	6
30	Complex refractive index of freshly excised human breast tissue as a marker of disease. Lasers in Medical Science, 2022, 37, 2597-2604.	2.1	6
31	Extended derivative method of critical-angle refractometry for attenuating media: error analysis. Measurement Science and Technology, 2021, 32, 105007.	2.6	5
32	Critical angle refractometry with optically isotropic attenuating media. Applied Physics B: Lasers and Optics, 2022, 128, 1.	2.2	3
33	Critical Angle Refractometry for Lossy Media with a Priori Known Extinction Coefficient. Physics, 2021, 3, 569-578.	1.4	2
34	Dielectric Study of Tetraalkylammonium and Tetraalkylphosphonium Levulinate Ionic Liquids. International Journal of Molecular Sciences, 2022, 23, 5642.	4.1	2
35	Quasi-phase-matching in GaAs-AlAs superlattice waveguides via bandgap tuning using quantum well intermixing. , 0, , .		1
36	Two-branch Er: fiber laser system for long-term optical frequency metrology. , 2005, , .		1

#	ARTICLE	IF	CITATIONS
37	Two alternative approaches to broadband visible light generation with mode-locked Erbium fiber lasers. , 2006, , .		1
38	Femtosecond mid-infrared difference-frequency-generation tunable between 3.2 μm and 4.8 μm from a compact fiber source. , 2007, , .		1
39	Critical-Angle Differential Refractometry of Lossy Media: A Theoretical Study and Practical Design Issues. Instruments, 2019, 3, 36.	1.8	1
40	Two Prism Critical Angle Refractometry with Attenuating Media. Instruments, 2022, 6, 21.	1.8	1
41	Quantum well intermixing technologies for quasi-phase-matching gratings. , 0, , .		0
42	Measurements of optical loss in GaAs/Al/sub 2/O/sub 3/ nonlinear waveguides in the infrared using femtosecond scattering technique. , 0, , .		0
43	Generation of ultrashort electrical pulses in semiconductor waveguides. , 0, , .		0
44	Efficient second harmonic generation in birefringently phase-matched GaAs/Al/sub 2/O/sub 3/ waveguides using femtosecond pulses at 2.01 $\hat{1}$ / ₄ m. , 0, , .		0
45	Quasi-phase-matched second harmonic generation in an GaAs/AlAs superlattice waveguide using ion-implantation induced intermixing. , 0, , .		0
46	First-order quasiphase matched second harmonic generation in GaAs/AlAs superlattice waveguides by use of ion-implantation induced intermixing. , 0, , .		0
47	Second harmonic generation in GaAs/AlGaAs waveguides with femtosecond pulses near 1.55 $\hat{1}$ / ₄ m using modal phase matching technique. , 0, , .		0
48	Extending scope and applicability of femtosecond light pulses from erbium-doped fiber lasers. , 2005, , .		0
49	Fiber-laser pumped MgO:LiNBO<inf>3</inf> based frequency doubler providing sub-picosecond pulses continuously tunable from 520 nm to 700 nm. , 2006, , .		0
50	Confocal Microscopy and Micromanipulation Based on a Femtosecond Fiber Laser with Ultrawide Tuning Range. , 2007, , .		0
51	Femtosecond mid-infrared difference-frequency-generation tunable between 3.2 μm and 4.8 μm from a compact fiber source. , 2007, , .		0
52	Ultra-wide band wavelength converters. , 2008, , .		0
53	Electrical characterization of polymer matrix â€” TiO2 filler composites through isothermal polarization / depolarization currents and lâ€™V tests. Open Physics, 2014, 12, .	1.7	0
54	Calibration and uncertainty of a fibre optic measurement system for Fresnel reflectometer sensors. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
55	Identifying a relation between refractive index and breast pathology using prism coupling refractometry. European Journal of Cancer, 2018, 92, S126.	2.8	0
56	Ultrabroadband Er:fiber Systems and Applications. Springer Series in Chemical Physics, 2009, , 735-737.	0.2	0
57	1-GHz femtosecond optical parametric oscillator pumped by a 76-MHz Ti:sapphire laser. , 2009, , .		0