

Takashi Kamegawa

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8850297/takashi-kamegawa-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70
papers

2,716
citations

27
h-index

51
g-index

71
ext. papers

2,946
ext. citations

7
avg, IF

5.21
L-index

#	Paper	IF	Citations
70	Enhanced Catalysis of Plasmonic Silver Nanoparticles by a Combination of Macro-/Mesoporous Nanostructured Silica Support. <i>Journal of Physical Chemistry C</i> , 2021 , 125, 9150-9157	3.8	2
69	Design and application of photocatalysts using porous materials. <i>Catalysis Reviews - Science and Engineering</i> , 2021 , 63, 165-233	12.6	8
68	Metamagnetic Behavior in a Quadruple Perovskite Oxide. <i>Inorganic Chemistry</i> , 2021 , 60, 7023-7030	5.1	1
67	Heterogeneous Fenton Degradation of Organic Pollutants in Water Enhanced by Combining Iron-type Layered Double Hydroxide and Sulfate. <i>Chemistry - an Asian Journal</i> , 2021 , 16, 1887-1892	4.5	3
66	Synthesis of Flower-Like Structured Calcium Silicide and Its Application in the Preparation of Palladium-Loaded Catalyst. <i>Bulletin of the Chemical Society of Japan</i> , 2021 , 94, 2089-2091	5.1	
65	TiO superstructures with oriented nanospaces: a strategy for efficient and selective photocatalysis. <i>Nanoscale</i> , 2020 , 12, 6420-6428	7.7	6
64	Design of Advanced Functional Materials Using Nanoporous Single-Site Photocatalysts. <i>Chemical Record</i> , 2020 , 20, 660-671	6.6	3
63	Photoelectrochemical properties of copper oxide (CuO) influenced by work functions of conductive electrodes. <i>Research on Chemical Intermediates</i> , 2019 , 45, 5947-5958	2.8	8
62	Single-site and nano-confined photocatalysts designed in porous materials for environmental uses and solar fuels. <i>Chemical Society Reviews</i> , 2018 , 47, 8072-8096	58.5	129
61	Multifunctional surface designed by nanocomposite coating of polytetrafluoroethylene and TiO photocatalyst: self-cleaning and superhydrophobicity. <i>Scientific Reports</i> , 2017 , 7, 13628	4.9	29
60	Spherical TiO ₂ /Mesoporous SiO ₂ Core/Shell Type Photocatalyst for Water Purification. <i>Journal of Nanoscience and Nanotechnology</i> , 2016 , 16, 9273-9277	1.3	7
59	Enhanced photocatalytic properties of TiO ₂ -loaded porous silica with hierarchical macroporous and mesoporous architectures in water purification. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 2323-2330	13	61
58	Hydroxylation of Phenol on Iron-Containing Mesoporous Silica with Hierarchical Macroporous Architecture. <i>Bulletin of the Chemical Society of Japan</i> , 2015 , 88, 572-574	5.1	10
57	Unique Surface Properties of Nanocomposite Thin Film Photocatalysts of TiO ₂ and Poly(tetrafluoroethylene). <i>Chemistry Letters</i> , 2015 , 44, 509-511	1.7	7
56	Design and functionalization of photocatalytic systems within mesoporous silica. <i>ChemSusChem</i> , 2014 , 7, 1528-36	8.3	89
55	Construction of an organoruthenium complex ([biphRuCp]PF ₆) within a biphenylene-bridged inorganic-organic hybrid mesoporous material, and its catalytic activity in the selective hydrosilylation of 1-hexyne. <i>Research on Chemical Intermediates</i> , 2014 , 40, 105-113	2.8	5
54	Design and Functionalization of Photocatalytic Systems within Mesoporous Silica. <i>ChemSusChem</i> , 2014 , 7, 1495-1495	8.3	3

53	Reactivity of Ni ⁰ Carbon Nanofibers/Mesocellular Silica Composite Catalyst for Phenylacetylene Hydrogenation. <i>Industrial & Engineering Chemistry Research</i> , 2014 , 53, 10105-10111	3.9	16
52	Amine-functionalized MIL-101(Cr) with imbedded platinum nanoparticles as a durable photocatalyst for hydrogen production from water. <i>Chemical Communications</i> , 2014 , 50, 11645-8	5.8	168
51	Design of composite photocatalyst of TiO ₂ and Y-zeolite for degradation of 2-propanol in the gas phase under UV and visible light irradiation. <i>Molecules</i> , 2014 , 19, 16477-88	4.8	19
50	Surfactant-Free Nonaqueous Synthesis of Plasmonic Molybdenum Oxide Nanosheets with Enhanced Catalytic Activity for Hydrogen Generation from Ammonia Borane under Visible Light. <i>Angewandte Chemie</i> , 2014 , 126, 2954-2958	3.6	53
49	Photocatalytic performance of TiO ₂ -zeolite templated carbon composites in organic contaminant degradation. <i>Physical Chemistry Chemical Physics</i> , 2014 , 16, 25004-7	3.6	22
48	Activity, Recyclability, and Stability of Lipases Immobilized on Oil-Filled Spherical Silica Nanoparticles with Different Silica Shell Structures. <i>ChemCatChem</i> , 2013 , 5, 2527-2536	5.2	22
47	Preparation of single-site Ti-containing mesoporous silica with a nanotube architecture and its enhanced catalytic activities. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 891-897	13	22
46	Preparation of aluminum-containing mesoporous silica with hierarchical macroporous architecture and its enhanced catalytic activities. <i>Physical Chemistry Chemical Physics</i> , 2013 , 15, 13323-8	3.6	13
45	A visible-light-harvesting assembly with a sulfocalixarene linker between dyes and a Pt-TiO ₂ photocatalyst. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 916-9	16.4	127
44	A Visible-Light-Harvesting Assembly with a Sulfocalixarene Linker between Dyes and a Pt-TiO ₂ Photocatalyst. <i>Angewandte Chemie</i> , 2013 , 125, 950-953	3.6	16
43	The Synthesis of Size- and Color-Controlled Silver Nanoparticles by Using Microwave Heating and their Enhanced Catalytic Activity by Localized Surface Plasmon Resonance. <i>Angewandte Chemie</i> , 2013 , 125, 7594-7598	3.6	42
42	The synthesis of size- and color-controlled silver nanoparticles by using microwave heating and their enhanced catalytic activity by localized surface plasmon resonance. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 7446-50	16.4	205
41	Design of TiO ₂ -zeolite composites with enhanced photocatalytic performances under irradiation of UV and visible light. <i>Microporous and Mesoporous Materials</i> , 2013 , 165, 142-147	5.3	56
40	Preparation of Skeletal Cu Catalysts by Thermal and Chemical Treatment of Cu ₃ Amorphous Alloys and Their Enhanced Catalytic Activities. <i>Bulletin of the Chemical Society of Japan</i> , 2013 , 86, 1002-1004	5.1	10
39	TiO ₂ photocatalyst for degradation of organic compounds in water and air supported on highly hydrophobic FAU zeolite: Structural, sorptive, and photocatalytic studies. <i>Journal of Catalysis</i> , 2012 , 285, 223-234	7.3	87
38	Preparation of Size-controlled Copper-nanoparticle-supported Catalyst Using Rapid and Uniform Heating under Microwave Irradiation. <i>Chemistry Letters</i> , 2012 , 41, 614-616	1.7	7
37	Hydrogenation of Phenol Using Silica-Supported Pd and PdAu Catalysts in the Presence of H ₂ and O ₂ . <i>Bulletin of the Chemical Society of Japan</i> , 2012 , 85, 1057-1059	5.1	1
36	Enhanced hydrogenation activity of nano-sized Pd ₂ bimetal particles on Ti-containing mesoporous silica prepared by a photo-assisted deposition method. <i>Journal of Materials Chemistry</i> , 2012 , 22, 16243		42

35	Preparation of hydroxynaphthalene-modified TiO ₂ via formation of surface complexes and their applications in the photocatalytic reduction of nitrobenzene under visible-light irradiation. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 6635-9	9.5	107
34	Transesterifications using a hydrocalumite synthesized from waste slag: an economical and ecological route for biofuel production. <i>Catalysis Science and Technology</i> , 2012 , 2, 1842	5.5	55
33	Structural Design of Pd/SiO ₂ @Ti-Containing Mesoporous Silica Core-Shell Catalyst for Efficient One-Pot Oxidation Using in Situ Produced H ₂ O ₂ . <i>Journal of Physical Chemistry C</i> , 2012 , 116, 14360-14367	7.8	34
32	Superhydrophobic surfaces with photocatalytic self-cleaning properties by nanocomposite coating of TiO ₂ and polytetrafluoroethylene. <i>Advanced Materials</i> , 2012 , 24, 3697-700	24	242
31	Design of superhydrophobic surfaces by synthesis of carbon nanotubes over Co-Mo nanocatalysts deposited under microwave irradiation on Ti-containing mesoporous silica thin films. <i>Physical Chemistry Chemical Physics</i> , 2011 , 13, 6309-14	3.6	15
30	Controlled Synthesis and Surface Hydrophilic Properties of Ti-Containing Mesoporous Silica Thin Films Using Various Structure-Directing Agents. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 15410-15415	3.8	14
29	Design of macroporous TiO ₂ thin film photocatalysts with enhanced photofunctional properties. <i>Energy and Environmental Science</i> , 2011 , 4, 1411	35.4	62
28	Enhanced catalytic activity on titanosilicate molecular sieves controlled by cation-π interactions. <i>Journal of the American Chemical Society</i> , 2011 , 133, 12462-5	16.4	84
27	Synthesis of SiO ₂ -TiO ₂ fibers with photocatalytic activity by TiCl ₄ vapor curing on melt-spun silicone resin fiber. <i>Journal of the Ceramic Society of Japan</i> , 2011 , 119, 544-547	1	2
26	Active site design in a core-shell nanostructured catalyst for a one-pot oxidation reaction. <i>Chemistry - A European Journal</i> , 2011 , 17, 9047-51	4.8	42
25	Preparation of inorganic-organic hybrid mesoporous material incorporating organoruthenium complexes ([C ₆ H ₄ RuCp]PF ₆) and its application as a heterogeneous catalyst. <i>Journal of Materials Chemistry</i> , 2011 , 21, 12228		17
24	Low-temperature synthesis of highly hydrophilic Ti-containing mesoporous silica thin films on polymer substrates by photocatalytic removal of structure-directing agents. <i>Journal of Materials Chemistry</i> , 2011 , 21, 236-241		21
23	Synthesis and unique catalytic performance of single-site Ti-containing hierarchical macroporous silica with mesoporous frameworks. <i>Langmuir</i> , 2011 , 27, 2873-9	4	48
22	Design of single-site Ti embedded highly hydrophilic silica thin films with macro-mesoporous structures. <i>ACS Applied Materials & Interfaces</i> , 2011 , 3, 4561-5	9.5	19
21	An efficient method for the creation of a superhydrophobic surface: ethylene polymerization over self-assembled colloidal silica nanoparticles incorporating single-site Cr-oxide catalysts. <i>Journal of Materials Chemistry</i> , 2011 , 21, 8543		17
20	A novel conversion process for waste slag: synthesis of a hydrocalcite-like compound and zeolite from blast furnace slag and evaluation of adsorption capacities. <i>Journal of Materials Chemistry</i> , 2010 , 20, 5052		98
19	Graphene Coating of TiO ₂ Nanoparticles Loaded on Mesoporous Silica for Enhancement of Photocatalytic Activity. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 15049-15053	3.8	139
18	Coating of Transparent Ti-containing Mesoporous Silica Thin Films on Quartz and Aluminum Alloy Substrates for Fabrication of Highly Hydrophilic Surfaces. <i>ISIJ International</i> , 2010 , 50, 255-258	1.7	3

17	Synthesis of Nano-Sized Platinum Metal Particles on Ti-Containing Mesoporous Silica Using Microwave-Assisted Deposition Method. <i>Topics in Catalysis</i> , 2010 , 53, 218-223	2.3	19
16	Preparation of Cr/Ti Binary Oxide Anchored Mesoporous Silica by CVD Method and Their Photocatalytic Activities. <i>Topics in Catalysis</i> , 2010 , 53, 555-559	2.3	13
15	Design of superhydrophilic surfaces on metallic substrates by the fabrication of Ti-containing mesoporous silica thin film. <i>Applied Catalysis A: General</i> , 2010 , 387, 95-99	5.1	13
14	Preferential Oxidation of CO Impurities in the Presence of H ₂ on NiO-Loaded and Unloaded TiO ₂ Photocatalysts at 293 K. <i>Catalysis Letters</i> , 2009 , 129, 7-11	2.8	12
13	Application of Microwave-Assisted Deposition for the Synthesis of Noble Metal Particles on Ti-Containing Mesoporous Silica. <i>Catalysis Letters</i> , 2009 , 129, 404-407	2.8	14
12	Simple Design of Hydrophobic Zeolite Material by Modification Using TEFS and its Application as a Support of TiO ₂ Photocatalyst. <i>Topics in Catalysis</i> , 2009 , 52, 193-196	2.3	5
11	Fabrication of Hydrophobic Zeolites Using Triethoxyfluorosilane and their Application for Photocatalytic Degradation of Acetaldehyde. <i>Topics in Catalysis</i> , 2009 , 52, 643-648	2.3	11
10	Size-controlled synthesis of silver nanoparticles on Ti-containing mesoporous silica thin film and photoluminescence enhancement of rhodamine 6G dyes by surface plasmon resonance. <i>Journal of Materials Chemistry</i> , 2009 , 19, 6745		38
9	Hydrophobic Modification of a Mesoporous Silica Surface Using a Fluorine-Containing Silylation Agent and Its Application as an Advantageous Host Material for the TiO ₂ Photocatalyst. <i>Journal of Physical Chemistry C</i> , 2009 , 113, 1552-1559	3.8	87
8	A novel synthetic route to hydroxyapatite/zeolite composite material from steel slag: investigation of synthesis mechanism and evaluation of physicochemical properties. <i>Journal of Materials Chemistry</i> , 2009 , 19, 7263		45
7	Preparation of Thin Macroporous TiO ₂ Films Using PMMA Microspheres and Their Photoinduced Hydrophilicities. <i>Chemistry Letters</i> , 2009 , 38, 610-611	1.7	9
6	Preparation of W-Containing Mesoporous Silica Thin Films and Their Surface Hydrophilic Properties. <i>E-Journal of Surface Science and Nanotechnology</i> , 2009 , 7, 141-144	0.7	6
5	Fabrication of hydrophobic zeolites using triethoxyfluorosilane and their application as supports for TiO ₂ photocatalysts. <i>Chemical Communications</i> , 2008 , 4783-5	5.8	58
4	Photoluminescence Spectroscopy and Its Application to the Characterization of Active Sites and Reaction Dynamics in Catalysis 2008 , 1065		
3	Photocatalytic Decomposition of Lactic Acid in Water on a Photoelectrochemical Circuit System Consisting of a Rod-type TiO ₂ Electrode and Silicon Solar Cell. <i>Topics in Catalysis</i> , 2008 , 47, 162-165	2.3	3
2	Photocatalytic selective oxidation of CO with O ₂ in the presence of H ₂ over highly dispersed chromium oxide on silica under visible or solar light irradiation. <i>Research on Chemical Intermediates</i> , 2008 , 34, 427-434	2.8	9
1	Preparation and characterization of unique inorganic-organic hybrid mesoporous materials incorporating arenetricarbonyl complexes [-C ₆ H ₄ M(CO) ₃ -] (M = Cr, Mo). <i>Journal of the American Chemical Society</i> , 2005 , 127, 16784-5	16.4	56