

# Hiroki Nishikawa

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8851224/hiroki-nishikawa-publications-by-year.pdf>

**Version:** 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

|                    |                         |                |                 |
|--------------------|-------------------------|----------------|-----------------|
| 118<br>papers      | 1,476<br>citations      | 19<br>h-index  | 34<br>g-index   |
| 129<br>ext. papers | 1,976<br>ext. citations | 3.9<br>avg, IF | 4.73<br>L-index |

| #   | Paper   | IF  | Citations |
|-----|---|-----|-----------|
| 118 | Clinical Importance of Body Composition in Improving Bone Mineral Density of Femoral Neck After Denosumab Therapy in Patients With Rheumatoid Arthritis or Collagen Diseases.. <i>In Vivo</i> , <b>2022</b> , 36, 1468-1476   | 2.3 | 1         |
| 117 | Screening Tools for Sarcopenia. <i>In Vivo</i> , <b>2021</b> , 35, 3001-3009  | 2.3 | 1         |
| 116 | Sarcopenia, frailty and type2 diabetes mellitus (Review). <i>Molecular Medicine Reports</i> , <b>2021</b> , 24,   | 2.9 | 3         |
| 115 | Metabolic Syndrome and Sarcopenia. <i>Nutrients</i> , <b>2021</b> , 13,   | 6.7 | 8         |
| 114 | A New Ultrasonographic "Fluttering Sign" for Hepatic Hemangioma. <i>Ultrasound in Medicine and Biology</i> , <b>2021</b> , 47, 941-946  | 3.5 | 1         |
| 113 | Combined grip strength and calf circumference as a useful prognostic system in patients with liver diseases: a large cohort study. <i>Annals of Translational Medicine</i> , <b>2021</b> , 9, 624                             | 3.2 | 1         |
| 112 | Sarcopenia and Frailty in Liver Cirrhosis. <i>Life</i> , <b>2021</b> , 11,  | 3   | 4         |
| 111 | Clinical impact of the finger-circle test in patients with liver diseases. <i>Hepatology Research</i> , <b>2021</b> , 51, 603-613   | 5.1 | 3         |
| 110 | Reduced grip strength is associated with progression of depressive status in chronic liver diseases. <i>Annals of Palliative Medicine</i> , <b>2021</b> , 10, 3976-3987   | 1.7 |           |
| 109 | Obesity and Liver Cancer in Japan: A Comprehensive Review. <i>Anticancer Research</i> , <b>2021</b> , 41, 2227-2237   | 2.3 | 3         |
| 108 | Pathophysiology and mechanisms of primary sarcopenia (Review). <i>International Journal of Molecular Medicine</i> , <b>2021</b> , 48,   | 4.4 | 12        |
| 107 | Reduced handgrip strength predicts poorer survival in chronic liver diseases: A large multicenter study in Japan. <i>Hepatology Research</i> , <b>2021</b> , 51, 957-967  | 5.1 | 6         |
| 106 | Dynapenia Rather Than Sarcopenia Is Associated with Metabolic Syndrome in Patients with Chronic Liver Diseases. <i>Diagnostics</i> , <b>2021</b> , 11,  | 3.8 | 2         |
| 105 | The transition in the etiologies of hepatocellular carcinoma-complicated liver cirrhosis in a nationwide survey of Japan. <i>Journal of Gastroenterology</i> , <b>2021</b> , 56, 158-167                                      | 6.9 | 7         |
| 104 | Characteristics of Japanese patients with Leber's hereditary optic neuropathy and idebenone trial: a prospective, interventional, non-comparative study. <i>Japanese Journal of Ophthalmology</i> , <b>2021</b> , 65, 133-142 | 2.6 | 2         |
| 103 | Predictors for Grip Strength Loss in Patients With Chronic Liver Diseases. <i>In Vivo</i> , <b>2021</b> , 35, 363-371   | 2.3 | 1         |
| 102 | Association of the Modified ALBI Grade With Endoscopic Findings of Gastroesophageal Varices. <i>In Vivo</i> , <b>2021</b> , 35, 1163-1168   | 2.3 | 1         |

|     |  |     |   |
|-----|--|-----|---|
| 101 | Factors Associated With Longitudinal QOL Change in Patients With Chronic Liver Diseases. <i>In Vivo</i> , <b>2021</b> , 35, 2451-2456  | 2.3 |   |
| 100 | Severity of liver fibrosis using shear wave elastography is influenced by hepatic necroinflammation in chronic hepatitis patients, but not in cirrhotic patients. <i>Hepatology Research</i> , <b>2021</b> , 51, 436-444 | 5.1 | 2 |
| 99  | Sarcopenic Obesity in Liver Cirrhosis: Possible Mechanism and Clinical Impact. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,  | 6.3 | 7 |
| 98  | Cancer Cachexia: Its Mechanism and Clinical Significance. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,   | 6.3 | 8 |
| 97  | Comparison of SARC-F Score among Gastrointestinal Diseases. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,  | 5.1 | 1 |
| 96  | Inflammatory Bowel Disease and Sarcopenia: Its Mechanism and Clinical Importance. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,  | 5.1 | 5 |
| 95  | Association of an Overhydrated State With the Liver Fibrosis and Prognosis of Cirrhotic Patients. <i>In Vivo</i> , <b>2020</b> , 34, 1347-1353   | 2.3 | 4 |
| 94  | Arm Skeletal Muscle Mass Is Associated With the Prognosis of Patients With Cirrhosis. <i>In Vivo</i> , <b>2020</b> , 34, 1165-1171   | 2.3 | 2 |
| 93  | Serum Zinc Level Is Associated with Frailty in Chronic Liver Diseases. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,  | 5.1 | 3 |
| 92  | Health-Related Quality of Life and Frailty in Chronic Liver Diseases. <i>Life</i> , <b>2020</b> , 10,  | 3   | 4 |
| 91  | The Anthropometric Assessment With the Bioimpedance Method Is Associated With the Prognosis of Cirrhotic Patients. <i>In Vivo</i> , <b>2020</b> , 34, 687-693  | 2.3 | 5 |
| 90  | Serum Zinc Level Grading System: A Useful Model for Composite Hepatic Events in Hepatitis C Virus-Associated Liver Cirrhosis. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,                                     | 5.1 | 1 |
| 89  | Close Correlation between Frailty and Depressive State in Chronic Liver Diseases. <i>Medicina (Lithuania)</i> , <b>2020</b> , 56,  | 3.1 | 1 |
| 88  | Proposal of predictive model on survival in unresectable pancreatic cancer receiving systemic chemotherapy. <i>Journal of Cancer</i> , <b>2020</b> , 11, 1223-1230   | 4.5 | 0 |
| 87  | Hypermethylation of Corticotropin Releasing Hormone Receptor-2 Gene in Ulcerative Colitis Associated Colorectal Cancer. <i>In Vivo</i> , <b>2020</b> , 34, 57-63   | 2.3 | 4 |
| 86  | Walking Speed: Japanese Data in Chronic Liver Diseases. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,   | 5.1 | 4 |
| 85  | Possible Relevance of PNPLA3 and TLL1 Gene Polymorphisms to the Efficacy of PEG-IFN Therapy for HBV-Infected Patients. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,                            | 6.3 | 4 |
| 84  | Grip Strength: A Useful Marker for Composite Hepatic Events in Patients with Chronic Liver Diseases. <i>Diagnostics</i> , <b>2020</b> , 10,  | 3.8 | 9 |

|    |   |     |    |
|----|---|-----|----|
| 83 | Serum zinc concentration and quality of life in chronic liver diseases. <i>Medicine (United States)</i> , <b>2020</b> , 99, e18632  | 1.8 | 3  |
| 82 | Transition in the etiology of liver cirrhosis in Japan: a nationwide survey. <i>Journal of Gastroenterology</i> , <b>2020</b> , 55, 353-362   | 6.9 | 29 |
| 81 | Sarcopenia and Frailty in Chronic Liver Damage: Common and Different Points. <i>In Vivo</i> , <b>2020</b> , 34, 2549-2559   | 5.9 | 4  |
| 80 | Anthropometric Measurements and Frailty in Patients with Liver Diseases. <i>Diagnostics</i> , <b>2020</b> , 10,   | 3.8 | 5  |
| 79 | Frailty and Sleep Disorder in Chronic Liver Diseases. <i>Life</i> , <b>2020</b> , 10,   | 3   | 3  |
| 78 | Liver Cirrhosis and Sarcopenia from the Viewpoint of Dysbiosis. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,  | 6.3 | 16 |
| 77 | Hepatocellular Carcinoma-associated microRNAs Induced by Hepatoma-derived Growth Factor Stimulation. <i>In Vivo</i> , <b>2020</b> , 34, 2297-2301   | 2.3 | 1  |
| 76 | Calf Circumference as a Useful Predictor of Sarcopenia in Patients With Liver Diseases. <i>In Vivo</i> , <b>2020</b> , 34, 2561-2569  | 2.3 | 4  |
| 75 | Safety and efficacy of amnion-derived mesenchymal stem cells (AM01) in patients with steroid-refractory acute graft-versus-host disease after allogeneic haematopoietic stem cell transplantation: a study protocol for a phase I/II Japanese trial. <i>BMJ Open</i> , <b>2019</b> , 9, e026403 | 3   | 9  |
| 74 | Significant Correlation Between Grip Strength and m2bpgi in Patients with Chronic Liver Diseases. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,  | 5.1 | 4  |
| 73 | Comparison of liver stiffness assessment by transient elastography and shear wave elastography using six ultrasound devices. <i>Hepatology Research</i> , <b>2019</b> , 49, 676-686   | 5.1 | 21 |
| 72 | Combined Albumin-Bilirubin Grade and Skeletal Muscle Mass as a Predictor in Liver Cirrhosis. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,   | 5.1 | 10 |
| 71 | Association between Sarcopenia and Depression in Patients with Chronic Liver Diseases. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,   | 5.1 | 8  |
| 70 | Liver fibrosis markers as assessed by ultrasound elastography and serum samples: A large comparative study in hepatitis virus B and C liver diseases. <i>Hepatology Research</i> , <b>2019</b> , 49, 721-730  | 5.1 | 11 |
| 69 | Serum Zinc Concentration and Sarcopenia: A Close Linkage in Chronic Liver Diseases. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,  | 5.1 | 22 |
| 68 | Scleral buckling versus vitrectomy for young japanese patients with rhegmatogenous retinal detachment in the era of microincision surgery: real-world evidence from a multicentre study in Japan. <i>Acta Ophthalmologica</i> , <b>2019</b> , 97, e736-e741                                     | 3.7 | 14 |
| 67 | Impact of Sustained Virological Response for Gastroesophageal Varices in Hepatitis-C-Virus-Related Liver Cirrhosis. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 9,  | 5.1 | 8  |
| 66 | Usefulness of Attenuation Imaging with an Ultrasound Scanner for the Evaluation of Hepatic Steatosis. <i>Ultrasound in Medicine and Biology</i> , <b>2019</b> , 45, 2679-2687   | 3.5 | 54 |

|    |   |     |    |
|----|---|-----|----|
| 65 | Serum Zinc Level Classification System: Usefulness in Patients with Liver Cirrhosis. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,   | 5.1 | 8  |
| 64 | Intraocular pressure elevation after subtenon triamcinolone acetonide injection; Multicentre retrospective cohort study in Japan. <i>PLoS ONE</i> , <b>2019</b> , 14, e0226118  | 3.7 | 7  |
| 63 | Proposed model for the prediction of intrahepatic covalently closed circular DNA level in patients with chronic hepatitis B. <i>Hepatology Research</i> , <b>2019</b> , 49, 271-283   | 5.1 | 8  |
| 62 | Intraocular pressure elevation after subtenon triamcinolone acetonide injection; Multicentre retrospective cohort study in Japan <b>2019</b> , 14, e0226118   |     |    |
| 61 | Intraocular pressure elevation after subtenon triamcinolone acetonide injection; Multicentre retrospective cohort study in Japan <b>2019</b> , 14, e0226118   |     |    |
| 60 | Intraocular pressure elevation after subtenon triamcinolone acetonide injection; Multicentre retrospective cohort study in Japan <b>2019</b> , 14, e0226118   |     |    |
| 59 | Intraocular pressure elevation after subtenon triamcinolone acetonide injection; Multicentre retrospective cohort study in Japan <b>2019</b> , 14, e0226118   |     |    |
| 58 | Clinical impact of physical exercise on sleep disorder as assessed by actigram in patients with chronic pancreatitis: a study protocol for a randomised controlled trial. <i>BMJ Open Gastroenterology</i> , <b>2018</b> , 5, e000193 | 3.9 | 2  |
| 57 | Implication of exercise interventions on sleep disturbance in patients with pancreatic cancer: a study protocol for a randomised controlled trial. <i>BMJ Open Gastroenterology</i> , <b>2018</b> , 5, e000196                        | 3.9 | 5  |
| 56 | Amplification of bacterial genomic DNA from all ascitic fluids with a highly sensitive polymerase chain reaction. <i>Molecular Medicine Reports</i> , <b>2018</b> , 18, 2117-2123   | 2.9 | 3  |
| 55 | Extracellular Water to Total Body Water Ratio in Viral Liver Diseases: A Study Using Bioimpedance Analysis. <i>Nutrients</i> , <b>2018</b> , 10,  | 6.7 | 23 |
| 54 | Clinical influence of exercise therapy on sarcopenia in patients with chronic pancreatitis: a study protocol for a randomised controlled trial. <i>BMJ Open Gastroenterology</i> , <b>2018</b> , 5, e000190                           | 3.9 | 2  |
| 53 | Effect of exercise therapy on sarcopenia in pancreatic cancer: a study protocol for a randomised controlled trial. <i>BMJ Open Gastroenterology</i> , <b>2018</b> , 5, e000194  | 3.9 | 4  |
| 52 | Usefulness of fecal calprotectin by monoclonal antibody testing in adult Japanese with inflammatory bowel diseases: a prospective multicenter study. <i>Intestinal Research</i> , <b>2018</b> , 16, 554-562                           | 4.1 | 3  |
| 51 | 4) Sarcopenia in Liver Disease. <i>The Journal of the Japanese Society of Internal Medicine</i> , <b>2018</b> , 107, 1713-1717  |     |    |
| 50 | Usefulness of our proposed olfactory scoring system during endoscopic sinus surgery in patients with chronic rhinosinusitis. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2018</b> , 275, 415-423                           | 3.5 | 7  |
| 49 | Effect of Sarcopenia on Sleep Disturbance in Patients with Chronic Liver Diseases. <i>Journal of Clinical Medicine</i> , <b>2018</b> , 8,   | 5.1 | 11 |
| 48 | Health-Related Quality of Life in Chronic Liver Diseases: A Strong Impact of Hand Grip Strength. <i>Journal of Clinical Medicine</i> , <b>2018</b> , 7,   | 5.1 | 19 |

|    |   |      |     |
|----|---|------|-----|
| 47 | Nasal Symptom Questionnaire: Our Proposed Scoring System and Prognostic Factors in Chronic Rhinosinusitis. <i>Orl</i> , <b>2018</b> , 80, 296-306   | 2    | 7   |
| 46 | The Relationship between Controlling Nutritional (CONUT) Score and Clinical Markers among Adults with Hepatitis C Virus Related Liver Cirrhosis. <i>Nutrients</i> , <b>2018</b> , 10,   | 6.7  | 8   |
| 45 | Relationship Between p16 Expression and Prognosis in Patients with Oropharyngeal Cancer Undergoing Surgery. <i>In Vivo</i> , <b>2018</b> , 32, 927-935  | 2.3  | 4   |
| 44 | Association of the Body Mass Index with the Presence of Gastroesophageal Varices in Compensated Cirrhotic Patients with Hepatitis C Viral Infection. <i>Annals of Clinical and Laboratory Science</i> , <b>2018</b> , 48, 801-804 | 0.9  |     |
| 43 | Prediction of development of hepatocellular carcinoma using a new scoring system involving virtual touch quantification in patients with chronic liver diseases. <i>Journal of Gastroenterology</i> , <b>2017</b> , 52, 104-112   | 6.9  | 23  |
| 42 | Clinical implications of serum Wisteria floribunda agglutinin-positive Mac-2-binding protein in treatment-naïve chronic hepatitis B. <i>Hepatology Research</i> , <b>2017</b> , 47, 204-215                                       | 5.1  | 21  |
| 41 | Proposal of a predictive model for advanced fibrosis containing Wisteria floribunda agglutinin-positive Mac-2-binding protein in chronic hepatitis C. <i>Hepatology Research</i> , <b>2017</b> , 47, E74-E84                      | 5.1  | 16  |
| 40 | Elevated serum myostatin level is associated with worse survival in patients with liver cirrhosis. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , <b>2017</b> , 8, 915-925   | 10.3 | 100 |
| 39 | Clinical utility of bioimpedance analysis in liver cirrhosis. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , <b>2017</b> , 24, 409-416  | 2.8  | 21  |
| 38 | Development of a simple predictive model for decreased skeletal muscle mass in patients with compensated chronic liver disease. <i>Hepatology Research</i> , <b>2017</b> , 47, 1223-1234  | 5.1  | 14  |
| 37 | The in vivo antitumor effects of type I-interferon against hepatocellular carcinoma: the suppression of tumor cell growth and angiogenesis. <i>Scientific Reports</i> , <b>2017</b> , 7, 12189                                    | 4.9  | 20  |
| 36 | Comparison of FIB-4 index and aspartate aminotransferase to platelet ratio index on carcinogenesis in chronic hepatitis B treated with entecavir. <i>Journal of Cancer</i> , <b>2017</b> , 8, 152-161                             | 4.5  | 24  |
| 35 | Predictive factors in patients with hepatocellular carcinoma receiving sorafenib therapy using time-dependent receiver operating characteristic analysis. <i>Journal of Cancer</i> , <b>2017</b> , 8, 378-387                     | 4.5  | 4   |
| 34 | Implication of Psoas Muscle Index on Survival for Hepatocellular Carcinoma Undergoing Radiofrequency Ablation Therapy. <i>Journal of Cancer</i> , <b>2017</b> , 8, 1507-1516  | 4.5  | 13  |
| 33 | Effect of dexmedetomidine in the prophylactic endoscopic injection sclerotherapy for oesophageal varices: a study protocol for prospective interventional study. <i>BMJ Open Gastroenterology</i> , <b>2017</b> , 4, e000149      | 3.9  |     |
| 32 | Prognostic significance of nonprotein respiratory quotient in patients with liver cirrhosis. <i>Medicine (United States)</i> , <b>2017</b> , 96, e5800  | 1.8  | 7   |
| 31 | Effect of psoas muscle mass after endoscopic therapy for patients with esophageal varices. <i>Medicine (United States)</i> , <b>2017</b> , 96, e6868  | 1.8  | 3   |
| 30 | Prognostic significance of sarcopenia in patients with hepatocellular carcinoma undergoing sorafenib therapy. <i>Oncology Letters</i> , <b>2017</b> , 14, 1637-1647   | 2.6  | 40  |

|    |  |     |    |
|----|--|-----|----|
| 29 | Prognostic significance of low skeletal muscle mass compared with protein-energy malnutrition in liver cirrhosis. <i>Hepatology Research</i> , <b>2017</b> , 47, 1042-1052   | 5.1 | 14 |
| 28 | Effect of pretreatment psoas muscle mass on survival for patients with unresectable pancreatic cancer undergoing systemic chemotherapy. <i>Oncology Letters</i> , <b>2017</b> , 14, 6059-6065  | 2.6 | 9  |
| 27 | Efficacy of capsule endoscopy in patients with cirrhosis for the diagnosis of upper gastrointestinal lesions and small bowel abnormalities: a study protocol for prospective interventional study. <i>BMJ Open Gastroenterology</i> , <b>2017</b> , 4, e000168 | 3.9 |    |
| 26 | Effect of nalfurafine hydrochloride in patients with chronic liver disease with refractory pruritus on sleep disorders: a study protocol for single-arm, prospective, interventional study. <i>BMJ Open Gastroenterology</i> , <b>2017</b> , 4, e000177        | 3.9 | 1  |
| 25 | Impact of Virtual Touch Quantification in Acoustic Radiation Force Impulse for Skeletal Muscle Mass Loss in Chronic Liver Diseases. <i>Nutrients</i> , <b>2017</b> , 9,  | 6.7 | 1  |
| 24 | Predictors Associated with Increase in Skeletal Muscle Mass after Sustained Virological Response in Chronic Hepatitis C Treated with Direct Acting Antivirals. <i>Nutrients</i> , <b>2017</b> , 9,   | 6.7 | 6  |
| 23 | Comparison of Prognostic Impact between the Child-Pugh Score and Skeletal Muscle Mass for Patients with Liver Cirrhosis. <i>Nutrients</i> , <b>2017</b> , 9,   | 6.7 | 8  |
| 22 | Effect of physical exercise on sarcopaenia in patients with overt hepatic encephalopathy: a study protocol for a randomised controlled trial. <i>BMJ Open Gastroenterology</i> , <b>2017</b> , 4, e000185  | 3.9 |    |
| 21 | A proposed predictive model for advanced fibrosis in patients with chronic hepatitis B and its validation. <i>Medicine (United States)</i> , <b>2016</b> , 95, e4679   | 1.8 | 11 |
| 20 | Serum hyaluronic acid predicts protein-energy malnutrition in chronic hepatitis C. <i>Medicine (United States)</i> , <b>2016</b> , 95, e3920   | 1.8 | 4  |
| 19 | A predictive model for carcinogenesis in patients with chronic hepatitis B undergoing entecavir therapy and its validation. <i>Medicine (United States)</i> , <b>2016</b> , 95, e4832  | 1.8 | 6  |
| 18 | Clinical significance of serum Wisteria floribunda agglutinin positive Mac-2-binding protein level and high-sensitivity C-reactive protein concentration in autoimmune hepatitis. <i>Hepatology Research</i> , <b>2016</b> , 46, 613-21                        | 5.1 | 57 |
| 17 | Clinical implication of serum Wisteria floribunda agglutinin positive Mac-2-binding protein level on hepatitis B e-antigen loss or seroconversion in hepatitis B e-antigen positive patients. <i>Hepatology Research</i> , <b>2016</b> , 46, 1065-1073         | 5.1 | 10 |
| 16 | Clinical significance of serum Wisteria floribunda agglutinin positive Mac-2-binding protein level in non-alcoholic steatohepatitis. <i>Hepatology Research</i> , <b>2016</b> , 46, 1194-1202  | 5.1 | 29 |
| 15 | Comparison of sleep disorders in chronic hepatitis C patients treated with interferon-based therapy and direct acting antivirals using actigraphy. <i>Hepatology Research</i> , <b>2016</b> , 46, 1358-1366  | 5.1 | 16 |
| 14 | Effects of Eradication on the Platelet Count in Hepatitis C Virus-Infected Patients. <i>Journal of Clinical Medicine Research</i> , <b>2016</b> , 8, 854-858   | 2.9 | 2  |
| 13 | Effect of L-Carnitine in Patients With Liver Cirrhosis on Energy Metabolism Using Indirect Calorimetry: A Pilot Study. <i>Journal of Clinical Medicine Research</i> , <b>2016</b> , 8, 863-869   | 2.9 | 8  |
| 12 | Improvement in the Amino Acid Imbalance in Hepatitis C Virus Infected Patients After Viral Eradication by Interferon Treatment. <i>Hepatitis Monthly</i> , <b>2016</b> , 16, e35824  | 1.8 |    |



|    |   |     |     |
|----|---|-----|-----|
| 11 | Impact of Wisteria floribunda Agglutinin-Positive Mac-2-Binding Protein in Patients with Hepatitis C Virus-Related Compensated Liver Cirrhosis. <i>International Journal of Molecular Sciences</i> , <b>2016</b> , 17,            | 6.3 | 16  |
| 10 | Factors Associated With Protein-energy Malnutrition in Chronic Liver Disease: Analysis Using Indirect Calorimetry. <i>Medicine (United States)</i> , <b>2016</b> , 95, e2442  | 1.8 | 16  |
| 9  | B-Cell Activating Factor Belonging to the Tumor Necrosis Factor Family and Interferon-Inducible Protein-10 in Autoimmune Hepatitis. <i>Medicine (United States)</i> , <b>2016</b> , 95, e3194                                     | 1.8 | 24  |
| 8  | Impact of serum Wisteria floribunda agglutinin positive Mac-2-binding protein and serum interferon-Inducible protein-10 in primary biliary cirrhosis. <i>Hepatology Research</i> , <b>2016</b> , 46, 575-83                       | 5.1 | 32  |
| 7  | Japan Society of Hepatology guidelines for sarcopenia in liver disease (1st edition): Recommendation from the working group for creation of sarcopenia assessment criteria. <i>Hepatology Research</i> , <b>2016</b> , 46, 951-63 | 5.1 | 276 |
| 6  | Treatment for hepatocellular carcinoma in Japan over the last three decades: Our experience and published work review. <i>Hepatology Research</i> , <b>2015</b> , 45, 59-74   | 5.1 | 64  |
| 5  | Usefulness of liver fibrosis markers ELF in chronic hepatitis. <i>Acta Hepatologica Japonica</i> , <b>2015</b> , 56, 543-545  | 5.3 | 53  |
| 4  | Liver Cirrhosis: Evaluation, Nutritional Status, and Prognosis. <i>Mediators of Inflammation</i> , <b>2015</b> , 2015, 872152   | 4.3 | 58  |
| 3  | Development of risky varices in alcoholic cirrhosis with a well-maintained nutritional status. <i>World Journal of Hepatology</i> , <b>2015</b> , 7, 2358-62  | 3.4 |     |
| 2  | Down-regulation of HDGF Inhibits the Growth of Hepatocellular Carcinoma Cells In Vitro and In Vivo. <i>Anticancer Research</i> , <b>2015</b> , 35, 6475-9   | 2.3 | 13  |
| 1  | Effect of nucleoside analog use in patients with hepatitis B virus-related hepatocellular carcinoma. <i>Hepatology Research</i> , <b>2014</b> , 44, 608-20  | 5.1 | 17  |