Petr Tuma

List of Publications by Citations

Source: https://exaly.com/author-pdf/8851550/petr-tuma-publications-by-citations.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76
papers

1,267
citations

h-index

31
g-index

78
ext. papers

1,508
ext. citations

4.3
avg, IF

L-index

#	Paper	IF	Citations
76	Menthol-based hydrophobic deep eutectic solvents: Towards greener and efficient extraction of phytocannabinoids. <i>Journal of Cleaner Production</i> , 2018 , 193, 391-396	10.3	82
75	Determination of the spectrum of low molecular mass organic acids in urine by capillary electrophoresis with contactless conductivity and ultraviolet photometric detectionan efficient tool for monitoring of inborn metabolic disorders. <i>Analytica Chimica Acta</i> , 2011 , 685, 84-90	6.6	72
74	Determination of free amino acids and related compounds in amniotic fluid by capillary electrophoresis with contactless conductivity detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2006 , 839, 12-8	3.2	61
73	Rapid monitoring of arrays of amino acids in clinical samples using capillary electrophoresis with contactless conductivity detection. <i>Journal of Separation Science</i> , 2010 , 33, 2394-401	3.4	58
72	Rapid monitoring of mono- and disaccharides in drinks, foodstuffs and foodstuff additives by capillary electrophoresis with contactless conductivity detection. <i>Analytica Chimica Acta</i> , 2011 , 698, 1-5	6.6	51
71	Determination of Proteinogenic Amino Acids in Human Plasma by Capillary Electrophoresis with Contactless Conductivity Detection. <i>Electroanalysis</i> , 2006 , 18, 152-157	3	40
70	Rapid determination of branched chain amino acids in human blood plasma by pressure-assisted capillary electrophoresis with contactless conductivity detection. <i>Electrophoresis</i> , 2015 , 36, 1969-75	3.6	35
69	Large-volume sample stacking for in vivo monitoring of trace levels of Eaminobutyric acid, glycine and glutamate in microdialysates of periaqueductal gray matter by capillary electrophoresis with contactless conductivity detection. <i>Journal of Chromatography A</i> , 2013 , 1303, 94-9	4.5	35
68	Determination of 3-methylhistidine and 1-methylhistidine in untreated urine samples by capillary electrophoresis. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2005 , 821, 53-9	3.2	32
67	Simultaneous and rapid determination of caffeine and taurine in energy drinks by MEKC in a short capillary with dual contactless conductivity/photometry detection. <i>Electrophoresis</i> , 2014 , 35, 1660-5	3.6	31
66	Contactless impedance sensors and their application to flow measurements. <i>Sensors</i> , 2013 , 13, 2786-80	13.8	31
65	Rapid determinations of saccharides in high-energy drinks by short-capillary electrophoresis with contactless conductivity detection. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 404, 1549-54	4.4	30
64	Frequent intravenous pulses of growth hormone together with glutamine supplementation in prolonged critical illness after multiple trauma: effects on nitrogen balance, insulin resistance, and substrate oxidation. <i>Critical Care Medicine</i> , 2008 , 36, 1707-13	1.4	30
63	Rapid determination of globin chains in red blood cells by capillary electrophoresis using INSTCoated fused-silica capillary. <i>Journal of Separation Science</i> , 2014 , 37, 1026-32	3.4	29
62	Large volume sample stacking for rapid and sensitive determination of antidiabetic drug metformin in human urine and serum by capillary electrophoresis with contactless conductivity detection. Journal of Chromatography A, 2014 , 1345, 207-11	4.5	27
61	Contactless Conductivity Detection in Capillary Electrophoresis Employing Capillaries with Very Low Inner Diameters. <i>Electroanalysis</i> , 2011 , 23, 1870-1874	3	26
60	Determination of 1-methylhistidine and 3-methylhistidine by capillary and chip electrophoresis with contactless conductivity detection. <i>Electrophoresis</i> , 2007 , 28, 2174-80	3.6	26

(2008-2008)

59	Determination of ammonia, creatinine and inorganic cations in urine using CE with contactless conductivity detection. <i>Journal of Separation Science</i> , 2008 , 31, 2260-4	3.4	26	
58	Dual-channel capillary electrophoresis for simultaneous determination of cations and anions. <i>Journal of Chromatography A</i> , 2016 , 1446, 158-63	4.5	26	
57	Frequency-tuned contactless conductivity detector for the electrophoretic separation of clinical samples in capillaries with very small internal dimensions. <i>Journal of Separation Science</i> , 2017 , 40, 940-9	4 ³ 7 ⁴	25	
56	Very fast electrophoretic determination of creatinine and uric acid in human urine using a combination of two capillaries with different internal diameters. <i>Electrophoresis</i> , 2014 , 35, 956-61	3.6	25	
55	Pressure-assisted introduction of urine samples into a short capillary for electrophoretic separation with contactless conductivity and UV spectrometry detection. <i>Electrophoresis</i> , 2015 , 36, 1962-8	3.6	24	
54	A determination of submicromolar concentrations of glycine in periaqueductal gray matter microdialyzates using capillary zone electrophoresis with contactless conductivity detection. <i>Electrophoresis</i> , 2009 , 30, 3436-41	3.6	23	
53	The use of capillary electrophoresis with contactless conductivity detection for sensitive determination of stevioside and rebaudioside A in foods and beverages. <i>Food Chemistry</i> , 2017 , 219, 193	s-9 5 8	19	
52	A dual spectrophotometric/contactless conductivity detector for CE determination of incompletely separated amino acids. <i>Journal of Separation Science</i> , 2008 , 31, 353-5	3.4	19	
51	Frequent intravenous pulses of growth hormone together with alanylglutamine supplementation in prolonged critical illness after multiple trauma: effects on glucose control, plasma IGF-I and glutamine. <i>Growth Hormone and IGF Research</i> , 2008 , 18, 82-7	2	17	
50	Improved detection limit for a direct determination of 8-hydroxy-2Tdeoxyguanosine in untreated urine samples by capillary electrophoresis with optical detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004 , 813, 255-61	3.2	17	
49	Chronic dietary exposure to branched chain amino acids impairs glucose disposal in vegans but not in omnivores. <i>European Journal of Clinical Nutrition</i> , 2017 , 71, 594-601	5.2	16	
48	Increased Incretin But Not Insulin Response after Oral versus Intravenous Branched Chain Amino Acids. <i>Annals of Nutrition and Metabolism</i> , 2017 , 70, 293-302	4.5	16	
47	Quantification of paracetamol and 5-oxoproline in serum by capillary electrophoresis: Implication for clinical toxicology. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 145, 616-620	3.5	16	
46	Determination of uric acid in plasma and allantoic fluid of chicken embryos by capillary electrophoresis. <i>Journal of Separation Science</i> , 2007 , 30, 1947-52	3.4	16	
45	Electrophoretic stacking for sensitive determination of antibiotic ceftazidime in human blood and microdialysates from diabetic foot. <i>Analytica Chimica Acta</i> , 2016 , 942, 139-145	6.6	15	
44	The use of capillary electrophoresis with contactless conductivity detection for monitoring of glycerol in adipose tissues during a sporting performance. <i>Electrophoresis</i> , 2010 , 31, 2037-43	3.6	15	
43	Hydrodynamic sample injection into short electrophoretic capillary in systems with a flow-gating interface. <i>Journal of Chromatography A</i> , 2017 , 1480, 93-98	4.5	14	
42	A Comparison of the Properties of Contactless Conductivity and Diode-Array Photometric Detectors in Analyses of Low-Molecular, Biologically Active Substances by Capillary Electrophoresis in Acetic Acid Solutions. <i>Electroanalysis</i> , 2008 , 20, 477-484	3	13	

41	Monitoring of adipose tissue metabolism using microdialysis and capillary electrophoresis with contactless conductivity detection. <i>Talanta</i> , 2019 , 192, 380-386	6.2	12
40	Separation of anaesthetic ketamine and its derivates in PAMAPTAC coated capillaries with tuneable counter-current electroosmotic flow. <i>Talanta</i> , 2020 , 217, 121094	6.2	11
39	Electrokinetic injection of samples into a short electrophoretic capillary controlled by piezoelectric micropumps. <i>Electrophoresis</i> , 2016 , 37, 595-600	3.6	11
38	Novel electrophoretic acetonitrile-based stacking for sensitive monitoring of the antiepileptic drug perampanel in human serum. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 160, 368-373	3.5	10
37	Coaxial flow-gating interface for capillary electrophoresis. <i>Journal of Separation Science</i> , 2017 , 40, 3138	3-33.1443	10
36	Split-flow injector for capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 2000 , 883, 223-30	4.5	10
35	A simple impedance tester for determining the water content in organic solvents. <i>Sensors and Actuators B: Chemical</i> , 2015 , 220, 485-490	8.5	9
34	Very fast electrophoretic separation on commercial instruments using a combination of two capillaries with different internal diameters. <i>Electrophoresis</i> , 2013 , 34, 552-6	3.6	9
33	The Dependence of the Sensitivity and Reliability of Contactless Conductivity Detection on the Wall Thickness of Electrophoretic Fused-Silica Capillaries. <i>Electroanalysis</i> , 2009 , 21, 590-594	3	9
32	Measuring venous-arterial differences of valine, isoleucine, leucine, alanine and glutamine in skeletal muscles using counter-current electrophoresis with contactless conductivity detection. <i>Journal of Electroanalytical Chemistry</i> , 2020 , 857, 113772	4.1	9
31	Direct sample injection from a syringe needle into a separation capillary. <i>Analytica Chimica Acta</i> , 2018 , 1042, 133-140	6.6	9
30	Rapid electrophoretic monitoring of the anaesthetic ketamine and its metabolite norketamine in rat blood using a contactless conductivity detector to study the pharmacokinetics. <i>Journal of Separation Science</i> , 2019 , 42, 2062-2068	3.4	8
29	Determination of amino acids by capillary and microchip electrophoresis with contactless conductivity detection - Theory, instrumentation and applications. <i>Talanta</i> , 2021 , 224, 121922	6.2	8
28	On-line coupling of capillary electrophoresis with microdialysis for determining saccharides in dairy products and honey. <i>Food Chemistry</i> , 2020 , 316, 126362	8.5	7
27	The use of polarity switching for the sensitive determination of nitrate in human cerebrospinal fluid by capillary electrophoresis with contactless conductivity detection. <i>Journal of Chromatography A</i> , 2016 , 1447, 148-54	4.5	7
26	Determination of Intact Heparin by Capillary Electrophoresis with Contactless Conductivity Detection in Background Electrolytes Containing Hydrophilic Polymers. <i>Collection of Czechoslovak Chemical Communications</i> , 2008 , 73, 187-200		7
25	An air-assisted flow-gating interface for capillary electrophoresis. <i>Electrophoresis</i> , 2019 , 40, 587-590	3.6	7
24	Electrophoretic large volume sample stacking for sensitive determination of the anti-microbial agent pentamidine in rat plasma for pharmacological studies. <i>Electrophoresis</i> , 2018 , 39, 2605-2611	3.6	6

(2019-2014)

23	Correlation between the standard Gibbs energies of an anion transfer from water to highly hydrophobic ionic liquids and to 1,2-dichloroethane. <i>Journal of Electroanalytical Chemistry</i> , 2014 , 714-715, 109-115	4.1	6
22	Analysis of factors influencing nitrogen balance during acute starvation in obese subject with and without type 2 diabetes. <i>Clinical Nutrition</i> , 2007 , 26, 552-8	5.9	6
21	Lactate production without hypoxia in skeletal muscle during electrical cycling: Crossover study of femoral venous-arterial differences in healthy volunteers. <i>PLoS ONE</i> , 2019 , 14, e0200228	3.7	5
20	Contactless conductometric determination of methanol and ethanol in samples containing water after their electrophoretic desalination. <i>Electrophoresis</i> , 2015 , 36, 1976-81	3.6	5
19	Voltammetric and capillary electrophoretic study of scavenger kinetics of methylglyoxal by antidiabetic biguanide drugs. <i>Journal of Electroanalytical Chemistry</i> , 2016 , 777, 26-32	4.1	5
18	Rapid determination of majority cations in yoghurts using on-line connection of capillary electrophoresis with mini-dialysis. <i>Food Chemistry</i> , 2020 , 308, 125647	8.5	5
17	Rapid and Sensitive Determination of Branched-Chain Amino Acids in Human Plasma by Capillary Electrophoresis with Contactless Conductivity Detection for Physiological Studies. <i>Methods in Molecular Biology</i> , 2019 , 1972, 15-24	1.4	4
16	Dialysis of one sample drop on-line connected with electrophoresis in short capillary. <i>Talanta</i> , 2020 , 219, 121252	6.2	4
15	Transfer of heparin polyion across a polarized water/ionic liquid membrane interface. <i>Electrochemistry Communications</i> , 2012 , 24, 25-27	5.1	4
14	The use of a multichannel capillary for electrophoretic separations of mixtures of clinically important substances with contactless conductivity and UV photometric detection. <i>Electrophoresis</i> , 2013 , 34, 2058-64	3.6	4
13	Rapid methods for the separation of natural mixtures of beauverolides, cholesterol acyltransferase inhibitors, isolated from the fungus Isaria fumosorosea. <i>Journal of Separation Science</i> , 2020 , 43, 962-969	93.4	4
12	Large volume sample stacking of antiepileptic drugs in counter current electrophoresis performed in PAMAPTAC coated capillary. <i>Talanta</i> , 2021 , 221, 121626	6.2	4
11	Mitochondrial Probe Methyltriphenylphosphonium (TPMP) Inhibits the Krebs Cycle Enzyme 2-Oxoglutarate Dehydrogenase. <i>PLoS ONE</i> , 2016 , 11, e0161413	3.7	3
10	Effect of Food with Low Enrichment of N-3 Fatty Acids in a Two-Month Diet on the Fatty Acid Content in the Plasma and Erythrocytes and on Cardiovascular Risk Markers in Healthy Young Men. <i>Nutrients</i> , 2020 , 12,	6.7	3
9	Metformin Does Not Inhibit Exercise-Induced Lipolysis in Adipose Tissue in Young Healthy Lean Men. <i>Frontiers in Physiology</i> , 2018 , 9, 604	4.6	2
8	Capillary and microchip electrophoresis with contactless conductivity detection for analysis of foodstuffs and beverages <i>Food Chemistry</i> , 2021 , 375, 131858	8.5	2
7	Electrophoretic Determination of Symmetric and Asymmetric Dimethylarginine in Human Blood Plasma with Whole Capillary Sample Injection. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
6	Evaluation of the Burdening on the Czech Population by Brominated Flame Retardants. International Journal of Environmental Research and Public Health, 2019, 16,	4.6	1

5	Monitoring of circulating amino acids in patients with pancreatic cancer and cancer cachexia using capillary electrophoresis and contactless conductivity detection. <i>Electrophoresis</i> , 2021 , 42, 1885-1891	3.6	1
4	The Control of Glucose and Lactate Levels in Nutrient Medium After Cell Incubation and in Microdialysates of Human Adipose Tissue by Capillary Electrophoresis with Contactless Conductivity Detection. <i>Methods in Molecular Biology</i> , 2019 , 1972, 95-108	1.4	0
3	Sensitive CE-MS method for monitoring of riociguat and desmethylriociguat levels in human serum. <i>Electrophoresis</i> , 2020 , 41, 1564-1567	3.6	0
2	Characterization of various geometric arrangements of "air-assisted" flow gating interfaces for capillary electrophoresis. <i>Electrophoresis</i> , 2021 , 42, 749-755	3.6	O
1	The use of coupled gas chromatography columns for the determination of individual isomers of trans fatty acids in the adipose tissue of vegans. <i>Monatshefte Fil Chemie</i> , 2019 , 150, 1417-1424	1.4	