Petr Tuma

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8851550/petr-tuma-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76	1,267	23	31
papers	citations	h-index	g-index
78 ext. papers	1,508 ext. citations	4.3 avg, IF	5.26 L-index

#	Paper	IF	Citations
76	Capillary and microchip electrophoresis with contactless conductivity detection for analysis of foodstuffs and beverages <i>Food Chemistry</i> , 2021 , 375, 131858	8.5	2
75	Electrophoretic Determination of Symmetric and Asymmetric Dimethylarginine in Human Blood Plasma with Whole Capillary Sample Injection. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
74	Monitoring of circulating amino acids in patients with pancreatic cancer and cancer cachexia using capillary electrophoresis and contactless conductivity detection. <i>Electrophoresis</i> , 2021 , 42, 1885-1891	3.6	1
73	Large volume sample stacking of antiepileptic drugs in counter current electrophoresis performed in PAMAPTAC coated capillary. <i>Talanta</i> , 2021 , 221, 121626	6.2	4
7 2	Characterization of various geometric arrangements of "air-assisted" flow gating interfaces for capillary electrophoresis. <i>Electrophoresis</i> , 2021 , 42, 749-755	3.6	O
71	Determination of amino acids by capillary and microchip electrophoresis with contactless conductivity detection - Theory, instrumentation and applications. <i>Talanta</i> , 2021 , 224, 121922	6.2	8
70	Dialysis of one sample drop on-line connected with electrophoresis in short capillary. <i>Talanta</i> , 2020 , 219, 121252	6.2	4
69	Sensitive CE-MS method for monitoring of riociguat and desmethylriociguat levels in human serum. <i>Electrophoresis</i> , 2020 , 41, 1564-1567	3.6	O
68	On-line coupling of capillary electrophoresis with microdialysis for determining saccharides in dairy products and honey. <i>Food Chemistry</i> , 2020 , 316, 126362	8.5	7
67	Separation of anaesthetic ketamine and its derivates in PAMAPTAC coated capillaries with tuneable counter-current electroosmotic flow. <i>Talanta</i> , 2020 , 217, 121094	6.2	11
66	Measuring venous-arterial differences of valine, isoleucine, leucine, alanine and glutamine in skeletal muscles using counter-current electrophoresis with contactless conductivity detection. <i>Journal of Electroanalytical Chemistry</i> , 2020 , 857, 113772	4.1	9
65	Rapid methods for the separation of natural mixtures of beauverolides, cholesterol acyltransferase inhibitors, isolated from the fungus Isaria fumosorosea. <i>Journal of Separation Science</i> , 2020 , 43, 962-969	93.4	4
64	Effect of Food with Low Enrichment of N-3 Fatty Acids in a Two-Month Diet on the Fatty Acid Content in the Plasma and Erythrocytes and on Cardiovascular Risk Markers in Healthy Young Men. <i>Nutrients</i> , 2020 , 12,	6.7	3
63	Rapid determination of majority cations in yoghurts using on-line connection of capillary electrophoresis with mini-dialysis. <i>Food Chemistry</i> , 2020 , 308, 125647	8.5	5
62	Evaluation of the Burdening on the Czech Population by Brominated Flame Retardants. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	1
61	The use of coupled gas chromatography columns for the determination of individual isomers of trans fatty acids in the adipose tissue of vegans. <i>Monatshefte Fil Chemie</i> , 2019 , 150, 1417-1424	1.4	
60	Lactate production without hypoxia in skeletal muscle during electrical cycling: Crossover study of femoral venous-arterial differences in healthy volunteers. <i>PLoS ONE</i> , 2019 , 14, e0200228	3.7	5

(2016-2019)

59	Electrophoresis with Contactless Conductivity Detection for Physiological Studies. <i>Methods in</i> 1.4 Molecular Biology, 2019 , 1972, 15-24	4
58	The Control of Glucose and Lactate Levels in Nutrient Medium After Cell Incubation and in Microdialysates of Human Adipose Tissue by Capillary Electrophoresis with Contactless 1.4 Conductivity Detection. <i>Methods in Molecular Biology</i> , 2019 , 1972, 95-108	O
57	Rapid electrophoretic monitoring of the anaesthetic ketamine and its metabolite norketamine in rat blood using a contactless conductivity detector to study the pharmacokinetics. <i>Journal of</i> Separation Science, 2019 , 42, 2062-2068 3.4	8
56	An air-assisted flow-gating interface for capillary electrophoresis. <i>Electrophoresis</i> , 2019 , 40, 587-590 3.6	7
55	Monitoring of adipose tissue metabolism using microdialysis and capillary electrophoresis with contactless conductivity detection. <i>Talanta</i> , 2019 , 192, 380-386	12
54	Electrophoretic large volume sample stacking for sensitive determination of the anti-microbial agent pentamidine in rat plasma for pharmacological studies. <i>Electrophoresis</i> , 2018 , 39, 2605-2611	6
53	Metformin Does Not Inhibit Exercise-Induced Lipolysis in Adipose Tissue in Young Healthy Lean Men. Frontiers in Physiology, 2018 , 9, 604	2
52	Menthol-based hydrophobic deep eutectic solvents: Towards greener and efficient extraction of phytocannabinoids. <i>Journal of Cleaner Production</i> , 2018 , 193, 391-396	82
51	Novel electrophoretic acetonitrile-based stacking for sensitive monitoring of the antiepileptic drug perampanel in human serum. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 160, 368-373	10
50	Direct sample injection from a syringe needle into a separation capillary. <i>Analytica Chimica Acta</i> , 2018 , 1042, 133-140	9
49	Hydrodynamic sample injection into short electrophoretic capillary in systems with a flow-gating interface. <i>Journal of Chromatography A</i> , 2017 , 1480, 93-98	14
48	Chronic dietary exposure to branched chain amino acids impairs glucose disposal in vegans but not in omnivores. <i>European Journal of Clinical Nutrition</i> , 2017 , 71, 594-601	16
47	Frequency-tuned contactless conductivity detector for the electrophoretic separation of clinical samples in capillaries with very small internal dimensions. <i>Journal of Separation Science</i> , 2017 , 40, 940-9474	25
46	Increased Incretin But Not Insulin Response after Oral versus Intravenous Branched Chain Amino Acids. <i>Annals of Nutrition and Metabolism</i> , 2017 , 70, 293-302	16
45	Coaxial flow-gating interface for capillary electrophoresis. <i>Journal of Separation Science</i> , 2017 , 40, 3138-3 <u>1</u> 4.	3 10
44	Quantification of paracetamol and 5-oxoproline in serum by capillary electrophoresis: Implication for clinical toxicology. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 145, 616-620	16
43	The use of capillary electrophoresis with contactless conductivity detection for sensitive determination of stevioside and rebaudioside A in foods and beverages. <i>Food Chemistry</i> , 2017 , 219, 193-198	19
42	Electrophoretic stacking for sensitive determination of antibiotic ceftazidime in human blood and microdialysates from diabetic foot. <i>Analytica Chimica Acta</i> , 2016 , 942, 139-145	15

41	The use of polarity switching for the sensitive determination of nitrate in human cerebrospinal fluid by capillary electrophoresis with contactless conductivity detection. <i>Journal of Chromatography A</i> , 2016 , 1447, 148-54	4.5	7
40	Mitochondrial Probe Methyltriphenylphosphonium (TPMP) Inhibits the Krebs Cycle Enzyme 2-Oxoglutarate Dehydrogenase. <i>PLoS ONE</i> , 2016 , 11, e0161413	3.7	3
39	Electrokinetic injection of samples into a short electrophoretic capillary controlled by piezoelectric micropumps. <i>Electrophoresis</i> , 2016 , 37, 595-600	3.6	11
38	Dual-channel capillary electrophoresis for simultaneous determination of cations and anions. <i>Journal of Chromatography A</i> , 2016 , 1446, 158-63	4.5	26
37	Voltammetric and capillary electrophoretic study of scavenger kinetics of methylglyoxal by antidiabetic biguanide drugs. <i>Journal of Electroanalytical Chemistry</i> , 2016 , 777, 26-32	4.1	5
36	Rapid determination of branched chain amino acids in human blood plasma by pressure-assisted capillary electrophoresis with contactless conductivity detection. <i>Electrophoresis</i> , 2015 , 36, 1969-75	3.6	35
35	A simple impedance tester for determining the water content in organic solvents. <i>Sensors and Actuators B: Chemical</i> , 2015 , 220, 485-490	8.5	9
34	Pressure-assisted introduction of urine samples into a short capillary for electrophoretic separation with contactless conductivity and UV spectrometry detection. <i>Electrophoresis</i> , 2015 , 36, 1962-8	3.6	24
33	Contactless conductometric determination of methanol and ethanol in samples containing water after their electrophoretic desalination. <i>Electrophoresis</i> , 2015 , 36, 1976-81	3.6	5
32	Rapid determination of globin chains in red blood cells by capillary electrophoresis using INSTCoated fused-silica capillary. <i>Journal of Separation Science</i> , 2014 , 37, 1026-32	3.4	29
31	Correlation between the standard Gibbs energies of an anion transfer from water to highly hydrophobic ionic liquids and to 1,2-dichloroethane. <i>Journal of Electroanalytical Chemistry</i> , 2014 , 714-715, 109-115	4.1	6
30	Simultaneous and rapid determination of caffeine and taurine in energy drinks by MEKC in a short capillary with dual contactless conductivity/photometry detection. <i>Electrophoresis</i> , 2014 , 35, 1660-5	3.6	31
29	Very fast electrophoretic determination of creatinine and uric acid in human urine using a combination of two capillaries with different internal diameters. <i>Electrophoresis</i> , 2014 , 35, 956-61	3.6	25
28	Large volume sample stacking for rapid and sensitive determination of antidiabetic drug metformin in human urine and serum by capillary electrophoresis with contactless conductivity detection. <i>Journal of Chromatography A</i> , 2014 , 1345, 207-11	4.5	27
27	Large-volume sample stacking for in vivo monitoring of trace levels of Eminobutyric acid, glycine and glutamate in microdialysates of periaqueductal gray matter by capillary electrophoresis with contactless conductivity detection. <i>Journal of Chromatography A</i> , 2013 , 1303, 94-9	4.5	35
26	Very fast electrophoretic separation on commercial instruments using a combination of two capillaries with different internal diameters. <i>Electrophoresis</i> , 2013 , 34, 552-6	3.6	9
25	Contactless impedance sensors and their application to flow measurements. Sensors, 2013, 13, 2786-80	13.8	31
24	The use of a multichannel capillary for electrophoretic separations of mixtures of clinically important substances with contactless conductivity and UV photometric detection. <i>Electrophoresis</i> , 2013 , 34, 2058-64	3.6	4

23	Transfer of heparin polyion across a polarized water/ionic liquid membrane interface. <i>Electrochemistry Communications</i> , 2012 , 24, 25-27	5.1	4
22	Rapid determinations of saccharides in high-energy drinks by short-capillary electrophoresis with contactless conductivity detection. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 404, 1549-54	4.4	30
21	Determination of the spectrum of low molecular mass organic acids in urine by capillary electrophoresis with contactless conductivity and ultraviolet photometric detectionan efficient tool for monitoring of inborn metabolic disorders. <i>Analytica Chimica Acta</i> , 2011 , 685, 84-90	6.6	72
20	Contactless Conductivity Detection in Capillary Electrophoresis Employing Capillaries with Very Low Inner Diameters. <i>Electroanalysis</i> , 2011 , 23, 1870-1874	3	26
19	Rapid monitoring of mono- and disaccharides in drinks, foodstuffs and foodstuff additives by capillary electrophoresis with contactless conductivity detection. <i>Analytica Chimica Acta</i> , 2011 , 698, 1-5	6.6	51
18	The use of capillary electrophoresis with contactless conductivity detection for monitoring of glycerol in adipose tissues during a sporting performance. <i>Electrophoresis</i> , 2010 , 31, 2037-43	3.6	15
17	Rapid monitoring of arrays of amino acids in clinical samples using capillary electrophoresis with contactless conductivity detection. <i>Journal of Separation Science</i> , 2010 , 33, 2394-401	3.4	58
16	The Dependence of the Sensitivity and Reliability of Contactless Conductivity Detection on the Wall Thickness of Electrophoretic Fused-Silica Capillaries. <i>Electroanalysis</i> , 2009 , 21, 590-594	3	9
15	A determination of submicromolar concentrations of glycine in periaqueductal gray matter microdialyzates using capillary zone electrophoresis with contactless conductivity detection. <i>Electrophoresis</i> , 2009 , 30, 3436-41	3.6	23
14	Frequent intravenous pulses of growth hormone together with alanylglutamine supplementation in prolonged critical illness after multiple trauma: effects on glucose control, plasma IGF-I and glutamine. <i>Growth Hormone and IGF Research</i> , 2008 , 18, 82-7	2	17
13	Determination of Intact Heparin by Capillary Electrophoresis with Contactless Conductivity Detection in Background Electrolytes Containing Hydrophilic Polymers. <i>Collection of Czechoslovak Chemical Communications</i> , 2008 , 73, 187-200		7
12	Frequent intravenous pulses of growth hormone together with glutamine supplementation in prolonged critical illness after multiple trauma: effects on nitrogen balance, insulin resistance, and substrate oxidation. <i>Critical Care Medicine</i> , 2008 , 36, 1707-13	1.4	30
11	A dual spectrophotometric/contactless conductivity detector for CE determination of incompletely separated amino acids. <i>Journal of Separation Science</i> , 2008 , 31, 353-5	3.4	19
10	Determination of ammonia, creatinine and inorganic cations in urine using CE with contactless conductivity detection. <i>Journal of Separation Science</i> , 2008 , 31, 2260-4	3.4	26
9	A Comparison of the Properties of Contactless Conductivity and Diode-Array Photometric Detectors in Analyses of Low-Molecular, Biologically Active Substances by Capillary Electrophoresis in Acetic Acid Solutions. <i>Electroanalysis</i> , 2008 , 20, 477-484	3	13
8	Determination of 1-methylhistidine and 3-methylhistidine by capillary and chip electrophoresis with contactless conductivity detection. <i>Electrophoresis</i> , 2007 , 28, 2174-80	3.6	26
7	Determination of uric acid in plasma and allantoic fluid of chicken embryos by capillary electrophoresis. <i>Journal of Separation Science</i> , 2007 , 30, 1947-52	3.4	16
6	Analysis of factors influencing nitrogen balance during acute starvation in obese subject with and without type 2 diabetes. <i>Clinical Nutrition</i> , 2007 , 26, 552-8	5.9	6

5	Determination of Proteinogenic Amino Acids in Human Plasma by Capillary Electrophoresis with Contactless Conductivity Detection. <i>Electroanalysis</i> , 2006 , 18, 152-157	3	40
4	Determination of free amino acids and related compounds in amniotic fluid by capillary electrophoresis with contactless conductivity detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2006 , 839, 12-8	3.2	61
3	Determination of 3-methylhistidine and 1-methylhistidine in untreated urine samples by capillary electrophoresis. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2005 , 821, 53-9	3.2	32
2	Improved detection limit for a direct determination of 8-hydroxy-2Fdeoxyguanosine in untreated urine samples by capillary electrophoresis with optical detection. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004 , 813, 255-61	3.2	17
1	Split-flow injector for capillary zone electrophoresis. <i>Journal of Chromatography A</i> , 2000 , 883, 223-30	4.5	10