

Di Fan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8851765/publications.pdf>

Version: 2024-02-01

23
papers

1,587
citations

430442

18
h-index

642321

23
g-index

23
all docs

23
docs citations

23
times ranked

2161
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficient CRISPR/Cas9-mediated Targeted Mutagenesis in Populus in the First Generation. Scientific Reports, 2015, 5, 12217.	1.6	375
2	Genome-wide identification and characterization of the Populus WRKY transcription factor family and analysis of their expression in response to biotic and abiotic stresses. Journal of Experimental Botany, 2014, 65, 6629-6644.	2.4	186
3	R2R3-MYB transcription factor MYB6 promotes anthocyanin and proanthocyanidin biosynthesis but inhibits secondary cell wall formation in <i>Populus tomentosa</i> . Plant Journal, 2019, 99, 733-751.	2.8	134
4	The transcription factor MYB115 contributes to the regulation of proanthocyanidin biosynthesis and enhances fungal resistance in poplar. New Phytologist, 2017, 215, 351-367.	3.5	100
5	A Companion Cell-Dominant and Developmentally Regulated H3K4 Demethylase Controls Flowering Time in Arabidopsis via the Repression of FLC Expression. PLoS Genetics, 2012, 8, e1002664.	1.5	87
6	PtoMYB156 is involved in negative regulation of phenylpropanoid metabolism and secondary cell wall biosynthesis during wood formation in poplar. Scientific Reports, 2017, 7, 41209.	1.6	87
7	Auxin-mediated Aux/IAA-ARF-HB signaling cascade regulates secondary xylem development in <i>Populus</i> . New Phytologist, 2019, 222, 752-767.	3.5	85
8	PtoMYB92 is a Transcriptional Activator of the Lignin Biosynthetic Pathway During Secondary Cell Wall Formation in <i>Populus tomentosa</i> . Plant and Cell Physiology, 2015, 56, 2436-2446.	1.5	83
9	PtrWRKY19, a novel WRKY transcription factor, contributes to the regulation of pith secondary wall formation in <i>Populus trichocarpa</i> . Scientific Reports, 2016, 6, 18643.	1.6	65
10	Histone H3K9 demethylase JMJ25 epigenetically modulates anthocyanin biosynthesis in poplar. Plant Journal, 2018, 96, 1121-1136.	2.8	53
11	A salt-stress-regulator from the Poplar R2R3 MYB family integrates the regulation of lateral root emergence and ABA signaling to mediate salt stress tolerance in Arabidopsis. Plant Physiology and Biochemistry, 2017, 114, 100-110.	2.8	46
12	miR319a/TCP module and DELLA protein regulate trichome initiation synergistically and improve insect defenses in <i>Populus tomentosa</i> . New Phytologist, 2020, 227, 867-883.	3.5	41
13	MicroRNA6443-mediated regulation of <i>FERULATE 5-HYDROXYLASE</i> gene alters lignin composition and enhances saccharification in <i>Populus tomentosa</i> . New Phytologist, 2020, 226, 410-425.	3.5	40
14	MiR319a-targeted <i>PtoTCP20</i> regulates secondary growth via interactions with <i>PtoWOX4</i> and <i>PtoWND6</i> in <i>Populus tomentosa</i> . New Phytologist, 2020, 228, 1354-1368.	3.5	37
15	IBM1, a JmjC domain-containing histone demethylase, is involved in the regulation of RNA-directed DNA methylation through the epigenetic control of RDR2 and DCL3 expression in Arabidopsis. Nucleic Acids Research, 2012, 40, 8905-8916.	6.5	28
16	Brassinosteroid overproduction improves lignocellulose quantity and quality to maximize bioethanol yield under green-like biomass process in transgenic poplar. Biotechnology for Biofuels, 2020, 13, 9.	6.2	28
17	Constitutive expression of the poplar WRKY transcription factor PtoWRKY60 enhances resistance to <i>Dothiorella gregaria</i> Sacc. in transgenic plants. Tree Physiology, 2014, 34, 1118-1129.	1.4	26
18	Heterologous gene silencing induced by tobacco rattle virus (TRV) is efficient for pursuing functional genomics studies in woody plants. Plant Cell, Tissue and Organ Culture, 2014, 116, 163-174.	1.2	24

#	ARTICLE	IF	CITATIONS
19	Highly efficient CRISPR/Cas9-mediated targeted mutagenesis of multiple genes in Populus. Yi Chuan = Hereditas / Zhongguo Yi Chuan Xue Hui Bian Ji, 2015, 37, 1044-52.	0.1	19
20	Histone methyltransferase ATX1 dynamically regulates fiber secondary cell wall biosynthesis in <i>Arabidopsis</i> inflorescence stem. Nucleic Acids Research, 2021, 49, 190-205.	6.5	15
21	The microRNA476 <i>RFL</i> module regulates adventitious root formation through a mitochondria-dependent pathway in <i>Populus</i> . New Phytologist, 2021, 230, 2011-2028.	3.5	14
22	Intein-mediated Cre protein assembly for transgene excision in hybrid progeny of transgenic <i>Arabidopsis</i> . Plant Cell Reports, 2016, 35, 2045-2053.	2.8	7
23	MicroRNA828 negatively regulates lignin biosynthesis in stem of <i>Populus tomentosa</i> through MYB targets. Tree Physiology, 2022, 42, 1646-1661.	1.4	7