

# Scott L Letendre

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/8851821/scott-l-letendre-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

125  
papers

4,630  
citations

27  
h-index

66  
g-index

136  
ext. papers

5,466  
ext. citations

5.1  
avg, IF

5.05  
L-index

#	Paper	IF	Citations
125	HIV-associated neurocognitive disorders before and during the era of combination antiretroviral therapy: differences in rates, nature, and predictors. <i>Journal of NeuroVirology</i> , <b>2011</b> , 17, 3-16	3.9	1092
124	Validation of the CNS Penetration-Effectiveness rank for quantifying antiretroviral penetration into the central nervous system. <i>Archives of Neurology</i> , <b>2008</b> , 65, 65-70		653
123	Neurocognitive change in the era of HIV combination antiretroviral therapy: the longitudinal CHARTER study. <i>Clinical Infectious Diseases</i> , <b>2015</b> , 60, 473-80	11.6	247
122	Asymptomatic HIV-associated neurocognitive impairment increases risk for symptomatic decline. <i>Neurology</i> , <b>2014</b> , 82, 2055-62	6.5	201
121	Elevated sCD163 in plasma but not cerebrospinal fluid is a marker of neurocognitive impairment in HIV infection. <i>Aids</i> , <b>2013</b> , 27, 1387-95	3.5	184
120	Molecular and pathologic insights from latent HIV-1 infection in the human brain. <i>Neurology</i> , <b>2013</b> , 80, 1415-23	6.5	123
119	Pathogenesis of hepatitis C virus coinfection in the brains of patients infected with HIV. <i>Journal of Infectious Diseases</i> , <b>2007</b> , 196, 361-70	7	116
118	The effects of hepatitis C, HIV, and methamphetamine dependence on neuropsychological performance: biological correlates of disease. <i>Aids</i> , <b>2005</b> , 19 Suppl 3, S72-8	3.5	99
117	Genetic attributes of cerebrospinal fluid-derived HIV-1 env. <i>Brain</i> , <b>2006</b> , 129, 1872-83	11.2	87
116	Cross-sectional characterization of HIV-1 env compartmentalization in cerebrospinal fluid over the full disease course. <i>Aids</i> , <b>2009</b> , 23, 907-15	3.5	80
115	Lithium improves HIV-associated neurocognitive impairment. <i>Aids</i> , <b>2006</b> , 20, 1885-8	3.5	74
114	Increased Intrathecal Immune Activation in Virally Suppressed HIV-1 Infected Patients with Neurocognitive Impairment. <i>PLoS ONE</i> , <b>2016</b> , 11, e0157160	3.7	71
113	Chemokines in cerebrospinal fluid correlate with cerebral metabolite patterns in HIV-infected individuals. <i>Journal of NeuroVirology</i> , <b>2011</b> , 17, 63-9	3.9	70
112	Cytomegalovirus and HIV: A Dangerous Pas de Deux. <i>Journal of Infectious Diseases</i> , <b>2016</b> , 214 Suppl 2, S67-74	7	66
111	HIV alters neuronal mitochondrial fission/fusion in the brain during HIV-associated neurocognitive disorders. <i>Neurobiology of Disease</i> , <b>2016</b> , 86, 154-69	7.5	58
110	Markers of macrophage activation and axonal injury are associated with prospective memory in HIV-1 disease. <i>Cognitive and Behavioral Neurology</i> , <b>2006</b> , 19, 217-21	1.6	52
109	Cerebrospinal fluid (CSF) CD8+ T-cells that express interferon-gamma contribute to HIV associated neurocognitive disorders (HAND). <i>PLoS ONE</i> , <b>2015</b> , 10, e0116526	3.7	51

108	A concise panel of biomarkers identifies neurocognitive functioning changes in HIV-infected individuals. <i>Journal of NeuroImmune Pharmacology</i> , <b>2013</b> , 8, 1123-35	6.9	50
107	Presence of Tat and transactivation response element in spinal fluid despite antiretroviral therapy. <i>Aids</i> , <b>2019</b> , 33 Suppl 2, S145-S157	3.5	48
106	Early Antiretroviral Therapy Is Associated with Lower HIV DNA Molecular Diversity and Lower Inflammation in Cerebrospinal Fluid but Does Not Prevent the Establishment of Compartmentalized HIV DNA Populations. <i>PLoS Pathogens</i> , <b>2017</b> , 13, e1006112	7.6	38
105	Neurologic complications of HIV disease and their treatment. <i>Topics in HIV Medicine: A Publication of the International AIDS Society, USA</i> , <b>2009</b> , 17, 46-56		37
104	Absence of neurocognitive effect of hepatitis C infection in HIV-coinfected people. <i>Neurology</i> , <b>2015</b> , 84, 241-50	6.5	34
103	Methamphetamine Exposure Combined with HIV-1 Disease or gp120 Expression: Comparison of Learning and Executive Functions in Humans and Mice. <i>Neuropsychopharmacology</i> , <b>2015</b> , 40, 1899-909	8.7	32
102	"Frontal systems" behaviors in comorbid human immunodeficiency virus infection and methamphetamine dependency. <i>Psychiatry Research</i> , <b>2014</b> , 215, 208-16	9.9	29
101	Compartmentalized HIV rebound in the central nervous system after interruption of antiretroviral therapy. <i>Virus Evolution</i> , <b>2016</b> , 2, vew020	3.7	28
100	Tryptophan Metabolism and Its Relationship with Depression and Cognitive Impairment Among HIV-infected Individuals. <i>International Journal of Tryptophan Research</i> , <b>2016</b> , 9, 79-88	5.6	28
99	Positive Psychological Factors are Linked to Successful Cognitive Aging Among Older Persons Living with HIV/AIDS. <i>AIDS and Behavior</i> , <b>2018</b> , 22, 1551-1561	4.3	27
98	Epigenetic alterations in the brain associated with HIV-1 infection and methamphetamine dependence. <i>PLoS ONE</i> , <b>2014</b> , 9, e102555	3.7	27
97	(1- $\beta$ )-D-Glucan: A Biomarker for Microbial Translocation in Individuals with Acute or Early HIV Infection?. <i>Frontiers in Immunology</i> , <b>2016</b> , 7, 404	8.4	27
96	Pleocytosis is associated with disruption of HIV compartmentalization between blood and cerebral spinal fluid viral populations. <i>Virology</i> , <b>2009</b> , 385, 204-8	3.6	26
95	Anemia and Red Blood Cell Indices Predict HIV-Associated Neurocognitive Impairment in the Highly Active Antiretroviral Therapy Era. <i>Journal of Infectious Diseases</i> , <b>2016</b> , 213, 1065-73	7	24
94	Genome-wide association study of HIV-associated neurocognitive disorder (HAND): A CHARTER group study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2017</b> , 174, 413-426	3.5	23
93	Mitochondrial DNA Haplogroups and Neurocognitive Impairment During HIV Infection. <i>Clinical Infectious Diseases</i> , <b>2015</b> , 61, 1476-84	11.6	23
92	The Veterans Aging Cohort Study (VACS) Index and Neurocognitive Change: A Longitudinal Study. <i>Clinical Infectious Diseases</i> , <b>2016</b> , 63, 694-702	11.6	23
91	Cerebrospinal fluid cell-free mitochondrial DNA is associated with HIV replication, iron transport, and mild HIV-associated neurocognitive impairment. <i>Journal of Neuroinflammation</i> , <b>2017</b> , 14, 72	10.1	23

90	Evaluating the accuracy of self-report for the diagnosis of HIV-associated neurocognitive disorder (HAND): defining "symptomatic" versus "asymptomatic" HAND. <i>Journal of NeuroVirology</i> , <b>2017</b> , 23, 67-78	3.9	23
89	Depression and aging with HIV: Associations with health-related quality of life and positive psychological factors. <i>Journal of Affective Disorders</i> , <b>2019</b> , 251, 1-7	6.6	22
88	Differences in Neurocognitive Impairment Among HIV-Infected Latinos in the United States. <i>Journal of the International Neuropsychological Society</i> , <b>2018</b> , 24, 163-175	3.1	22
87	Cannabis Exposure is Associated With a Lower Likelihood of Neurocognitive Impairment in People Living With HIV. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2020</b> , 83, 56-64	3.1	22
86	Neurofilament light chain in blood is negatively associated with neuropsychological performance in HIV-infected adults and declines with initiation of antiretroviral therapy. <i>Journal of NeuroVirology</i> , <b>2018</b> , 24, 695-701	3.9	21
85	Genetic variation in iron metabolism is associated with neuropathic pain and pain severity in HIV-infected patients on antiretroviral therapy. <i>PLoS ONE</i> , <b>2014</b> , 9, e103123	3.7	21
84	Effects of comorbidity burden and age on brain integrity in HIV. <i>Aids</i> , <b>2019</b> , 33, 1175-1185	3.5	21
83	Circulating HIV DNA Correlates With Neurocognitive Impairment in Older HIV-infected Adults on Suppressive ART. <i>Scientific Reports</i> , <b>2015</b> , 5, 17094	4.9	19
82	Effects of trauma, economic hardship, and stress on neurocognition and everyday function in HIV. <i>Health Psychology</i> , <b>2019</b> , 38, 33-42	5	19
81	Development and validation of an LC-MS/MS assay for tenofovir and tenofovir alafenamide in human plasma and cerebrospinal fluid. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2018</b> , 156, 163-169	3.5	18
80	Latent Toxoplasma Infection and Higher Toxoplasma gondii Immunoglobulin G Levels Are Associated With Worse Neurocognitive Functioning in HIV-Infected Adults. <i>Clinical Infectious Diseases</i> , <b>2016</b> , 63, 1655-1660	11.6	18
79	A composite of multisystem injury and neurocognitive impairment in HIV infection: association with everyday functioning. <i>Journal of NeuroVirology</i> , <b>2018</b> , 24, 549-556	3.9	18
78	Neurocognitive SuperAging in Older Adults Living With HIV: Demographic, Neuromedical and Everyday Functioning Correlates. <i>Journal of the International Neuropsychological Society</i> , <b>2019</b> , 25, 507-519	3.1	17
77	Persistent CSF but not plasma HIV RNA is associated with increased risk of new-onset moderate-to-severe depressive symptoms; a prospective cohort study. <i>Journal of NeuroVirology</i> , <b>2016</b> , 22, 479-87	3.9	17
76	Neurocognitive functioning predicts frailty index in HIV. <i>Neurology</i> , <b>2018</b> , 91, e162-e170	6.5	17
75	Plasma (1- $\beta$ )-D-glucan and suPAR levels correlate with neurocognitive performance in people living with HIV on antiretroviral therapy: a CHARTER analysis. <i>Journal of NeuroVirology</i> , <b>2019</b> , 25, 837-843	3.9	17
74	At-Risk Alcohol Use is Associated with Antiretroviral Treatment Nonadherence Among Adults Living with HIV/AIDS. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2017</b> , 41, 1518-1525	3.7	17
73	Mitochondrial biogenesis is altered in HIV+ brains exposed to ART: Implications for therapeutic targeting of astroglia. <i>Neurobiology of Disease</i> , <b>2019</b> , 130, 104502	7.5	16

72	Higher Anti-Cytomegalovirus Immunoglobulin G Concentrations Are Associated With Worse Neurocognitive Performance During Suppressive Antiretroviral Therapy. <i>Clinical Infectious Diseases</i> , <b>2018</b> , 67, 770-777	11.6	16
71	Do neuropsychological test norms from African Americans in the United States generalize to a Zambian population?. <i>Psychological Assessment</i> , <b>2016</b> , 28, 18-38	5.3	15
70	Efavirenz Is Predicted To Accumulate in Brain Tissue: an In Silico, In Vitro, and In Vivo Investigation. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2017</b> , 61,	5.9	15
69	Comparative Analysis of Cell-Associated HIV DNA Levels in Cerebrospinal Fluid and Peripheral Blood by Droplet Digital PCR. <i>PLoS ONE</i> , <b>2015</b> , 10, e0139510	3.7	15
68	Effects of HIV Infection, methamphetamine dependence and age on cortical thickness, area and volume. <i>NeuroImage: Clinical</i> , <b>2018</b> , 20, 1044-1052	5.3	15
67	HIV, prospective memory, and cerebrospinal fluid concentrations of quinolinic acid and phosphorylated Tau. <i>Journal of Neuroimmunology</i> , <b>2018</b> , 319, 13-18	3.5	14
66	Pharmacokinetics and antiviral activity of cabotegravir and rilpivirine in cerebrospinal fluid following long-acting injectable administration in HIV-infected adults. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2020</b> , 75, 648-655	5.1	14
65	CNS Neurotoxicity of Antiretrovirals. <i>Journal of NeuroImmune Pharmacology</i> , <b>2021</b> , 16, 130-143	6.9	14
64	Inflammation Relates to Poorer Complex Motor Performance Among Adults Living With HIV on Suppressive Antiretroviral Therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2019</b> , 80, 15-23	3.1	13
63	Recent cannabis use in HIV is associated with reduced inflammatory markers in CSF and blood. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , <b>2020</b> , 7,	9.1	12
62	Lower CSF homovanillic acid relates to higher burden of neuroinflammation and depression in people with HIV disease. <i>Brain, Behavior, and Immunity</i> , <b>2020</b> , 90, 353-363	16.6	11
61	Frailty in medically complex individuals with chronic HIV. <i>Aids</i> , <b>2019</b> , 33, 1603-1611	3.5	11
60	Cognitive Trajectory Phenotypes in Human Immunodeficiency Virus-Infected Patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2019</b> , 82, 61-70	3.1	11
59	Cerebrospinal fluid (CSF) biomarkers of iron status are associated with CSF viral load, antiretroviral therapy, and demographic factors in HIV-infected adults. <i>Fluids and Barriers of the CNS</i> , <b>2017</b> , 14, 11	7	10
58	Glucan rich nutrition does not increase gut translocation of beta-glucan. <i>Mycoses</i> , <b>2021</b> , 64, 24-29	5.2	10
57	HIV influences microtubule associated protein-2: potential marker of HIV-associated neurocognitive disorders. <i>Aids</i> , <b>2020</b> , 34, 979-988	3.5	9
56	Everyday functional ability in HIV and methamphetamine dependence. <i>Drug and Alcohol Dependence</i> , <b>2017</b> , 175, 60-66	4.9	7
55	European Mitochondrial DNA Haplogroups are Associated with Cerebrospinal Fluid Biomarkers of Inflammation in HIV Infection. <i>Pathogens and Immunity</i> , <b>2016</b> , 1, 330-351	4.9	7

54	Methamphetamine and Cannabis: A Tale of Two Drugs and their Effects on HIV, Brain, and Behavior. <i>Journal of NeuroImmune Pharmacology</i> , <b>2020</b> , 15, 743-764	6.9	7
53	Benzodiazepine Use Is Associated With an Increased Risk of Neurocognitive Impairment in People Living With HIV. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2019</b> , 82, 475-482	3.1	7
52	Use of Neuroimaging to Inform Optimal Neurocognitive Criteria for Detecting HIV-Associated Brain Abnormalities. <i>Journal of the International Neuropsychological Society</i> , <b>2020</b> , 26, 147-162	3.1	7
51	Impaired insulin sensitivity is associated with worsening cognition in HIV-infected patients. <i>Neurology</i> , <b>2019</b> , 92, e1344-e1353	6.5	6
50	Brief Report: Body Mass Index and Cognitive Function Among HIV-1-Infected Individuals in China, India, and Nigeria. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2019</b> , 80, e30-e35	3.1	6
49	Predictors of worsening neuropathy and neuropathic pain after 12 years in people with HIV. <i>Annals of Clinical and Translational Neurology</i> , <b>2020</b> , 7, 1166-1173	5.3	6
48	Cerebrospinal fluid pleocytosis as a predictive factor for CSF and plasma HIV RNA discordance and escape. <i>Journal of NeuroVirology</i> , <b>2020</b> , 26, 241-251	3.9	6
47	Brief Report: Frailty and HIV Disease Severity Synergistically Increase Risk of HIV-Associated Neurocognitive Disorders. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2020</b> , 84, 522-526	3.1	6
46	Chronically elevated depressive symptoms interact with acute increases in inflammation to predict worse neurocognition among people with HIV. <i>Journal of NeuroVirology</i> , <b>2021</b> , 27, 160-167	3.9	6
45	Soluble membrane attack complex in the blood and cerebrospinal fluid of HIV-infected individuals, relationship to HIV RNA, and comparison with HIV negatives. <i>Journal of Neuroimmunology</i> , <b>2017</b> , 311, 35-39	3.5	5
44	Neurocognitive functioning among HIV-positive adults in southern India. <i>Journal of NeuroVirology</i> , <b>2017</b> , 23, 750-755	3.9	5
43	Characteristics of Motor Dysfunction in Longstanding Human Immunodeficiency Virus. <i>Clinical Infectious Diseases</i> , <b>2020</b> , 71, 1532-1538	11.6	5
42	Low Neuroactive Steroids Identifies a Biological Subtype of Depression in Adults with Human Immunodeficiency Virus on Suppressive Antiretroviral Therapy. <i>Journal of Infectious Diseases</i> , <b>2021</b> , 223, 1601-1611	7	5
41	Measurement of Human Immunodeficiency Virus p24 Antigen in Human Cerebrospinal Fluid With Digital Enzyme-Linked Immunosorbent Assay and Association With Decreased Neuropsychological Performance. <i>Clinical Infectious Diseases</i> , <b>2018</b> , 67, 137-140	11.6	4
40	Daily Cannabis Use is Associated With Lower CNS Inflammation in People With HIV. <i>Journal of the International Neuropsychological Society</i> , <b>2021</b> , 27, 661-672	3.1	4
39	Catechol-O-methyltransferase polymorphism Val158Met is associated with distal neuropathic pain in HIV-associated sensory neuropathy. <i>Aids</i> , <b>2019</b> , 33, 1575-1582	3.5	4
38	Both HIV and Tat expression decrease prepulse inhibition with further impairment by methamphetamine. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2021</b> , 106, 110089	5.5	4
37	Emotional health outcomes are influenced by sexual minority identity and HIV serostatus. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2021</b> , 33, 1127-1132	2.2	3

36	Sustained attention and vigilance deficits associated with HIV and a history of methamphetamine dependence. <i>Drug and Alcohol Dependence</i> , <b>2020</b> , 215, 108245	4.9	3
35	Telomere length is associated with HIV infection, methamphetamine use, inflammation, and comorbid disease risk. <i>Drug and Alcohol Dependence</i> , <b>2021</b> , 221, 108639	4.9	3
34	IgG intrathecal synthesis in HIV-associated neurocognitive disorder (HAND) according to the HIV-1 subtypes and pattern of HIV RNA in CNS and plasma compartments. <i>Journal of Neuroimmunology</i> , <b>2021</b> , 355, 577542	3.5	3
33	Immunologic resilience and COVID-19 survival advantage. <i>Journal of Allergy and Clinical Immunology</i> , <b>2021</b> , 148, 1176-1191	11.5	3
32	Distinct cellular immune properties in cerebrospinal fluid are associated with cognition in HIV-infected individuals initiating antiretroviral therapy. <i>Journal of Neuroimmunology</i> , <b>2020</b> , 344, 577246	3.5	2
31	Social support moderates D-dimer and self-rated successful aging within people with HIV and older adults. <i>Journal of Behavioral Medicine</i> , <b>2020</b> , 43, 979-988	3.6	2
30	Demyelinating Encephalitis. <i>Clinical Infectious Diseases</i> , <b>2003</b> , 36, 1332-1334	11.6	2
29	Clinical Treatment Options and Randomized Clinical Trials for Neurocognitive Complications of HIV Infection: Combination Antiretroviral Therapy, Central Nervous System Penetration Effectiveness, and Adjuvants. <i>Current Topics in Behavioral Neurosciences</i> , <b>2021</b> , 50, 517-545	3.4	2
28	Depression in Individuals Coinfected with HIV and HCV Is Associated with Systematic Differences in the Gut Microbiome and Metabolome. <i>MSystems</i> , <b>2020</b> , 5,	7.6	2
27	COMT val158met genotype alters the effects of methamphetamine dependence on dopamine and dopamine-related executive function: preliminary findings. <i>Psychiatry Research</i> , <b>2020</b> , 292, 113269	9.9	2
26	Nucleic acid oxidation is associated with biomarkers of neurodegeneration in CSF in people with HIV. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , <b>2020</b> , 7,	9.1	2
25	Cerebrospinal Fluid Norepinephrine and Neurocognition in HIV and Methamphetamine Dependence. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2020</b> , 85, e12-e22	3.1	2
24	Comparison of bead array and glass nanoreactor multi-analyte platforms for the evaluation of CNS and peripheral inflammatory markers during HIV infection. <i>Journal of Immunological Methods</i> , <b>2019</b> , 465, 7-12	2.5	2
23	The Relationships between HIV-1 Infection, History of Methamphetamine Use Disorder, and Soluble Biomarkers in Blood and Cerebrospinal Fluid. <i>Viruses</i> , <b>2021</b> , 13,	6.2	2
22	Lifetime Methamphetamine Use Disorder and Reported Sleep Quality in Adults Living with HIV. <i>AIDS and Behavior</i> , <b>2020</b> , 24, 3071-3082	4.3	1
21	Development and validation of a UHPLC/MS/MS assay for elvitegravir measurement in human plasma and cerebrospinal fluid. <i>Separation Science Plus</i> , <b>2018</b> , 1, 325-333	1.1	1
20	Portable lactate analyzer for measuring lactate in cerebrospinal fluid (CSF) and plasma - method-comparison evaluations. <i>Arquivos De Neuro-Psiquiatria</i> , <b>2014</b> , 72, 500-5	1.6	1
19	A comprehensive data-driven analysis framework for detecting impairments in brain function networks with resting state fMRI in HIV-infected individuals on cART. <i>Journal of NeuroVirology</i> , <b>2021</b> , 27, 239-248	3.9	1

18	Iron-regulatory genes are associated with Neuroimaging measures in HIV infection. <i>Brain Imaging and Behavior</i> , <b>2020</b> , 14, 2037-2049	4.1	1
17	Paresthesia Predicts Increased Risk of Distal Neuropathic Pain in Older People with HIV-Associated Sensory Polyneuropathy. <i>Pain Medicine</i> , <b>2021</b> , 22, 1850-1856	2.8	1
16	Low-Level HIV RNA in Cerebrospinal Fluid and Neurocognitive Performance: A Longitudinal Cohort Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2021</b> , 87, 1196-1204	3.1	1
15	Soluble Biomarkers of Cognition and Depression in Adults with HIV Infection in the Combination Therapy Era. <i>Current HIV/AIDS Reports</i> , <b>2021</b> , 1	5.9	0
14	Felt Age Discrepancy Differs by HIV Serostatus: A Secondary Analysis. <i>Journal of the Association of Nurses in AIDS Care</i> , <b>2020</b> , 31, 587-597	1.6	0
13	Cerebrospinal fluid CXCL10 is associated with the presence of low level CSF HIV during suppressive antiretroviral therapy. <i>Journal of Neuroimmunology</i> , <b>2021</b> , 353, 577493	3.5	0
12	A Cross-Sectional Study to Evaluate the Effects of Age and Duration of HIV Infection on Anxiety and Depression in Cisgender Men. <i>AIDS and Behavior</i> , <b>2021</b> , 1	4.3	0
11	Higher buccal mitochondrial DNA and mitochondrial common deletion number are associated with markers of neurodegeneration and inflammation in cerebrospinal fluid.. <i>Journal of NeuroVirology</i> , <b>2022</b> , 1	3.9	0
10	The association between benzodiazepine use and greater risk of neurocognitive impairment is moderated by medical burden in people with HIV.. <i>Journal of NeuroVirology</i> , <b>2022</b> , 1	3.9	0
9	Soluble CD14 is subtype-dependent in serum but not in cerebrospinal fluid in people with HIV.. <i>Journal of Neuroimmunology</i> , <b>2022</b> , 366, 577845	3.5	0
8	A Haptoglobin Exon Copy Number Variant Associates With HIV-Associated Neurocognitive Impairment in European and African-Descent Populations.. <i>Frontiers in Genetics</i> , <b>2021</b> , 12, 756685	4.5	0
7	The relationship between vascular endothelial growth factor (VEGF) and amnesic mild cognitive impairment among older adults living with HIV. <i>Journal of NeuroVirology</i> , <b>2021</b> , 1	3.9	
6	Race-Dependent Association of Single-Nucleotide Polymorphisms in TrkB Receptor in People Living with HIV and Depression. <i>Neurotoxicity Research</i> , <b>2021</b> , 39, 1721-1731	4.3	
5	Mitochondrial DNA haplogroups and domain-specific neurocognitive performance in adults with HIV. <i>Journal of NeuroVirology</i> , <b>2021</b> , 27, 557-567	3.9	
4	Higher CSF Ferritin Heavy-Chain (Fth1) and Transferrin Predict Better Neurocognitive Performance in People with HIV. <i>Molecular Neurobiology</i> , <b>2021</b> , 58, 4842-4855	6.2	
3	Asymptomatic Malaria Co-infection of HIV-Infected Adults in Nigeria: Prevalence of and Impact on Cognition, Mood, and Biomarkers of Systemic Inflammation. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2021</b> , 86, 91-97	3.1	
2	Neopterin Relates to Lifetime Depression in Older Adults With HIV on Suppressive Antiretroviral Therapy.. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2022</b> , 89, 454-461	3.1	
1	Identification of Youthful Neurocognitive Trajectories in Adults Aging with HIV: A Latent Growth Mixture Model. <i>AIDS and Behavior</i> , <b>2021</b> , 1	4.3	



