

Scott L Letendre

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8851821/scott-l-letendre-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

125
papers

4,630
citations

27
h-index

66
g-index

136
ext. papers

5,466
ext. citations

5.1
avg, IF

5.05
L-index

#	Paper	IF	Citations
125	Higher buccal mitochondrial DNA and mitochondrial common deletion number are associated with markers of neurodegeneration and inflammation in cerebrospinal fluid.. <i>Journal of NeuroVirology</i> , 2022 , 1	3.9	0
124	The association between benzodiazepine use and greater risk of neurocognitive impairment is moderated by medical burden in people with HIV.. <i>Journal of NeuroVirology</i> , 2022 , 1	3.9	0
123	Neopterin Relates to Lifetime Depression in Older Adults With HIV on Suppressive Antiretroviral Therapy.. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2022 , 89, 454-461	3.1	
122	Soluble CD14 is subtype-dependent in serum but not in cerebrospinal fluid in people with HIV.. <i>Journal of Neuroimmunology</i> , 2022 , 366, 577845	3.5	0
121	Emotional health outcomes are influenced by sexual minority identity and HIV serostatus. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021 , 33, 1127-1132	2.2	3
120	The relationship between vascular endothelial growth factor (VEGF) and amnesic mild cognitive impairment among older adults living with HIV. <i>Journal of NeuroVirology</i> , 2021 , 1	3.9	
119	Soluble Biomarkers of Cognition and Depression in Adults with HIV Infection in the Combination Therapy Era. <i>Current HIV/AIDS Reports</i> , 2021 , 1	5.9	0
118	Race-Dependent Association of Single-Nucleotide Polymorphisms in TrkB Receptor in People Living with HIV and Depression. <i>Neurotoxicity Research</i> , 2021 , 39, 1721-1731	4.3	
117	Clinical Treatment Options and Randomized Clinical Trials for Neurocognitive Complications of HIV Infection: Combination Antiretroviral Therapy, Central Nervous System Penetration Effectiveness, and Adjuvants. <i>Current Topics in Behavioral Neurosciences</i> , 2021 , 50, 517-545	3.4	2
116	A comprehensive data-driven analysis framework for detecting impairments in brain function networks with resting state fMRI in HIV-infected individuals on cART. <i>Journal of NeuroVirology</i> , 2021 , 27, 239-248	3.9	1
115	Cerebrospinal fluid CXCL10 is associated with the presence of low level CSF HIV during suppressive antiretroviral therapy. <i>Journal of Neuroimmunology</i> , 2021 , 353, 577493	3.5	0
114	Telomere length is associated with HIV infection, methamphetamine use, inflammation, and comorbid disease risk. <i>Drug and Alcohol Dependence</i> , 2021 , 221, 108639	4.9	3
113	Mitochondrial DNA haplogroups and domain-specific neurocognitive performance in adults with HIV. <i>Journal of NeuroVirology</i> , 2021 , 27, 557-567	3.9	
112	IgG intrathecal synthesis in HIV-associated neurocognitive disorder (HAND) according to the HIV-1 subtypes and pattern of HIV RNA in CNS and plasma compartments. <i>Journal of Neuroimmunology</i> , 2021 , 355, 577542	3.5	3
111	Higher CSF Ferritin Heavy-Chain (Fth1) and Transferrin Predict Better Neurocognitive Performance in People with HIV. <i>Molecular Neurobiology</i> , 2021 , 58, 4842-4855	6.2	
110	A Cross-Sectional Study to Evaluate the Effects of Age and Duration of HIV Infection on Anxiety and Depression in Cisgender Men. <i>AIDS and Behavior</i> , 2021 , 1	4.3	0
109	Daily Cannabis Use is Associated With Lower CNS Inflammation in People With HIV. <i>Journal of the International Neuropsychological Society</i> , 2021 , 27, 661-672	3.1	4

108	Low Neuroactive Steroids Identifies a Biological Subtype of Depression in Adults with Human Immunodeficiency Virus on Suppressive Antiretroviral Therapy. <i>Journal of Infectious Diseases</i> , 2021 , 223, 1601-1611	7	5
107	Glucan rich nutrition does not increase gut translocation of beta-glucan. <i>Mycoses</i> , 2021 , 64, 24-29	5.2	10
106	Both HIV and Tat expression decrease prepulse inhibition with further impairment by methamphetamine. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 106, 110089	5.5	4
105	CNS Neurotoxicity of Antiretrovirals. <i>Journal of NeuroImmune Pharmacology</i> , 2021 , 16, 130-143	6.9	14
104	Asymptomatic Malaria Co-infection of HIV-Infected Adults in Nigeria: Prevalence of and Impact on Cognition, Mood, and Biomarkers of Systemic Inflammation. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021 , 86, 91-97	3.1	
103	Paresthesia Predicts Increased Risk of Distal Neuropathic Pain in Older People with HIV-Associated Sensory Polyneuropathy. <i>Pain Medicine</i> , 2021 , 22, 1850-1856	2.8	1
102	The Relationships between HIV-1 Infection, History of Methamphetamine Use Disorder, and Soluble Biomarkers in Blood and Cerebrospinal Fluid. <i>Viruses</i> , 2021 , 13,	6.2	2
101	Low-Level HIV RNA in Cerebrospinal Fluid and Neurocognitive Performance: A Longitudinal Cohort Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021 , 87, 1196-1204	3.1	1
100	Immunologic resilience and COVID-19 survival advantage. <i>Journal of Allergy and Clinical Immunology</i> , 2021 , 148, 1176-1191	11.5	3
99	Chronically elevated depressive symptoms interact with acute increases in inflammation to predict worse neurocognition among people with HIV. <i>Journal of NeuroVirology</i> , 2021 , 27, 160-167	3.9	6
98	A Haptoglobin Exon Copy Number Variant Associates With HIV-Associated Neurocognitive Impairment in European and African-Descent Populations.. <i>Frontiers in Genetics</i> , 2021 , 12, 756685	4.5	0
97	Identification of Youthful Neurocognitive Trajectories in Adults Aging with HIV: A Latent Growth Mixture Model. <i>AIDS and Behavior</i> , 2021 , 1	4.3	
96	Distinct cellular immune properties in cerebrospinal fluid are associated with cognition in HIV-infected individuals initiating antiretroviral therapy. <i>Journal of Neuroimmunology</i> , 2020 , 344, 577246	3.5	2
95	Recent cannabis use in HIV is associated with reduced inflammatory markers in CSF and blood. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2020 , 7,	9.1	12
94	Predictors of worsening neuropathy and neuropathic pain after 12 years in people with HIV. <i>Annals of Clinical and Translational Neurology</i> , 2020 , 7, 1166-1173	5.3	6
93	HIV influences microtubule associated protein-2: potential marker of HIV-associated neurocognitive disorders. <i>Aids</i> , 2020 , 34, 979-988	3.5	9
92	Social support moderates D-dimer and self-rated successful aging within people with HIV and older adults. <i>Journal of Behavioral Medicine</i> , 2020 , 43, 979-988	3.6	2
91	Cerebrospinal fluid pleocytosis as a predictive factor for CSF and plasma HIV RNA discordance and escape. <i>Journal of NeuroVirology</i> , 2020 , 26, 241-251	3.9	6

90	Lifetime Methamphetamine Use Disorder and Reported Sleep Quality in Adults Living with HIV. <i>AIDS and Behavior</i> , 2020 , 24, 3071-3082	4.3	1
89	Felt Age Discrepancy Differs by HIV Serostatus: A Secondary Analysis. <i>Journal of the Association of Nurses in AIDS Care</i> , 2020 , 31, 587-597	1.6	0
88	Characteristics of Motor Dysfunction in Longstanding Human Immunodeficiency Virus. <i>Clinical Infectious Diseases</i> , 2020 , 71, 1532-1538	11.6	5
87	Pharmacokinetics and antiviral activity of cabotegravir and rilpivirine in cerebrospinal fluid following long-acting injectable administration in HIV-infected adults. <i>Journal of Antimicrobial Chemotherapy</i> , 2020 , 75, 648-655	5.1	14
86	Cannabis Exposure is Associated With a Lower Likelihood of Neurocognitive Impairment in People Living With HIV. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020 , 83, 56-64	3.1	22
85	Lower CSF homovanillic acid relates to higher burden of neuroinflammation and depression in people with HIV disease. <i>Brain, Behavior, and Immunity</i> , 2020 , 90, 353-363	16.6	11
84	Sustained attention and vigilance deficits associated with HIV and a history of methamphetamine dependence. <i>Drug and Alcohol Dependence</i> , 2020 , 215, 108245	4.9	3
83	Depression in Individuals Coinfected with HIV and HCV Is Associated with Systematic Differences in the Gut Microbiome and Metabolome. <i>MSystems</i> , 2020 , 5,	7.6	2
82	COMT val158met genotype alters the effects of methamphetamine dependence on dopamine and dopamine-related executive function: preliminary findings. <i>Psychiatry Research</i> , 2020 , 292, 113269	9.9	2
81	Nucleic acid oxidation is associated with biomarkers of neurodegeneration in CSF in people with HIV. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2020 , 7,	9.1	2
80	Cerebrospinal Fluid Norepinephrine and Neurocognition in HIV and Methamphetamine Dependence. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020 , 85, e12-e22	3.1	2
79	Brief Report: Frailty and HIV Disease Severity Synergistically Increase Risk of HIV-Associated Neurocognitive Disorders. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020 , 84, 522-526	3.1	6
78	Methamphetamine and Cannabis: A Tale of Two Drugs and their Effects on HIV, Brain, and Behavior. <i>Journal of NeuroImmune Pharmacology</i> , 2020 , 15, 743-764	6.9	7
77	Use of Neuroimaging to Inform Optimal Neurocognitive Criteria for Detecting HIV-Associated Brain Abnormalities. <i>Journal of the International Neuropsychological Society</i> , 2020 , 26, 147-162	3.1	7
76	Iron-regulatory genes are associated with Neuroimaging measures in HIV infection. <i>Brain Imaging and Behavior</i> , 2020 , 14, 2037-2049	4.1	1
75	Mitochondrial biogenesis is altered in HIV+ brains exposed to ART: Implications for therapeutic targeting of astroglia. <i>Neurobiology of Disease</i> , 2019 , 130, 104502	7.5	16
74	Neurocognitive SuperAging in Older Adults Living With HIV: Demographic, Neuromedical and Everyday Functioning Correlates. <i>Journal of the International Neuropsychological Society</i> , 2019 , 25, 507-519	3.1	17
73	Depression and aging with HIV: Associations with health-related quality of life and positive psychological factors. <i>Journal of Affective Disorders</i> , 2019 , 251, 1-7	6.6	22

72	Impaired insulin sensitivity is associated with worsening cognition in HIV-infected patients. <i>Neurology</i> , 2019 , 92, e1344-e1353	6.5	6
71	Brief Report: Body Mass Index and Cognitive Function Among HIV-1-Infected Individuals in China, India, and Nigeria. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019 , 80, e30-e35	3.1	6
70	Plasma (1- β)-D-glucan and suPAR levels correlate with neurocognitive performance in people living with HIV on antiretroviral therapy: a CHARTER analysis. <i>Journal of NeuroVirology</i> , 2019 , 25, 837-843	3.9	17
69	Effects of trauma, economic hardship, and stress on neurocognition and everyday function in HIV. <i>Health Psychology</i> , 2019 , 38, 33-42	5	19
68	Presence of Tat and transactivation response element in spinal fluid despite antiretroviral therapy. <i>Aids</i> , 2019 , 33 Suppl 2, S145-S157	3.5	48
67	Benzodiazepine Use Is Associated With an Increased Risk of Neurocognitive Impairment in People Living With HIV. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019 , 82, 475-482	3.1	7
66	Frailty in medically complex individuals with chronic HIV. <i>Aids</i> , 2019 , 33, 1603-1611	3.5	11
65	Effects of comorbidity burden and age on brain integrity in HIV. <i>Aids</i> , 2019 , 33, 1175-1185	3.5	21
64	Catechol-O-methyltransferase polymorphism Val158Met is associated with distal neuropathic pain in HIV-associated sensory neuropathy. <i>Aids</i> , 2019 , 33, 1575-1582	3.5	4
63	Cognitive Trajectory Phenotypes in Human Immunodeficiency Virus-Infected Patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019 , 82, 61-70	3.1	11
62	Comparison of bead array and glass nanoreactor multi-analyte platforms for the evaluation of CNS and peripheral inflammatory markers during HIV infection. <i>Journal of Immunological Methods</i> , 2019 , 465, 7-12	2.5	2
61	Inflammation Relates to Poorer Complex Motor Performance Among Adults Living With HIV on Suppressive Antiretroviral Therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019 , 80, 15-23	3.1	13
60	Higher Anti-Cytomegalovirus Immunoglobulin G Concentrations Are Associated With Worse Neurocognitive Performance During Suppressive Antiretroviral Therapy. <i>Clinical Infectious Diseases</i> , 2018 , 67, 770-777	11.6	16
59	Measurement of Human Immunodeficiency Virus p24 Antigen in Human Cerebrospinal Fluid With Digital Enzyme-Linked Immunosorbent Assay and Association With Decreased Neuropsychological Performance. <i>Clinical Infectious Diseases</i> , 2018 , 67, 137-140	11.6	4
58	Positive Psychological Factors are Linked to Successful Cognitive Aging Among Older Persons Living with HIV/AIDS. <i>AIDS and Behavior</i> , 2018 , 22, 1551-1561	4.3	27
57	Development and validation of an LC-MS/MS assay for tenofovir and tenofovir alafenamide in human plasma and cerebrospinal fluid. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 156, 163-169	3.5	18
56	HIV, prospective memory, and cerebrospinal fluid concentrations of quinolinic acid and phosphorylated Tau. <i>Journal of Neuroimmunology</i> , 2018 , 319, 13-18	3.5	14
55	Differences in Neurocognitive Impairment Among HIV-Infected Latinos in the United States. <i>Journal of the International Neuropsychological Society</i> , 2018 , 24, 163-175	3.1	22

54	Development and validation of a UHPLC-MS/MS assay for elvitegravir measurement in human plasma and cerebrospinal fluid. <i>Separation Science Plus</i> , 2018 , 1, 325-333	1.1	1
53	Neurofilament light chain in blood is negatively associated with neuropsychological performance in HIV-infected adults and declines with initiation of antiretroviral therapy. <i>Journal of NeuroVirology</i> , 2018 , 24, 695-701	3.9	21
52	Neurocognitive functioning predicts frailty index in HIV. <i>Neurology</i> , 2018 , 91, e162-e170	6.5	17
51	Effects of HIV Infection, methamphetamine dependence and age on cortical thickness, area and volume. <i>NeuroImage: Clinical</i> , 2018 , 20, 1044-1052	5.3	15
50	A composite of multisystem injury and neurocognitive impairment in HIV infection: association with everyday functioning. <i>Journal of NeuroVirology</i> , 2018 , 24, 549-556	3.9	18
49	Genome-wide association study of HIV-associated neurocognitive disorder (HAND): A CHARTER group study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017 , 174, 413-426	3.5	23
48	Everyday functional ability in HIV and methamphetamine dependence. <i>Drug and Alcohol Dependence</i> , 2017 , 175, 60-66	4.9	7
47	At-Risk Alcohol Use is Associated with Antiretroviral Treatment Nonadherence Among Adults Living with HIV/AIDS. <i>Alcoholism: Clinical and Experimental Research</i> , 2017 , 41, 1518-1525	3.7	17
46	Soluble membrane attack complex in the blood and cerebrospinal fluid of HIV-infected individuals, relationship to HIV RNA, and comparison with HIV negatives. <i>Journal of Neuroimmunology</i> , 2017 , 311, 35-39	3.5	5
45	Neurocognitive functioning among HIV-positive adults in southern India. <i>Journal of NeuroVirology</i> , 2017 , 23, 750-755	3.9	5
44	Cerebrospinal fluid cell-free mitochondrial DNA is associated with HIV replication, iron transport, and mild HIV-associated neurocognitive impairment. <i>Journal of Neuroinflammation</i> , 2017 , 14, 72	10.1	23
43	Cerebrospinal fluid (CSF) biomarkers of iron status are associated with CSF viral load, antiretroviral therapy, and demographic factors in HIV-infected adults. <i>Fluids and Barriers of the CNS</i> , 2017 , 14, 11	7	10
42	Efavirenz Is Predicted To Accumulate in Brain Tissue: an In Silico, In Vitro, and In Vivo Investigation. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61,	5.9	15
41	Evaluating the accuracy of self-report for the diagnosis of HIV-associated neurocognitive disorder (HAND): defining "symptomatic" versus "asymptomatic" HAND. <i>Journal of NeuroVirology</i> , 2017 , 23, 67-78	3.9	23
40	Early Antiretroviral Therapy Is Associated with Lower HIV DNA Molecular Diversity and Lower Inflammation in Cerebrospinal Fluid but Does Not Prevent the Establishment of Compartmentalized HIV DNA Populations. <i>PLoS Pathogens</i> , 2017 , 13, e1006112	7.6	38
39	Cytomegalovirus and HIV: A Dangerous Pas de Deux. <i>Journal of Infectious Diseases</i> , 2016 , 214 Suppl 2, S67-74	7	66
38	Do neuropsychological test norms from African Americans in the United States generalize to a Zambian population?. <i>Psychological Assessment</i> , 2016 , 28, 18-38	5.3	15
37	Compartmentalized HIV rebound in the central nervous system after interruption of antiretroviral therapy. <i>Virus Evolution</i> , 2016 , 2, vew020	3.7	28

36	Latent Toxoplasma Infection and Higher Toxoplasma gondii Immunoglobulin G Levels Are Associated With Worse Neurocognitive Functioning in HIV-Infected Adults. <i>Clinical Infectious Diseases</i> , 2016 , 63, 1655-1660	11.6	18
35	Tryptophan Metabolism and Its Relationship with Depression and Cognitive Impairment Among HIV-infected Individuals. <i>International Journal of Tryptophan Research</i> , 2016 , 9, 79-88	5.6	28
34	The Veterans Aging Cohort Study (VACS) Index and Neurocognitive Change: A Longitudinal Study. <i>Clinical Infectious Diseases</i> , 2016 , 63, 694-702	11.6	23
33	HIV alters neuronal mitochondrial fission/fusion in the brain during HIV-associated neurocognitive disorders. <i>Neurobiology of Disease</i> , 2016 , 86, 154-69	7.5	58
32	Persistent CSF but not plasma HIV RNA is associated with increased risk of new-onset moderate-to-severe depressive symptoms; a prospective cohort study. <i>Journal of NeuroVirology</i> , 2016 , 22, 479-87	3.9	17
31	Anemia and Red Blood Cell Indices Predict HIV-Associated Neurocognitive Impairment in the Highly Active Antiretroviral Therapy Era. <i>Journal of Infectious Diseases</i> , 2016 , 213, 1065-73	7	24
30	European Mitochondrial DNA Haplogroups are Associated with Cerebrospinal Fluid Biomarkers of Inflammation in HIV Infection. <i>Pathogens and Immunity</i> , 2016 , 1, 330-351	4.9	7
29	(1- β)-D-Glucan: A Biomarker for Microbial Translocation in Individuals with Acute or Early HIV Infection?. <i>Frontiers in Immunology</i> , 2016 , 7, 404	8.4	27
28	Increased Intrathecal Immune Activation in Virally Suppressed HIV-1 Infected Patients with Neurocognitive Impairment. <i>PLoS ONE</i> , 2016 , 11, e0157160	3.7	71
27	Mitochondrial DNA Haplogroups and Neurocognitive Impairment During HIV Infection. <i>Clinical Infectious Diseases</i> , 2015 , 61, 1476-84	11.6	23
26	Absence of neurocognitive effect of hepatitis C infection in HIV-coinfected people. <i>Neurology</i> , 2015 , 84, 241-50	6.5	34
25	Neurocognitive change in the era of HIV combination antiretroviral therapy: the longitudinal CHARTER study. <i>Clinical Infectious Diseases</i> , 2015 , 60, 473-80	11.6	247
24	Circulating HIV DNA Correlates With Neurocognitive Impairment in Older HIV-infected Adults on Suppressive ART. <i>Scientific Reports</i> , 2015 , 5, 17094	4.9	19
23	Cerebrospinal fluid (CSF) CD8+ T-cells that express interferon-gamma contribute to HIV associated neurocognitive disorders (HAND). <i>PLoS ONE</i> , 2015 , 10, e0116526	3.7	51
22	Comparative Analysis of Cell-Associated HIV DNA Levels in Cerebrospinal Fluid and Peripheral Blood by Droplet Digital PCR. <i>PLoS ONE</i> , 2015 , 10, e0139510	3.7	15
21	Methamphetamine Exposure Combined with HIV-1 Disease or gp120 Expression: Comparison of Learning and Executive Functions in Humans and Mice. <i>Neuropsychopharmacology</i> , 2015 , 40, 1899-909	8.7	32
20	"Frontal systems" behaviors in comorbid human immunodeficiency virus infection and methamphetamine dependency. <i>Psychiatry Research</i> , 2014 , 215, 208-16	9.9	29
19	Genetic variation in iron metabolism is associated with neuropathic pain and pain severity in HIV-infected patients on antiretroviral therapy. <i>PLoS ONE</i> , 2014 , 9, e103123	3.7	21

18	Portable lactate analyzer for measuring lactate in cerebrospinal fluid (CSF) and plasma - method-comparison evaluations. <i>Arquivos De Neuro-Psiquiatria</i> , 2014 , 72, 500-5	1.6	1
17	Asymptomatic HIV-associated neurocognitive impairment increases risk for symptomatic decline. <i>Neurology</i> , 2014 , 82, 2055-62	6.5	201
16	Epigenetic alterations in the brain associated with HIV-1 infection and methamphetamine dependence. <i>PLoS ONE</i> , 2014 , 9, e102555	3.7	27
15	A concise panel of biomarkers identifies neurocognitive functioning changes in HIV-infected individuals. <i>Journal of NeuroImmune Pharmacology</i> , 2013 , 8, 1123-35	6.9	50
14	Molecular and pathologic insights from latent HIV-1 infection in the human brain. <i>Neurology</i> , 2013 , 80, 1415-23	6.5	123
13	Elevated sCD163 in plasma but not cerebrospinal fluid is a marker of neurocognitive impairment in HIV infection. <i>Aids</i> , 2013 , 27, 1387-95	3.5	184
12	HIV-associated neurocognitive disorders before and during the era of combination antiretroviral therapy: differences in rates, nature, and predictors. <i>Journal of NeuroVirology</i> , 2011 , 17, 3-16	3.9	1092
11	Chemokines in cerebrospinal fluid correlate with cerebral metabolite patterns in HIV-infected individuals. <i>Journal of NeuroVirology</i> , 2011 , 17, 63-9	3.9	70
10	Pleocytosis is associated with disruption of HIV compartmentalization between blood and cerebral spinal fluid viral populations. <i>Virology</i> , 2009 , 385, 204-8	3.6	26
9	Cross-sectional characterization of HIV-1 env compartmentalization in cerebrospinal fluid over the full disease course. <i>Aids</i> , 2009 , 23, 907-15	3.5	80
8	Neurologic complications of HIV disease and their treatment. <i>Topics in HIV Medicine: A Publication of the International AIDS Society, USA</i> , 2009 , 17, 46-56		37
7	Validation of the CNS Penetration-Effectiveness rank for quantifying antiretroviral penetration into the central nervous system. <i>Archives of Neurology</i> , 2008 , 65, 65-70		653
6	Pathogenesis of hepatitis C virus coinfection in the brains of patients infected with HIV. <i>Journal of Infectious Diseases</i> , 2007 , 196, 361-70	7	116
5	Genetic attributes of cerebrospinal fluid-derived HIV-1 env. <i>Brain</i> , 2006 , 129, 1872-83	11.2	87
4	Lithium improves HIV-associated neurocognitive impairment. <i>Aids</i> , 2006 , 20, 1885-8	3.5	74
3	Markers of macrophage activation and axonal injury are associated with prospective memory in HIV-1 disease. <i>Cognitive and Behavioral Neurology</i> , 2006 , 19, 217-21	1.6	52
2	The effects of hepatitis C, HIV, and methamphetamine dependence on neuropsychological performance: biological correlates of disease. <i>Aids</i> , 2005 , 19 Suppl 3, S72-8	3.5	99
1	Demyelinating Encephalitis. <i>Clinical Infectious Diseases</i> , 2003 , 36, 1332-1334	11.6	2

