

Hisashi Saji

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8851957/publications.pdf>

Version: 2024-02-01

48
papers

1,869
citations

361413

20
h-index

265206

42
g-index

50
all docs

50
docs citations

50
times ranked

2176
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | A Phase III Randomized Trial of Lobectomy Versus Limited Resection for Small-sized Peripheral Non-small Cell Lung Cancer (JCOG0802/WJOG4607L). Japanese Journal of Clinical Oncology, 2010, 40, 271-274. | 1.3 | 497 |
| 2 | The Incidence and the Risk of Pneumothorax and Chest Tube Placement After Percutaneous CT-Guided Lung Biopsy. Chest, 2002, 121, 1521-1526. | 0.8 | 176 |
| 3 | Prognostic Impact of Number of Resected and Involved Lymph Nodes at Complete Resection on Survival in Non-small Cell Lung Cancer. Journal of Thoracic Oncology, 2011, 6, 1865-1871. | 1.1 | 100 |
| 4 | High-quality 3-dimensional image simulation for pulmonary lobectomy and segmentectomy: results of preoperative assessment of pulmonary vessels and short-term surgical outcomes in consecutive patients undergoing video-assisted thoracic surgery. European Journal of Cardio-thoracic Surgery, 2014, 46, e120-e126. | 1.4 | 90 |
| 5 | Outcomes of airway stenting for advanced lung cancer with central airway obstruction. Interactive Cardiovascular and Thoracic Surgery, 2010, 11, 425-428. | 1.1 | 85 |
| 6 | A Proposal for Combination of Total Number and Anatomical Location of Involved Lymph Nodes for Nodal Classification in Non-small Cell Lung Cancer. Chest, 2013, 143, 1618-1625. | 0.8 | 80 |
| 7 | Three Dimensional Computed Tomography Lung Modeling is Useful in Simulation and Navigation of Lung Cancer Surgery. Annals of Thoracic and Cardiovascular Surgery, 2013, 19, 1-5. | 0.8 | 73 |
| 8 | Close association of IASLC/ATS/ERS lung adenocarcinoma subtypes with glucose-uptake in positron emission tomography. Lung Cancer, 2015, 87, 28-33. | 2.0 | 71 |
| 9 | PD-L1 Expression in Non-Small-Cell Lung Cancer Including Various Adenocarcinoma Subtypes. Annals of Thoracic and Cardiovascular Surgery, 2019, 25, 1-9. | 0.8 | 69 |
| 10 | Prognostic Factors and the Significance of Treatment After Recurrence in Completely Resected Stage I Non-small Cell Lung Cancer. Chest, 2013, 143, 1626-1634. | 0.8 | 65 |
| 11 | Clinical response of large cell neuroendocrine carcinoma of the lung to perioperative adjuvant chemotherapy. Anti-Cancer Drugs, 2010, 21, 89-93. | 1.4 | 59 |
| 12 | Virtual segmentectomy based on high-quality three-dimensional lung modelling from computed tomography images. Interactive Cardiovascular and Thoracic Surgery, 2013, 17, 227-232. | 1.1 | 45 |
| 13 | Association between high-resolution computed tomography findings and the IASLC/ATS/ERS classification of small lung adenocarcinomas in Japanese patients. Lung Cancer, 2015, 90, 47-54. | 2.0 | 45 |
| 14 | A proposal for a comprehensive risk scoring system for predicting postoperative complications in octogenarian patients with medically operable lung cancer: JACS1303. European Journal of Cardio-thoracic Surgery, 2018, 53, 835-841. | 1.4 | 40 |
| 15 | Significance of expression of TGF-beta in pulmonary metastasis in non-small cell lung cancer tissues. Annals of Thoracic and Cardiovascular Surgery, 2003, 9, 295-300. | 0.8 | 40 |
| 16 | Correlation between whole tumor size and solid component size on high-resolution computed tomography in the prediction of the degree of pathologic malignancy and the prognostic outcome in primary lung adenocarcinoma. Acta Radiologica, 2015, 56, 1187-1195. | 1.1 | 37 |
| 17 | Klotho is a novel biomarker for good survival in resected large cell neuroendocrine carcinoma of the lung. Lung Cancer, 2011, 72, 355-359. | 2.0 | 36 |
| 18 | cDNA microarray analysis of gene expression in pathologic stage IA nonsmall cell lung carcinomas. Cancer, 2003, 97, 2798-2805. | 4.1 | 35 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Proposal on incorporating blood vessel invasion into the T classification parts as a practical staging system for stage I non-small cell lung cancer. <i>Lung Cancer</i> , 2013, 81, 187-193. | 2.0 | 25 |
| 20 | Survival of Octogenarians with Early-Stage Non-small Cell Lung Cancer is Comparable Between Wedge Resection and Lobectomy/Segmentectomy: JACS1303. <i>Annals of Surgical Oncology</i> , 2021, 28, 7219-7227. | 1.5 | 25 |
| 21 | Association of IASLC/ATS/ERS Histologic Subtypes of Lung Adenocarcinoma With Epidermal Growth Factor Receptor Mutations in 320 Resected Cases. <i>Clinical Lung Cancer</i> , 2015, 16, 209-215. | 2.6 | 22 |
| 22 | Clinicopathological characteristics and treatment strategies for young lung cancer patients. <i>Annals of Translational Medicine</i> , 2019, 7, 100-100. | 1.7 | 20 |
| 23 | Standardized Uptake Values in the Primary Lesions of Non-Small-Cell Lung Cancer in FDG-PET/CT Can Predict Regional Lymph Node Metastases. <i>Annals of Surgical Oncology</i> , 2015, 22, 1388-1393. | 1.5 | 19 |
| 24 | The Prognostic Impact of Main Bronchial Lymph Node Involvement in Non-Small Cell Lung Carcinoma: Suggestions for a Modification of the Staging System. <i>Annals of Thoracic Surgery</i> , 2009, 88, 1583-1588. | 1.3 | 18 |
| 25 | Prognostic Factors for Survival After Recurrence in Patients With Completely Resected Lung Adenocarcinoma: Important Roles of Epidermal Growth Factor Receptor Mutation Status and the Current Staging System. <i>Clinical Lung Cancer</i> , 2015, 16, e213-e221. | 2.6 | 18 |
| 26 | Gene expression profiling and molecular pathway analysis for the identification of early-stage lung adenocarcinoma patients at risk for early recurrence. <i>Oncology Reports</i> , 2013, 29, 1902-1906. | 2.6 | 13 |
| 27 | Survival significance of coexisting chronic obstructive pulmonary disease in patients with early lung cancer after curative surgery. <i>Thoracic Cancer</i> , 2018, 9, 19-24. | 1.9 | 11 |
| 28 | Prospective observational cohort study of postoperative risk and prognosis scoring for elderly patients with medically operable lung cancer (JACS1303). <i>General Thoracic and Cardiovascular Surgery</i> , 2016, 64, 634-635. | 0.9 | 8 |
| 29 | The C-reactive protein to albumin ratio is a prognostic factor for stage I non-small cell lung cancer in elderly patients: JACS1303. <i>Surgery Today</i> , 2022, 52, 1463-1471. | 1.5 | 8 |
| 30 | Malignant pleural mesothelioma presenting as a spontaneous pneumothorax. <i>Respirology Case Reports</i> , 2015, 3, 9-12. | 0.6 | 6 |
| 31 | Different EGFR gene mutations in two patients with synchronous multiple lung cancers: A case report. <i>Thoracic Cancer</i> , 2018, 9, 189-192. | 1.9 | 4 |
| 32 | Prognostic factors for surgically resected non-small cell lung cancer with cavity formation. <i>Journal of Thoracic Disease</i> , 2018, 10, 973-983. | 1.4 | 4 |
| 33 | Solid histological component of adenocarcinoma might play an important role in PD-L1 expression of lung adenocarcinoma. <i>Thoracic Cancer</i> , 2022, 13, 24-30. | 1.9 | 4 |
| 34 | Unusual presentation of pulmonary lymphoepithelioma-like carcinoma. <i>Respirology Case Reports</i> , 2016, 4, e00177. | 0.6 | 3 |
| 35 | Combining PD-L1 Expression and Standardized Uptake Values in FDG-PET/CT Can Predict Prognosis in Patients With Resectable Non-Small-Cell Lung Cancer. <i>Cancer Control</i> , 2021, 28, 107327482110383. | 1.8 | 3 |
| 36 | Prognostic Impact of Mediastinal Lymph Node Dissection in Octogenarians with Lung Cancer: JACS1303. <i>Clinical Lung Cancer</i> , 2021, , . | 2.6 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Three-dimensional multidetector computed tomography may aid preoperative planning of the transmanubrial osteomuscular-sparing approach to completely resect superior sulcus tumor. <i>General Thoracic and Cardiovascular Surgery</i> , 2015, 63, 627-631. | 0.9 | 2 |
| 38 | Thoracic mesenchymal malignant tumors and programmed cell death ligand-1 status: Clinicopathologic and prognostic analysis of eight pulmonary sarcomatoid carcinomas and eight malignant mesotheliomas. <i>Thoracic Cancer</i> , 2021, 12, 3169-3176. | 1.9 | 2 |
| 39 | A solitary pleural metastasis of benign giant cell tumor of bone. <i>Respirology Case Reports</i> , 2016, 4, e00147. | 0.6 | 1 |
| 40 | Successful adjustment for self-expanding metallic stent migration using a flexible bronchoscope with two biopsy forceps technique. <i>General Thoracic and Cardiovascular Surgery</i> , 2017, 65, 720-723. | 0.9 | 1 |
| 41 | Survival significance of epidermal growth factor receptor tyrosine kinase inhibitors and current staging system for survival after recurrence in patients with completely resected lung adenocarcinoma. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 4135-4141. | 2.0 | 1 |
| 42 | Improved lymph node staging in early-stage lung cancer in the national cancer database: commentary. <i>Journal of Thoracic Disease</i> , 2018, 10, S1092-S1095. | 1.4 | 1 |
| 43 | Successful treatment with nivolumab in a patient with lung adenocarcinoma complicated by pulmonary aspergilloma. <i>Thoracic Cancer</i> , 2020, 11, 3391-3395. | 1.9 | 1 |
| 44 | The Current Status and Future Directions of Surgical Strategies for the Treatment of Elderly Lung Cancer Patients. <i>Japanese Journal of Lung Cancer</i> , 2020, 60, 298-304. | 0.1 | 1 |
| 45 | Comment on prognostic value of epidermal growth factor receptor mutation subtypes in surgically resected non-small cell lung cancer. <i>Journal of Thoracic Disease</i> , 2017, 9, E499-E502. | 1.4 | 0 |
| 46 | Lung cancer and obstructive lung disease in never smokers. <i>Journal of Thoracic Disease</i> , 2020, 12, 3934-3939. | 1.4 | 0 |
| 47 | Pulmonary Hyalinizing Granuloma Mimicking Primary Lung Cancer: An Unusual Case Involving a Pulmonary Tumor. <i>Case Reports in Pulmonology</i> , 2020, 2020, 1-3. | 0.3 | 0 |
| 48 | ASO Author Reflections: Is Wedge Resection Optimal for Octogenarians with Early-Stage Non-Small-Cell Lung Cancer Compared with Lobectomy/Segmentectomy?. <i>Annals of Surgical Oncology</i> , 2021, 28, 7228-7229. | 1.5 | 0 |