

Baohui Liu

List of Publications by Year in descending order

Source: [//exaly.com/author-pdf/8852474/publications.pdf](https://exaly.com/author-pdf/8852474/publications.pdf)

Version: 2024-02-01

85
papers

6,059
citations

74677

40
h-index

80575

73
g-index

92
all docs

92
docs citations

92
times ranked

4940
citing authors

#	ARTICLE	IF	CITATIONS
1	Subfunctionalisation and self-repression of duplicated E1 homologues finetunes soybean flowering and adaptation. <i>Nature Communications</i> , 2024, 15, .	13.2	0
2	UV-B irradiation-activated E3 ligase GmLPA1 modulates gibberellin catabolism to increase plant height in soybean. <i>Nature Communications</i> , 2023, 14, .	13.2	5
3	Soybean reduced internode 1 determines internode length and improves grain yield at dense planting. <i>Nature Communications</i> , 2023, 14, .	13.2	8
4	Progress in soybean functional genomics over the past decade. <i>Plant Biotechnology Journal</i> , 2022, 20, 256-282.	8.5	89
5	Parallel selection of distinct <i>Tof5</i> alleles drove the adaptation of cultivated and wild soybean to high latitudes. <i>Molecular Plant</i> , 2022, 15, 308-321.	8.4	60
6	Regulation of flowering and maturation in soybean. <i>Advances in Botanical Research</i> , 2022, , 43-75.	1.0	8
7	Genome-Wide Analysis of DREB Genes Identifies a Novel Salt Tolerance Gene in Wild Soybean (<i>Glycine</i>) Tj ETQq1 1 0.784314 rgBT /Over	3.8	15
8	A functionally divergent <i>SOC1</i> homolog improves soybean yield and latitudinal adaptation. <i>Current Biology</i> , 2022, 32, 1728-1742.e6.	4.0	58
9	A polygalacturonase gene <i>PG031</i> regulates seed coat permeability with a pleiotropic effect on seed weight in soybean. <i>Theoretical and Applied Genetics</i> , 2022, 135, 1603-1618.	3.7	11
10	<i>CALCIUM-DEPENDENT PROTEIN KINASE38</i> regulates flowering time and common cutworm resistance in soybean. <i>Plant Physiology</i> , 2022, 190, 480-499.	5.1	25
11	Adipocyte-derived kynurenine promotes obesity and insulin resistance by activating the <i>AhR/STAT3/IL-6</i> signaling. <i>Nature Communications</i> , 2022, 13, .	13.2	43
12	Current overview on the genetic basis of key genes involved in soybean domestication. <i>ABIOTECH</i> , 2022, 3, 126-139.	3.7	6
13	Molecular mechanisms for the photoperiodic regulation of flowering in soybean. <i>Journal of Integrative Plant Biology</i> , 2021, 63, 981-994.	9.2	127
14	A recent retrotransposon insertion of <i>J</i> caused <i>E6</i> locus facilitating soybean adaptation into low latitude. <i>Journal of Integrative Plant Biology</i> , 2021, 63, 995-1003.	9.2	37
15	Modulation of nitrate-induced phosphate response by the MYB transcription factor <i>RLI1/HINGE1</i> in the nucleus. <i>Molecular Plant</i> , 2021, 14, 517-529.	8.4	25
16	Multiplex CRISPR/Cas9-mediated knockout of soybean <i>LNK2</i> advances flowering time. <i>Crop Journal</i> , 2021, 9, 767-776.	5.3	29
17	Two homologous <i>LHY</i> pairs negatively control soybean drought tolerance by repressing the abscisic acid responses. <i>New Phytologist</i> , 2021, 229, 2660-2675.	7.8	68
18	<i>FT5a</i> interferes with the <i>Dt1</i> ϵ AP1 feedback loop to control flowering time and shoot determinacy in soybean. <i>Journal of Integrative Plant Biology</i> , 2021, 63, 1004-1020.	9.2	44

#	ARTICLE	IF	CITATIONS
19	Cotranscriptional and Posttranscriptional Features of the Transcriptome in Soybean Shoot Apex and Leaf. <i>Frontiers in Plant Science</i> , 2021, 12, 649634.	3.8	6
20	A flowering time locus dependent on E2 in soybean. <i>Molecular Breeding</i> , 2021, 41, 1.	2.1	3
21	Oil crops: From the classical traits to genetic improvement. <i>Journal of Integrative Plant Biology</i> , 2021, 63, 979-980.	9.2	2
22	Natural variation and artificial selection of photoperiodic flowering genes and their applications in crop adaptation. <i>ABIOTECH</i> , 2021, 2, 156-169.	3.7	27
23	Natural variation of the Dt2 promoter controls plant height and node number in semi-determinant soybean. <i>Molecular Breeding</i> , 2021, 41, 1.	2.1	5
24	MS1 is essential for male fertility by regulating the microsporocyte cell plate expansion in soybean. <i>Science China Life Sciences</i> , 2021, 64, 1533-1545.	5.0	19
25	Rapid excavating a FLOWERING LOCUS T-regulator NF-YA using genotyping-by-sequencing. <i>Molecular Breeding</i> , 2021, 41, 1.	2.1	0
26	Overcoming the genetic compensation response of soybean florigens to improve adaptation and yield at low latitudes. <i>Current Biology</i> , 2021, 31, 3755-3767.e4.	4.0	51
27	Genetic basis and adaptation trajectory of soybean from its temperate origin to tropics. <i>Nature Communications</i> , 2021, 12, 5445.	13.2	82
28	The legume-specific transcription factor E1 controls leaf morphology in soybean. <i>BMC Plant Biology</i> , 2021, 21, 531.	3.7	12
29	PPR20 Is Required for the cis-Splicing of Mitochondrial nad2 Intron 3 and Seed Development in Maize. <i>Plant and Cell Physiology</i> , 2020, 61, 370-380.	3.2	29
30	Light- and temperature-entrainable circadian clock in soybean development. <i>Plant, Cell and Environment</i> , 2020, 43, 637-648.	6.0	57
31	SUMO E3 Ligase SIZ1 stabilizes MYB75 to regulate anthocyanin accumulation under high light conditions in Arabidopsis. <i>Plant Science</i> , 2020, 292, 110355.	3.8	30
32	Identification of major QTLs for flowering and maturity in soybean by genotyping-by-sequencing analysis. <i>Molecular Breeding</i> , 2020, 40, 1.	2.1	7
33	Genome-wide association study for soybean mosaic virus SC3 resistance in soybean. <i>Molecular Breeding</i> , 2020, 40, 1.	2.1	13
34	Molecular breeding of a high oleic acid soybean line by integrating natural variations. <i>Molecular Breeding</i> , 2020, 40, 1.	2.1	8
35	A Soybean Deletion Mutant That Moderates the Repression of Flowering by Cool Temperatures. <i>Frontiers in Plant Science</i> , 2020, 11, 429.	3.8	11
36	The Soybean Gene J Contributes to Salt Stress Tolerance by Up-Regulating Salt-Responsive Genes. <i>Frontiers in Plant Science</i> , 2020, 11, 272.	3.8	37

#	ARTICLE	IF	CITATIONS
37	Stepwise selection on homeologous PRR genes controlling flowering and maturity during soybean domestication. <i>Nature Genetics</i> , 2020, 52, 428-436.	20.4	263
38	Soybean <i>AP1</i> homologs control flowering time and plant height. <i>Journal of Integrative Plant Biology</i> , 2020, 62, 1868-1879.	9.2	89
39	Genome-Wide DNA Methylation Analysis of Soybean Curled-Cotyledons Mutant and Functional Evaluation of a Homeodomain-Leucine Zipper (HD-Zip) I Gene GmHDZ20. <i>Frontiers in Plant Science</i> , 2020, 11, 593999.	3.8	4
40	Perspectives on the Application of Genome-Editing Technologies in Crop Breeding. <i>Molecular Plant</i> , 2019, 12, 1047-1059.	8.4	126
41	Involvement of Lhcb6 and Lhcb5 in Photosynthesis Regulation in <i>Physcomitrella patens</i> Response to Abiotic Stress. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3665.	4.2	15
42	Structural features of the aleurone layer of the seed coat associated with imbibition injury in soybean. <i>Breeding Science</i> , 2019, 69, 364-370.	1.9	9
43	A Functional Alternative Oxidase Modulates Plant Salt Tolerance in <i>Physcomitrella patens</i> . <i>Plant and Cell Physiology</i> , 2019, 60, 1829-1841.	3.2	8
44	Rapid identification of consistent novel QTLs underlying long-juvenile trait in soybean by multiple genetic populations and genotyping-by-sequencing. <i>Molecular Breeding</i> , 2019, 39, 1.	2.1	16
45	A new dominant locus, E11, controls early flowering time and maturity in soybean. <i>Molecular Breeding</i> , 2019, 39, 1.	2.1	61
46	Functional divergence between soybean FLOWERING LOCUS T orthologues FT2a and FT5a in post-flowering stem growth. <i>Journal of Experimental Botany</i> , 2019, 70, 3941-3953.	4.9	38
47	CRISPR/Cas9-mediated targeted mutagenesis of GmSPL9 genes alters plant architecture in soybean. <i>BMC Plant Biology</i> , 2019, 19, 131.	3.7	130
48	CRISPR/Cas9-mediated targeted mutagenesis of GmLHY genes alters plant height and internode length in soybean. <i>BMC Plant Biology</i> , 2019, 19, 562.	3.7	105
49	Characterization and quantitative trait locus mapping of late-flowering from a Thai soybean cultivar introduced into a photoperiod-insensitive genetic background. <i>PLoS ONE</i> , 2019, 14, e0226116.	2.5	20
50	Genetic improvement of the shoot architecture and yield in soya bean plants via the manipulation of <i>GmmiR156b</i> . <i>Plant Biotechnology Journal</i> , 2019, 17, 50-62.	8.5	84
51	Adaptive Mechanisms of Soybean Grown on Salt-Affected Soils. <i>Land Degradation and Development</i> , 2018, 29, 1054-1064.	3.9	65
52	Parallel selection on a dormancy gene during domestication of crops from multiple families. <i>Nature Genetics</i> , 2018, 50, 1435-1441.	20.4	182
53	Quantitative Trait Locus Mapping of Flowering Time and Maturity in Soybean Using Next-Generation Sequencing-Based Analysis. <i>Frontiers in Plant Science</i> , 2018, 9, 995.	3.8	62
54	Loss of Function of the E1-Like-b Gene Associates With Early Flowering Under Long-Day Conditions in Soybean. <i>Frontiers in Plant Science</i> , 2018, 9, 1867.	3.8	36

#	ARTICLE	IF	CITATIONS
55	Molecular mechanisms of flowering under long days and stem growth habit in soybean. <i>Journal of Experimental Botany</i> , 2017, 68, erw394.	4.9	73
56	Natural variation at the soybean J locus improves adaptation to the tropics and enhances yield. <i>Nature Genetics</i> , 2017, 49, 773-779.	20.4	363
57	Overexpression of GmFDL19 enhances tolerance to drought and salt stresses in soybean. <i>PLoS ONE</i> , 2017, 12, e0179554.	2.5	69
58	Genome-wide association studies dissect the genetic networks underlying agronomical traits in soybean. <i>Genome Biology</i> , 2017, 18, 161.	9.2	380
59	Quantitative Trait Locus Mapping of Soybean Maturity Gene <i>E6</i> . <i>Crop Science</i> , 2017, 57, 2547-2554.	1.9	29
60	InDel marker detection by integration of multiple softwares using machine learning techniques. <i>BMC Bioinformatics</i> , 2016, 17, 548.	2.7	8
61	A Global Analysis of the Polygalacturonase Gene Family in Soybean (<i>Glycine max</i>). <i>PLoS ONE</i> , 2016, 11, e0163012.	2.5	20
62	A soybean quantitative trait locus that promotes flowering under long days is identified as <i>FT5a</i> , a <i>FLOWERING LOCUS T</i> ortholog. <i>Journal of Experimental Botany</i> , 2016, 67, 5247-5258.	4.9	88
63	A recessive allele for delayed flowering at the soybean maturity locus E9 is a leaky allele of <i>FT2a</i> , a <i>FLOWERING LOCUS T</i> ortholog. <i>BMC Plant Biology</i> , 2016, 16, 20.	3.7	169
64	Dual functions of GmTOE4a in the regulation of photoperiod-mediated flowering and plant morphology in soybean. <i>Plant Molecular Biology</i> , 2015, 88, 343-355.	4.0	29
65	QTLMiner: QTL database curation by mining tables in literature. <i>Bioinformatics</i> , 2015, 31, 1689-1691.	4.2	9
66	PopGeV: a web-based large-scale population genome browser: Fig. 1.. <i>Bioinformatics</i> , 2015, 31, 3048-3050.	4.2	3
67	QTL mapping for flowering time in different latitude in soybean. <i>Euphytica</i> , 2015, 206, 725-736.	1.2	29
68	<i>GmCOL1a</i> and <i>GmCOL1b</i> Function as Flowering Repressors in Soybean Under Long-Day Conditions. <i>Plant and Cell Physiology</i> , 2015, 56, 2409-2422.	3.2	77
69	The Soybean-Specific Maturity Gene <i>E1</i> Family of Floral Repressors Controls Night-Break Responses through Down-Regulation of <i>FLOWERING LOCUS T</i> Orthologs. <i>Plant Physiology</i> , 2015, 168, 1735-1746.	5.1	96
70	GmmiR156b overexpression delays flowering time in soybean. <i>Plant Molecular Biology</i> , 2015, 89, 353-363.	4.0	50
71	A Single-Nucleotide Polymorphism in an Endo-1,4- β -Glucanase Gene Controls Seed Coat Permeability in Soybean. <i>PLoS ONE</i> , 2015, 10, e0128527.	2.5	40
72	GmFT4, a Homolog of <i>FLOWERING LOCUS T</i> , Is Positively Regulated by E1 and Functions as a Flowering Repressor in Soybean. <i>PLoS ONE</i> , 2014, 9, e89030.	2.5	124

#	ARTICLE	IF	CITATIONS
73	GmFT2a and GmFT5a Redundantly and Differentially Regulate Flowering through Interaction with and Upregulation of the bZIP Transcription Factor GmFDL19 in Soybean. PLoS ONE, 2014, 9, e97669.	2.5	126
74	Allelic Combinations of Soybean Maturity Loci E1, E2, E3 and E4 Result in Diversity of Maturity and Adaptation to Different Latitudes. PLoS ONE, 2014, 9, e106042.	2.5	110
75	A New Dominant Gene <i>E9</i> Conditions Early Flowering and Maturity in Soybean. Crop Science, 2014, 54, 2529-2535.	1.9	181
76	Genetic variation in four maturity genes affects photoperiod insensitivity and PHYA-regulated post-flowering responses of soybean. BMC Plant Biology, 2013, 13, 91.	3.7	190
77	Gold Nanoparticle Contrast Agents in Advanced X-ray Imaging Technologies. Molecules, 2013, 18, 5858-5890.	3.9	90
78	Genetic Variation in Soybean at the Maturity Locus E4 Is Involved in Adaptation to Long Days at High Latitudes. Agronomy, 2013, 3, 117-134.	3.1	90
79	Molecular identification of genes controlling flowering time, maturity, and photoperiod response in soybean. Plant Systematics and Evolution, 2012, 298, 1217-1227.	1.0	63
80	The Soybean Stem Growth Habit Gene <i>Dt1</i> Is an Ortholog of Arabidopsis <i>TERMINAL FLOWER1</i> . Plant Physiology, 2010, 153, 198-210.	5.1	256
81	QTL Mapping for Photoperiod Insensitivity of a Japanese Soybean Landrace Sakamotowase. Journal of Heredity, 2010, 101, 251-256.	2.5	52
82	Two Coordinately Regulated Homologs of <i>FLOWERING LOCUS T</i> Are Involved in the Control of Photoperiodic Flowering in Soybean. Plant Physiology, 2010, 154, 1220-1231.	5.1	315
83	Genetic Redundancy in Soybean Photoresponses Associated With Duplication of the Phytochrome A Gene. Genetics, 2008, 180, 995-1007.	2.9	345
84	QTL Mapping of Domestication-related Traits in Soybean (<i>Glycine max</i>). Annals of Botany, 2007, 100, 1027-1038.	2.9	209
85	Electrophilicity–Nucleophilicity Scale Also in the Gas Phase. Angewandte Chemie, 2006, 118, 2147-2150.	2.1	2