## Suhail Ahmad

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8852805/publications.pdf Version: 2024-02-01

	94433	168389
3,640	37	53
citations	h-index	g-index
133	133	3329
docs citations	times ranked	citing authors
		3,640       37         citations       h-index         133       133

#	Article	IF	CITATIONS
1	Pathogenesis, Immunology, and Diagnosis of Latent <i>Mycobacterium tuberculosis</i> Infection. Clinical and Developmental Immunology, 2011, 2011, 1-17.	3.3	195
2	Seminested PCR for Diagnosis of Candidemia: Comparison with Culture, Antigen Detection, and Biochemical Methods for Species Identification. Journal of Clinical Microbiology, 2002, 40, 2483-2489.	3.9	173
3	<i>Candida auris</i> Candidemia in Kuwait, 2014. Emerging Infectious Diseases, 2015, 21, 1091-1092.	4.3	143
4	Outbreak of Fungemia among Neonates Caused by Candida haemulonii Resistant to Amphotericin B, Itraconazole, and Fluconazole. Journal of Clinical Microbiology, 2007, 45, 2025-2027.	3.9	99
5	Recent advances in the diagnosis and treatment of multidrug-resistant tuberculosis. Respiratory Medicine, 2009, 103, 1777-1790.	2.9	93
6	Candida auris: Epidemiology, Diagnosis, Pathogenesis, Antifungal Susceptibility, and Infection Control Measures to Combat the Spread of Infections in Healthcare Facilities. Microorganisms, 2021, 9, 807.	3.6	81
7	Current status and future trends in the diagnosis and treatment of drug-susceptible and multidrug-resistant tuberculosis. Journal of Infection and Public Health, 2014, 7, 75-91.	4.1	73
8	Frequency of embB codon 306 mutations in ethambutol-susceptible and -resistant clinical Mycobacterium tuberculosis isolates in Kuwait. Tuberculosis, 2007, 87, 123-129.	1.9	70
9	Increasing prevalence, molecular characterization and antifungal drug susceptibility of serial Candida auris isolates in Kuwait. PLoS ONE, 2018, 13, e0195743.	2.5	68
10	New approaches in the diagnosis and treatment of latent tuberculosis infection. Respiratory Research, 2010, 11, 169.	3.6	67
11	Tobacco Agar, a New Medium for Differentiating <i>Candida dubliniensis</i> from <i>Candida albicans</i> . Journal of Clinical Microbiology, 2004, 42, 4796-4798.	3.9	64
12	Occurrence of triazole-resistant Aspergillus fumigatus with TR34/L98H mutations in outdoor and hospital environment in Kuwait. Environmental Research, 2014, 133, 20-26.	7.5	64
13	Rapid molecular differentiation and genotypic heterogeneity among Candida parapsilosis and Candida orthopsilosis strains isolated from clinical specimens in Kuwait. Journal of Medical Microbiology, 2009, 58, 745-752.	1.8	59
14	The occurrence of rare mutations in rifampicin-resistant clinical isolates from Kuwait. International Journal of Antimicrobial Agents, 2005, 26, 205-212.	2.5	56
15	Cryptococcus randhawai sp. nov., a novel anamorphic basidiomycetous yeast isolated from tree trunk hollow of Ficus religiosa (peepal tree) from New Delhi, India. Antonie Van Leeuwenhoek, 2010, 97, 253-259.	1.7	55
16	Malassezia pachydermatis fungemia in a preterm neonate resistant to fluconazole and flucytosine. Medical Mycology Case Reports, 2014, 5, 9-11.	1.3	55
17	Concomitant occurrence of itraconazole-resistant and -susceptible strains of Aspergillus fumigatus in routine cultures. Journal of Antimicrobial Chemotherapy, 2015, 70, 412-415.	3.0	55
18	Discordance across Phenotypic and Molecular Methods for Drug Susceptibility Testing of Drug-Resistant Mycobacterium tuberculosis Isolates in a Low TB Incidence Country. PLoS ONE, 2016, 11, e0153563.	2.5	55

#	Article	IF	CITATIONS
19	Candida dubliniensis: An Appraisal of Its Clinical Significance as a Bloodstream Pathogen. PLoS ONE, 2012, 7, e32952.	2.5	55
20	Characterization of Trichosporon species isolated from clinical specimens in Kuwait. Journal of Medical Microbiology, 2005, 54, 639-646.	1.8	54
21	Actinomucor elegans var. kuwaitiensis isolated from the wound of a diabetic patient. Antonie Van Leeuwenhoek, 2008, 94, 343-352.	1.7	54
22	Internalization by HeLa cells of latex beads coated with mammalian cell entry (Mce) proteins encoded by the mce3 operon of Mycobacterium tuberculosis. Journal of Medical Microbiology, 2007, 56, 1145-1151.	1.8	52
23	Isolation and molecular identification of Candida dubliniensis from non-human immunodeficiency virus-infected patients in Kuwait. Journal of Medical Microbiology, 2004, 53, 633-637.	1.8	48
24	Characterization of rpoB mutations in rifampin-resistant clinical Mycobacterium tuberculosis isolates from Kuwait and Dubai. Diagnostic Microbiology and Infectious Disease, 2002, 44, 245-252.	1.8	47
25	Invasive Candida auris infections in Kuwait hospitals: epidemiology, antifungal treatment and outcome. Infection, 2018, 46, 641-650.	4.7	47
26	Molecular identification and antifungal susceptibility profile of Aspergillus flavus isolates recovered from clinical specimens in Kuwait. BMC Infectious Diseases, 2013, 13, 126.	2.9	46
27	PCR-enzyme immunoassay of rDNA in the diagnosis of candidemia and comparison with amplicon detection by agarose gel electrophoresis. International Journal of Medical Microbiology, 2004, 294, 45-51.	3.6	44
28	Simple, Low-Cost Detection of Candida parapsilosis Complex Isolates and Molecular Fingerprinting of Candida orthopsilosis Strains in Kuwait by ITS Region Sequencing and Amplified Fragment Length Polymorphism Analysis. PLoS ONE, 2015, 10, e0142880.	2.5	44
29	<i>ERG6</i> and <i>ERG2</i> Are Major Targets Conferring Reduced Susceptibility to Amphotericin B in Clinical <i>Candida glabrata</i> Isolates in Kuwait. Antimicrobial Agents and Chemotherapy, 2019, 63, .	3.2	44
30	Occurrence of disputed rpoB mutations among Mycobacterium tuberculosis isolates phenotypically susceptible to rifampicin in a country with a low incidence of multidrug-resistant tuberculosis. BMC Infectious Diseases, 2019, 19, 3.	2.9	44
31	<i>Candida auris</i> in various hospitals across Kuwait and their susceptibility and molecular basis of resistance to antifungal drugs. Mycoses, 2020, 63, 104-112.	4.0	44
32	Discordance between Xpert MTB/RIF Assay and Bactec MGIT 960 Culture System for Detection of Rifampin-Resistant Mycobacterium tuberculosis Isolates in a Country with a Low Tuberculosis (TB) Incidence. Journal of Clinical Microbiology, 2015, 53, 1351-1354.	3.9	43
33	Prevalence of Candida dubliniensis among germ tube-positive Candida isolates in a maternity hospital in Kuwait. Mycoses, 2005, 48, 347-351.	4.0	42
34	Changing trends in epidemiology and antifungal susceptibility patterns of six bloodstream Candida species isolates over a 12-year period in Kuwait. PLoS ONE, 2019, 14, e0216250.	2.5	42
35	Performance comparison of phenotypic and molecular methods for detection and differentiation of Candida albicans and Candida dubliniensis. BMC Infectious Diseases, 2012, 12, 230.	2.9	41
36	Epidemiology and Molecular Basis of Resistance to Fluconazole Among Clinical <i>Candida parapsilosis</i> Isolates in Kuwait. Microbial Drug Resistance, 2017, 23, 966-972.	2.0	41

#	Article	IF	CITATIONS
37	The Six Mammalian Cell Entry Proteins (Mce3A-F) Encoded by the mce3 Operon are Expressed During In Vitro Growth of Mycobacterium tuberculosis. Scandinavian Journal of Immunology, 2005, 62, 16-24.	2.7	40
38	Current Status and the Epidemiology of Malaria in the Middle East Region and Beyond. Microorganisms, 2021, 9, 338.	3.6	40
39	Variations in the Occurrence of the S315T Mutation Within the <i>katG</i> Gene in Isoniazid-Resistant Clinical <i>Mycobacterium tuberculosis</i> Isolates from Kuwait. Microbial Drug Resistance, 2002, 8, 99-105.	2.0	38
40	Novel multiplex real-time quantitative PCR detecting system approach for direct detection of <i>Candida auris</i> and its relatives in spiked serum samples. Future Microbiology, 2019, 14, 33-45.	2.0	38
41	Contribution of AGC to ACC and other mutations at codon 315 of the katG gene in isoniazid-resistant Mycobacterium tuberculosis isolates from the Middle East. International Journal of Antimicrobial Agents, 2004, 23, 473-479.	2.5	37
42	Characterization of rpoB mutations in rifampin-resistant Mycobacterium tuberculosis isolates from the Middle East. Diagnostic Microbiology and Infectious Disease, 2000, 38, 227-232.	1.8	36
43	Echoviruses are a major cause of aseptic meningitis in infants and young children in Kuwait. Virology Journal, 2010, 7, 236.	3.4	36
44	Molecular Epidemiology of Candida Auris Outbreak in a Major Secondary-Care Hospital in Kuwait. Journal of Fungi (Basel, Switzerland), 2020, 6, 307.	3.5	33
45	Development of Echinocandin Resistance in Candida tropicalis following Short-Term Exposure to Caspofungin for Empiric Therapy. Antimicrobial Agents and Chemotherapy, 2018, 62, .	3.2	32
46	Development and evaluation of a multiplex PCR for rapid detection and differentiation of Mycobacterium tuberculosis complex members from non-tuberculous mycobacteria. Japanese Journal of Infectious Diseases, 2007, 60, 140-4.	1.2	31
47	InÂvivo emergence of high-level resistance during treatment reveals the first identified mechanism of amphotericin B resistance in Candida auris. Clinical Microbiology and Infection, 2022, 28, 838-843.	6.0	31
48	Antifungal susceptibility of clinical Candida parapsilosis isolates in Kuwait. Mycoses, 2008, 51, 318-323.	4.0	29
49	Diagnostic value of DNA, (1-3)-β-d-glucan, and galactomannan detection in serum and bronchoalveolar lavage of mice experimentally infected with Aspergillus terreus. Diagnostic Microbiology and Infectious Disease, 2007, 59, 165-171.	1.8	26
50	Molecular Fingerprinting Studies Do Not Support Intrahospital Transmission of Candida albicans among Candidemia Patients in Kuwait. Frontiers in Microbiology, 2017, 8, 247.	3.5	26
51	A protein-based phylogenetic tree for Gram-positive bacteria derived from hrcA, a unique heat-shock regulatory gene. International Journal of Systematic and Evolutionary Microbiology, 1999, 49, 1387-1394.	1.7	25
52	Construction of a modified vector for efficient purification of recombinant Mycobacterium tuberculosis proteins expressed in Escherichia coli. Protein Expression and Purification, 2003, 29, 167-175.	1.3	25
53	Cerebral aspergillosis diagnosed by detection of Aspergillus flavus-specific DNA, galactomannan and (1→3)-β-d-glucan in clinical specimens. Journal of Medical Microbiology, 2007, 56, 129-132.	1.8	25
54	Antifungal drug susceptibility, molecular basis of resistance to echinocandins and molecular epidemiology of fluconazole resistance among clinical Candida glabrata isolates in Kuwait. Scientific Reports, 2020, 10, 6238.	3.3	25

#	Article	IF	CITATIONS
55	Molecular characterisation of <i>Candida auris</i> isolates from immunocompromised patients in a tertiaryâ€care hospital in Kuwait reveals a novel mutation in <i>FKS1</i> conferring reduced susceptibility to echinocandins. Mycoses, 2022, 65, 331-343.	4.0	25
56	Pyrenochaeta romeroi: a causative agent of phaeohyphomycotic cyst. Journal of Medical Microbiology, 2011, 60, 842-846.	1.8	24
57	Species Spectrum of Nontuberculous Mycobacteria Isolated from Clinical Specimens in Kuwait. Current Microbiology, 2008, 56, 413-417.	2.2	23
58	Candida lusitaniae in Kuwait: Prevalence, antifungal susceptibility and role in neonatal fungemia. PLoS ONE, 2019, 14, e0213532.	2.5	23
59	High-resolution fingerprinting of Candida parapsilosis isolates suggests persistence and transmission of infections among neonatal intensive care unit patients in Kuwait. Scientific Reports, 2019, 9, 1340.	3.3	23
60	Diagnosis of endocarditis caused by <i>Mycobacterium</i> abscessus. Annals of Saudi Medicine, 2010, 30, 408-411.	1.1	22
61	Population structure and molecular genetic characterization of clinical Candida tropicalis isolates from a tertiary-care hospital in Kuwait reveal infections with unique strains. PLoS ONE, 2017, 12, e0182292.	2.5	22
62	Prevalence of tuberculosis and multidrug resistant tuberculosis in the Middle East Region. Expert Review of Anti-Infective Therapy, 2018, 16, 709-721.	4.4	22
63	Environmental distribution of <i>Cryptococcus</i> species and some other yeastâ€like fungi in India. Mycoses, 2018, 61, 305-313.	4.0	21
64	Simple, Low-Cost Molecular Assays for TR34/L98H Mutations in the cyp51A Gene for Rapid Detection of Triazole-Resistant Aspergillus fumigatus Isolates. Journal of Clinical Microbiology, 2014, 52, 2223-2227.	3.9	20
65	Fatal Breakthrough Candidemia in an Immunocompromised Patient in Kuwait Due to Candida auris Exhibiting Reduced Susceptibility to Echinocandins and Carrying a Novel Mutation in Hotspot-1 of FKS1. Journal of Fungi (Basel, Switzerland), 2022, 8, 267.	3.5	20
66	Development of a nested PCR assay for the detection of Fusarium solani DNA and its evaluation in the diagnosis of invasive fusariosis using an experimental mouse model. Mycoses, 2010, 53, 40-47.	4.0	19
67	Isolation of <i>Lodderomyces elongisporus</i> from the Catheter Tip of a Fungemia Patient in the Middle East. Case Reports in Medicine, 2013, 2013, 1-5.	0.7	19
68	Rapid and Accurate Identification of <b><i>Candida albicans</i></b> and <b><i>Candida dubliniensis</i></b> by Real-Time PCR and Melting Curve Analysis. Medical Principles and Practice, 2018, 27, 543-548.	2.4	19
69	<i>Cyberlindnera fabianii</i> fungaemia outbreak in preterm neonates in Kuwait and literature review. Mycoses, 2019, 62, 51-61.	4.0	19
70	Frequency of enterovirus detection in blood samples of neonates admitted to hospital with sepsisâ€like illness in Kuwait. Journal of Medical Virology, 2013, 85, 1280-1285.	5.0	18
71	Molecular characterization of multidrug-resistant Mycobacterium tuberculosis (MDR-TB) isolates identifies local transmission of infection in Kuwait, a country with a low incidence of TB and MDR-TB. European Journal of Medical Research, 2019, 24, 38.	2.2	18
72	Rapid discrimination between Candida albicans and Candida dubliniensis by using real-time polymerase chain reaction. Diagnostic Microbiology and Infectious Disease, 2007, 58, 367-369.	1.8	16

#	Article	IF	CITATIONS
73	Genotypic heterogeneity and molecular basis of 5-flucytosine resistance among <i>Candida dubliniensis</i> isolates recovered from clinical specimens in Kuwait. Medical Mycology, 2012, 50, 244-251.	0.7	15
74	Candida fermentati as a Cause of Persistent Fungemia in a Preterm Neonate Successfully Treated by Combination Therapy with Amphotericin B and Caspofungin. Journal of Clinical Microbiology, 2015, 53, 1038-1041.	3.9	15
75	Minor contribution of mutations at iniA codon 501 and embC-embA intergenic region in ethambutol-resistant clinical Mycobacterium tuberculosis isolates in Kuwait. Annals of Clinical Microbiology and Antimicrobials, 2009, 8, 2.	3.8	14
76	Isolation of cholesterol-dependent, multidrug-resistant Candida glabratastrains from blood cultures of a candidemia patient in Kuwait. BMC Infectious Diseases, 2014, 14, 188.	2.9	14
77	Lack of detection of Candida nivariensis and Candida bracarensis among 440 clinical Candida glabrata sensu lato isolates in Kuwait. PLoS ONE, 2019, 14, e0223920.	2.5	13
78	Molecular fingerprinting reveals familial transmission of rifampin-resistant tuberculosis in Kuwait. Annals of Saudi Medicine, 2005, 25, 150-153.	1.1	13
79	Molecular Fingerprinting of Isoniazidâ€Resistant <i>Mycobacterium tuberculosis</i> Isolates from Chest Diseases Hospital in Kuwait. Microbiology and Immunology, 2002, 46, 767-771.	1.4	12
80	Epidemiology of Candidemia in Kuwait: A Nationwide, Population-Based Study. Journal of Fungi (Basel,) Tj ETQqO	0	Overlock 10
81	Candida kefyr in Kuwait: Prevalence, antifungal drug susceptibility and genotypic heterogeneity. PLoS ONE, 2020, 15, e0240426.	2.5	12
82	Variations in the occurrence of specific rpoB mutations in rifampicin-resistant Mycobacterium tuberculosis isolates from patients of different ethnic groups in Kuwait. Indian Journal of Medical Research, 2012, 135, 756-62.	1.0	12
83	Candida auris : An emerging multidrug-resistant pathogen of global significance. Current Medicine Research and Practice, 2017, 7, 240-248.	0.1	11
84	Molecular Screening Versus Phenotypic Susceptibility Testing of Multidrug-Resistant <i>Mycobacterium tuberculosis</i> Isolates for Streptomycin and Ethambutol. Microbial Drug Resistance, 2018, 24, 923-931.	2.0	11
	Cysticercosis, a Potential Public Health Concern in Kuwait: A New Diagnostic Method to Screen		

85	Medical Principles and Practice, 2020, 29, 347-353.	2.4	11
86	Population structure and molecular genetic characterization of 5-flucytosine-susceptible and -resistant clinical Candida dubliniensis isolates from Kuwait. PLoS ONE, 2017, 12, e0175269.	2.5	10
87	Decreasing trend of imported malaria cases but increasing influx of mixed P. falciparum and P. vivax infections in malaria-free Kuwait. PLoS ONE, 2020, 15, e0243617.	2.5	10
88	Phenotypic and Molecular Characterization of <i>Candida dubliniensis</i> Isolates from Clinical Specimens in Kuwait. Medical Principles and Practice, 2005, 14, 77-83.	2.4	9
89	Recent advances in the diagnosis and treatment of multidrug-resistant tuberculosis. Respiratory Medicine CME, 2010, 3, 51-61.	0.1	9
90	First report of molecular detection of fluoroquinolone resistance-associated gyrA mutations in multidrug-resistant clinical Mycobacterium tuberculosis isolates in Kuwait. BMC Research Notes, 2011, 4, 123.	1.4	9

6

#	Article	IF	CITATIONS
91	Magnusiomyces capitatus fungemia: The value of direct microscopy in early diagnosis. Medical Mycology Case Reports, 2019, 25, 32-34.	1.3	8
92	Phylogenetic analysis of HIV-1 subtypes and drug resistance profile among treatment-naÃ <sup>-</sup> ve people in Kuwait. Journal of Medical Virology, 2015, 87, 1521-1526.	5.0	7
93	Whole-Genome and Targeted-Amplicon Sequencing of Fluconazole-Susceptible and -Resistant Candida parapsilosis Isolates from Kuwait Reveals a Previously Undescribed N1132D Polymorphism in <i>CDR1</i> . Antimicrobial Agents and Chemotherapy, 2021, 65, .	3.2	7
94	Breakthrough disseminated Saprochaete capitata infection in a child with acute myeloid leukaemia receiving caspofungin therapy. JMM Case Reports, 2014, 1, .	1.3	7
95	Increasing Trends of Reduced Susceptibility to Antifungal Drugs Among Clinical <i>Candida glabrata</i> Isolates in Kuwait. Microbial Drug Resistance, 2020, 26, 982-990.	2.0	6
96	Increasing prevalence of resistance to second-line drugs among multidrug-resistant Mycobacterium tuberculosis isolates in Kuwait. Scientific Reports, 2021, 11, 7765.	3.3	6
97	Comparison of performance of two DNA line probe assays for rapid detection of multidrug-resistant isolates of Mycobacterium tuberculosis. Indian Journal of Experimental Biology, 2009, 47, 454-62.	0.0	6
98	Development of a Novel Inhalational Model of Invasive Pulmonary Aspergillosis in Rats and Comparative Evaluation of Three Biomarkers for Its Diagnosis. PLoS ONE, 2014, 9, e100524.	2.5	5
99	Demonstration of Adventitious Sporulation in Fusarium Petroliphilum Onychomycosis. Mycopathologia, 2019, 184, 303-308.	3.1	5
100	Diversity of Nontuberculous Mycobacteria in Kuwait: Rapid Identification and Differentiation of <b><i>Mycobacterium</i></b> Species by Multiplex PCR, INNO-LiPA Mycobacteria v2 Assay and PCR Sequencing of rDNA. Medical Principles and Practice, 2019, 28, 208-215.	2.4	5
101	The history of hemodialysis in China. Hemodialysis International, 2020, 24, 269-275.	0.9	5
102	Genotypic Diversity among Isoniazid-Resistant Isolates of <i>Mycobacterium tuberculosis</i> from Rashid Hospital in Dubai, United Arab Emirates. Medical Principles and Practice, 2005, 14, 16-21.	2.4	4
103	Allergic Fungal Sinusitis Caused by Exserohilum rostratum and Literature Review. Mycopathologia, 2019, 184, 89-96.	3.1	4
104	First Isolation of <b><i>Candida nivariensis</i></b> , an Emerging Fungal Pathogen, in Kuwait. Medical Principles and Practice, 2021, 30, 80-84.	2.4	4
105	Performance Comparison of GeneXpert MTB/RIF and ProbeTec ET Tests for Rapid Molecular Diagnosis of Extrapulmonary Tuberculosis in a Low TB/MDR-TB Incidence Country. Medical Principles and Practice, 2021, 30, 277-284.	2.4	4
106	A Large Case Series of Neurocysticercosis in Kuwait, a Nonendemic Arabian Gulf Country in the Middle East Region. Microorganisms, 2021, 9, 1221.	3.6	4
107	Papiliotrema laurentii fungemia in a premature, very low-birth-weight neonate in Kuwait successfully treated with liposomal amphotericin B. Journal De Mycologie Medicale, 2021, 31, 101123.	1.5	4
108	The history of peritoneal dialysis in China: past, present and future trends. Renal Failure, 2021, 43, 1601-1608.	2.1	4

#	Article	IF	CITATIONS
109	Differential translation of the α-1 isoforms of L-type calcium channel in rat brain and other tissues. IUBMB Life, 1998, 45, 895-904.	3.4	3
110	Varying Prevalence ofembB Codon 306 Mutations in Ethambutol-Resistant ClinicalMycobacterium tuberculosisIsolates from Beirut and Dubai. Journal of Chemotherapy, 2008, 20, 285-287.	1.5	3
111	New Perspectives in the Diagnosis and Treatment of Tuberculosis. Journal of Bacteriology & Parasitology, 2012, 03, .	0.2	3
112	Molecular identification, genotypic heterogeneity and comparative pathogenicity of environmental isolates of Papiliotrema laurentii. Journal of Medical Microbiology, 2020, 69, 1285-1292.	1.8	3
113	Mixed infection with itraconazole-susceptible and-resistant strains of Aspergillus fumigatus: Diagnostic and therapeutic implications. Journal of Infection and Public Health, 2020, 13, 664-666.	4.1	2
114	Current Epidemiological Characteristics of Imported Malaria, Vector Control Status and Malaria Elimination Prospects in the Gulf Cooperation Council (GCC) Countries. Microorganisms, 2021, 9, 1431.	3.6	2
115	Molecular fingerprinting of multidrug-resistant Mycobacterium tuberculosis strains in Beirut reveals genetic diversity and father to daughter transmission. Journal Medical Libanais, 2003, 51, 4-8.	0.0	2
116	Aerial Prevalence of Aspergillus calidoustus Isolates in and around a Tertiary Care Hospital in Kuwait and Assessment of Their Pathogenicity. Journal of Clinical Microbiology, 2014, 52, 3402-3405.	3.9	1
117	Performance of the Genotype MTBDR assay for molecular detection of multidrug-resistant strains of <i>Mycobacterium tuberculosis </i> . Annals of Saudi Medicine, 2008, 28, 203-206.	1.1	1
118	Diagnostic Algorithm for Invasive Fungal Infections. , 2020, , 179-197.		1
119	Why Phenotypic Drug Susceptibility Testing of Mycobacterium tuberculosis to First-Line Drugs is not Sufficient for Proper Management of Drug-Resistant and Multidrug-Resistant tuberculosis?. Journal of Bacteriology & Parasitology, 2017, 09, .	0.2	Ο
120	759. Molecular Characterization and Epidemiology of Multidrug-Resistant Mycobacterium tuberculosis (MDR-TB) and Identification of Possible Cases of Local Transmission of MDR-TB in Kuwait. Open Forum Infectious Diseases, 2018, 5, S272-S272.	0.9	0
121			
121	Recent Developments in the Rapid Diagnosis of MDR-TB. Journal of Bacteriology & Parasitology, 2018, 09, .	0.2	Ο
121		0.2	0
	09, . Reply to Murray et al., "Comparative Performance of BD MAX MDR-TB and Cepheid Xpert MTB/RIF		
122	09, . Reply to Murray et al., "Comparative Performance of BD MAX MDR-TB and Cepheid Xpert MTB/RIF Assays― Journal of Clinical Microbiology, 2019, 57, . Reply to the Letter "Diagnostic Method to Screen <b><i>Taenia solium</i>&gt;</b> Taeniasis Carriers―	3.9	0
122 123	<ul> <li>09,.</li> <li>Reply to Murray et al., "Comparative Performance of BD MAX MDR-TB and Cepheid Xpert MTB/RIF Assays― Journal of Clinical Microbiology, 2019, 57, .</li> <li>Reply to the Letter "Diagnostic Method to Screen <b><i>Taenia solium</i></b> Taeniasis Carriers― Medical Principles and Practice, 2020, 29, 300-300.</li> <li>First report of extensively drug-resistant Mycobacterium tuberculosis (XDR-TB) infection in Kuwait.</li> </ul>	3.9 2.4	0

#	Article	IF	CITATIONS
127	Title is missing!. , 2020, 15, e0243617.		0
128	Title is missing!. , 2020, 15, e0243617.		0
129	Title is missing!. , 2020, 15, e0243617.		0
130	Title is missing!. , 2020, 15, e0243617.		0