

Ridha Joober

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8852967/ridha-joober-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

127
papers

2,035
citations

26
h-index

38
g-index

149
ext. papers

2,560
ext. citations

4.3
avg, IF

5.05
L-index

#	Paper	IF	Citations
127	From early intervention in psychosis to youth mental health reform: a review of the evolution and transformation of mental health services for young people. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 319-26	4.5	91
126	Early intervention for psychosis: a Canadian perspective. <i>Journal of Nervous and Mental Disease</i> , 2015 , 203, 356-64	1.8	86
125	The relative contribution of cognition and symptomatic remission to functional outcome following treatment of a first episode of psychosis. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, e566-72	4.6	68
124	Dopamine transporter 3R/UTR VNTR genotype and ADHD: a pharmaco-behavioural genetic study with methylphenidate. <i>Neuropsychopharmacology</i> , 2007 , 32, 1370-6	8.7	58
123	Neuropsychological impairments in neuroleptic-responder vs. -nonresponder schizophrenic patients and healthy volunteers. <i>Schizophrenia Research</i> , 2002 , 53, 229-38	3.6	51
122	What do DNA methylation studies tell us about depression? A systematic review. <i>Translational Psychiatry</i> , 2019 , 9, 68	8.6	50
121	Evaluating accuracy of striatal, pallidal, and thalamic segmentation methods: Comparing automated approaches to manual delineation. <i>NeuroImage</i> , 2018 , 170, 182-198	7.9	50
120	Comparing three-year extension of early intervention service to regular care following two years of early intervention service in first-episode psychosis: a randomized single blind clinical trial. <i>World Psychiatry</i> , 2017 , 16, 278-286	14.4	48
119	Canadian response to need for transformation of youth mental health services: ACCESS Open Minds (Esprits ouverts). <i>Microbial Biotechnology</i> , 2019 , 13, 697-706	3.3	47
118	A comparison study of multiple measures of adherence to antipsychotic medication in first-episode psychosis. <i>Journal of Clinical Psychopharmacology</i> , 2010 , 30, 64-7	1.7	46
117	Association between schizophrenia and genetic variation in DCC: a case-control study. <i>Schizophrenia Research</i> , 2012 , 137, 26-31	3.6	44
116	Is the Clinical High-Risk State a Valid Concept? Retrospective Examination in a First-Episode Psychosis Sample. <i>Psychiatric Services</i> , 2017 , 68, 1046-1052	3.3	43
115	DNA methylation in individuals with anorexia nervosa and in matched normal-eater controls: A genome-wide study. <i>International Journal of Eating Disorders</i> , 2015 , 48, 874-82	6.3	43
114	APOE2 Is Associated with Spatial Navigational Strategies and Increased Gray Matter in the Hippocampus. <i>Frontiers in Human Neuroscience</i> , 2016 , 10, 349	3.3	43
113	Disengagement in immigrant groups receiving services for a first episode of psychosis. <i>Schizophrenia Research</i> , 2018 , 193, 399-405	3.6	37
112	Maternal smoking during pregnancy and ADHD: a comprehensive clinical and neurocognitive characterization. <i>Nicotine and Tobacco Research</i> , 2013 , 15, 149-57	4.9	36
111	Analysis of 14 CAG repeat-containing genes in schizophrenia. <i>American Journal of Medical Genetics Part A</i> , 1999 , 88, 694-699		36

110	Coping style moderates the effect of intranasal oxytocin on the mood response to interpersonal stress. <i>Experimental and Clinical Psychopharmacology</i> , 2012 , 20, 84-91	3.2	33
109	A five-year randomized parallel and blinded clinical trial of an extended specialized early intervention vs. regular care in the early phase of psychotic disorders: study protocol. <i>BMC Psychiatry</i> , 2015 , 15, 22	4.2	30
108	Cortical thinning in temporo-parietal junction (TPJ) in non-affective first-episode of psychosis patients with persistent negative symptoms. <i>PLoS ONE</i> , 2014 , 9, e101372	3.7	30
107	Sleep and COMT polymorphism in ADHD children: preliminary actigraphic data. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2006 , 45, 982-989	7.2	30
106	Relationship between response to methylphenidate treatment in children with ADHD and psychopathology in their families. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2006 , 45, 47-53	7.2	29
105	Reduced hippocampal volume and hypothalamus-pituitary-adrenal axis function in first episode psychosis: evidence for sex differences. <i>NeuroImage: Clinical</i> , 2015 , 7, 195-202	5.3	27
104	Transcriptome-wide association study of attention deficit hyperactivity disorder identifies associated genes and phenotypes. <i>Nature Communications</i> , 2019 , 10, 4450	17.4	25
103	COMT Val108/158Met polymorphism and the modulation of task-oriented behavior in children with ADHD. <i>Neuropsychopharmacology</i> , 2008 , 33, 3069-77	8.7	25
102	Increased prevalence of schizophrenia spectrum disorders in relatives of neuroleptic-nonresponsive schizophrenic patients. <i>Schizophrenia Research</i> , 2005 , 77, 35-41	3.6	24
101	Association of a risk allele of ANK3 with cognitive performance and cortical thickness in patients with first-episode psychosis. <i>Journal of Psychiatry and Neuroscience</i> , 2014 , 39, 31-9	4.5	24
100	Association and linkage studies of CRH and PENK genes in bipolar disorder: a collaborative IGSLI study. <i>American Journal of Medical Genetics Part A</i> , 2000 , 96, 178-81		23
99	Lack of association between the hSKCa3 channel gene CAG polymorphism and schizophrenia 1999 , 88, 154-157		23
98	Gender differences in childhood trauma in first episode psychosis: Association with symptom severity over two years. <i>Schizophrenia Research</i> , 2019 , 205, 30-37	3.6	22
97	The influence of perceived social support on medication adherence in first-episode psychosis. <i>Canadian Journal of Psychiatry</i> , 2013 , 58, 59-65	4.8	22
96	Structure of spike count correlations reveals functional interactions between neurons in dorsolateral prefrontal cortex area 8a of behaving primates. <i>PLoS ONE</i> , 2013 , 8, e61503	3.7	19
95	Pathways to functional outcomes following a first episode of psychosis: The roles of premorbid adjustment, verbal memory and symptom remission. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018 , 52, 793-803	2.6	18
94	Age-related cortical thickness trajectories in first episode psychosis patients presenting with early persistent negative symptoms. <i>NPJ Schizophrenia</i> , 2016 , 2, 16029	5.5	18
93	The effect of second-generation antipsychotics on hippocampal volume in first episode of psychosis: longitudinal study. <i>BJPsych Open</i> , 2016 , 2, 139-146	5	18

92	Adolescent vs. adult onset of a first episode psychosis: Impact on remission of positive and negative symptoms. <i>Schizophrenia Research</i> , 2016 , 174, 183-188	3.6	18
91	Mesocorticolimbic Connectivity and Volumetric Alterations in Mutation Carriers. <i>Journal of Neuroscience</i> , 2018 , 38, 4655-4665	6.6	16
90	Family-based association study of common variants, rare mutation study and epistatic interaction detection in HDAC genes in schizophrenia. <i>Schizophrenia Research</i> , 2014 , 160, 97-103	3.6	16
89	A longitudinal, epigenome-wide study of DNA methylation in anorexia nervosa: results in actively ill, partially weight-restored, long-term remitted and non-eating-disordered women. <i>Journal of Psychiatry and Neuroscience</i> , 2019 , 44, 205-213	4.5	16
88	Therapeutic effectiveness and tolerability of aripiprazole as initial choice of treatment in first episode psychosis in an early intervention service: A one-year outcome study. <i>Schizophrenia Research</i> , 2016 , 174, 120-125	3.6	16
87	Mutation burden of rare variants in schizophrenia candidate genes. <i>PLoS ONE</i> , 2015 , 10, e0128988	3.7	15
86	The Effect of Maternal Stress during Pregnancy on IQ and ADHD Symptomatology. <i>Journal of the Canadian Academy of Child and Adolescent Psychiatry</i> , 2015 , 24, 92-9	0.7	15
85	A NEET distinction: youths not in employment, education or training follow different pathways to illness and care in psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 1401-1411	4.5	15
84	What Is the Place of Clozapine in the Treatment of Early Psychosis in Canada?. <i>Canadian Journal of Psychiatry</i> , 2017 , 62, 109-114	4.8	14
83	Investigation of white matter abnormalities in first episode psychosis patients with persistent negative symptoms. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 233, 402-8	2.9	14
82	Smoking status and its relationship to demographic and clinical characteristics in first episode psychosis. <i>Journal of Psychiatric Research</i> , 2017 , 85, 83-90	5.2	14
81	Psychotic disorders comorbid with attention-deficit hyperactivity disorder: an important knowledge gap. <i>Canadian Journal of Psychiatry</i> , 2015 , 60, S48-52	4.8	14
80	Cultural and Contextual Adaptation of an eHealth Intervention for Youth Receiving Services for First-Episode Psychosis: Adaptation Framework and Protocol for Horizons-Canada Phase 1. <i>JMIR Research Protocols</i> , 2018 , 7, e100	2	14
79	Comparing cognitive clusters across first- and multiple-episode of psychosis. <i>Psychiatry Research</i> , 2018 , 269, 707-718	9.9	14
78	Changes in memory performance over a 12-month period in relation to achieving symptomatic remission after a first-episode psychosis. <i>Schizophrenia Research</i> , 2014 , 153, 103-8	3.6	13
77	Genetics of schizophrenia: from animal models to clinical studies. <i>Journal of Psychiatry and Neuroscience</i> , 2002 , 27, 336-47	4.5	13
76	A minimum evaluation protocol and stepped-wedge cluster randomized trial of ACCESS Open Minds, a large Canadian youth mental health services transformation project. <i>BMC Psychiatry</i> , 2019 , 19, 273	4.2	11
75	The Trier Social Stress Test in first episode psychosis patients: Impact of perceived stress, protective factors and childhood trauma. <i>Psychoneuroendocrinology</i> , 2019 , 105, 155-163	5	11

74	Structural Associations of Cortical Contrast and Thickness in First Episode Psychosis. <i>Cerebral Cortex</i> , 2019 , 29, 5009-5021	5.1	10
73	Sex Differences in Verbal Memory Predict Functioning Through Negative Symptoms in Early Psychosis. <i>Schizophrenia Bulletin</i> , 2020 , 46, 1587-1595	1.3	10
72	Predictors of All-cause discontinuation of initial oral antipsychotic medication in first episode psychosis. <i>Schizophrenia Research</i> , 2018 , 201, 287-293	3.6	10
71	Longitudinal trajectory of clinical insight and covariation with cortical thickness in first-episode psychosis. <i>Journal of Psychiatric Research</i> , 2017 , 86, 46-54	5.2	10
70	Source retrieval is not properly differentiated from object retrieval in early schizophrenia: an fMRI study using virtual reality. <i>NeuroImage: Clinical</i> , 2015 , 7, 336-46	5.3	10
69	Comparison of clinical outcomes following 2 years of treatment of first-episode psychosis in urban early intervention services in Canada and India. <i>British Journal of Psychiatry</i> , 2020 , 217, 514-520	5.4	9
68	A longitudinal study of cognitive insight and cortical thickness in first-episode psychosis. <i>Schizophrenia Research</i> , 2018 , 193, 251-260	3.6	9
67	Clinical and functional implications of a history of childhood ADHD in first-episode psychosis. <i>Schizophrenia Research</i> , 2015 , 165, 128-33	3.6	9
66	Placebo response and its determinants in children with ADHD across multiple observers and settings: A randomized clinical trial. <i>International Journal of Methods in Psychiatric Research</i> , 2018 , 27,	4.3	9
65	Healthy versus Entorhinal Cortical Atrophy Identification in Asymptomatic APOE4 Carriers at Risk for Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2018 , 61, 1493-1507	4.3	9
64	Context and contact: a comparison of patient and family engagement with early intervention services for psychosis in India and Canada. <i>Psychological Medicine</i> , 2020 , 1-10	6.9	8
63	Description, evaluation and scale-up potential of a model for rapid access to early intervention for psychosis. <i>Microbial Biotechnology</i> , 2018 , 12, 1222-1228	3.3	8
62	Epistatic interactions involving DRD2, DRD4, and COMT polymorphisms and risk of substance abuse in women with binge-purge eating disturbances. <i>Journal of Psychiatric Research</i> , 2016 , 77, 8-14	5.2	8
61	A new wave in the genetics of psychiatric disorders: the copy number variant tsunami. <i>Journal of Psychiatry and Neuroscience</i> , 2009 , 34, 55-9	4.5	8
60	Attention and Executive Function in Children Diagnosed with Attention Deficit Hyperactivity Disorder and Comorbid Disorders. <i>Journal of the Canadian Academy of Child and Adolescent Psychiatry</i> , 2017 , 26, 21-30	0.7	8
59	Adaptation of a Digital Health Innovation to Prevent Relapse and Support Recovery in Youth Receiving Services for First-Episode Psychosis: Results From the Horizons-Canada Phase 1 Study. <i>JMIR Formative Research</i> , 2020 , 4, e19887	2.5	8
58	Progress of negative symptoms over the initial 5 years of a first episode of psychosis. <i>Psychological Medicine</i> , 2019 , 49, 66-74	6.9	8
57	A Model of Mental Health Care Involving Trained Lay Health Workers for Treatment of Major Mental Disorders Among Youth in a Conflict-Ridden, Low-Middle Income Environment: Part I Adaptation and Implementation. <i>Canadian Journal of Psychiatry</i> , 2019 , 64, 621-629	4.8	7

56	Caught in the "NEET Trap": The Intersection Between Vocational Inactivity and Disengagement From an Early Intervention Service for Psychosis. <i>Psychiatric Services</i> , 2019 , 70, 302-308	3.3	6
55	Perceived utility of biological testing for autism spectrum disorder is associated with child and family functioning. <i>Research in Developmental Disabilities</i> , 2020 , 100, 103605	2.7	6
54	Treatment of ADHD in patients with bipolar disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2017 , 42, E11-E12	4.5	6
53	DRD3 Gene and ADHD: A Pharmaco-Behavioural Genetic Study. <i>NeuroMolecular Medicine</i> , 2018 , 20, 515-524	4.4	6
52	Clozapine for the management of persistent catatonia. <i>Journal of Psychiatry and Neuroscience</i> , 2016 , 41, E81-E82	4.5	6
51	The Effects of Methylphenidate (Ritalin) on the Neurophysiology of the Monkey Caudal Prefrontal Cortex. <i>ENeuro</i> , 2019 , 6,	3.9	6
50	Apgar Scores Are Associated with Attention-Deficit/Hyperactivity Disorder Symptom Severity. <i>Canadian Journal of Psychiatry</i> , 2016 , 61, 283-90	4.8	6
49	Neural function in DCC mutation carriers with and without mirror movements. <i>Annals of Neurology</i> , 2019 , 85, 433-442	9.4	5
48	Generalizing Duchenne to sad expressions with binocular rivalry and perception ratings. <i>Emotion</i> , 2019 , 19, 234-241	4.1	5
47	Impact of childhood trauma on positive and negative symptom remission in first episode psychosis. <i>Schizophrenia Research</i> , 2021 , 231, 82-89	3.6	5
46	exon 3 genotype and ADHD: Randomised pharmacodynamic investigation of treatment response to methylphenidate. <i>World Journal of Biological Psychiatry</i> , 2019 , 20, 486-495	3.8	5
45	Adipose tissue dysregulation at the onset of psychosis: Adipokines and social determinants of health. <i>Psychoneuroendocrinology</i> , 2021 , 123, 104915	5	5
44	Economic Evaluation of Extended Early Intervention Service vs Regular Care Following 2 Years of Early Intervention: Secondary Analysis of a Randomized Controlled Trial. <i>Schizophrenia Bulletin</i> , 2021 , 47, 465-473	1.3	5
43	A polymorphism in the glutamate metabotropic receptor 7 is associated with cognitive deficits in the early phases of psychosis. <i>Schizophrenia Research</i> , 2020 ,	3.6	4
42	Effectiveness of Community Treatment Order in Patients with a First Episode of Psychosis: A Mirror-Image Study. <i>Canadian Journal of Psychiatry</i> , 2018 , 63, 766-773	4.8	4
41	Bipolar disorder risk gene modulates negative symptoms in schizophrenia: a neuroimaging genetics study. <i>Journal of Psychiatry and Neuroscience</i> , 2017 , 42, 172-180	4.5	4
40	Socioeconomic deprivation and blood lipids in first-episode psychosis patients with minimal antipsychotic exposure: Implications for cardiovascular risk. <i>Schizophrenia Research</i> , 2020 , 216, 111-117	3.6	4
39	Neurocognitive functions in persistent negative symptoms following a first episode of psychosis. <i>European Neuropsychopharmacology</i> , 2021 , 47, 86-97	1.2	4

38	Intersection of verbal memory and expressivity on cortical contrast and thickness in first episode psychosis. <i>Psychological Medicine</i> , 2020 , 50, 1923-1936	6.9	4
37	Altered hippocampal centrality and dynamic anatomical covariance of intracortical microstructure in first episode psychosis. <i>Hippocampus</i> , 2020 , 30, 1058-1072	3.5	3
36	The effect of second-generation antipsychotics on basal ganglia and thalamus in first-episode psychosis patients. <i>European Neuropsychopharmacology</i> , 2019 , 29, 1408-1418	1.2	3
35	Genetics of developmental psychiatric disorders: pathways to discovery. <i>Journal of Psychiatry and Neuroscience</i> , 2005 , 30, 349-54	4.5	3
34	Association between COMT methylation and response to treatment in children with ADHD. <i>Journal of Psychiatric Research</i> , 2021 , 135, 86-93	5.2	3
33	Cognitive capacity similarly predicts insight into symptoms in first- and multiple-episode psychosis. <i>Schizophrenia Research</i> , 2019 , 206, 236-243	3.6	3
32	Testing the Effectiveness of Implementing a Model of Mental Healthcare Involving Trained Lay Health Workers in Treating Major Mental Disorders Among Youth in a Conflict-Ridden, Low-Middle Income Environment: Part II Results. <i>Canadian Journal of Psychiatry</i> , 2019 , 64, 630-637	4.8	2
31	by Epistatic Interaction in Modulating Behaviors in Children with ADHD: A Pharmacodynamic Behavioral Approach. <i>Journal of Attention Disorders</i> , 2021 , 25, 1720-1730	3.7	2
30	Polymorphism in the cell division cycle 45 like gene and schizophrenia. <i>American Journal of Medical Genetics Part A</i> , 2001 , 105, 214-5		2
29	Meeting the challenges of the new frontier of youth mental health care.. <i>World Psychiatry</i> , 2022 , 21, 78-79	14.4	2
28	Whose responsibility? Part 1 of 2: A scale to assess how stakeholders apportion responsibilities for addressing the needs of persons with mental health problems.. <i>International Journal of Mental Health Systems</i> , 2022 , 16, 1	3.6	2
27	Predictors of empowerment in parents of children with autism and related neurodevelopmental disorders who are undergoing genetic testing. <i>Molecular Genetics & Genomic Medicine</i> , 2021 , 9, e1803	2.3	2
26	Serotonin syndrome: SSRIs are not the only culprit. <i>Journal of Psychiatry and Neuroscience</i> , 2021 , 46, E362-E370	4.5	2
25	Adaptation and validation of the Genetic Counseling Outcome Scale for autism spectrum disorders and related conditions. <i>Journal of Genetic Counseling</i> , 2021 , 30, 305-318	2.5	2
24	Randomness and nondeterminism: from genes to free will with implications for psychiatry. <i>Journal of Psychiatry and Neuroscience</i> , 2021 , 46, E500-E505	4.5	2
23	Understanding sex differences in cognitive insight across first-and-multiple episode psychosis. <i>Schizophrenia Research</i> , 2020 , 218, 276-282	3.6	1
22	The impact of caregiver familiarity with mental disorders on timing of intervention in first-episode psychosis. <i>Microbial Biotechnology</i> , 2015 , 9, 388-96	3.3	1
21	An observational study of antipsychotic medication discontinuation in first-episode psychosis: clinical and functional outcomes.. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022 , 1	4.5	1

20	Acute blood pressure change with methylphenidate is associated with improvement in attention performance in children with ADHD. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 96, 109732	5.5	1
19	Patient satisfaction with random assignment to extended early intervention for psychosis vs regular care: Relationship with service engagement. <i>Microbial Biotechnology</i> , 2021 , 15, 746-750	3.3	1
18	Delusional content at initial presentation to a catchment-based early intervention service for psychosis. <i>British Journal of Psychiatry</i> , 2020 , 1-7	5.4	1
17	Sex-dependent complex association of TPH2 with multiple dimensions of ADHD. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 110, 110296	5.5	1
16	Investigating subjective cognitive complaints in psychosis: Introducing the brief scale to Investigate cognition in schizophrenia (SSTICS-Brief). <i>Cognitive Neuropsychiatry</i> , 2020 , 25, 190-200	2	0
15	Whose responsibility? Part 2 of 2: views of patients, families, and clinicians about responsibilities for addressing the needs of persons with mental health problems in Chennai, India and Montreal, Canada.. <i>International Journal of Mental Health Systems</i> , 2022 , 16, 2	3.6	0
14	Precision-medicine findings from the FACE-SZ cohort to develop motivation-enhancing programs in real-world schizophrenia.. <i>World Journal of Biological Psychiatry</i> , 2022 , 1-28	3.8	0
13	The effects of childhood adversity on treatment delays and its components in first-episode psychosis.. <i>Psychiatry Research</i> , 2021 , 308, 114341	9.9	0
12	Treating anxious syndromes with pregabalin in patients with psychosis. <i>Journal of Psychiatry and Neuroscience</i> , 2020 , 45, 370	4.5	0
11	Pragmatic implementation of the Clinical Global Impression Scale of Severity as a tool for measurement-based care in a first-episode psychosis program.. <i>Schizophrenia Research</i> , 2022 , 243, 147-153	3.6	0
10	Medial temporal lobe and basal ganglia volume trajectories in persistent negative symptoms following a first episode of psychosis.. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022 , 110551	5.5	0
9	A Digital Health Innovation to Prevent Relapse and Support Recovery in Youth Receiving Specialized Services for First-Episode Psychosis: Protocol for a Pilot Pre-Post, Mixed Methods Study of Horizons-Canada (Phase 2). <i>JMIR Research Protocols</i> , 2021 , 10, e28141	2	0
8	Conditional associations between childhood cat ownership and psychotic experiences in adulthood: A retrospective study.. <i>Journal of Psychiatric Research</i> , 2022 , 148, 197-203	5.2	
7	Sitting on the edge: when to treat symptoms of inattention without the full DSM-IV criteria of ADHD. <i>Journal of Psychiatry and Neuroscience</i> , 2007 , 32, 447	4.5	
6	Treatment of first-episode psychosis in patients with autism-spectrum disorder and intellectual deficiency. <i>Journal of Psychiatry and Neuroscience</i> , 2019 , 44, E31-E32	4.5	
5	Exit exceptionalism: mental disease is like any other medical disease - Author response. <i>Journal of Psychiatry and Neuroscience</i> , 2015 , 40, E36-7	4.5	
4	Cover Image, Volume 30, Issue 10. <i>Hippocampus</i> , 2020 , 30, C1	3.5	
3	The antipsychotic potential of cannabidiol: clinical implications for patients with psychosis and comorbid cannabis use disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2021 , 46, E164-E165	4.5	

- 2 The BDNF val66met polymorphism is associated with decreased use of landmarks and decreased fMRI activity in the hippocampus during virtual navigation. *European Journal of Neuroscience*, **2021**, 54, 6406-6421 3.5
- 1 Measurement Based Care in a first episode psychosis program: Development of an algorithm of care based on the Clinical Global Impressions Scale.. *Journal of Psychiatric Research*, **2022**, 150, 8-16 5.2