

Karen Jansen

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8853908/karen-jansen-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

123
papers

2,179
citations

28
h-index

38
g-index

133
ext. papers

2,688
ext. citations

4.5
avg, IF

4.69
L-index

#	Paper	IF	Citations
123	Kynurenine pathway dysfunction in the pathophysiology and treatment of depression: Evidences from animal and human studies. <i>Journal of Psychiatric Research</i> , 2015 , 68, 316-28	5.2	127
122	The impact of maternal post-partum depression on the language development of children at 12 months. <i>Child: Care, Health and Development</i> , 2012 , 38, 420-4	2.8	79
121	Psychiatric and substance-use comorbidities associated with lifetime crack cocaine use in young adults in the general population. <i>Comprehensive Psychiatry</i> , 2014 , 55, 1369-76	7.3	67
120	Neurotrophic factors, clinical features and gender differences in depression. <i>Neurochemical Research</i> , 2014 , 39, 1571-8	4.6	63
119	Peripheral oxidative damage in early-stage mood disorders: a nested population-based case-control study. <i>International Journal of Neuropsychopharmacology</i> , 2012 , 15, 1043-50	5.8	52
118	Serum levels of nerve growth factor (NGF) in patients with major depression disorder and suicide risk. <i>Journal of Affective Disorders</i> , 2015 , 184, 245-8	6.6	50
117	Cocaine abuse and effects in the serum levels of cytokines IL-6 and IL-10. <i>Drug and Alcohol Dependence</i> , 2016 , 158, 181-5	4.9	49
116	Sociodemographic risk factors of perinatal depression: a cohort study in the public health care system. <i>Revista Brasileira De Psiquiatria</i> , 2012 , 34, 143-8	2.6	49
115	Childhood trauma and suicide risk in a sample of young individuals aged 14-35 years in southern Brazil. <i>Child Abuse and Neglect</i> , 2014 , 38, 1191-6	4.3	48
114	Prevalence of episodes of mania and hypomania and associated comorbidities among young adults. <i>Journal of Affective Disorders</i> , 2011 , 130, 328-33	6.6	48
113	Childhood trauma, family history, and their association with mood disorders in early adulthood. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 281-6	6.5	47
112	Immune dysfunction in bipolar disorder and suicide risk: is there an association between peripheral corticotropin-releasing hormone and interleukin-1 β . <i>Bipolar Disorders</i> , 2014 , 16, 741-7	3.8	46
111	Biological rhythms in bipolar and depressive disorders: A community study with drug-naïve young adults. <i>Journal of Affective Disorders</i> , 2015 , 186, 145-8	6.6	43
110	Metabolic syndrome in subjects with bipolar disorder and major depressive disorder in a current depressive episode: Population-based study: Metabolic syndrome in current depressive episode. <i>Journal of Psychiatric Research</i> , 2017 , 92, 119-123	5.2	41
109	Prevalence of suicide risk and comorbidities in postpartum women in Pelotas. <i>Revista Brasileira De Psiquiatria</i> , 2012 , 34, 270-6	2.6	40
108	Pro-inflammatory cytokines and psychotherapy in depression: Results from a randomized clinical trial. <i>Journal of Psychiatric Research</i> , 2016 , 75, 57-64	5.2	35
107	Gender-based differences in oxidative stress parameters do not underlie the differences in mood disorders susceptibility between sexes. <i>European Psychiatry</i> , 2014 , 29, 58-63	6	34

106	Violent and sexual behaviors and lifetime use of crack cocaine: a population-based study in Brazil. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 1249-55	4.5	33
105	Mood disorders and biological rhythms in young adults: A large population-based study. <i>Journal of Psychiatric Research</i> , 2017 , 84, 98-104	5.2	33
104	History of childhood trauma as risk factors to suicide risk in major depression. <i>Psychiatry Research</i> , 2016 , 246, 612-616	9.9	32
103	Interleukin-1 β s associated with depressive episode in major depression but not in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2013 , 47, 2011-4	5.2	32
102	Early functional impairment in bipolar youth: a nested population-based case-control study. <i>Journal of Affective Disorders</i> , 2012 , 142, 208-12	6.6	32
101	Brain-derived neurotrophic factor in post-partum depressive mothers. <i>Neurochemical Research</i> , 2012 , 37, 583-7	4.6	31
100	The impact of cognitive behavioral therapy on IL-6 levels in unmedicated women experiencing the first episode of depression: a pilot study. <i>Psychiatry Research</i> , 2013 , 209, 742-5	9.9	31
99	Predictors of psychiatric readmission among patients with bipolar disorder at an academic safety-net hospital. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016 , 50, 584-93	2.6	30
98	Escala Hamilton: estudo das características psicométricas em uma amostra do sul do Brasil. <i>Jornal Brasileiro De Psiquiatria</i> , 2014 , 63, 281-289	0.5	29
97	Depression during pregnancy in the Brazilian public health care system. <i>Revista Brasileira De Psiquiatria</i> , 2010 , 32, 139-44	2.6	28
96	Major depressive disorder symptoms in male and female young adults. <i>Psychology, Health and Medicine</i> , 2014 , 19, 136-45	2.1	27
95	Quality of life and mood disorder episodes: community sample. <i>Journal of Affective Disorders</i> , 2013 , 147, 123-7	6.6	26
94	Working and short-term memories are impaired in postpartum depression. <i>Journal of Affective Disorders</i> , 2012 , 136, 1238-42	6.6	25
93	Serum levels of interleukins IL-6 and IL-10 in individuals with posttraumatic stress disorder in a population-based sample. <i>Psychiatry Research</i> , 2018 , 260, 111-115	9.9	24
92	Peripheral eotaxin-1 (CCL11) levels and mood disorder diagnosis in a population-based sample of young adults. <i>Journal of Psychiatric Research</i> , 2014 , 48, 13-5	5.2	23
91	Suicidal ideation in adolescents aged 11 to 15 years: prevalence and associated factors. <i>Revista Brasileira De Psiquiatria</i> , 2010 , 32, 37-41	2.6	23
90	Interleukin-6 and Interleukin-10 in mood disorders: A population-based study. <i>Psychiatry Research</i> , 2019 , 273, 685-689	9.9	22
89	Suicidality and associated factors in pregnant women in Brazil. <i>Community Mental Health Journal</i> , 2012 , 48, 392-5	2.1	22

88	Childhood trauma and increased peripheral cytokines in young adults with major depressive: Population-based study. <i>Journal of Neuroimmunology</i> , 2018 , 319, 112-116	3.5	21
87	Association of a serotonin transporter gene polymorphism (5-HTTLPR) and stressful life events with postpartum depressive symptoms: a population-based study. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2013 , 34, 29-33	3.6	21
86	Reduced serum levels of neuron specific enolase (NSE) in drug-naïve subjects with major depression and bipolar disorder. <i>Neurochemical Research</i> , 2013 , 38, 1394-8	4.6	21
85	Circadian preferences, oxidative stress and inflammatory cytokines in bipolar disorder: A community study. <i>Journal of Neuroimmunology</i> , 2016 , 301, 23-29	3.5	20
84	Brief psychoeducation for bipolar disorder: impact on quality of life in young adults in a 6-month follow-up of a randomized controlled trial. <i>Psychiatry Research</i> , 2014 , 220, 896-902	9.9	19
83	Prevalence and factors associated with Premenstrual Dysphoric Disorder: A community sample of young adult women. <i>Psychiatry Research</i> , 2018 , 268, 42-45	9.9	18
82	Metabolic syndrome, depression and anhedonia among young adults. <i>Psychiatry Research</i> , 2019 , 271, 306-310	9.9	17
81	Prevalência de depressão em usuários de unidades de atenção primária. <i>Revista De Psiquiatria Clinica</i> , 2012 , 39, 194-197	0.8	17
80	Impact of genetic variations in ADORA2A gene on depression and symptoms: a cross-sectional population-based study. <i>Purinergic Signalling</i> , 2019 , 15, 37-44	3.8	17
79	Cognitive psychotherapy treatment decreases peripheral oxidative stress parameters associated with major depression disorder. <i>Biological Psychology</i> , 2015 , 110, 175-81	3.2	16
78	Prevalence of depression symptoms and serum levels of interleukin-6 in hemodialysis patients. <i>Psychiatry and Clinical Neurosciences</i> , 2014 , 68, 275-82	6.2	16
77	Association of interleukin-10 levels with age of onset and duration of illness in patients with major depressive disorder. <i>Revista Brasileira De Psiquiatria</i> , 2015 , 37, 296-302	2.6	16
76	Inflammatory cytokines and functional impairment in drug-free subjects with mood disorder. <i>Journal of Neuroimmunology</i> , 2017 , 307, 33-36	3.5	15
75	Leptin in depressive episodes: is there a difference between unipolar and bipolar depression?. <i>Neuroendocrinology</i> , 2015 , 101, 82-6	5.6	15
74	Mood disorder, anxiety, and suicide risk among subjects with alcohol abuse and/or dependence: a population-based study. <i>Revista Brasileira De Psiquiatria</i> , 2018 , 40, 1-5	2.6	15
73	Burden and related factors in caregivers of young adults presenting bipolar and unipolar mood disorder. <i>International Journal of Social Psychiatry</i> , 2014 , 60, 396-402	8.5	15
72	Anxiety disorders in young people: a population-based study. <i>Revista Brasileira De Psiquiatria</i> , 2013 , 35, 347-52	2.6	15
71	Biological rhythms, metabolic syndrome and current depressive episode in a community sample. <i>Psychoneuroendocrinology</i> , 2016 , 72, 34-9	5	14

70	Quality of life, social functioning, family structure, and treatment history associated with crack cocaine use in youth from the general population. <i>Revista Brasileira De Psiquiatria</i> , 2015 , 37, 211-8	2.6	14
69	Bullying and associated factors in adolescents aged 11 to 15 years. <i>Trends in Psychiatry and Psychotherapy</i> , 2012 , 34, 19-24	2.3	14
68	Systemic toxicity in early-stage mood disorders. <i>Journal of Psychiatric Research</i> , 2011 , 45, 1407-9	5.2	14
67	CD300f immunoreceptor is associated with major depressive disorder and decreased microglial metabolic fitness. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 6651-6662	11.5	13
66	Chronicity and severity of maternal postpartum depression and infant sleep disorders: a population-based cohort study in southern Brazil. <i>Research in Social and Administrative Pharmacy</i> , 2011 , 34, 371-3	2.9	13
65	Serum level of nerve growth factor is a potential biomarker of conversion to bipolar disorder in women with major depressive disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2019 , 73, 590-593	6.2	12
64	Biological Rhythm and Bipolar Disorder: Twelve-Month Follow-Up of a Randomized Clinical Trial. <i>Journal of Nervous and Mental Disease</i> , 2015 , 203, 792-7	1.8	12
63	Increased serum neurotrophin levels related to alcohol use disorder in a young population sample. <i>Alcoholism: Clinical and Experimental Research</i> , 2015 , 39, 30-3	3.7	12
62	Sexual violence, mood disorders and suicide risk: a population-based study. <i>Ciencia E Saude Coletiva</i> , 2016 , 21, 853-60	2.2	12
61	Effect of alcohol and illicit substance use on verbal memory among individuals with bipolar disorder. <i>Psychiatry Research</i> , 2016 , 243, 225-231	9.9	12
60	Resilience as a mediator factor in the relationship between childhood trauma and mood disorder: A community sample of young adults. <i>Journal of Affective Disorders</i> , 2020 , 274, 48-53	6.6	11
59	Physical benefits and reduction of depressive symptoms among the elderly: results from the Portuguese "National Walking Program". <i>Ciencia E Saude Coletiva</i> , 2015 , 20, 789-95	2.2	11
58	The influence of psychoeducation on regulating biological rhythm in a sample of patients with bipolar II disorder: a randomized clinical trial. <i>Psychology Research and Behavior Management</i> , 2014 , 7, 167-74	3.8	11
57	Differences between unipolar mania and bipolar-I disorder: Evidence from nine epidemiological studies. <i>Bipolar Disorders</i> , 2019 , 21, 437-448	3.8	11
56	Metabolic syndrome and psychiatric disorders: a population-based study. <i>Revista Brasileira De Psiquiatria</i> , 2019 , 41, 38-43	2.6	11
55	Clinical outcomes and childhood trauma in bipolar disorder: A community sample of young adults. <i>Psychiatry Research</i> , 2019 , 275, 228-232	9.9	10
54	Functioning in bipolar disorder with substance abuse/dependence in a community sample of young adults. <i>Journal of Affective Disorders</i> , 2015 , 187, 179-82	6.6	10
53	Serum brain-derived neurotrophic factor levels in subjects with major depressive disorder with previous suicide attempt: A population-based study. <i>Psychiatry Research</i> , 2018 , 262, 500-504	9.9	10

52	Suicide risk and childhood trauma in individuals diagnosed with posttraumatic stress disorder. <i>Trends in Psychiatry and Psychotherapy</i> , 2018 , 40, 253-257	2.3	9
51	Mood disorders and prospective suicidality in young adults: a population-based cohort study. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 109-115	6.5	8
50	Effects of cognitive-behavioral therapy on neurotrophic factors in patients with major depressive disorder. <i>Revista Brasileira De Psiquiatria</i> , 2018 , 40, 361-366	2.6	8
49	Paternal postpartum mood: bipolar episodes?. <i>Revista Brasileira De Psiquiatria</i> , 2011 , 33, 283-6	2.6	8
48	Mental disorders, functional impairment, and nerve growth factor. <i>Psychology Research and Behavior Management</i> , 2017 , 10, 9-15	3.8	8
47	Salivary cortisol levels and biological rhythm in schoolchildren with sleep bruxism. <i>Sleep Medicine</i> , 2019 , 54, 48-52	4.6	8
46	Functional impairment and cognitive performance in mood disorders: A community sample of young adults. <i>Psychiatry Research</i> , 2017 , 251, 85-89	9.9	7
45	Effects of cognitive psychotherapy on the biological rhythm of patients with depression. <i>Journal of Affective Disorders</i> , 2014 , 155, 142-8	6.6	7
44	Brief psychoeducation for bipolar disorder: Evaluation of trophic factors serum levels in young adults. <i>Psychiatry Research</i> , 2017 , 257, 367-371	9.9	7
43	Practice of leisure-time physical activities and episodes of mood alteration amongst men and women. <i>Journal of Affective Disorders</i> , 2014 , 169, 165-9	6.6	6
42	Impact of resilience on the improvement of depressive symptoms after cognitive therapies for depression in a sample of young adults. <i>Trends in Psychiatry and Psychotherapy</i> , 2018 , 40, 226-231	2.3	6
41	Construction of a biological rhythm assessment scale for children. <i>Trends in Psychiatry and Psychotherapy</i> , 2018 , 40, 53-60	2.3	6
40	Serum GDNF levels and anxiety disorders in a population-based study of young adults. <i>Clinica Chimica Acta</i> , 2018 , 485, 21-25	6.2	6
39	Maintenance of the Effects of Cognitive Behavioral and Relational Constructivist Psychotherapies in the Treatment of Women with Postpartum Depression: A Randomized Clinical Trial. <i>Journal of Constructivist Psychology</i> , 2014 , 27, 59-68	0.6	5
38	The impact of anxious symptoms in the remission of depressive symptoms in a clinical trial for depression: follow-up of six months. <i>Journal of Affective Disorders</i> , 2014 , 168, 331-6	6.6	5
37	Prevalence of comorbidities between mood and anxiety disorders: associated factors in a population sample of young adults in southern Brazil. <i>Cadernos De Saude Publica</i> , 2014 , 30, 2413-2422	3.2	5
36	Early trauma and mood disorders in youngsters. <i>Revista De Psiquiatria Clinica</i> , 2013 , 40, 93-96	0.8	5
35	Tobacco smoking and depression during pregnancy. <i>Revista De Psiquiatria Do Rio Grande Do Sul</i> , 2010 , 32, 44-47		5

34	Lifetime cocaine use is a potential predictor for conversion from major depressive disorder to bipolar disorder: A prospective study. <i>Psychiatry and Clinical Neurosciences</i> , 2020 , 74, 418-423	6.2	5
33	Psychoactive substance abuse and dependence and its association with anxiety disorders: a population-based study of young adults in Brazil. <i>Revista Brasileira De Psiquiatria</i> , 2018 , 40, 349-353	2.6	4
32	Clinical Outcomes in Children and Adolescents With Bipolar Disorder and Substance Use Disorder Comorbidity. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, e230-e233	4.6	4
31	Long-term effects of cognitive therapy on biological rhythms and depressive symptoms: A randomized clinical trial. <i>Journal of Affective Disorders</i> , 2015 , 187, 1-9	6.6	3
30	The role of CACNA1C gene and childhood trauma interaction on bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 101, 109915	5.5	3
29	Mixed episodes and suicide risk: A community sample of young adults. <i>Journal of Affective Disorders</i> , 2020 , 266, 252-257	6.6	3
28	Is Narrative Cognitive Therapy as Effective as Cognitive Behavior Therapy in the Treatment for Depression in Young Adults?. <i>Journal of Nervous and Mental Disease</i> , 2017 , 205, 918-924	1.8	3
27	Relationship between maternal depression as a risk factor for childhood trauma and mood disorders in young adults. <i>Revista De Psiquiatria Clinica</i> , 2014 , 41, 72-76	0.8	2
26	Prevalence and profile of daily smokers seen at three primary health care units in Pelotas, southern Brazil. <i>Trends in Psychiatry and Psychotherapy</i> , 2012 , 34, 154-60	2.3	2
25	Depressão p̄-parto e alteraç̄es de sono aos 12 meses em beb̄ nascidos na zona urbana da cidade de Pelotas/RS. <i>Jornal Brasileiro De Psiquiatria</i> , 2010 , 59, 88-93	0.5	2
24	Internet addiction in students from an educational institution in Southern Brazil: prevalence and associated factors. <i>Trends in Psychiatry and Psychotherapy</i> , 2020 , 42, 302-310	2.3	2
23	Effects of depression and excess body weight on cognition and functioning in young adults: A population-based study. <i>Journal of Affective Disorders</i> , 2021 , 282, 401-406	6.6	2
22	Neuron-specific enolase levels in drug-naïve young adults with major depressive disorder. <i>Neuroscience Letters</i> , 2016 , 620, 93-6	3.3	2
21	5-year incidence of suicide-risk in youth: A gradient tree boosting and SHAP study. <i>Journal of Affective Disorders</i> , 2021 , 295, 1049-1056	6.6	2
20	Cognitive performance and salivary cortisol levels in school children. <i>Psychiatry and Clinical Neurosciences</i> , 2019 , 73, 596-597	6.2	1
19	Persistence of symptoms after cognitive therapies is associated with childhood trauma: A six months follow-up study. <i>Psychiatry Research</i> , 2019 , 275, 177-180	9.9	1
18	Depressive Symptoms and Relationship Between Genders: Differences in Young Adults in a Randomized Clinical Trial. <i>Paideia</i> , 2017 , 27, 3-9	0.4	1
17	Leptin polymorphism rs3828942: risk for anxiety disorders?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 271, 1141-1148	5.1	1

16	Panic disorder and psychoactive substance use in primary care. <i>Trends in Psychiatry and Psychotherapy</i> , 2014 , 36, 113-8	2.3	1
15	Childhood trauma and bipolar spectrum: a population-based sample of young adults. <i>Trends in Psychiatry and Psychotherapy</i> , 2020 , 42, 115-121	2.3	1
14	The latent structure and reliability of the emotional trait section of the Affective and Emotional Composite Temperament Scale (AFECTS). <i>Revista De Psiquiatria Clinica</i> , 2020 , 47, 25-29	0.8	1
13	Resposta Carta de Faisal-Cury et al.: "Depressão durante a gravidez no sistema público de saúde brasileiro". <i>Revista Brasileira De Psiquiatria</i> , 2010 , 32, 465-465	2.6	1
12	Cognitive complaints in individuals recently diagnosed with bipolar disorder: A cross-sectional study. <i>Psychiatry Research</i> , 2021 , 300, 113894	9.9	1
11	Social, emotional, and behavioral problems and parent-reported sleep bruxism in schoolchildren. <i>Journal of the American Dental Association</i> , 2020 , 151, 327-333	1.9	1
10	A closer look at the epidemiology of schizophrenia and common mental disorders in Brazil. <i>Dementia E Neuropsychologia</i> , 2020 , 14, 283-289	2.1	0
9	CCL11 levels in drug-naive bipolar patients: The role of sex and smoking status. <i>Journal of Affective Disorders Reports</i> , 2020 , 1, 100002	1.4	0
8	Tobacco smoking and body composition in persons living with HIV/AIDS. <i>Ciencia E Saude Coletiva</i> , 2021 , 26, 1923-1930	2.2	0
7	Sleep alterations in individuals recently diagnosed with bipolar disorder across different mood stages. <i>Psychiatry Research</i> , 2021 , 299, 113824	9.9	0
6	Sex-dependent role of CD300f immune receptor in generalized anxiety disorder. <i>Brain, Behavior, & Immunity - Health</i> , 2021 , 11, 100191	5.1	0
5	Investigating biological rhythms disruptions across the menstrual cycle in women with comorbid bipolar disorder and premenstrual dysphoric disorder.. <i>Archives of Women's Mental Health</i> , 2022 , 25, 345	5	0
4	Posttraumatic stress disorder: prevalences, comorbidities and quality of life in a community sample of young adults. <i>Jornal Brasileiro De Psiquiatria</i> , 2015 , 64, 1-7	0.5	
3	BDNF Levels According to Variations in the CACNA1C Gene: Sex-Based Disparity.. <i>Cellular and Molecular Neurobiology</i> , 2022 , 1	4.6	
2	Influence of maternal bipolar disorder on the biological rhythms of their offspring. <i>Psychiatry Research Communications</i> , 2022 , 2, 100017		
1	Early illness progression in mood disorders: A population-based longitudinal study. <i>Psychiatry Research</i> , 2021 , 306, 114225	9.9	