

Karen Jansen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8853908/karen-jansen-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

123
papers

2,179
citations

28
h-index

38
g-index

133
ext. papers

2,688
ext. citations

4.5
avg, IF

4.69
L-index

#	Paper	IF	Citations
123	BDNF Levels According to Variations in the CACNA1C Gene: Sex-Based Disparity.. <i>Cellular and Molecular Neurobiology</i> , 2022 , 1	4.6	
122	Influence of maternal bipolar disorder on the biological rhythms of their offspring. <i>Psychiatry Research Communications</i> , 2022 , 2, 100017		
121	Investigating biological rhythms disruptions across the menstrual cycle in women with comorbid bipolar disorder and premenstrual dysphoric disorder.. <i>Archives of Women's Mental Health</i> , 2022 , 25, 345	5	0
120	Leptin polymorphism rs3828942: risk for anxiety disorders?. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 271, 1141-1148	5.1	1
119	Effects of depression and excess body weight on cognition and functioning in young adults: A population-based study. <i>Journal of Affective Disorders</i> , 2021 , 282, 401-406	6.6	2
118	Tobacco smoking and body composition in persons living with HIV/AIDS. <i>Ciencia E Saude Coletiva</i> , 2021 , 26, 1923-1930	2.2	0
117	Sleep alterations in individuals recently diagnosed with bipolar disorder across different mood stages. <i>Psychiatry Research</i> , 2021 , 299, 113824	9.9	0
116	Cognitive complaints in individuals recently diagnosed with bipolar disorder: A cross-sectional study. <i>Psychiatry Research</i> , 2021 , 300, 113894	9.9	1
115	Sex-dependent role of CD300f immune receptor in generalized anxiety disorder. <i>Brain, Behavior, & Immunity - Health</i> , 2021 , 11, 100191	5.1	0
114	Early illness progression in mood disorders: A population-based longitudinal study. <i>Psychiatry Research</i> , 2021 , 306, 114225	9.9	
113	5-year incidence of suicide-risk in youth: A gradient tree boosting and SHAP study. <i>Journal of Affective Disorders</i> , 2021 , 295, 1049-1056	6.6	2
112	CD300f immunoreceptor is associated with major depressive disorder and decreased microglial metabolic fitness. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 6651-6662	11.5	13
111	The role of CACNA1C gene and childhood trauma interaction on bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 101, 109915	5.5	3
110	Mixed episodes and suicide risk: A community sample of young adults. <i>Journal of Affective Disorders</i> , 2020 , 266, 252-257	6.6	3
109	Resilience as a mediator factor in the relationship between childhood trauma and mood disorder: A community sample of young adults. <i>Journal of Affective Disorders</i> , 2020 , 274, 48-53	6.6	11
108	Childhood trauma and bipolar spectrum: a population-based sample of young adults. <i>Trends in Psychiatry and Psychotherapy</i> , 2020 , 42, 115-121	2.3	1
107	Internet addiction in students from an educational institution in Southern Brazil: prevalence and associated factors. <i>Trends in Psychiatry and Psychotherapy</i> , 2020 , 42, 302-310	2.3	2

106	The latent structure and reliability of the emotional trait section of the Affective and Emotional Composite Temperament Scale (AFECTS). <i>Revista De Psiquiatria Clinica</i> , 2020 , 47, 25-29	0.8	1
105	A closer look at the epidemiology of schizophrenia and common mental disorders in Brazil. <i>Dementia E Neuropsychologia</i> , 2020 , 14, 283-289	2.1	0
104	CCL11 levels in drug-naive bipolar patients: The role of sex and smoking status. <i>Journal of Affective Disorders Reports</i> , 2020 , 1, 100002	1.4	0
103	Social, emotional, and behavioral problems and parent-reported sleep bruxism in schoolchildren. <i>Journal of the American Dental Association</i> , 2020 , 151, 327-333	1.9	1
102	Lifetime cocaine use is a potential predictor for conversion from major depressive disorder to bipolar disorder: A prospective study. <i>Psychiatry and Clinical Neurosciences</i> , 2020 , 74, 418-423	6.2	5
101	Interleukin-6 and Interleukin-10 in mood disorders: A population-based study. <i>Psychiatry Research</i> , 2019 , 273, 685-689	9.9	22
100	Clinical outcomes and childhood trauma in bipolar disorder: A community sample of young adults. <i>Psychiatry Research</i> , 2019 , 275, 228-232	9.9	10
99	Cognitive performance and salivary cortisol levels in school children. <i>Psychiatry and Clinical Neurosciences</i> , 2019 , 73, 596-597	6.2	1
98	Serum level of nerve growth factor is a potential biomarker of conversion to bipolar disorder in women with major depressive disorder. <i>Psychiatry and Clinical Neurosciences</i> , 2019 , 73, 590-593	6.2	12
97	Persistence of symptoms after cognitive therapies is associated with childhood trauma: A six months follow-up study. <i>Psychiatry Research</i> , 2019 , 275, 177-180	9.9	1
96	Metabolic syndrome, depression and anhedonia among young adults. <i>Psychiatry Research</i> , 2019 , 271, 306-310	9.9	17
95	Differences between unipolar mania and bipolar-I disorder: Evidence from nine epidemiological studies. <i>Bipolar Disorders</i> , 2019 , 21, 437-448	3.8	11
94	Salivary cortisol levels and biological rhythm in schoolchildren with sleep bruxism. <i>Sleep Medicine</i> , 2019 , 54, 48-52	4.6	8
93	Metabolic syndrome and psychiatric disorders: a population-based study. <i>Revista Brasileira De Psiquiatria</i> , 2019 , 41, 38-43	2.6	11
92	Impact of genetic variations in ADORA2A gene on depression and symptoms: a cross-sectional population-based study. <i>Purinergic Signalling</i> , 2019 , 15, 37-44	3.8	17
91	Childhood trauma and increased peripheral cytokines in young adults with major depressive: Population-based study. <i>Journal of Neuroimmunology</i> , 2018 , 319, 112-116	3.5	21
90	Mood disorders and prospective suicidality in young adults: a population-based cohort study. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 109-115	6.5	8
89	Serum brain-derived neurotrophic factor levels in subjects with major depressive disorder with previous suicide attempt: A population-based study. <i>Psychiatry Research</i> , 2018 , 262, 500-504	9.9	10

88	Effects of cognitive-behavioral therapy on neurotrophic factors in patients with major depressive disorder. <i>Revista Brasileira De Psiquiatria</i> , 2018 , 40, 361-366	2.6	8
87	Psychoactive substance abuse and dependence and its association with anxiety disorders: a population-based study of young adults in Brazil. <i>Revista Brasileira De Psiquiatria</i> , 2018 , 40, 349-353	2.6	4
86	Prevalence and factors associated with Premenstrual Dysphoric Disorder: A community sample of young adult women. <i>Psychiatry Research</i> , 2018 , 268, 42-45	9.9	18
85	Mood disorder, anxiety, and suicide risk among subjects with alcohol abuse and/or dependence: a population-based study. <i>Revista Brasileira De Psiquiatria</i> , 2018 , 40, 1-5	2.6	15
84	Serum levels of interleukins IL-6 and IL-10 in individuals with posttraumatic stress disorder in a population-based sample. <i>Psychiatry Research</i> , 2018 , 260, 111-115	9.9	24
83	Impact of resilience on the improvement of depressive symptoms after cognitive therapies for depression in a sample of young adults. <i>Trends in Psychiatry and Psychotherapy</i> , 2018 , 40, 226-231	2.3	6
82	Construction of a biological rhythm assessment scale for children. <i>Trends in Psychiatry and Psychotherapy</i> , 2018 , 40, 53-60	2.3	6
81	Suicide risk and childhood trauma in individuals diagnosed with posttraumatic stress disorder. <i>Trends in Psychiatry and Psychotherapy</i> , 2018 , 40, 253-257	2.3	9
80	Serum GDNF levels and anxiety disorders in a population-based study of young adults. <i>Clinica Chimica Acta</i> , 2018 , 485, 21-25	6.2	6
79	Functional impairment and cognitive performance in mood disorders: A community sample of young adults. <i>Psychiatry Research</i> , 2017 , 251, 85-89	9.9	7
78	Inflammatory cytokines and functional impairment in drug-free subjects with mood disorder. <i>Journal of Neuroimmunology</i> , 2017 , 307, 33-36	3.5	15
77	Metabolic syndrome in subjects with bipolar disorder and major depressive disorder in a current depressive episode: Population-based study: Metabolic syndrome in current depressive episode. <i>Journal of Psychiatric Research</i> , 2017 , 92, 119-123	5.2	41
76	Depressive Symptoms and Relationship Between Genders: Differences in Young Adults in a Randomized Clinical Trial. <i>Paideia</i> , 2017 , 27, 3-9	0.4	1
75	Brief psychoeducation for bipolar disorder: Evaluation of trophic factors serum levels in young adults. <i>Psychiatry Research</i> , 2017 , 257, 367-371	9.9	7
74	Is Narrative Cognitive Therapy as Effective as Cognitive Behavior Therapy in the Treatment for Depression in Young Adults?. <i>Journal of Nervous and Mental Disease</i> , 2017 , 205, 918-924	1.8	3
73	Mood disorders and biological rhythms in young adults: A large population-based study. <i>Journal of Psychiatric Research</i> , 2017 , 84, 98-104	5.2	33
72	Clinical Outcomes in Children and Adolescents With Bipolar Disorder and Substance Use Disorder Comorbidity. <i>Journal of Clinical Psychiatry</i> , 2017 , 78, e230-e233	4.6	4
71	Mental disorders, functional impairment, and nerve growth factor. <i>Psychology Research and Behavior Management</i> , 2017 , 10, 9-15	3.8	8

70	Predictors of psychiatric readmission among patients with bipolar disorder at an academic safety-net hospital. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016 , 50, 584-93	2.6	30
69	Circadian preferences, oxidative stress and inflammatory cytokines in bipolar disorder: A community study. <i>Journal of Neuroimmunology</i> , 2016 , 301, 23-29	3.5	20
68	History of childhood trauma as risk factors to suicide risk in major depression. <i>Psychiatry Research</i> , 2016 , 246, 612-616	9.9	32
67	Biological rhythms, metabolic syndrome and current depressive episode in a community sample. <i>Psychoneuroendocrinology</i> , 2016 , 72, 34-9	5	14
66	Childhood trauma, family history, and their association with mood disorders in early adulthood. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 281-6	6.5	47
65	Pro-inflammatory cytokines and psychotherapy in depression: Results from a randomized clinical trial. <i>Journal of Psychiatric Research</i> , 2016 , 75, 57-64	5.2	35
64	Cocaine abuse and effects in the serum levels of cytokines IL-6 and IL-10. <i>Drug and Alcohol Dependence</i> , 2016 , 158, 181-5	4.9	49
63	Sexual violence, mood disorders and suicide risk: a population-based study. <i>Ciencia E Saude Coletiva</i> , 2016 , 21, 853-60	2.2	12
62	Effect of alcohol and illicit substance use on verbal memory among individuals with bipolar disorder. <i>Psychiatry Research</i> , 2016 , 243, 225-231	9.9	12
61	Neuron-specific enolase levels in drug-naïve young adults with major depressive disorder. <i>Neuroscience Letters</i> , 2016 , 620, 93-6	3.3	2
60	Leptin in depressive episodes: is there a difference between unipolar and bipolar depression?. <i>Neuroendocrinology</i> , 2015 , 101, 82-6	5.6	15
59	Serum levels of nerve growth factor (NGF) in patients with major depression disorder and suicide risk. <i>Journal of Affective Disorders</i> , 2015 , 184, 245-8	6.6	50
58	Biological rhythms in bipolar and depressive disorders: A community study with drug-naïve young adults. <i>Journal of Affective Disorders</i> , 2015 , 186, 145-8	6.6	43
57	Cognitive psychotherapy treatment decreases peripheral oxidative stress parameters associated with major depression disorder. <i>Biological Psychology</i> , 2015 , 110, 175-81	3.2	16
56	Long-term effects of cognitive therapy on biological rhythms and depressive symptoms: A randomized clinical trial. <i>Journal of Affective Disorders</i> , 2015 , 187, 1-9	6.6	3
55	Functioning in bipolar disorder with substance abuse/dependence in a community sample of young adults. <i>Journal of Affective Disorders</i> , 2015 , 187, 179-82	6.6	10
54	Biological Rhythm and Bipolar Disorder: Twelve-Month Follow-Up of a Randomized Clinical Trial. <i>Journal of Nervous and Mental Disease</i> , 2015 , 203, 792-7	1.8	12
53	Posttraumatic stress disorder: prevalences, comorbidities and quality of life in a community sample of young adults. <i>Jornal Brasileiro De Psiquiatria</i> , 2015 , 64, 1-7	0.5	

52	Quality of life, social functioning, family structure, and treatment history associated with crack cocaine use in youth from the general population. <i>Revista Brasileira De Psiquiatria</i> , 2015 , 37, 211-8	2.6	14
51	Physical benefits and reduction of depressive symptoms among the elderly: results from the Portuguese "National Walking Program". <i>Ciencia E Saude Coletiva</i> , 2015 , 20, 789-95	2.2	11
50	Association of interleukin-10 levels with age of onset and duration of illness in patients with major depressive disorder. <i>Revista Brasileira De Psiquiatria</i> , 2015 , 37, 296-302	2.6	16
49	Kynurenine pathway dysfunction in the pathophysiology and treatment of depression: Evidences from animal and human studies. <i>Journal of Psychiatric Research</i> , 2015 , 68, 316-28	5.2	127
48	Increased serum neurotrophin levels related to alcohol use disorder in a young population sample. <i>Alcoholism: Clinical and Experimental Research</i> , 2015 , 39, 30-3	3.7	12
47	Violent and sexual behaviors and lifetime use of crack cocaine: a population-based study in Brazil. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 1249-55	4.5	33
46	Prevalence of depression symptoms and serum levels of interleukin-6 in hemodialysis patients. <i>Psychiatry and Clinical Neurosciences</i> , 2014 , 68, 275-82	6.2	16
45	Maintenance of the Effects of Cognitive Behavioral and Relational Constructivist Psychotherapies in the Treatment of Women with Postpartum Depression: A Randomized Clinical Trial. <i>Journal of Constructivist Psychology</i> , 2014 , 27, 59-68	0.6	5
44	Neurotrophic factors, clinical features and gender differences in depression. <i>Neurochemical Research</i> , 2014 , 39, 1571-8	4.6	63
43	Peripheral eotaxin-1 (CCL11) levels and mood disorder diagnosis in a population-based sample of young adults. <i>Journal of Psychiatric Research</i> , 2014 , 48, 13-5	5.2	23
42	Childhood trauma and suicide risk in a sample of young individuals aged 14-35 years in southern Brazil. <i>Child Abuse and Neglect</i> , 2014 , 38, 1191-6	4.3	48
41	The impact of anxious symptoms in the remission of depressive symptoms in a clinical trial for depression: follow-up of six months. <i>Journal of Affective Disorders</i> , 2014 , 168, 331-6	6.6	5
40	Effects of cognitive psychotherapy on the biological rhythm of patients with depression. <i>Journal of Affective Disorders</i> , 2014 , 155, 142-8	6.6	7
39	Escala Hamilton: estudo das características psicométricas em uma amostra do sul do Brasil. <i>Jornal Brasileiro De Psiquiatria</i> , 2014 , 63, 281-289	0.5	29
38	Prevalence of comorbidities between mood and anxiety disorders: associated factors in a population sample of young adults in southern Brazil. <i>Cadernos De Saude Publica</i> , 2014 , 30, 2413-2422	3.2	5
37	The influence of psychoeducation on regulating biological rhythm in a sample of patients with bipolar II disorder: a randomized clinical trial. <i>Psychology Research and Behavior Management</i> , 2014 , 7, 167-74	3.8	11
36	Relationship between maternal depression as a risk factor for childhood trauma and mood disorders in young adults. <i>Revista De Psiquiatria Clinica</i> , 2014 , 41, 72-76	0.8	2
35	Panic disorder and psychoactive substance use in primary care. <i>Trends in Psychiatry and Psychotherapy</i> , 2014 , 36, 113-8	2.3	1

34	Immune dysfunction in bipolar disorder and suicide risk: is there an association between peripheral corticotropin-releasing hormone and interleukin-1 β . <i>Bipolar Disorders</i> , 2014 , 16, 741-7	3.8	46
33	Major depressive disorder symptoms in male and female young adults. <i>Psychology, Health and Medicine</i> , 2014 , 19, 136-45	2.1	27
32	Practice of leisure-time physical activities and episodes of mood alteration amongst men and women. <i>Journal of Affective Disorders</i> , 2014 , 169, 165-9	6.6	6
31	Brief psychoeducation for bipolar disorder: impact on quality of life in young adults in a 6-month follow-up of a randomized controlled trial. <i>Psychiatry Research</i> , 2014 , 220, 896-902	9.9	19
30	Burden and related factors in caregivers of young adults presenting bipolar and unipolar mood disorder. <i>International Journal of Social Psychiatry</i> , 2014 , 60, 396-402	8.5	15
29	Psychiatric and substance-use comorbidities associated with lifetime crack cocaine use in young adults in the general population. <i>Comprehensive Psychiatry</i> , 2014 , 55, 1369-76	7.3	67
28	Gender-based differences in oxidative stress parameters do not underlie the differences in mood disorders susceptibility between sexes. <i>European Psychiatry</i> , 2014 , 29, 58-63	6	34
27	Association of a serotonin transporter gene polymorphism (5-HTTLPR) and stressful life events with postpartum depressive symptoms: a population-based study. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2013 , 34, 29-33	3.6	21
26	Reduced serum levels of neuron specific enolase (NSE) in drug-naïve subjects with major depression and bipolar disorder. <i>Neurochemical Research</i> , 2013 , 38, 1394-8	4.6	21
25	Quality of life and mood disorder episodes: community sample. <i>Journal of Affective Disorders</i> , 2013 , 147, 123-7	6.6	26
24	Interleukin-1 β s associated with depressive episode in major depression but not in bipolar disorder. <i>Journal of Psychiatric Research</i> , 2013 , 47, 2011-4	5.2	32
23	The impact of cognitive behavioral therapy on IL-6 levels in unmedicated women experiencing the first episode of depression: a pilot study. <i>Psychiatry Research</i> , 2013 , 209, 742-5	9.9	31
22	Early trauma and mood disorders in youngsters. <i>Revista De Psiquiatria Clinica</i> , 2013 , 40, 93-96	0.8	5
21	Anxiety disorders in young people: a population-based study. <i>Revista Brasileira De Psiquiatria</i> , 2013 , 35, 347-52	2.6	15
20	Working and short-term memories are impaired in postpartum depression. <i>Journal of Affective Disorders</i> , 2012 , 136, 1238-42	6.6	25
19	Brain-derived neurotrophic factor in post-partum depressive mothers. <i>Neurochemical Research</i> , 2012 , 37, 583-7	4.6	31
18	Prevalence of suicide risk and comorbidities in postpartum women in Pelotas. <i>Revista Brasileira De Psiquiatria</i> , 2012 , 34, 270-6	2.6	40
17	Early functional impairment in bipolar youth: a nested population-based case-control study. <i>Journal of Affective Disorders</i> , 2012 , 142, 208-12	6.6	32

16	Prevalence and profile of daily smokers seen at three primary health care units in Pelotas, southern Brazil. <i>Trends in Psychiatry and Psychotherapy</i> , 2012 , 34, 154-60	2.3	2
15	Prevalência de depressão em usuários de unidades de atenção primária. <i>Revista De Psiquiatria Clinica</i> , 2012 , 39, 194-197	0.8	17
14	Bullying and associated factors in adolescents aged 11 to 15 years. <i>Trends in Psychiatry and Psychotherapy</i> , 2012 , 34, 19-24	2.3	14
13	Sociodemographic risk factors of perinatal depression: a cohort study in the public health care system. <i>Revista Brasileira De Psiquiatria</i> , 2012 , 34, 143-8	2.6	49
12	Suicidality and associated factors in pregnant women in Brazil. <i>Community Mental Health Journal</i> , 2012 , 48, 392-5	2.1	22
11	The impact of maternal post-partum depression on the language development of children at 12 months. <i>Child: Care, Health and Development</i> , 2012 , 38, 420-4	2.8	79
10	Peripheral oxidative damage in early-stage mood disorders: a nested population-based case-control study. <i>International Journal of Neuropsychopharmacology</i> , 2012 , 15, 1043-50	5.8	52
9	Paternal postpartum mood: bipolar episodes?. <i>Revista Brasileira De Psiquiatria</i> , 2011 , 33, 283-6	2.6	8
8	Systemic toxicity in early-stage mood disorders. <i>Journal of Psychiatric Research</i> , 2011 , 45, 1407-9	5.2	14
7	Chronicity and severity of maternal postpartum depression and infant sleep disorders: a population-based cohort study in southern Brazil. <i>Research in Social and Administrative Pharmacy</i> , 2011 , 34, 371-3	2.9	13
6	Prevalence of episodes of mania and hypomania and associated comorbidities among young adults. <i>Journal of Affective Disorders</i> , 2011 , 130, 328-33	6.6	48
5	Suicidal ideation in adolescents aged 11 to 15 years: prevalence and associated factors. <i>Revista Brasileira De Psiquiatria</i> , 2010 , 32, 37-41	2.6	23
4	Depressão pós-parto e alterações de sono aos 12 meses em bebês nascidos na zona urbana da cidade de Pelotas/RS. <i>Jornal Brasileiro De Psiquiatria</i> , 2010 , 59, 88-93	0.5	2
3	Depression during pregnancy in the Brazilian public health care system. <i>Revista Brasileira De Psiquiatria</i> , 2010 , 32, 139-44	2.6	28
2	Tobacco smoking and depression during pregnancy. <i>Revista De Psiquiatria Do Rio Grande Do Sul</i> , 2010 , 32, 44-47		5
1	Resposta à carta de Faisal-Cury et al.: "Depressão durante a gravidez no sistema público de saúde brasileiro". <i>Revista Brasileira De Psiquiatria</i> , 2010 , 32, 465-465	2.6	1