

Miquel Casas Brugu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8854851/miquel-casas-brugue-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89 papers	3,314 citations	25 h-index	56 g-index
95 ext. papers	4,636 ext. citations	5.6 avg, IF	4.54 L-index

#	Paper	IF	Citations
89	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019 , 51, 793-803	36.3	662
88	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , 2019 , 179, 1469-1482.e11	56.2	402
87	Genomic Dissection of Bipolar Disorder and Schizophrenia, Including 28 Subphenotypes. <i>Cell</i> , 2018 , 173, 1705-1715.e16	56.2	360
86	Association study of 10 genes encoding neurotrophic factors and their receptors in adult and child attention-deficit/hyperactivity disorder. <i>Biological Psychiatry</i> , 2008 , 63, 935-45	7.9	86
85	The impact of the COVID-19 pandemic on the mental health of healthcare professionals. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2020 ,	2.7	84
84	Postsynaptic dopamine/adenosine interaction: II. Postsynaptic dopamine agonism and adenosine antagonism of methylxanthines in short-term reserpinized mice. <i>European Journal of Pharmacology</i> , 1991 , 192, 31-7	5.3	83
83	Postsynaptic dopamine/adenosine interaction: I. Adenosine analogues inhibit dopamine D2-mediated behaviour in short-term reserpinized mice. <i>European Journal of Pharmacology</i> , 1991 , 192, 25-30	5.3	81
82	Criteria and Concurrent Validity of DIVA 2.0: A Semi-Structured Diagnostic Interview for Adult ADHD. <i>Journal of Attention Disorders</i> , 2019 , 23, 1126-1135	3.7	77
81	Ventro-striatal reductions underpin symptoms of hyperactivity and impulsivity in attention-deficit/hyperactivity disorder. <i>Biological Psychiatry</i> , 2009 , 66, 972-7	7.9	70
80	The Genetics of the Mood Disorder Spectrum: Genome-wide Association Analyses of More Than 185,000 Cases and 439,000 Controls. <i>Biological Psychiatry</i> , 2020 , 88, 169-184	7.9	57
79	ADHD symptomatology in eating disorders: a secondary psychopathological measure of severity?. <i>BMC Psychiatry</i> , 2013 , 13, 166	4.2	41
78	Psychoeducation for adults with attention deficit hyperactivity disorder vs. cognitive behavioral group therapy: a randomized controlled pilot study. <i>Journal of Nervous and Mental Disease</i> , 2013 , 201, 894-900	1.8	38
77	Shared genetic background between children and adults with attention deficit/hyperactivity disorder. <i>Neuropsychopharmacology</i> , 2020 , 45, 1617-1626	8.7	35
76	A controlled trial of daily versus thrice-weekly buprenorphine administration for the treatment of opioid dependence. <i>Drug and Alcohol Dependence</i> , 2000 , 59, 223-33	4.9	32
75	An international perspective and review of cocaine-induced psychosis: a call to action. <i>Substance Abuse</i> , 2014 , 35, 321-7	3.8	31
74	Axis II comorbidity in borderline personality disorder is influenced by sex, age, and clinical severity. <i>Comprehensive Psychiatry</i> , 2011 , 52, 725-30	7.3	31
73	Effectiveness of a psycho-educational group program for major depression in primary care: a randomized controlled trial. <i>BMC Psychiatry</i> , 2012 , 12, 230	4.2	30

72	DIRAS2 is associated with adult ADHD, related traits, and co-morbid disorders. <i>Neuropsychopharmacology</i> , 2011 , 36, 2318-27	8.7	30
71	Posttraumatic stress disorder, depression, and suicide in veterans. <i>Cleveland Clinic Journal of Medicine</i> , 2012 , 79, 92-7	2.8	30
70	Association study between the DAT1, DBH and DRD2 genes and cocaine dependence in a Spanish sample. <i>Psychiatric Genetics</i> , 2010 , 20, 317-20	2.9	27
69	A double-blind crossover, placebo-controlled study of the adenosine A2A antagonist theophylline in Parkinson's disease. <i>Clinical Neuropharmacology</i> , 2002 , 25, 25-31	1.4	27
68	Impulsivity and addiction severity in cocaine and opioid dependent patients. <i>Addictive Behaviors</i> , 2016 , 58, 104-9	4.2	26
67	Neuroticism and impulsivity: their hierarchical organization in the personality characterization of drug-dependent patients from a decision tree learning perspective. <i>Comprehensive Psychiatry</i> , 2014 , 55, 1227-33	7.3	25
66	Brain abnormalities in adults with Attention Deficit Hyperactivity Disorder revealed by voxel-based morphometry. <i>Psychiatry Research - Neuroimaging</i> , 2016 , 254, 41-7	2.9	24
65	Hypothalamic-pituitary-adrenal axis dysfunction as a neurobiological correlate of emotion dysregulation in adolescent suicide. <i>World Journal of Pediatrics</i> , 2012 , 8, 197-206	4.6	24
64	Theophylline reverses haloperidol-induced catalepsy in the rat. Possible relevance to the pharmacological treatment of psychosis. <i>Biological Psychiatry</i> , 1988 , 24, 642-8	7.9	24
63	Candidate system analysis in ADHD: evaluation of nine genes involved in dopaminergic neurotransmission identifies association with DRD1. <i>World Journal of Biological Psychiatry</i> , 2012 , 13, 281-92	3.8	23
62	The alternative five-factor model of personality, nicotine dependence and relapse after treatment for smoking cessation. <i>Addictive Behaviors</i> , 2011 , 36, 965-71	4.2	21
61	Quantitative MR analysis of caudate abnormalities in pediatric ADHD: proposal for a diagnostic test. <i>Psychiatry Research - Neuroimaging</i> , 2010 , 182, 238-43	2.9	21
60	Paraxanthine displaces the binding of [3H]SCH 23390 from rat striatal membranes. <i>European Journal of Pharmacology</i> , 1990 , 179, 295-9	5.3	21
59	Exploring DRD4 and its interaction with SLC6A3 as possible risk factors for adult ADHD: a meta-analysis in four European populations. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 600-12	3.5	20
58	Methadone tapering plus amantadine to detoxify heroin-dependent inpatients with or without an active cocaine use disorder: two randomised controlled trials. <i>Drug and Alcohol Dependence</i> , 2001 , 63, 187-95	4.9	20
57	Findings on Doppler echocardiography in asymptomatic intravenous heroin users. <i>American Journal of Cardiology</i> , 1992 , 69, 238-41	3	19
56	Functional Imaging Changes in the Medial Prefrontal Cortex in Adult ADHD. <i>Journal of Attention Disorders</i> , 2018 , 22, 679-693	3.7	17
55	The influence of medical student gender and drug use on the detection of addiction in patients. <i>Journal of Addictive Diseases</i> , 2014 , 33, 277-88	1.7	17

54	Psychiatric Comorbidity in Treatment-Seeking Alcohol Dependence Patients With and Without ADHD. <i>Journal of Attention Disorders</i> , 2019 , 23, 1497-1504	3.7	17
53	Male and female pathological gamblers: bet in a different way and show different mental disorders. <i>Spanish Journal of Psychology</i> , 2014 , 17, E101	1	16
52	Personality profile of adult ADHD: the alternative five factor model. <i>Psychiatry Research</i> , 2012 , 198, 130-4	4.9	16
51	Validaci3n al espa3ol de la escala de cribado del trastorno por d3ficit de atenci3n/hiperactividad en adultos (ASRS v. 1.1): una nueva estrategia de puntuaci3n. <i>Revista De Neurologia</i> , 2009 , 48, 449	24	16
50	Promoting voluntary help-seeking among doctors with mental disorders. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2014 , 27, 435-43	1.5	15
49	Psychosis induced by the interaction between disulfiram and methylphenidate may be dose dependent. <i>Substance Abuse</i> , 2012 , 33, 186-8	3.8	15
48	A double-blind, placebo-controlled, randomized pilot study comparing quetiapine with placebo, associated to naltrexone, in the treatment of alcohol-dependent patients. <i>Addictive Behaviors</i> , 2011 , 36, 265-9	4.2	14
47	Scopolamine prevents tolerance to the effects of caffeine on rotational behavior in 6-hydroxydopamine-denervated rats. <i>European Journal of Pharmacology</i> , 1999 , 366, 1-11	5.3	14
46	Rotational behaviour induced by theophylline in 6-OHDA nigrostriatal denervated rats is dependent on the supersensitivity of striatal dopaminergic receptors. <i>Pharmacology Biochemistry and Behavior</i> , 1989 , 33, 609-13	3.9	14
45	The role of neuroticism, perfectionism and depression in chronic fatigue syndrome. A structural equation modeling approach. <i>Comprehensive Psychiatry</i> , 2013 , 54, 1061-7	7.3	13
44	Strengths and Difficulties Questionnaire: Psychometric Properties and Normative Data for Spanish 5- to 17-Year-Olds. <i>Assessment</i> , 2021 , 28, 1445-1458	3.7	13
43	Absence of cytogenetic effects in children and adults with attention-deficit/hyperactivity disorder treated with methylphenidate. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2009 , 666, 44-9	3.3	12
42	Candidate pathway association study in cocaine dependence: the control of neurotransmitter release. <i>World Journal of Biological Psychiatry</i> , 2012 , 13, 126-34	3.8	12
41	Dual diagnosis among physicians: a clinical perspective. <i>Journal of Dual Diagnosis</i> , 2014 , 10, 148-55	2.4	11
40	An association study of sequence variants in the forkhead box P2 (FOXP2) gene and adulthood attention-deficit/hyperactivity disorder in two European samples. <i>Psychiatric Genetics</i> , 2012 , 22, 155-60	2.9	10
39	Are patients with bipolar disorder and comorbid attention-deficit hyperactivity disorder more neurocognitively impaired?. <i>Bipolar Disorders</i> , 2017 , 19, 637-650	3.8	9
38	Association of the PLCB1 gene with drug dependence. <i>Scientific Reports</i> , 2017 , 7, 10110	4.9	9
37	Observational study on medications prescribed to dual-diagnosis outpatients. <i>Journal of Addiction Medicine</i> , 2014 , 8, 84-9	3.8	9

36	Processes of change assessment in heroin addicts following the Prochaska and DiClemente transtheoretical model. <i>Drug and Alcohol Dependence</i> , 1997 , 47, 31-7	4.9	9
35	Chronic fatigue syndrome and personality: a case-control study using the Alternative Five Factor Model. <i>Psychiatry Research</i> , 2014 , 216, 373-8	9.9	8
34	Spanish validation of the adult Attention Deficit/Hyperactivity Disorder Rating Scale (ADHD-RS): relevance of clinical subtypes. <i>Revista De Psiquiatría Y Salud Mental</i> , 2017 , 10, 185-191	2.7	8
33	Dual diagnosis in inpatient physicians: prevalence and clinical characteristics. <i>Mental Health and Substance Use: Dual Diagnosis</i> , 2008 , 1, 10-20		8
32	Effects of sub-chronic combined treatment with pergolide and caffeine on contralateral rotational behavior in unilateral 6-hydroxydopamine-denervated rats. <i>Brain Research</i> , 2000 , 868, 376-9	3.7	8
31	Gene-wide Association Study Reveals RNF122 Ubiquitin Ligase as a Novel Susceptibility Gene for Attention Deficit Hyperactivity Disorder. <i>Scientific Reports</i> , 2017 , 7, 5407	4.9	7
30	Genetic association study of childhood aggression across raters, instruments, and age. <i>Translational Psychiatry</i> , 2021 , 11, 413	8.6	7
29	Gender Differences in Demographic and Clinical Features of Physicians Admitted to a Program for Medical Professionals with Mental Disorders. <i>Frontiers in Psychiatry</i> , 2016 , 7, 181	5	7
28	Genetic overlap and causality between substance use disorder and attention-deficit and hyperactivity disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2021 , 186, 140-150	3.5	7
27	Women with compulsive buying or gambling disorder: Similar profiles for different behavioural addictions. <i>Comprehensive Psychiatry</i> , 2018 , 87, 95-99	7.3	6
26	Inhaled Loxapine for Agitation in Intoxicated Patients: A Case Series. <i>Clinical Neuropharmacology</i> , 2017 , 40, 281-285	1.4	5
25	A Highly Polymorphic Copy Number Variant in the NSF Gene is Associated with Cocaine Dependence. <i>Scientific Reports</i> , 2016 , 6, 31033	4.9	5
24	Lack of association between the LPR and VNTR polymorphisms of the serotonin transporter gene and cocaine dependence in a Spanish sample. <i>Psychiatry Research</i> , 2013 , 210, 1287-9	9.9	5
23	The Impact of Emotional Lability Symptoms During Childhood in Adults With ADHD. <i>Journal of Attention Disorders</i> , 2018 , 22, 581-590	3.7	5
22	Epigenome-wide association study of attention-deficit/hyperactivity disorder in adults. <i>Translational Psychiatry</i> , 2020 , 10, 199	8.6	4
21	The Relationship Between Neuropsychological Deficits and Emotional Lability in Adults With ADHD. <i>Journal of Attention Disorders</i> , 2019 , 23, 1514-1525	3.7	4
20	Lack of synergism between caffeine and SKF 38393 on rotational behavior in 6-hydroxydopamine-denervated rats. <i>European Journal of Pharmacology</i> , 2000 , 396, 93-9	5.3	4
19	Buprenorphine-Naloxone Treatment in Physicians and Nurses With Opioid Dependence. <i>Substance Abuse</i> , 2015 , 36, 138-40	3.8	3

18	Integral Treatment Programme for Addicted Physicians: Results from The Galatea Care Programme for Sick Physicians. <i>European Addiction Research</i> , 2020 , 26, 122-130	4.6	3
17	Evaluation of previous substance dependence genome-wide significant findings in a Spanish sample. <i>Drug and Alcohol Dependence</i> , 2018 , 187, 358-362	4.9	3
16	Pathological collecting: a case report. <i>International Journal on Disability and Human Development</i> , 2012 , 11,		3
15	BHT-920 and LY-171555 (quinpirole) have similar affinities for striatal D-2 dopamine receptors, and similar affinities for striatal D-1 dopamine receptors. <i>European Journal of Pharmacology</i> , 1989 , 166, 303-5	5.3	3
14	T-maze performance in rats following chronic neuroleptic treatment. <i>Pharmacology Biochemistry and Behavior</i> , 1990 , 35, 481-4	3.9	3
13	Dual diagnosis among medical residents: a systematic review. <i>Revista De Psicologia De La Salud</i> , 2020 , 32, 281-290	1	3
12	Neurodevelopmental disorders among Spanish school-age children: prevalence and sociodemographic correlates. <i>Psychological Medicine</i> , 2021 , 1-11	6.9	3
11	Assessing high risk of suicide amongst physicians and nurses in treatment. <i>Psychiatry Research</i> , 2020 , 291, 113237	9.9	2
10	Psychotic Symptoms Associated with the use of Dopaminergic Drugs, in Patients with Cocaine Dependence or Abuse. <i>Current Neuropharmacology</i> , 2017 , 15, 315-323	7.6	2
9	Dystonia in Methylphenidate Withdrawal: A Case Report. <i>Journal of Addiction Medicine</i> , 2017 , 11, 154-156	5.8	1
8	Doctors admitted to a Physicians' Health Program: a comparison of self-referrals versus directed referrals. <i>BMJ Open</i> , 2014 , 4, e005248	3	1
7	Inpatient physicians and nurses with dual diagnosis: an exploratory study. <i>Journal of Dual Diagnosis</i> , 2014 , 10, 156-61	2.4	1
6	El Programa de Atenci3n Integral al M3dico Enfermo de Barcelona: salud mental para una buena praxis. <i>Revista Espanola De Medicina Legal</i> , 2012 , 38, 107-112	0.2	1
5	Diagnostic Concordance Between Categorical and Dimensional Instruments to Assess Personality Disorder in Chronic Fatigue Syndrome. <i>European Journal of Psychological Assessment</i> , 2017 , 33, 158-165	2.2	0
4	The impact of psychopathology on academic performance in school-age children and adolescents.. <i>Scientific Reports</i> , 2022 , 12, 4291	4.9	0
3	Further Validation of the Spanish Parent-Reported Child Problematic Traits Inventory: Discriminant Validity for Distinguishing Children Vulnerable to Externalizing and Other Psychopathology Conditions. <i>Journal of Psychopathology and Behavioral Assessment</i> , 1	2	
2	Brain structural and functional substrates of ADGRL3 (latrophilin 3) haplotype in attention-deficit/hyperactivity disorder. <i>Scientific Reports</i> , 2021 , 11, 2373	4.9	
1	Dimensional Personality Assessment among a Chronic Fatigue Syndrome (CFS) sample with Personality Inventory for DSM-5 (PID-5). <i>Actas Espanolas De Psiquiatria</i> , 2018 , 46, 125-32	0.7	

