

Verdon Taylor

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8855201/publications.pdf>

Version: 2024-02-01

82
papers

6,573
citations

47006

47
h-index

69250

77
g-index

87
all docs

87
docs citations

87
times ranked

8821
citing authors

#	ARTICLE	IF	CITATIONS
1	Interferon- β resistance and immune evasion in glioma develop via Notch-regulated co-evolution of malignant and immune cells. <i>Developmental Cell</i> , 2022, 57, 1847-1865.e9.	7.0	15
2	Oncogenic and Tumor-Suppressive Functions of NOTCH Signaling in Glioma. <i>Cells</i> , 2020, 9, 2304.	4.1	48
3	Spinal astrocytes in superficial laminae gate brainstem descending control of mechanosensory hypersensitivity. <i>Nature Neuroscience</i> , 2020, 23, 1376-1387.	14.8	80
4	Tead transcription factors differentially regulate cortical development. <i>Scientific Reports</i> , 2020, 10, 4625.	3.3	38
5	Fibrinogen induces neural stem cell differentiation into astrocytes in the subventricular zone via BMP signaling. <i>Nature Communications</i> , 2020, 11, 630.	12.8	50
6	Id4 Downstream of Notch2 Maintains Neural Stem Cell Quiescence in the Adult Hippocampus. <i>Cell Reports</i> , 2019, 28, 1485-1498.e6.	6.4	70
7	Ultra-multiplexed analysis of single-cell dynamics reveals logic rules in differentiation. <i>Science Advances</i> , 2019, 5, eaav7959.	10.3	40
8	Notch2 Signaling Maintains NSC Quiescence in the Murine Ventricular-Subventricular Zone. <i>Cell Reports</i> , 2018, 22, 992-1002.	6.4	93
9	Untangling Cortical Complexity During Development. <i>Journal of Experimental Neuroscience</i> , 2018, 12, 117906951875933.	2.3	31
10	Notch: an interactive player in neurogenesis and disease. <i>Cell and Tissue Research</i> , 2018, 371, 73-89.	2.9	82
11	Jagged1/Notch2 controls kidney fibrosis via Tfam-mediated metabolic reprogramming. <i>PLoS Biology</i> , 2018, 16, e2005233.	5.6	51
12	TDP-43 induces p53-mediated cell death of cortical progenitors and immature neurons. <i>Scientific Reports</i> , 2018, 8, 8097.	3.3	38
13	Notch and Neurogenesis. <i>Advances in Experimental Medicine and Biology</i> , 2018, 1066, 223-234.	1.6	156
14	Notch-Tnf signalling is required for development and homeostasis of arterial valves. <i>European Heart Journal</i> , 2017, 38, ehv520.	2.2	49
15	Baculovirus-based genome editing in primary cells. <i>Plasmid</i> , 2017, 90, 5-9.	1.4	18
16	Differential interactions between Notch and ID factors control neurogenesis by modulating Hes factor autoregulation. <i>Development (Cambridge)</i> , 2017, 144, 3465-3474.	2.5	53
17	The E2A splice variant E47 regulates the differentiation of projection neurons via p57(KIP2) during cortical development. <i>Development (Cambridge)</i> , 2017, 144, 3917-3931.	2.5	28
18	Expansion of human midbrain floor plate progenitors from induced pluripotent stem cells increases dopaminergic neuron differentiation potential. <i>Scientific Reports</i> , 2017, 7, 6036.	3.3	34

#	ARTICLE	IF	CITATIONS
19	Non-canonical post-transcriptional RNA regulation of neural stem cell potential. <i>Brain Plasticity</i> , 2017, 3, 111-116.	3.5	1
20	miRNA-Dependent and Independent Functions of the Microprocessor in the Regulation of Neural Stem Cell Biology. , 2017, , 101-117.		0
21	Multipotency of Adult Hippocampal NSCs InÂVivo Is Restricted by Drosha/NFIB. <i>Cell Stem Cell</i> , 2016, 19, 653-662.	11.1	83
22	Highly efficient baculovirus-mediated multigene delivery in primary cells. <i>Nature Communications</i> , 2016, 7, 11529.	12.8	83
23	A Tumor Suppressor Function for Notch Signaling in Forebrain Tumor Subtypes. <i>Cancer Cell</i> , 2015, 28, 730-742.	16.8	85
24	Striatal astrocytes produce neuroblasts in an excitotoxic model of Huntington's disease. <i>Development (Cambridge)</i> , 2015, 142, 840-5.	2.5	92
25	Growth Cone Localization of the mRNA Encoding the Chromatin Regulator HMG5 Modulates Neurite Outgrowth. <i>Molecular and Cellular Biology</i> , 2015, 35, 2035-2050.	2.3	22
26	Fundamentals of Neurogenesis and Neural Stem Cell Development. , 2015, , 1-13.		1
27	Transcriptional Hallmarks of Heterogeneous Neural Stem Cell Niches of the Subventricular Zone. <i>Stem Cells</i> , 2015, 33, 2232-2242.	3.2	45
28	Perivascular Mesenchymal Stem Cells From the Adult Human Brain Harbor No Intrinsic Neuroectodermal but High Mesodermal Differentiation Potential. <i>Stem Cells Translational Medicine</i> , 2015, 4, 1223-1233.	3.3	17
29	Early phenotypic asymmetry of sister oligodendrocyte progenitor cells after mitosis and its modulation by aging and extrinsic factors. <i>Glia</i> , 2015, 63, 271-286.	4.9	41
30	Notching up neural stem cell homogeneity in homeostasis and disease. <i>Frontiers in Neuroscience</i> , 2014, 8, 32.	2.8	45
31	miR379-410 cluster miRNAs regulate neurogenesis and neuronal migration by fine-tuning N-cadherin. <i>EMBO Journal</i> , 2014, 33, 906-920.	7.8	101
32	Molecular Diversity Subdivides the Adult Forebrain Neural Stem Cell Population. <i>Stem Cells</i> , 2014, 32, 70-84.	3.2	108
33	GABA suppresses neurogenesis in the adult hippocampus through GABAB receptors. <i>Development (Cambridge)</i> , 2014, 141, 83-90.	2.5	92
34	Neural Stem Cell of the Hippocampus. <i>Current Topics in Developmental Biology</i> , 2014, 107, 183-206.	2.2	77
35	Endocardial to Myocardial Notch-Wnt-Bmp Axis Regulates Early Heart Valve Development. <i>PLoS ONE</i> , 2013, 8, e60244.	2.5	73
36	Homeostatic neurogenesis in the adult hippocampus does not involve amplification of Ascl1high intermediate progenitors. <i>Nature Communications</i> , 2012, 3, 670.	12.8	88

#	ARTICLE	IF	CITATIONS
37	A Modified RMCE-Compatible Rosa26 Locus for the Expression of Transgenes from Exogenous Promoters. <i>PLoS ONE</i> , 2012, 7, e30011.	2.5	61
38	Drosha regulates neurogenesis by controlling Neurogenin 2 expression independent of microRNAs. <i>Nature Neuroscience</i> , 2012, 15, 962-969.	14.8	117
39	Neurogenic Subventricular Zone Stem/Progenitor Cells Are Notch1-Dependent in Their Active But Not Quiescent State. <i>Journal of Neuroscience</i> , 2012, 32, 5654-5666.	3.6	142
40	Neural Stem Cells: Disposable, End-State Glia?. <i>Cell Stem Cell</i> , 2011, 8, 464-465.	11.1	7
41	Peripheral Nervous System Progenitors Can Be Reprogrammed to Produce Myelinating Oligodendrocytes and Repair Brain Lesions. <i>Journal of Neuroscience</i> , 2011, 31, 6379-6391.	3.6	21
42	Hippocampal stem cells: so they are multipotent!. <i>Journal of Molecular Cell Biology</i> , 2011, 3, 270-272.	3.3	2
43	The H ⁺ Vacuolar ATPase Maintains Neural Stem Cells in the Developing Mouse Cortex. <i>Stem Cells and Development</i> , 2011, 20, 843-850.	2.1	78
44	The Small GTPase RhoA Is Required to Maintain Spinal Cord Neuroepithelium Organization and the Neural Stem Cell Pool. <i>Journal of Neuroscience</i> , 2011, 31, 5120-5130.	3.6	62
45	Zebrafish Pou5f1-dependent transcriptional networks in temporal control of early development. <i>Molecular Systems Biology</i> , 2010, 6, 354.	7.2	77
46	RBPJ ^Δ -Dependent Signaling Is Essential for Long-Term Maintenance of Neural Stem Cells in the Adult Hippocampus. <i>Journal of Neuroscience</i> , 2010, 30, 13794-13807.	3.6	294
47	Quiescent and Active Hippocampal Neural Stem Cells with Distinct Morphologies Respond Selectively to Physiological and Pathological Stimuli and Aging. <i>Cell Stem Cell</i> , 2010, 6, 445-456.	11.1	620
48	Reelin and Notch1 Cooperate in the Development of the Dentate Gyrus. <i>Journal of Neuroscience</i> , 2009, 29, 8578-8585.	3.6	79
49	USP9X Enhances the Polarity and Self-Renewal of Embryonic Stem Cell-derived Neural Progenitors. <i>Molecular Biology of the Cell</i> , 2009, 20, 2015-2029.	2.1	52
50	Hes5 Expression in the Postnatal and Adult Mouse Inner Ear and the Drug-Damaged Cochlea. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2009, 10, 321-340.	1.8	59
51	Hippocampal development and neural stem cell maintenance require Sox2-dependent regulation of Shh. <i>Nature Neuroscience</i> , 2009, 12, 1248-1256.	14.8	447
52	Lineage analysis of quiescent regenerative stem cells in the adult brain by genetic labelling reveals spatially restricted neurogenic niches in the olfactory bulb. <i>European Journal of Neuroscience</i> , 2009, 30, 9-24.	2.6	49
53	Neural Progenitors of the Postnatal and Adult Mouse Forebrain Retain the Ability to Self-Replicate, Form Neurospheres, and Undergo Multipotent Differentiation In Vivo. <i>Stem Cells</i> , 2009, 27, 714-723.	3.2	18
54	Isolation and Manipulation of Mammalian Neural Stem Cells In Vitro. <i>Methods in Molecular Biology</i> , 2009, 482, 143-158.	0.9	34

#	ARTICLE	IF	CITATIONS
55	Enhancing the Reliability and Throughput of Neurosphere Culture on Hydrogel Microwell Arrays. <i>Stem Cells</i> , 2008, 26, 2586-2594.	3.2	73
56	Postsynaptic and differential localization to neuronal subtypes of protocadherin $\hat{1}216$ in the mammalian central nervous system. <i>European Journal of Neuroscience</i> , 2008, 27, 559-571.	2.6	53
57	Identification of self-replicating multipotent progenitors in the embryonic nervous system by high Notch activity and Hes5 expression. <i>European Journal of Neuroscience</i> , 2007, 25, 1006-1022.	2.6	145
58	<i>Jagged1</i> Ablation Results in Cerebellar Granule Cell Migration Defects and Depletion of Bergmann Glia. <i>Developmental Neuroscience</i> , 2006, 28, 70-80.	2.0	53
59	Notch, Epidermal Growth Factor Receptor, and $\hat{1}21$ -Integrin Pathways Are Coordinated in Neural Stem Cells. <i>Journal of Biological Chemistry</i> , 2006, 281, 5300-5309.	3.4	134
60	<i>Jagged1</i> signals in the postnatal subventricular zone are required for neural stem cell self-renewal. <i>EMBO Journal</i> , 2005, 24, 3504-3515.	7.8	185
61	$\hat{1}2$ -catenin-mediated cell-adhesion is vital for embryonic forebrain development. <i>Developmental Dynamics</i> , 2005, 233, 528-539.	1.8	98
62	FasL (CD95L/APO-1L) Resistance of Neurons Mediated by Phosphatidylinositol 3-Kinase-Akt/Protein Kinase B-Dependent Expression of Lifeguard/Neuronal Membrane Protein 35. <i>Journal of Neuroscience</i> , 2005, 25, 6765-6774.	3.6	53
63	Murine numb regulates granule cell maturation in the cerebellum. <i>Developmental Biology</i> , 2004, 266, 161-177.	2.0	41
64	The Early Life of a Schwann Cell. <i>Biological Chemistry</i> , 2002, 383, 245-53.	2.5	56
65	Membrane-Bound Neuregulin1 Type III Actively Promotes Schwann Cell Differentiation of Multipotent Progenitor Cells. <i>Developmental Biology</i> , 2002, 246, 245-258.	2.0	87
66	Notch1 and its ligands Delta-like and <i>Jagged</i> are expressed and active in distinct cell populations in the postnatal mouse brain. <i>Mechanisms of Development</i> , 2002, 114, 153-159.	1.7	228
67	Neural membrane protein 35/Lifeguard is localized at postsynaptic sites and in dendrites. <i>Molecular Brain Research</i> , 2002, 107, 47-56.	2.3	27
68	Notch1 is required for neuronal and glial differentiation in the cerebellum. <i>Development (Cambridge)</i> , 2002, 129, 373-385.	2.5	224
69	Notch1 is required for neuronal and glial differentiation in the cerebellum. <i>Development (Cambridge)</i> , 2002, 129, 373-85.	2.5	92
70	SpL201: A conditionally immortalized Schwann cell precursor line that generates myelin. <i>Glia</i> , 2001, 36, 31-47.	4.9	38
71	Platelet-derived growth factor-BB supports the survival of cultured rat schwann cell precursors in synergy with neurotrophin-3. , 2000, 30, 290-300.		40
72	Membrane topology of peripheral myelin protein 22. <i>Journal of Neuroscience Research</i> , 2000, 62, 15-27.	2.9	26

#	ARTICLE	IF	CITATIONS
73	Characterisation of autoantibodies to peripheral myelin protein 22 in patients with hereditary and acquired neuropathies. <i>Journal of Neuroimmunology</i> , 2000, 104, 155-163.	2.3	61
74	Transport of Trembler-J Mutant Peripheral Myelin Protein 22 Is Blocked in the Intermediate Compartment and Affects the Transport of the Wild-Type Protein by Direct Interaction. <i>Journal of Neuroscience</i> , 1999, 19, 2027-2036.	3.6	122
75	Neural Membrane Protein 35 (NMP35): A Novel Member of a Gene Family Which Is Highly Expressed in the Adult Nervous System. <i>Molecular and Cellular Neurosciences</i> , 1998, 11, 260-273.	2.2	42
76	Molecular Biology of Axon-Glia Interactions in the Peripheral Nervous System. <i>Progress in Molecular Biology and Translational Science</i> , 1997, 56, 225-256.	1.9	16
77	Extensive splice variation and localization of the EHK-1 receptor tyrosine kinase in adult human brain and glial tumors. <i>Molecular Brain Research</i> , 1997, 46, 17-24.	2.3	8
78	Epithelial membrane protein-2 and epithelial membrane protein-3: two novel members of the peripheral myelin protein 22 gene family. <i>Gene</i> , 1996, 175, 115-120.	2.2	93
79	Identification and Characterization of a cDNA and the Structural Gene Encoding the Mouse Epithelial Membrane Protein-1. <i>Genomics</i> , 1996, 36, 379-387.	2.9	57
80	Epithelial Membrane Protein-1, Peripheral Myelin Protein 22, and Lens Membrane Protein 20 Define a Novel Gene Family. <i>Journal of Biological Chemistry</i> , 1995, 270, 28824-28833.	3.4	142
81	Angiotensin II AT2 receptors do not interact with guanine nucleotide binding proteins. <i>European Journal of Pharmacology</i> , 1991, 207, 157-163.	2.6	128
82	Notch2 Signaling Regulates Id4 and Cell Cycle Genes to Maintain Neural Stem Cell Quiescence in the Adult Hippocampus. <i>SSRN Electronic Journal</i> , 0, , .	0.4	1