## Michael J Goodheart

## List of Publications by Citations

Source: https://exaly.com/author-pdf/8855798/michael-j-goodheart-publications-by-citations.pdf

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76
papers

1,981
citations

81
ext. papers

28
h-index
g-index

5.6
avg, IF

L-index

| #              | Paper  | IF                | Citations |
|----------------|--|-------------------|-----------|
| 76             | Social isolation is associated with elevated tumor norepinephrine in ovarian carcinoma patients. <i>Brain, Behavior, and Immunity</i> , <b>2011</b> , 25, 250-5  | 16.6              | 128       |
| 75             | Social influences on clinical outcomes of patients with ovarian cancer. <i>Journal of Clinical Oncology</i> , <b>2012</b> , 30, 2885-90  | 2.2               | 119       |
| 74             | Depression, social support, and beta-adrenergic transcription control in human ovarian cancer. <i>Brain, Behavior, and Immunity</i> , <b>2009</b> , 23, 176-83   | 16.6              | 118       |
| 73             | Mismatch repair gene expression defects contribute to microsatellite instability in ovarian carcinoma. <i>Cancer</i> , <b>2003</b> , 98, 2199-206  | 6.4               | 83        |
| <del>7</del> 2 | Sleep disturbance, distress, and quality of life in ovarian cancer patients during the first year after diagnosis. <i>Cancer</i> , <b>2013</b> , 119, 3234-41  | 6.4               | 71        |
| 71             | Cortisol and inflammatory processes in ovarian cancer patients following primary treatment: relationships with depression, fatigue, and disability. <i>Brain, Behavior, and Immunity</i> , <b>2013</b> , 30 Suppl, S12   | 6 <sup>16,6</sup> | 71        |
| 70             | Diurnal cortisol and survival in epithelial ovarian cancer. <i>Psychoneuroendocrinology</i> , <b>2015</b> , 53, 256-67   | 5                 | 62        |
| 69             | The relationship of molecular markers of p53 function and angiogenesis to prognosis of stage I epithelial ovarian cancer. <i>Clinical Cancer Research</i> , <b>2005</b> , 11, 3733-42  | 12.9              | 62        |
| 68             | Sleep disturbance, cytokines, and fatigue in women with ovarian cancer. <i>Brain, Behavior, and Immunity</i> , <b>2012</b> , 26, 1037-44   | 16.6              | 59        |
| 67             | A randomised, open-label, phase 2 study of the IDO1 inhibitor epacadostat (INCB024360) versus tamoxifen as therapy for biochemically recurrent (CA-125 relapse)-only epithelial ovarian cancer, primary peritoneal carcinoma, or fallopian tube cancer. <i>Gynecologic Oncology</i> , <b>2017</b> , 146, 484-490 | 4.9               | 57        |
| 66             | Intra-operative frozen section results reliably predict final pathology in endometrial cancer. <i>Gynecologic Oncology</i> , <b>2014</b> , 133, 499-505  | 4.9               | 53        |
| 65             | Preservation of immune function in cervical cancer patients during chemoradiation using a novel integrative approach. <i>Brain, Behavior, and Immunity,</i> <b>2010</b> , 24, 1231-40  | 16.6              | 51        |
| 64             | TP53 oncomorphic mutations predict resistance to platinum- and taxane-based standard chemotherapy in patients diagnosed with advanced serous ovarian carcinoma. <i>International Journal of Oncology</i> , <b>2015</b> , 46, 607-18  | 4.4               | 47        |
| 63             | Wnt3a regulates Lef-1 expression during airway submucosal gland morphogenesis. <i>Developmental Biology</i> , <b>2007</b> , 305, 90-102  | 3.1               | 45        |
| 62             | Sox2 and Lef-1 interact with Pitx2 to regulate incisor development and stem cell renewal. <i>Development (Cambridge)</i> , <b>2016</b> , 143, 4115-4126  | 6.6               | 41        |
| 61             | Robotic surgery in supermorbidly obese patients with endometrial cancer. <i>American Journal of Obstetrics and Gynecology</i> , <b>2015</b> , 213, 49.e1-49.e8   | 6.4               | 38        |
| 60             | microRNA expression profiling of endometrial endometrioid adenocarcinomas and serous adenocarcinomas reveals profiles containing shared, unique and differentiating groups of microRNAs. <i>Oncology Reports</i> , <b>2011</b> , 26, 995-1002  | 3.5               | 38        |

## (2018-2005)

| 59 | Thromboembolic events in patients treated with definitive chemotherapy and radiation therapy for invasive cervical cancer. <i>Gynecologic Oncology</i> , <b>2005</b> , 96, 470-4   | 4.9           | 38 |  |
|----|--|---------------|----|--|
| 58 | Endometrial cancer. Obstetrics and Gynecology Clinics of North America, 2012, 39, 255-68   | 3.3           | 37 |  |
| 57 | Incidence and management of gastrointestinal perforation from bevacizumab in advanced cancers. <i>Current Oncology Reports</i> , <b>2012</b> , 14, 277-84  | 6.3           | 37 |  |
| 56 | The influence of microvessel density on ovarian carcinogenesis. <i>Gynecologic Oncology</i> , <b>2003</b> , 90, 566-71   | 4.9           | 35 |  |
| 55 | Ovarian cancer p53 mutation is associated with tumor microvessel density. <i>Gynecologic Oncology</i> , <b>2002</b> , 86, 85-90  | 4.9           | 34 |  |
| 54 | CGRP induction in cystic fibrosis airways alters the submucosal gland progenitor cell niche in mice. <i>Journal of Clinical Investigation</i> , <b>2011</b> , 121, 3144-58   | 15.9          | 32 |  |
| 53 | A phase II evaluation of AMG 102 (rilotumumab) in the treatment of persistent or recurrent epithelial ovarian, fallopian tube or primary peritoneal carcinoma: a Gynecologic Oncology Group study. <i>Gynecologic Oncology</i> , <b>2014</b> , 132, 526-30 | 4.9           | 31 |  |
| 52 | The role of LEF1 in endometrial gland formation and carcinogenesis. <i>PLoS ONE</i> , <b>2012</b> , 7, e40312  | 3.7           | 31 |  |
| 51 | Diurnal cortisol rhythms, fatigue and psychosocial factors in five-year survivors of ovarian cancer. <i>Psychoneuroendocrinology</i> , <b>2017</b> , 84, 139-142   | 5             | 28 |  |
| 50 | Wnt Signaling Regulates Airway Epithelial Stem Cells in Adult Murine Submucosal Glands. <i>Stem Cells</i> , <b>2016</b> , 34, 2758-2771  | 5.8           | 28 |  |
| 49 | p21 expression predicts outcome in p53-null ovarian carcinoma. Clinical Cancer Research, 2003, 9, 1028-  | <b>32</b> 2.9 | 28 |  |
| 48 | MicroRNA-26b represses colon cancer cell proliferation by inhibiting lymphoid enhancer factor 1 expression. <i>Molecular Cancer Therapeutics</i> , <b>2014</b> , 13, 1942-51   | 6.1           | 27 |  |
| 47 | Sox17 modulates Wnt3A/beta-catenin-mediated transcriptional activation of the Lef-1 promoter.<br>American Journal of Physiology - Lung Cellular and Molecular Physiology, <b>2010</b> , 299, L694-710  | 5.8           | 26 |  |
| 46 | Selective suppression of cervical cancer Hela cells by 2-O-ED-glucopyranosyl-L-ascorbic acid isolated from the fruit of Lycium barbarum L. <i>Cell Biology and Toxicology</i> , <b>2011</b> , 27, 107-21   | 7.4           | 25 |  |
| 45 | Sox2 modulates Lef-1 expression during airway submucosal gland development. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , <b>2014</b> , 306, L645-60  | 5.8           | 22 |  |
| 44 | Conditional deletion of Sox17 reveals complex effects on uterine adenogenesis and function. <i>Developmental Biology</i> , <b>2016</b> , 414, 219-27   | 3.1           | 21 |  |
| 43 | Cullin-5, a ubiquitin ligase scaffold protein, is significantly underexpressed in endometrial adenocarcinomas and is a target of miR-182. <i>Oncology Reports</i> , <b>2016</b> , 35, 2461-5   | 3.5           | 21 |  |
| 42 | Biobehavioral modulation of the exosome transcriptome in ovarian carcinoma. <i>Cancer</i> , <b>2018</b> , 124, 580-5   | 5864          | 21 |  |

| 41 | Prediction of chemo-response in serous ovarian cancer. <i>Molecular Cancer</i> , <b>2016</b> , 15, 66  | 42.1 | 20 |
|----|--|------|----|
| 40 | The Effect of Improving Basic Preventive Measures in the Perioperative Arena on Staphylococcus aureus Transmission and Surgical Site Infections: A Randomized Clinical Trial. <i>JAMA Network Open</i> , <b>2020</b> , 3, e201934            | 10.4 | 19 |
| 39 | Microvessel density and p53 mutations in advanced-stage epithelial ovarian cancer. <i>Cancer Letters</i> , <b>2013</b> , 331, 99-104   | 9.9  | 18 |
| 38 | SSRI use and clinical outcomes in epithelial ovarian cancer. <i>Oncotarget</i> , <b>2016</b> , 7, 33179-91   | 3.3  | 18 |
| 37 | Non-cancer life stressors contribute to impaired quality of life in ovarian cancer patients. <i>Gynecologic Oncology</i> , <b>2013</b> , 131, 667-73   | 4.9  | 17 |
| 36 | Global dysregulation of the chromosome 14q32 imprinted region in uterine carcinosarcoma. <i>Experimental and Therapeutic Medicine</i> , <b>2012</b> , 3, 677-682   | 2.1  | 16 |
| 35 | Thromboembolic events in patients with cervical carcinoma: Incidence and effect on survival. <i>Gynecologic Oncology</i> , <b>2009</b> , 113, 240-4  | 4.9  | 16 |
| 34 | Changes in spiritual well-being and psychological outcomes in ovarian cancer survivors. <i>Psycho-Oncology</i> , <b>2018</b> , 27, 477-483   | 3.9  | 13 |
| 33 | Placenta-specific protein 1: a potential key to many oncofetal-placental OB/GYN research questions. <i>Obstetrics and Gynecology International</i> , <b>2014</b> , 2014, 678984  | 2    | 13 |
| 32 | Downregulation of FOXO1 mRNA levels predicts treatment failure in patients with endometrial pathology conservatively managed with progestin-containing intrauterine devices. <i>Gynecologic Oncology</i> , <b>2016</b> , 140, 152-60         | 4.9  | 11 |
| 31 | Interval debulking surgery is not worth the wait: a National Cancer Database study comparing primary cytoreductive surgery versus neoadjuvant chemotherapy. <i>International Journal of Gynecological Cancer</i> , <b>2020</b> , 30, 845-852 | 3.5  | 10 |
| 30 | Life stress as a risk factor for sustained anxiety and cortisol dysregulation during the first year of survivorship in ovarian cancer. <i>Cancer</i> , <b>2018</b> , 124, 3401-3408  | 6.4  | 10 |
| 29 | What is the role of retroperitoneal exploration in optimally debulked stage IIIC epithelial ovarian cancer? An NRG Oncology/Gynecologic Oncology Group ancillary data study. <i>Cancer</i> , <b>2017</b> , 123, 985-993                      | 6.4  | 10 |
| 28 | Eudaimonic well-being and tumor norepinephrine in patients with epithelial ovarian cancer. <i>Cancer</i> , <b>2015</b> , 121, 3543-50  | 6.4  | 10 |
| 27 | p53 mutation status is a primary determinant of placenta-specific protein 1 expression in serous ovarian cancers. <i>International Journal of Oncology</i> , <b>2017</b> , 50, 1721-1728   | 4.4  | 9  |
| 26 | An integrated prediction model of recurrence in endometrial endometrioid cancers. <i>Cancer Management and Research</i> , <b>2019</b> , 11, 5301-5315  | 3.6  | 9  |
| 25 | Placenta-Specific Protein 1 Expression in Human Papillomavirus 16/18-Positive Cervical Cancers Is Associated With Tumor Histology. <i>International Journal of Gynecological Cancer</i> , <b>2017</b> , 27, 784-790                          | 3.5  | 8  |
| 24 | Malignant pericardial effusion with cardiac tamponade in ovarian adenocarcinoma. <i>Archives of Gynecology and Obstetrics</i> , <b>2009</b> , 280, 675-8   | 2.5  | 8  |

## (2021-2019)

| 23 | Oxytocin in the tumor microenvironment is associated with lower inflammation and longer survival in advanced epithelial ovarian cancer patients. <i>Psychoneuroendocrinology</i> , <b>2019</b> , 106, 244-251         | 5   | 7 |  |
|----|---|-----|---|--|
| 22 | The effect of weight-based chemotherapy dosing in a cohort of gynecologic oncology patients. <i>Gynecologic Oncology</i> , <b>2015</b> , 138, 154-8   | 4.9 | 7 |  |
| 21 | Intraoperative autologous blood transfusion use during radical hysterectomy for cervical cancer: long-term follow-up of a prospective trial. <i>Archives of Gynecology and Obstetrics</i> , <b>2012</b> , 286, 717-21 | 2.5 | 7 |  |
| 20 | A Prediction Model for Preoperative Risk Assessment in Endometrial Cancer Utilizing Clinical and Molecular Variables. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,                          | 6.3 | 6 |  |
| 19 | A single-institution evaluation of factors important in fallopian tube carcinoma recurrence and survival. <i>International Journal of Gynecological Cancer</i> , <b>2011</b> , 21, 1232-40                            | 3.5 | 6 |  |
| 18 | Epithelial-mesenchymal transition polarization in ovarian carcinomas from patients with high social isolation. <i>Cancer</i> , <b>2020</b> , 126, 4407-4413   | 6.4 | 5 |  |
| 17 | Population Substructure Has Implications in Validating Next-Generation Cancer Genomics Studies with TCGA. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,                                      | 6.3 | 4 |  |
| 16 | Molecular Characterization of Non-responders to Chemotherapy in Serous Ovarian Cancer. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,   | 6.3 | 4 |  |
| 15 | Gynecologic Oncology: Challenges of Minimally Invasive Surgery In a Field of Maximal Complexities. <i>Clinical Obstetrics and Gynecology</i> , <b>2020</b> , 63, 30-39  | 1.7 | 4 |  |
| 14 | Mitochondria in epithelial ovarian carcinoma exhibit abnormal phenotypes and blunted associations with biobehavioral factors. <i>Scientific Reports</i> , <b>2021</b> , 11, 11595                                     | 4.9 | 4 |  |
| 13 | Stratification of endometrioid endometrial cancer patients into risk levels using somatic mutations. <i>Gynecologic Oncology</i> , <b>2016</b> , 142, 150-157   | 4.9 | 4 |  |
| 12 | Uterine infection related to gynecologic malignancy. <i>Gynecologic Oncology Reports</i> , <b>2017</b> , 22, 55-57  | 1.3 | 3 |  |
| 11 | Malignant struma ovarii with insular carcinoma: A case report and literature review. <i>Gynecologic Oncology Reports</i> , <b>2016</b> , 18, 1-3  | 1.3 | 3 |  |
| 10 | Intestinal lymphangiectasia mimicking primary peritoneal carcinoma. <i>American Journal of Obstetrics and Gynecology</i> , <b>2010</b> , 203, e9-e11  | 6.4 | 3 |  |
| 9  | Creation and validation of models to predict response to primary treatment in serous ovarian cancer. <i>Scientific Reports</i> , <b>2021</b> , 11, 5957   | 4.9 | 3 |  |
| 8  | Bacterial, Archaea, and Viral Transcripts (BAVT) Expression in Gynecological Cancers and Correlation with Regulatory Regions of the Genome. <i>Cancers</i> , <b>2021</b> , 13,  | 6.6 | 3 |  |
| 7  | Positive Psychosocial Factors and Oxytocin in the Ovarian Tumor Microenvironment. <i>Psychosomatic Medicine</i> , <b>2021</b> , 83, 417-422   | 3.7 | 3 |  |
| 6  | Identification of Novel lncRNAs in Ovarian Cancer and Their Impact on Overall Survival. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,  | 6.3 | 3 |  |

| 5 | Rural residence is related to shorter survival in epithelial ovarian cancer patients. <i>Gynecologic Oncology</i> , <b>2021</b> , 163, 22-28  | 4.9 | 1 |
|---|---|-----|---|
| 4 | Chronic difficulties are associated with poorer psychosocial functioning in the first year post-diagnosis in epithelial ovarian cancer patients. <i>Psycho-Oncology</i> , <b>2021</b> , 30, 954-961                   | 3.9 | O |
| 3 | Alterations of Vascular Endothelial Growth Factor A Expression and Microvessel Density Associated With Polypropylene Vaginal Mesh. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , <b>2020</b> , 26, 73-79 | 1.9 | O |
| 2 | BRCA1 and BRCA2 alterations in ovarian MMMT. <i>Gynecologic Oncology</i> , <b>2004</b> , 95, 774  | 4.9 |   |
| 1 | Primary radiation as initial management in endometrial cancer. <i>Proceedings in Obstetrics and Gynecology</i> , <b>2020</b> , 9, 14  | О   |   |