Gaspar Perez Martinez

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8856891/gaspar-perez-martinez-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

103
papers3,669
citations38
h-index56
g-index108
ext. papers4,192
ext. citations4
avg, IF5.14
L-index

#	Paper	IF	Citations
103	Factors Affecting Spontaneous Endocytosis and Survival of Probiotic Lactobacilli in Human Intestinal Epithelial Cells. <i>Microorganisms</i> , 2022 , 10, 1142	4.9	
102	Probiotics, Prebiotics, Synbiotics, Postbiotics and Other Biotics. What's Next? 2021 , 197-197		
101	Lactobacillus casei extracellular vesicles stimulate EGFR pathway likely due to the presence of proteins P40 and P75 bound to their surface. <i>Scientific Reports</i> , 2020 , 10, 19237	4.9	10
100	Intestinal Explant Cultures from Gilthead Seabream (Allowed the Determination of Mucosal Sensitivity to Bacterial Pathogens and the Impact of a Plant Protein Diet. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	3
99	Lactic Acid Bacteria Isolated From Korean Kimchi Activate the Vitamin D Receptor-autophagy Signaling Pathways. <i>Inflammatory Bowel Diseases</i> , 2020 , 26, 1199-1211	4.5	13
98	Differences in the expression of cell envelope proteinases (CEP) in two Lactobacillus paracasei probiotic strains. <i>FEMS Microbiology Letters</i> , 2020 , 367,	2.9	4
97	Ultrasonically-Assisted and Conventional Extraction from Roots Using Ethanol:Water Mixtures: Phenolic Characterization, Antioxidant, and Anti-Inflammatory Activities. <i>Molecules</i> , 2020 , 25,	4.8	2
96	Experimental support for multidrug resistance transfer potential in the preterm infant gut microbiota. <i>Pediatric Research</i> , 2020 , 88, 57-65	3.2	8
95	P40 and P75 Are Singular Functional Muramidases Present in the Taxon. <i>Frontiers in Microbiology</i> , 2019 , 10, 1420	5.7	10
94	Gut Microbiota in Elderly⊠ Health 2019 , 2607-2638		
93	Two alkaline motifs in the Lactobacillus salivarius Lv72 OppA surface are important to its adhesin function. <i>Beneficial Microbes</i> , 2019 , 10, 101-109	4.9	2
92	The lactose operon from Lactobacillus casei is involved in the transport and metabolism of the human milk oligosaccharide core-2 N-acetyllactosamine. <i>Scientific Reports</i> , 2018 , 8, 7152	4.9	13
91	Gut Microbiota in Elderly⊞ Health 2018 , 1-32		
90	Long-term feeding with high plant protein based diets in gilthead seabream (Sparus aurata, L.) leads to changes in the inflammatory and immune related gene expression at intestinal level. <i>BMC Veterinary Research</i> , 2018 , 14, 302	2.7	28
89	Effect of probiotics in prevention of atopic dermatitis is dependent on the intrinsic microbiota at early infancy. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 139, 1399-1402.e8	11.5	27
88	Untargeted metabolomics of fresh and heat treatment Tiger nut (Cyperus esculentus L.) milks reveals further insight into food quality and nutrition. <i>Journal of Chromatography A</i> , 2017 , 1514, 80-87	4.5	15
87	A Method to Assess Bacteriocin Effects on the Gut Microbiota of Mice. <i>Journal of Visualized Experiments</i> , 2017 ,	1.6	1

86	Gut Microbiota, a Key Factor Relating Diet and Inflammation with the Progression of Cognitive Impairment in Older People. <i>Journal of Nutritional Health & Food Engineering</i> , 2017 , 6,		1
85	Peptide and amino acid metabolism is controlled by an OmpR-family response regulator in Lactobacillus casei. <i>Molecular Microbiology</i> , 2016 , 100, 25-41	4.1	18
84	The Potential of Class II Bacteriocins to Modify Gut Microbiota to Improve Host Health. <i>PLoS ONE</i> , 2016 , 11, e0164036	3.7	68
83	Sepsis in preterm infants causes alterations in mucosal gene expression and microbiota profiles compared to non-septic twins. <i>Scientific Reports</i> , 2016 , 6, 25497	4.9	32
82	Factors influencing gastrointestinal tract and microbiota immune interaction in preterm infants. <i>Pediatric Research</i> , 2015 , 77, 726-31	3.2	91
81	Impact of Fishmeal Replacement in Diets for Gilthead Sea Bream (Sparus aurata) on the Gastrointestinal Microbiota Determined by Pyrosequencing the 16S rRNA Gene. <i>PLoS ONE</i> , 2015 , 10, e0136389	3.7	103
80	Understanding gut microbiota in elderly's health will enable intervention through probiotics. <i>Beneficial Microbes</i> , 2014 , 5, 235-46	4.9	51
79	Genome-wide expression profiles in very low birth weight infants with neonatal sepsis. <i>Pediatrics</i> , 2014 , 133, e1203-11	7.4	38
78	Noroviral p-particles as an in vitro model to assess the interactions of noroviruses with probiotics. <i>PLoS ONE</i> , 2014 , 9, e89586	3.7	31
77	Changes in cecal microbiota and mucosal gene expression revealed new aspects of epizootic rabbit enteropathy. <i>PLoS ONE</i> , 2014 , 9, e105707	3.7	40
76	Resembling breast milk: influence of polyamine-supplemented formula on neonatal BALB/cOlaHsd mouse microbiota. <i>British Journal of Nutrition</i> , 2014 , 111, 1050-8	3.6	25
75	Polyamine supplementation in infant formula: Influence on lymphocyte populations and immune system-related gene expression in a Balb/cOlaHsd mouse model. <i>Food Research International</i> , 2014 , 59, 8-15	7	11
74	Lactobacillus paracasei and Lactobacillus plantarum strains downregulate proinflammatory genes in an ex vivo system of cultured human colonic mucosa. <i>Genes and Nutrition</i> , 2013 , 8, 165-80	4.3	28
73	Lactocepin secreted by Lactobacillus exerts anti-inflammatory effects by selectively degrading proinflammatory chemokines. <i>Cell Host and Microbe</i> , 2012 , 11, 387-96	23.4	149
72	Microbial ecology and host-microbiota interactions during early life stages. <i>Gut Microbes</i> , 2012 , 3, 352-6	55 8.8	162
71	Defining microbiota for developing new probiotics. <i>Microbial Ecology in Health and Disease</i> , 2012 , 23,		10
70	Characterization of Lactobacillus from Algerian Goat'S Milk Based on Phenotypic, 16S rDNA Sequencing and their Technological Properties. <i>Brazilian Journal of Microbiology</i> , 2011 , 42, 158-71	2.2	33
69	Current and Future Applications of Probiotics. <i>Current Nutrition and Food Science</i> , 2011 , 7, 170-180	0.7	2

68	Oral immunization of mice with Lactococcus lactis expressing the rotavirus VP8* protein. <i>Biotechnology Letters</i> , 2011 , 33, 1169-75	3	7
67	Identification of Surface Proteins from Lactobacillus casei BL23 Able to Bind Fibronectin and Collagen. <i>Probiotics and Antimicrobial Proteins</i> , 2011 , 3, 15-20	5.5	21
66	Characterization of a fibronectin-binding protein from Lactobacillus casei BL23. <i>Journal of Applied Microbiology</i> , 2010 , 108, 1050-1059	4.7	42
65	Functional analysis of the p40 and p75 proteins from Lactobacillus casei BL23. <i>Journal of Molecular Microbiology and Biotechnology</i> , 2010 , 19, 231-41	0.9	77
64	Complete genome sequence of the probiotic Lactobacillus casei strain BL23. <i>Journal of Bacteriology</i> , 2010 , 192, 2647-8	3.5	126
63	Sorbitol production from lactose by engineered Lactobacillus casei deficient in sorbitol transport system and mannitol-1-phosphate dehydrogenase. <i>Applied Microbiology and Biotechnology</i> , 2010 , 85, 1915-22	5.7	35
62	Perspectives of engineering lactic acid bacteria for biotechnological polyol production. <i>Applied Microbiology and Biotechnology</i> , 2010 , 86, 1003-15	5.7	47
61	Characterization of a novel Lactobacillus species closely related to Lactobacillus johnsonii using a combination of molecular and comparative genomics methods. <i>BMC Genomics</i> , 2010 , 11, 504	4.5	23
60	Diacetyl and acetoin production from whey permeate using engineered Lactobacillus casei. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2009 , 36, 1233-7	4.2	39
59	Adhesion properties of Lactobacillus casei strains to resected intestinal fragments and components of the extracellular matrix. <i>Archives of Microbiology</i> , 2009 , 191, 153-61	3	61
58	Lactococcus lactis as a vehicle for the heterologous expression of fungal ribotoxin variants with reduced IgE-binding affinity. <i>Journal of Biotechnology</i> , 2008 , 134, 1-8	3.7	4
57	Regulation of Lactobacillus casei sorbitol utilization genes requires DNA-binding transcriptional activator GutR and the conserved protein GutM. <i>Applied and Environmental Microbiology</i> , 2008 , 74, 573	1-48	22
56	Analysis of ldh genes in Lactobacillus casei BL23: role on lactic acid production. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2008 , 35, 579-86	4.2	22
55	Monitoring of lactic acid fermentation in culture broth using ultrasonic velocity. <i>Journal of Food Engineering</i> , 2007 , 78, 1083-1091	6	30
54	Identification of a gene cluster enabling Lactobacillus casei BL23 to utilize myo-inositol. <i>Applied and Environmental Microbiology</i> , 2007 , 73, 3850-8	4.8	58
53	Dietary supplementation with sorbitol results in selective enrichment of lactobacilli in rat intestine. <i>Research in Microbiology</i> , 2007 , 158, 694-701	4	39
52	Haemagglutination induced by Bordetella pertussis filamentous haemagglutinin adhesin (FHA) is inhibited by antibodies produced against FHA(430-873) fragment expressed in Lactobacillus casei. <i>Current Microbiology</i> , 2006 , 53, 462-6	2.4	11
51	Induction of systemic and mucosal immune response and decrease in Streptococcus pneumoniae colonization by nasal inoculation of mice with recombinant lactic acid bacteria expressing pneumococcal surface antigen A. <i>Microbes and Infection</i> , 2006 , 8, 1016-24	9.3	88

(2002-2006)

50	Molecular analysis of the glucose-specific phosphoenolpyruvate: sugar phosphotransferase system from Lactobacillus casei and its links with the control of sugar metabolism. <i>Microbiology (United Kingdom)</i> , 2006 , 152, 95-104	2.9	28	
49	Production of human papillomavirus type 16 L1 virus-like particles by recombinant Lactobacillus casei cells. <i>Applied and Environmental Microbiology</i> , 2006 , 72, 745-52	4.8	56	
48	Effect of bile acid on the cell membrane functionality of lactic acid bacteria for oral administration. <i>Research in Microbiology</i> , 2006 , 157, 720-5	4	43	
47	Pleiotropic effects of lactate dehydrogenase inactivation in Lactobacillus casei. <i>Research in Microbiology</i> , 2005 , 156, 641-9	4	27	
46	Sorbitol synthesis by an engineered Lactobacillus casei strain expressing a sorbitol-6-phosphate dehydrogenase gene within the lactose operon. <i>FEMS Microbiology Letters</i> , 2005 , 249, 177-83	2.9	33	
45	The glycolytic genes pfk and pyk from Lactobacillus casei are induced by sugars transported by the phosphoenolpyruvate:sugar phosphotransferase system and repressed by CcpA. <i>Archives of Microbiology</i> , 2005 , 183, 385-93	3	21	
44	Horizontal gene transfer in the molecular evolution of mannose PTS transporters. <i>Molecular Biology and Evolution</i> , 2005 , 22, 1673-85	8.3	49	
43	Screening and construction of probiotic strains with enhanced protective properties against intestinal disorders. <i>Microbial Ecology in Health and Disease</i> , 2004 , 16, 86-95		7	
42	Complementation of a Delta ccpA mutant of Lactobacillus casei with CcpA mutants affected in the DNA- and cofactor-binding domains. <i>Microbiology (United Kingdom)</i> , 2004 , 150, 613-620	2.9	11	
41	An esterase gene from Lactobacillus casei cotranscribed with genes encoding a phosphoenolpyruvate:sugar phosphotransferase system and regulated by a LevR-like activator and sigma54 factor. <i>Journal of Molecular Microbiology and Biotechnology</i> , 2004 , 8, 117-28	0.9	16	
40	Selection of single-chain antibodies against the VP8* subunit of rotavirus VP4 outer capsid protein and their expression in Lactobacillus casei. <i>Applied and Environmental Microbiology</i> , 2004 , 70, 6936-9	4.8	10	
39	Characterization of faecal enterococci from rabbits for the selection of probiotic strains. <i>Journal of Applied Microbiology</i> , 2004 , 96, 761-71	4.7	38	
38	Single-chain variable fragment (scFv) antibodies against rotavirus NSP4 enterotoxin generated by phage display. <i>Journal of Virological Methods</i> , 2004 , 121, 231-8	2.6	11	
37	Significant differences between Lactobacillus casei subsp. casei ATCC 393T and a commonly used plasmid-cured derivative revealed by a polyphasic study. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003 , 53, 67-75	2.2	60	
36	Optimization of the green fluorescent protein (GFP) expression from a lactose-inducible promoter in Lactobacillus casei. <i>FEMS Microbiology Letters</i> , 2003 , 222, 123-7	2.9	29	
35	Expression of Streptococcus pneumoniae antigens, PsaA (pneumococcal surface antigen A) and PspA (pneumococcal surface protein A) by Lactobacillus casei. <i>FEMS Microbiology Letters</i> , 2003 , 227, 25-31	2.9	28	
34	Phosphoenolpyruvate phosphotransferase system and N-acetylglucosamine metabolism in Bacillus sphaericus. <i>Microbiology (United Kingdom)</i> , 2003 , 149, 1687-1698	2.9	16	
33	Structural features of the lac promoter affecting gusA expression in Lactobacillus casei. <i>Current Microbiology</i> , 2002 , 45, 191-6	2.4	4	

32	Evolution of arginine deiminase (ADI) pathway genes. <i>Molecular Phylogenetics and Evolution</i> , 2002 , 25, 429-44	4.1	109
31	Cross-talk between the L-sorbose and D-sorbitol (D-glucitol) metabolic pathways in Lactobacillus casei. <i>Microbiology (United Kingdom)</i> , 2002 , 148, 2351-2359	2.9	25
30	The Product of arcR, the sixth gene of the arc operon of Lactobacillus sakei, is essential for expression of the arginine deiminase pathway. <i>Applied and Environmental Microbiology</i> , 2002 , 68, 6051	- 8 ^{4.8}	45
29	Existence of a true phosphofructokinase in Bacillus sphaericus: cloning and sequencing of the pfk gene. <i>Applied and Environmental Microbiology</i> , 2002 , 68, 6410-5	4.8	8
28	In vivo effect of mutations in the antiterminator LacT in Lactobacillus casei. <i>Microbiology (United Kingdom)</i> , 2002 , 148, 695-702	2.9	14
27	Cross communication between components of carbon catabolite repression of Lactobacillus casei and Bacillus megaterium. <i>Journal of Molecular Microbiology and Biotechnology</i> , 2002 , 4, 489-94	0.9	7
26	Construction of compatible wide-host-range shuttle vectors for lactic acid bacteria and Escherichia coli. <i>Plasmid</i> , 2001 , 46, 106-16	3.3	37
25	Secretion of the rotavirus VP8* protein inLactococcus lactis. FEMS Microbiology Letters, 2001, 203, 267	-2 <i>7.</i>	
24	Secretion of the rotavirus VP8* protein in Lactococcus lactis. FEMS Microbiology Letters, 2001, 203, 269	9-7<u>4</u>9	10
23	Use of lac regulatory elements for gene expression in Lactobacillus casei. <i>Dairy Science and Technology</i> , 2001 , 81, 29-35		12
22	Enzyme I and HPr from Lactobacillus casei: their role in sugar transport, carbon catabolite repression and inducer exclusion. <i>Molecular Microbiology</i> , 2000 , 36, 570-84	4.1	79
21	Phosphorylation of HPr by the bifunctional HPr Kinase/P-ser-HPr phosphatase from Lactobacillus casei controls catabolite repression and inducer exclusion but not inducer expulsion. <i>Journal of Bacteriology</i> , 2000 , 182, 2582-90	3.5	77
20	Genetics of L-sorbose transport and metabolism in Lactobacillus casei. <i>Journal of Bacteriology</i> , 2000 , 182, 155-63	3.5	51
19	Integrative food-grade expression system based on the lactose regulon of Lactobacillus casei. <i>Applied and Environmental Microbiology</i> , 2000 , 66, 4822-8	4.8	57
18	A fast method for monitoring the colonization rate of lactobacilli in a meat model system. <i>Journal of Applied Microbiology</i> , 1999 , 87, 49-61	4.7	40
17	Relationships between arginine degradation, pH and survival in Lactobacillus sakei. <i>FEMS Microbiology Letters</i> , 1999 , 180, 297-304	2.9	78
16	Evidence of a glucose proton motive force-dependent permease and a fructose phosphoenolpyruvate:phosphotransferase transport system in Lactobacillus reuteri CRL 1098. <i>FEMS Microbiology Letters</i> , 1999 , 181, 109-12	2.9	10
15	Relationships between arginine degradation, pH and survival in Lactobacillus sakei. <i>FEMS</i> Microbiology Letters, 1999 , 180, 297-304	2.9	70

LIST OF PUBLICATIONS

14	Elements involved in catabolite repression and substrate induction of the lactose operon in Lactobacillus casei. <i>Journal of Bacteriology</i> , 1999 , 181, 3928-34	3.5	47
13	Structural and functional analysis of the gene cluster encoding the enzymes of the arginine deiminase pathway of Lactobacillus sake. <i>Journal of Bacteriology</i> , 1998 , 180, 4154-9	3.5	102
12	Suppression of the ptsH mutation in Escherichia coli and Salmonella typhimurium by a DNA fragment from Lactobacillus casei. <i>Journal of Bacteriology</i> , 1998 , 180, 5247-50	3.5	1
11	Catabolite repression in Lactobacillus casei ATCC 393 is mediated by CcpA. <i>Journal of Bacteriology</i> , 1997 , 179, 6657-64	3.5	80
10	Fractional factorial design and multiple linear regression to optimise extraction of volatiles from a Lactobacillus plantarum bacterial suspension using purge and trap. <i>Journal of Chromatography A</i> , 1997 , 775, 225-230	4.5	9
9	Establishing a model to study the regulation of the lactose operon in Lactobacillus casei. <i>FEMS Microbiology Letters</i> , 1997 , 148, 83-9	2.9	42
8	Lactobacillus curvatus has a glucose transport system homologous to the mannose family of phosphoenolpyruvate-dependent phosphotransferase systems. <i>Microbiology (United Kingdom)</i> , 1996 , 142 (Pt 12), 3469-77	2.9	17
7	Biochemical tests for the selection of Staphylococcusstrains as potential meat starter cultures. <i>Food Microbiology</i> , 1996 , 13, 227-236	6	59
6	Glucose transport by the phosphoenolpyruvate:mannose phosphotransferase system in Lactobacillus casei ATCC 393 and its role in carbon catabolite repression. <i>Microbiology (United Kingdom)</i> , 1994 , 140 (Pt 5), 1141-9	2.9	57
5	Protein export elements from Lactococcus lactis. <i>Molecular Genetics and Genomics</i> , 1992 , 234, 401-11		38
4	Expression of an endoglucanase gene fromClostridium cellulolyticum inEscherichia coli. <i>Journal of Industrial Microbiology</i> , 1988 , 3, 365-371		22
3	Further studies on the genetics of Cephalosporium acremonium using protoplast fusion methods. Journal of Industrial Microbiology, 1987 , 1, 283-294		3
2	Production of cephalosporin C, and its intermediates, by raised-titre strains of Acremonium chrysogenum. <i>Enzyme and Microbial Technology</i> , 1985 , 7, 389-394	3.8	4
1	Ultrasonic velocity measurements in the ternary mixtures water-lactose-lactate, for the purpose of monitoring the lactic acid fermentation of lactose		2