

Giuseppe Musumarra

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8858809/publications.pdf>

Version: 2024-02-01

103
papers

2,273
citations

257357

24
h-index

243529

44
g-index

107
all docs

107
docs citations

107
times ranked

1736
citing authors

#	ARTICLE	IF	CITATIONS
1	Celebrating the 150th anniversary of the Periodic Table: an outlook in the circular economy era. Bulletin of the Gioenia Academy of Catania, 2020, 53, FP1-FP10.	0.7	0
2	Data-Driven Modelling of Gas Solubility in Ionic Liquids Using Principal Properties as Orthogonal Descriptors. ChemistrySelect, 2018, 3, 2181-2184.	0.7	1
3	Modeling from Theory and Modeling from Data: Complementary or Alternative Approaches? The Case of Ionic Liquids. ChemistryOpen, 2017, 6, 90-101.	0.9	4
4	Gas principal properties as new compact descriptors for data-driven gas solubility modelling. Arkivoc, 2017, 2017, 356-369.	0.3	1
5	A QSPR approach to the ecotoxicity of ionic liquids (<i>Vibrio fischeri</i>) using VolSurf principal properties. Toxicology Research, 2016, 5, 1090-1096.	0.9	13
6	Polarity study of ionic liquids with the solvatochromic dye Nile Red: a QSPR approach using in silico VolSurf+ descriptors. Tetrahedron, 2016, 72, 3282-3287.	1.0	7
7	Prediction of ionic liquid's heat capacity by means of their in silico principal properties. RSC Advances, 2016, 6, 36085-36089.	1.7	8
8	Cyto- and enzyme toxicities of ionic liquids modelled on the basis of VolSurf+ descriptors and their principal properties. SAR and QSAR in Environmental Research, 2016, 27, 221-244.	1.0	19
9	Modelling the aquatic toxicity of ionic liquids by means of VolSurf+ in silico descriptors. SAR and QSAR in Environmental Research, 2016, 27, 1-15.	1.0	18
10	Metal-free synthesis of bithiophene-core donor acceptor organic photosensitizers for dye-sensitized solar cells. Tetrahedron, 2015, 71, 7260-7266.	1.0	9
11	New potent antibacterials against Gram-positive multiresistant pathogens: Effects of side chain modification and chirality in linezolid-like 1,2,4-oxadiazoles. Bioorganic and Medicinal Chemistry, 2014, 22, 6814-6825.	1.4	21
12	A multivariate insight into ionic liquids toxicities. RSC Advances, 2014, 4, 23985-24000.	1.7	22
13	New linezolid-like 1,2,4-oxadiazoles active against Gram-positive multiresistant pathogens. European Journal of Medicinal Chemistry, 2013, 65, 533-545.	2.6	42
14	Modeling, design and synthesis of new heteroaryl ethylenes active against the MCF-7 breast cancer cell-line. Molecular BioSystems, 2013, 9, 2426.	2.9	26
15	(E)-2-cyano-5-(piperidin-1-yl)-2,2-bithienylacrylic Acid: A Fluorescent Probe for Detecting Prefibrillar Oligomers. European Journal of Organic Chemistry, 2013, 2013, 3635-3639.	1.2	0
16	Design, synthesis and in vitro antitumour activity of new heteroaryl ethylenes. European Journal of Medicinal Chemistry, 2012, 47, 221-227.	2.6	51
17	Synthesis and NLO properties of new trans 2-(thiophen-2-yl)vinyl heteroaromatic iodides. Organic and Biomolecular Chemistry, 2011, 9, 1608.	1.5	29
18	OPLS-DA as a Suitable Method for Selecting a Set of Gene Transcripts Discriminating RAS- and PTPN11-Mutated Cells in Acute Lymphoblastic Leukaemia. Combinatorial Chemistry and High Throughput Screening, 2011, 14, 36-46.	0.6	10

#	ARTICLE	IF	CITATIONS
19	Nucleophilic Displacements with Pyridine, Quinoline and Acridine Leaving Groups: Rate Variation with Structure of the N-Substituent. <i>Bulletin Des Sociétés Chimiques Belges</i> , 2010, 91, 417-417.	0.0	0
20	Photochemistry and DNA-affinity of some stilbene and distyrylbenzene analogues containing pyridinium and imidazolium iodides. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2010, 216, 66-72.	2.0	33
21	Design, synthesis and biological evaluation of trans 2-(thiophen-2-yl)vinyl heteroaromatic iodides. <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 4516-4523.	1.4	24
22	N-benzoxazol-2-yl-N ² -1-(isoquinolin-3-yl-ethylidene)-hydrazine, a novel compound with antitumor activity, induces radicals and dissipation of mitochondrial membrane potential. <i>Investigational New Drugs</i> , 2009, 27, 189-202.	1.2	11
23	Successful Application of OPLS-DA for the Discrimination of Wild-Type and Mutated Cells in Acute Lymphoblastic Leukemia. <i>QSAR and Combinatorial Science</i> , 2009, 28, 822-828.	1.5	9
24	Synthesis and applications of new trans 1-indolyl-2-(1-methyl pyridinium and quinolinium-2-yl) ethylenes. <i>Arkivoc</i> , 2009, 2009, 222-229.	0.3	6
25	Design and synthesis of trans 2-(furan-2-yl)vinyl heteroaromatic iodides with antitumour activity. <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 4150-4159.	1.4	76
26	Identification of genes involved in radiation-induced G ₁ arrest. <i>Journal of Chemometrics</i> , 2007, 21, 398-405.	0.7	3
27	Identification of genes involved in the sensitivity to antitumour drug 17-allylamino,17-demethoxygeldanamycin (17AAG). <i>Molecular BioSystems</i> , 2006, 2, 231.	2.9	7
28	Photobehaviour of some 1-heteroaryl-2-(1-methylpyridinium-2-yl)ethene iodides (free and complexed) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf</i>	2.9	14
29	Design, Synthesis, and Biological Evaluation of 4-Alkyliden-beta Lactams: New Products with Promising Antibiotic Activity Against Resistant Bacteria. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 2804-2811.	2.9	57
30	Principal properties (PPs) for lanthanide triflates as Lewis-acid catalysts. <i>Journal of Chemometrics</i> , 2006, 20, 418-424.	0.7	12
31	Genome-based identification of diagnostic molecular markers for human lung carcinomas by PLS-DA. <i>Computational Biology and Chemistry</i> , 2005, 29, 183-195.	1.1	19
32	Design, synthesis and in vitro antitumor activity of new trans 2-[2-(heteroaryl)vinyl]-1,3-dimethylimidazolium iodides. <i>Bioorganic and Medicinal Chemistry</i> , 2004, 12, 1689-1695.	1.4	33
33	Structure-based rationalization of antitumor drugs mechanism of action by a MIF approach. <i>European Journal of Medicinal Chemistry</i> , 2004, 39, 281-289.	2.6	18
34	A Bioinformatic Approach to the Identification of Candidate Genes for the Development of New Cancer Diagnostics. <i>Biological Chemistry</i> , 2003, 384, 321-327.	1.2	70
35	Synthesis, spectroscopic characterization and in vitro antitumor activity of new trans 1-heteroaryl-2-(1-methylpyridinium-2-yl) ethylenes. <i>Arkivoc</i> , 2003, 2003, 105-117.	0.3	11
36	Acid Catalyzed Transesterification as a Route to Poly(3-hydroxybutyrate-co- ϵ -caprolactone) Copolymers from Their Homopolymers. <i>Biomacromolecules</i> , 2002, 3, 835-840.	2.6	38

#	ARTICLE	IF	CITATIONS
37	Studies on the Interactions of the New 2,6-Bis[2-(heteroaryl)vinyl]1-methylpyridinium Cations with the Decamer d(CGTACGTACC)2. <i>European Journal of Organic Chemistry</i> , 2002, 2002, 145-150.	1.2	11
38	In vitro antitumor activities of 2,6-di-[2-(Heteroaryl)vinyl]pyridines and pyridiniums. <i>Bioorganic and Medicinal Chemistry</i> , 2002, 10, 2899-2904.	1.4	22
39	A multivariate insight into the in vitro antitumour screen database of the National Cancer Institute: classification of compounds, similarities among cell lines and the influence of molecular targets. <i>Journal of Computer-Aided Molecular Design</i> , 2001, 15, 219-234.	1.3	21
40	Shortcuts in genome-scale cancer pharmacology research from multivariate analysis of the National Cancer Institute gene expression database. Supplementary information is available on Elsevier's World Wide Web site (http://www.elsevier.nl) or from the corresponding authors. 11 Abbreviations: NCI, National Cancer Institute; PLS, partial least squares modelling in latent variables or projections to latent structures; SIMCA, soft independent modelling of class analogy; PCA, principal component analysis; PC, princ. <i>Biochemical Pharmacology</i> , 2001, 62, 547-553.	2.0	26
41	2,6-Di(heteroarylvinyl)pyridines as new potential antitumor agents. <i>Journal of Physical Organic Chemistry</i> , 2000, 13, 344-346.	0.9	5
42	Photophysics and photochemistry of 2,6-distyrylpyridine and some heteroanalogues. <i>Physical Chemistry Chemical Physics</i> , 2000, 2, 4005-4012.	1.3	34
43	A 3D-QSAR Study on the Structural Requirements for Binding to CB1 and CB2 Cannabinoid Receptors. <i>Journal of Medicinal Chemistry</i> , 2000, 43, 2300-2309.	2.9	36
44	Synthesis and basicity of 2,6-di-[2-(heteroaryl)vinyl]pyridines. <i>Tetrahedron</i> , 1998, 54, 9721-9730.	1.0	10
45	Chemometrics and cultural heritage. <i>Chemometrics and Intelligent Laboratory Systems</i> , 1998, 44, 363-372.	1.8	47
46	Spectroscopic evidence of a free-radical mechanism in the reduction of Schiff bases by formic acid. <i>Tetrahedron</i> , 1997, 53, 6907-6916.	1.0	5
47	Design, synthesis and antimycotic activity of (N-heteroaryl)arylmethanamines. <i>Journal of Physical Organic Chemistry</i> , 1996, 9, 61-65.	0.9	2
48	A New Set of Principal Properties for Heteroaromatics Obtained by GRID. <i>QSAR and Combinatorial Science</i> , 1996, 15, 108-120.	1.4	34
49	Multivariate characterization, using the SIMCA method, of mortars from two frescoes in Chiaravalle Abbey. <i>Thermochimica Acta</i> , 1995, 269-270, 797-807.	1.2	9
50	Formation of (N-Heteroaryl)heteroarylmethanamines from Heteroaromatic Aldehydes and Heteroaromatic Amines. <i>Heterocycles</i> , 1994, 37, 1033.	0.4	14
51	Election Impact Mass Spectra of para-Substituted N-Heteroaryl Benzylamines. <i>Heterocycles</i> , 1994, 37, 367.	0.4	3
52	Classical and Magnetic Aromaticities as new Descriptors for Heteroaromatics in QSAR, Part 3 [1]. Principal Properties for Heteroaromatics. <i>QSAR and Combinatorial Science</i> , 1993, 12, 146-151.	1.4	32
53	QSAR Study of Heteroaromatic Modifications in the Side Chain of Bradycardic Benzazepinones by Response Surface Modelling [1]. <i>QSAR and Combinatorial Science</i> , 1993, 12, 256-260.	1.4	5
54	Classical and Magnetic Aromaticities as new Descriptors for Heteroaromatics in QSARs. PLS Prediction of <i>Tetrahymena Pyriformis</i> Growth Inhibition by Heteroaromatics. <i>QSAR and Combinatorial Science</i> , 1991, 10, 101-106.	1.4	11

#	ARTICLE	IF	CITATIONS
55	Effects of the Heteroaromatic Moiety on the Antisecretory Activities of Heteroarylmethyl Heteroaryl Sulfides [1]. <i>QSAR and Combinatorial Science</i> , 1991, 10, 107-109.	1.4	3
56	Geographical classification of sicilian olive oils in terms of sterols and fatty acids content. <i>Journal of the Science of Food and Agriculture</i> , 1991, 56, 445-455.	1.7	16
57	Aromaticity as a Quantitative Concept. 2. Sixteen familiar five- and six-membered monocyclic heterocycles. <i>Journal Für Praktische Chemie</i> , 1990, 332, 853-869.	0.2	99
58	Aromaticity as a Quantitative Concept. 3. Benzo-fused five- and six-membered heterocycles. <i>Journal Für Praktische Chemie</i> , 1990, 332, 870-884.	0.2	95
59	Effects of the heteroaromatic moiety on spectroscopic properties, pKa and reactivity of azoles: A chemometric study. <i>Journal of Physical Organic Chemistry</i> , 1990, 3, 651-658.	0.9	8
60	Prediction of gas chromatographic response factors by the PLS method. <i>Tetrahedron Computer Methodology</i> , 1989, 2, 17-36.	0.2	29
61	X-ray structure determination of cyclobutane photodimers from (Z)-?, ?-diarylacrylonitriles. <i>Journal of Crystallographic and Spectroscopic Research</i> , 1989, 19, 791-808.	0.3	4
62	Aromaticity as a quantitative concept. 1. A statistical demonstration of the orthogonality of classical and magnetic aromaticity in five- and six-membered heterocycles. <i>Journal of the American Chemical Society</i> , 1989, 111, 7-15.	6.6	446
63	E/Z photoisomerization of 3-amino-3-phenylprop-2-enitriles. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1988, , 1591.	0.9	3
64	Kinetics and mechanisms of nucleophilic displacements with heterocycles as leaving groups. Part 22. Reactions with various nucleophiles and a study of the effects of substrate concentration, traces of water, and nature of the gegenion on the rates. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1987, , 73.	0.9	2
65	Kinetics and mechanisms of nucleophilic displacements with heterocycles as leaving groups. Part 25. X-Ray structure determinations, crystallographic evidence for steric crowding, and correlation with acceleration of rates. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1987, , 1391.	0.9	6
66	Carbon-13 NMR spectra of substituted 2-thiophenecarboxanilides. <i>Magnetic Resonance in Chemistry</i> , 1987, 25, 277-279.	1.1	2
67	Nuclear magnetic resonance studies of (Z)- and (E)-3-amino-3-(p-substituted phenyl)propenenitriles. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1986, , 1847.	0.9	3
68	Studies of substituent effects by carbon-13 NMR spectroscopy. V. Ethyl (E)-(±-cyano)cinnamates, (E)-(±-cyano)cinnamamides and ethyl (±-ethoxycarbonyl)cinnamates. <i>Magnetic Resonance in Chemistry</i> , 1986, 24, 31-34.	1.1	11
69	Studies of substituent effects by carbon-13 NMR spectroscopy. VI. Application of multivariate data analysis to ¹³ C NMR chemical shifts of protonated chalcones and thiophene chalcone analogues. <i>Magnetic Resonance in Chemistry</i> , 1986, 24, 209-212.	1.1	2
70	Qualitative organic analysis. <i>Journal of Chromatography A</i> , 1985, 350, 151-168.	1.8	59
71	A Discussion of Principal Component Analysis: Reply. <i>Journal of Analytical Toxicology</i> , 1985, 9, 187-188.	1.7	2
72	Use of the Hammett equation in substituted thiophenes. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1985, , 485-490.	0.9	8

#	ARTICLE	IF	CITATIONS
73	Kinetics and mechanisms of nucleophilic displacements with heterocycles as leaving groups. Part 19. Chemometric investigation of the simultaneous dependence of S _N 2 rates on alkyl group structure and leaving group nucleofugacity. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1985, , 1887.	0.9	2
74	Application of principal components analysis to the evaluation and selection of eluent systems for the thin-layer chromatography of basic and neutral drugs. <i>Journal of Chromatography A</i> , 1984, 295, 31-47.	1.8	25
75	New insights into aliphatic nucleophilic substitution reactions from the use of pyridines as leaving groups. <i>Chemical Society Reviews</i> , 1984, 13, 47.	18.7	51
76	Kinetics and mechanisms of nucleophilic displacements with heterocycles as leaving groups. Part 9. N-substituted 2,4,6-triphenylpyridiniums, 5,6-dihydro-2,4-diphenylbenzo[h]quinoliniums, and 5,6,8,9-tetrahydro-7-phenyldibenzo[c,h]acridiniums: kinetic rate variation with structure of the N-substituent. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1983, , 1427.	0.9	2
77	Kinetics and mechanisms of nucleophilic displacements with heterocycles as leaving groups. Part 8. Conductimetric and spectrophotometric rate constants for the reactions of pyridinium and related cations with piperidine in chlorobenzene. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1983, , 1421.	0.9	4
78	Kinetics and mechanisms of nucleophilic displacements with heterocycles as leaving groups. Part 14. The preparation and reactions of some further 1 \pm -heteroaryl-pyridinium salts. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1983, , 1463-1469.	0.9	2
79	Kinetics and mechanisms of nucleophilic displacements with heterocycles as leaving groups. Part 12. Regio- and stereo-chemistry of nucleophilic displacement and solvolysis reactions of N-(1 \pm -methylallyl)- and N-(1 \pm -phenylethyl)-pyridiniums. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1983, , 1449-1453.	0.9	2
80	Kinetics and mechanisms of nucleophilic displacements with heterocycles as leaving groups. Part 5. Solvent effects. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1982, , 1049.	0.9	2
81	Kinetics and mechanisms of nucleophilic displacements with heterocycles as leaving groups. Part 4. 2,4,6-Triaryl-N-benzylpyridinium cations: rate variation with electronic effects in the leaving group. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1982, , 1041.	0.9	15
82	Kinetics and mechanisms of nucleophilic displacements with heterocycles as leaving groups. Part 6. Reactions of N-(substituted benzyl)azaheterocyclonium compounds with piperidine. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1982, , 1055.	0.9	2
83	Kinetics and mechanisms of nucleophilic displacements with heterocycles as leaving groups. 3. N-(substituted benzyl)-2,4,6-triphenylpyridiniums: effects of benzyl substitution on first- and second-order rates. <i>Journal of Organic Chemistry</i> , 1981, 46, 3831-3835.	1.7	15
84	Kinetics and mechanisms of nucleophilic displacements with heterocycles as leaving groups. 1. 1-Benzyl-2,4,6-triphenylpyridinium. <i>Journal of Organic Chemistry</i> , 1981, 46, 3820-3823.	1.7	9
85	Kinetics and mechanisms of nucleophilic displacements with heterocycles as leaving groups. 2. N-benzylpyridinium cations: rate variation with steric effects in the leaving group. <i>Journal of Organic Chemistry</i> , 1981, 46, 3823-3830.	1.7	15
86	Nucleophilic substitution at sulphonyl sulphur. Part 1. Reactivity of thiophen-2-sulphonyl halides in water and methanol \leftrightarrow acetonitrile. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1981, , 221-227.	0.9	11
87	Application of principal component analysis to ¹³ C NMR shifts of chalcones and their thiophene and furan analogues: A useful tool for the shift assignment and for the study of substituent effects. <i>Magnetic Resonance in Chemistry</i> , 1981, 17, 118-123.	0.7	18
88	The mass spectra of some thiophene chalcone analogues. <i>Organic Mass Spectrometry</i> , 1981, 16, 54-54.	1.3	9
89	A C-13 study of the reaction of 2,4,6-triarylpyrylium cations with amines. <i>Tetrahedron</i> , 1980, 36, 1643-1647.	1.0	51
90	Unimolecular and bimolecular transfer of N-substituents from pyridinium cations: Evidence for a clear mechanistic changeover. <i>Tetrahedron Letters</i> , 1980, 21, 2697-2699.	0.7	10

#	ARTICLE	IF	CITATIONS
91	Studies of substituent effects by carbon-13 NMR spectroscopy. Thiophene and furan chalcone analogues. <i>Magnetic Resonance in Chemistry</i> , 1980, 14, 384-391.	0.7	19
92	Nucleophilic displacement of N-benzyl groups: effect of pyridinium on rates and mechanism. <i>Tetrahedron Letters</i> , 1980, 21, 2701-2703.	0.7	6
93	The protonation of furan- and thiophen-carboxamides. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1979, , 1700.	0.9	6
94	The Reaction of 2,4,6-Triarylpyrylium Cations with Methoxide-Ion. <i>Heterocycles</i> , 1979, 12, 775.	0.4	16
95	The acid dissociation of arenesulphonamides: ρ values for thia- and oxa-substituents in five-membered S-linked heterocycles and effects of substituents in the N-linked aromatic ring. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1977, , 984-987.	0.9	3
96	Solvent effects in the benzylation of aniline. <i>Journal of Organic Chemistry</i> , 1977, 42, 1415-1418.	1.7	17
97	Nucleophilic substitution in the side chain of five-membered heterocycles. 3. Reactions of heterocyclic aldehydes with aniline and with benzoylmethylenetriphenyl phosphorane. <i>Journal of Organic Chemistry</i> , 1977, 42, 3024-3028.	1.7	14
98	Reactions of aromatic sulphonyl chlorides with anilines. <i>Tetrahedron</i> , 1977, 33, 105-111.	1.0	19
99	Substituent effects in five-membered rings: ρ values for thia- and oxa-substituents from the reaction of arenesulphonyl chlorides with aniline. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1976, , 906-908.	0.9	6
100	Nucleophilic substitution in the side chain of 5-membered heterocycles. <i>Tetrahedron</i> , 1975, 31, 2523-2527.	1.0	14
101	Ultraviolet and infrared absorption spectra of 2-thiophenesulfonamides. <i>Spectrochimica Acta Part A: Molecular Spectroscopy</i> , 1974, 30, 611-618.	0.1	26
102	Infrared and ultraviolet spectra of 2-thienyl-phenyl-ketone nitro-derivatives. <i>Spectrochimica Acta Part A: Molecular Spectroscopy</i> , 1973, 29, 161-167.	0.1	10
103	On the nitration of 2-benzylthiophene and the spectroscopic behaviour of nitro-2-benzylthiophenes. <i>Journal of Heterocyclic Chemistry</i> , 1972, 9, 849-852.	1.4	13