

# Yifeng Dai

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8859984/publications.pdf>

Version: 2024-02-01

34  
papers

655  
citations

567144

15  
h-index

610775

24  
g-index

34  
all docs

34  
docs citations

34  
times ranked

875  
citing authors

#	ARTICLE	IF	CITATIONS
1	Decreased blood hepatitis B surface antibody levels linked to e-waste lead exposure in preschool children. <i>Journal of Hazardous Materials</i> , 2015, 298, 122-128.	6.5	69
2	Blood concentrations of lead, cadmium, mercury and their association with biomarkers of DNA oxidative damage in preschool children living in an e-waste recycling area. <i>Environmental Geochemistry and Health</i> , 2018, 40, 1481-1494.	1.8	63
3	Elevated lead levels and changes in blood morphology and erythrocyte CR1 in preschool children from an e-waste area. <i>Science of the Total Environment</i> , 2017, 592, 51-59.	3.9	56
4	Overexpression of PDK2 and PDK3 reflects poor prognosis in acute myeloid leukemia. <i>Cancer Gene Therapy</i> , 2020, 27, 15-21.	2.2	39
5	Proteomic evaluation of human umbilical cord tissue exposed to polybrominated diphenyl ethers in an e-waste recycling area. <i>Environment International</i> , 2018, 111, 362-371.	4.8	36
6	Alterations in platelet indices link polycyclic aromatic hydrocarbons toxicity to low-grade inflammation in preschool children. <i>Environment International</i> , 2019, 131, 105043.	4.8	32
7	Decreased erythrocyte CD44 and CD58 expression link e-waste Pb toxicity to changes in erythrocyte immunity in preschool children. <i>Science of the Total Environment</i> , 2019, 664, 690-697.	3.9	30
8	High IFITM3 expression predicts adverse prognosis in acute myeloid leukemia. <i>Cancer Gene Therapy</i> , 2020, 27, 38-44.	2.2	27
9	Association of prenatal exposure to PAHs with anti-M $\beta$ 1/4llerian hormone (AMH) levels and birth outcomes of newborns. <i>Science of the Total Environment</i> , 2020, 723, 138009.	3.9	27
10	Elevated expression of AhR and NLRP3 link polycyclic aromatic hydrocarbon exposure to cytokine storm in preschool children. <i>Environment International</i> , 2020, 139, 105720.	4.8	24
11	Considerable decrease of antibody titers against measles, mumps, and rubella in preschool children from an e-waste recycling area. <i>Science of the Total Environment</i> , 2016, 573, 760-766.	3.9	23
12	Early-life exposure to widespread environmental toxicants and maternal-fetal health risk: A focus on metabolomic biomarkers. <i>Science of the Total Environment</i> , 2020, 739, 139626.	3.9	23
13	Up-regulation of DDIT4 predicts poor prognosis in acute myeloid leukaemia. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 1067-1075.	1.6	22
14	Prognostic role of DOK family adapters in acute myeloid leukemia. <i>Cancer Gene Therapy</i> , 2019, 26, 305-312.	2.2	20
15	Enhanced expressions of FHL2 and iASPP predict poor prognosis in acute myeloid leukemia. <i>Cancer Gene Therapy</i> , 2019, 26, 17-25.	2.2	17
16	Prognostic value of the FUT family in acute myeloid leukemia. <i>Cancer Gene Therapy</i> , 2020, 27, 70-80.	2.2	16
17	Prognostic significance of the PANK family expression in acute myeloid leukemia. <i>Annals of Translational Medicine</i> , 2019, 7, 261-261.	0.7	16
18	High expression of DOCK2 indicates good prognosis in acute myeloid leukemia. <i>Journal of Cancer</i> , 2019, 10, 6088-6094.	1.2	13

#	ARTICLE	IF	CITATIONS
19	Prognostic significance of PAK family kinases in acute myeloid leukemia. <i>Cancer Gene Therapy</i> , 2020, 27, 30-37.	2.2	13
20	High expression of chaperonin-containing TCP1 subunit 3 may induce dismal prognosis in multiple myeloma. <i>Pharmacogenomics Journal</i> , 2020, 20, 563-573.	0.9	12
21	Emerging agents and regimens for treatment of relapsed and refractory acute myeloid leukemia. <i>Cancer Gene Therapy</i> , 2020, 27, 1-14.	2.2	10
22	Upregulation of Glutamic-Oxaloacetic Transaminase 1 Predicts Poor Prognosis in Acute Myeloid Leukemia. <i>Frontiers in Oncology</i> , 2020, 10, 379.	1.3	10
23	Prognostic significance of microRNA-99a in acute myeloid leukemia patients undergoing allogeneic hematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2018, 53, 1089-1095.	1.3	9
24	High PD-L1 expression predicts poor prognosis in diffuse large B-cell lymphoma. <i>Annals of Hematology</i> , 2018, 97, 1085-1088.	0.8	7
25	Clinical and biological implications of mutational spectrum in acute myeloid leukemia of FAB subtypes M4 and M5. <i>Cancer Gene Therapy</i> , 2018, 25, 77-83.	2.2	7
26	Prognostic Value of MicroRNA-20b in Acute Myeloid Leukemia. <i>Frontiers in Oncology</i> , 2020, 10, 553344.	1.3	7
27	Mutational spectrum and prognostic stratification of intermediate-risk acute myeloid leukemia. <i>Cancer Gene Therapy</i> , 2018, 25, 207-213.	2.2	5
28	High <i>EGFL7</i> expression may predict poor prognosis in acute myeloid leukemia patients undergoing allogeneic hematopoietic stem cell transplantation. <i>Cancer Biology and Therapy</i> , 2019, 20, 1314-1318.	1.5	5
29	Prognostic value of the PDLIM family in acute myeloid leukemia. <i>American Journal of Translational Research (discontinued)</i> , 2019, 11, 6124-6131.	0.0	5
30	Clinical and Biological Implications of Mutational Spectrum in Acute Myeloid Leukemia of FAB Subtypes M0 and M1. <i>Cellular Physiology and Biochemistry</i> , 2018, 47, 1853-1861.	1.1	3
31	Prognostic value of <i>HMGN</i> family expression in acute myeloid leukemia. <i>Future Oncology</i> , 2021, 17, 541-548.	1.1	3
32	Prognostic role of Wnt and Fzd gene families in acute myeloid leukaemia. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 1456-1467.	1.6	3
33	Prognostic effect of allogeneic hematopoietic stem cell transplantation on first and non-first complete remission in acute myeloid leukemia. <i>Annals of Translational Medicine</i> , 2019, 7, 500-500.	0.7	2
34	Prognostic role of SCAMP family in acute myeloid leukemia. <i>Pharmacogenomics Journal</i> , 2020, 20, 595-600.	0.9	1