

Irene Ennis

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8861422/publications.pdf>

Version: 2024-02-01

62
papers

2,287
citations

186209

28
h-index

214721

47
g-index

65
all docs

65
docs citations

65
times ranked

1970
citing authors

#	ARTICLE	IF	CITATIONS
1	Position statement on use of pharmacological combinations in a single pill for treatment of hypertension by Argentine Federation of Cardiology (FAC) and Argentine Society of Hypertension (SAHA). <i>Journal of Human Hypertension</i> , 2021, , .	1.0	0
2	Cardiac up-regulation of NBCe1 emerges as a beneficial consequence of voluntary wheel running in mice. <i>Archives of Biochemistry and Biophysics</i> , 2020, 694, 108600.	1.4	2
3	Na ⁺ /H ⁺ exchanger and cardiac hypertrophy. <i>Hipertension Y Riesgo Vascular</i> , 2020, 37, 22-32.	0.3	14
4	Silencing of the Na ⁺ /H ⁺ exchanger 1(NHE-1) prevents cardiac structural and functional remodeling induced by angiotensin II. <i>Experimental and Molecular Pathology</i> , 2019, 107, 1-9.	0.9	10
5	Cardioprotective role of IGF-1 in the hypertrophied myocardium of the spontaneously hypertensive rats: A key effect on NHE-1 activity. <i>Acta Physiologica</i> , 2018, 224, e13092.	1.8	21
6	Nitric oxide and CaMKII: Critical steps in the cardiac contractile response To IGF-1 and swim training. <i>Journal of Molecular and Cellular Cardiology</i> , 2017, 112, 16-26.	0.9	20
7	Cardiac hypertrophy reduction in SHR by specific silencing of myocardial Na ⁺ /H ⁺ exchanger. <i>Journal of Applied Physiology</i> , 2015, 118, 1154-1160.	1.2	16
8	Reactive oxygen species partially mediate high dose angiotensin II-induced positive inotropic effect in cat ventricular myocytes. <i>Cardiovascular Pathology</i> , 2015, 24, 236-240.	0.7	3
9	The signaling pathway for aldosterone-induced mitochondrial production of superoxide anion in the myocardium. <i>Journal of Molecular and Cellular Cardiology</i> , 2014, 67, 60-68.	0.9	35
10	Physiological cardiac hypertrophy: Critical role of AKT in the prevention of NHE-1 hyperactivity. <i>Journal of Molecular and Cellular Cardiology</i> , 2014, 76, 186-195.	0.9	31
11	Myocardial Mineralocorticoid Receptor Activation by Stretching and Its Functional Consequences. <i>Hypertension</i> , 2014, 63, 112-118.	1.3	10
12	Gender differences in cardiac left ventricular mass and function: Clinical and experimental observations. <i>Cardiology Journal</i> , 2014, 21, 53-59.	0.5	3
13	Endogenous endothelin 1 mediates angiotensin II-induced hypertrophy in electrically paced cardiac myocytes through EGFR transactivation, reactive oxygen species and NHE-1. <i>Pflugers Archiv European Journal of Physiology</i> , 2013, 466, 1819-30.	1.3	5
14	The Anrep effect: 100 years later. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2013, 304, H175-H182.	1.5	123
15	Mitochondrial reactive oxygen species (ROS) as signaling molecules of intracellular pathways triggered by the cardiac renin-angiotensin II-aldosterone system (RAAS). <i>Frontiers in Physiology</i> , 2013, 4, 126.	1.3	47
16	The Autocrine/Paracrine Loop After Myocardial Stretch: Mineralocorticoid Receptor Activation. <i>Current Cardiology Reviews</i> , 2013, 9, 230-240.	0.6	11
17	Inappropriate Left Ventricular Mass in a Young Population. <i>Revista Espanola De Cardiologia (English)</i> Tj ETQq1 1 0.784314 rgBT /Over 0.4 80		
18	Early Activation of Intracellular Signals after Myocardial Stretch: Anrep Effect, Myocardial Hypertrophy and Heart Failure. , 2012, , 327-365.		1

#	ARTICLE	IF	CITATIONS
19	Masa ventricular izquierda inapropiada en una población de adultos jóvenes. Revista Española De Cardiología, 2012, 65, 855-856.	0.6	0
20	Mineralocorticoid receptor activation is crucial in the signalling pathway leading to the Anrep effect. Journal of Physiology, 2011, 589, 6051-6061.	1.3	20
21	Role of autocrine/paracrine mechanisms in response to myocardial strain. Pflugers Archiv European Journal of Physiology, 2011, 462, 29-38.	1.3	52
22	In vivo key role of reactive oxygen species and NHE-1 activation in determining excessive cardiac hypertrophy. Pflugers Archiv European Journal of Physiology, 2011, 462, 733-743.	1.3	29
23	Silencing of sodium/hydrogen exchanger in the heart by direct injection of naked siRNA. Journal of Applied Physiology, 2011, 111, 566-572.	1.2	16
24	Silencing of NHE-1 blunts the slow force response to myocardial stretch. Journal of Applied Physiology, 2011, 111, 874-880.	1.2	28
25	Myocardial Reperfusion Injury: Reactive Oxygen Species vs. NHE-1 Reactivation. Cellular Physiology and Biochemistry, 2011, 27, 13-22.	1.1	23
26	Aldosterone Stimulates the Cardiac Na ⁺ /H ⁺ Exchanger via Transactivation of the Epidermal Growth Factor Receptor. Hypertension, 2011, 58, 912-919.	1.3	56
27	The Anrep effect requires transactivation of the epidermal growth factor receptor. Journal of Physiology, 2010, 588, 1579-1590.	1.3	39
28	Phosphodiesterase 5A Inhibition Decreases NHE-1 Activity Without Altering Steady State pH; Role of Phosphatases. Cellular Physiology and Biochemistry, 2010, 26, 531-540.	1.1	10
29	Decreased Activity of the Na ⁺ /H ⁺ Exchanger by Phosphodiesterase 5A Inhibition Is Attributed to an Increase in Protein Phosphatase Activity. Hypertension, 2010, 56, 690-695.	1.3	21
30	Early Hypertrophic Signals After Myocardial Stretch. Role of Reactive Oxygen Species and the Sodium/Hydrogen Exchanger. , 2010, , 327-371.		6
31	Endurance Training in the Spontaneously Hypertensive Rat. Hypertension, 2009, 53, 708-714.	1.3	91
32	Chronic NHE-1 blockade induces an antiapoptotic effect in the hypertrophied heart. Journal of Applied Physiology, 2009, 106, 1325-1331.	1.2	34
33	Na ⁺ /H ⁺ exchanger-1 inhibitors decrease myocardial superoxide production via direct mitochondrial action. Journal of Applied Physiology, 2008, 105, 1706-1713.	1.2	78
34	Early signals after stretch leading to cardiac hypertrophy. Key role of NHE-1. Frontiers in Bioscience - Landmark, 2008, Volume, 7096.	3.0	27
35	Sodium-Hydrogen Exchanger, Cardiac Overload, and Myocardial Hypertrophy. Circulation, 2007, 115, 1090-1100.	1.6	145
36	From Anreps Phenomenon to Myocardial Hypertrophy: Role of the Na ⁺ /H ⁺ Exchanger. Current Cardiology Reviews, 2007, 3, 149-164.	0.6	7

#	ARTICLE	IF	CITATIONS
37	Normalization of the calcineurin pathway underlies the regression of hypertensive hypertrophy induced by Na ⁺ /H ⁺ exchanger-1 (NHE-1) inhibition. This paper is one of a selection of papers published in this Special Issue, entitled The Cellular and Molecular Basis of Cardiovascular Dysfunction, Dhalla 70th Birthday Tribute.. Canadian Journal of Physiology and Pharmacology, 2007, 85, 301-310.	0.7	41
38	Phosphodiesterase 5A Inhibition Induces Na ⁺ /H ⁺ Exchanger Blockade and Protection Against Myocardial Infarction. Hypertension, 2007, 49, 1095-1103.	1.3	63
39	Mitochondrial reactive oxygen species activate the slow force response to stretch in feline myocardium. Journal of Physiology, 2007, 584, 895-905.	1.3	67
40	Involvement of AE3 isoform of Na ⁺ -independent Cl ⁻ /HCO ₃ ⁻ exchanger in myocardial pHi recovery from intracellular alkalization. Life Sciences, 2006, 78, 3018-3026.	2.0	13
41	Endothelin-1 induced hypertrophic effect in neonatal rat cardiomyocytes: Involvement of Na ⁺ /H ⁺ and Na ⁺ /Ca ²⁺ exchangers. Journal of Molecular and Cellular Cardiology, 2006, 41, 807-815.	0.9	56
42	The Positive Inotropic Effect of Angiotensin II. Hypertension, 2006, 47, 727-734.	1.3	70
43	Endothelin isoforms and the response to myocardial stretch. American Journal of Physiology - Heart and Circulatory Physiology, 2005, 288, H2925-H2930.	1.5	30
44	Novel Interactions Identified between $\hat{1}/4$ -Conotoxin and the Na ⁺ Channel Domain I P-loop: Implications for Toxin-Pore Binding Geometry. Biophysical Journal, 2003, 85, 2299-2310.	0.2	23
45	Influence of Na ⁺ -Independent Cl ⁻ -HCO ₃ ⁻ Exchange on the Slow Force Response to Myocardial Stretch. Circulation Research, 2003, 93, 1082-1088.	2.0	29
46	NHE-1 and NHE-6 Activities. Circulation Research, 2003, 93, 694-696.	2.0	13
47	Molecular Basis of Isoform-specific $\hat{1}/4$ -Conotoxin Block of Cardiac, Skeletal Muscle, and Brain Na ⁺ Channels. Journal of Biological Chemistry, 2003, 278, 8717-8724.	1.6	36
48	Regression of Isoproterenol-Induced Cardiac Hypertrophy by Na ⁺ /H ⁺ Exchanger Inhibition. Hypertension, 2003, 41, 1324-1329.	1.3	99
49	Upregulation of Myocardial Na ⁺ /H ⁺ Exchanger Induced by Chronic Treatment with a Selective Inhibitor. Journal of Molecular and Cellular Cardiology, 2002, 34, 1539-1547.	0.9	25
50	39 Regression of isoproterenol-induced myocardial hypertrophy by Na ⁺ /H ⁺ exchanger inhibition. Journal of Molecular and Cellular Cardiology, 2002, 34, A17.	0.9	0
51	51 Chronic inhibition of Na ⁺ /H ⁺ exchanger causes upregulation of the cardiac antiporter. Journal of Molecular and Cellular Cardiology, 2002, 34, A19.	0.9	0
52	Dual gene therapy with SERCA1 and Kir2.1 abbreviates excitation without suppressing contractility. Journal of Clinical Investigation, 2002, 109, 393-400.	3.9	41
53	Dual gene therapy with SERCA1 and Kir2.1 abbreviates excitation without suppressing contractility. Journal of Clinical Investigation, 2002, 109, 393-400.	3.9	22
54	Effects of antihypertensive therapy on cardiac sodium/hydrogen ion exchanger activity and hypertrophy in spontaneously hypertensive rats. Canadian Journal of Cardiology, 2002, 18, 667-72.	0.8	14

#	ARTICLE	IF	CITATIONS
55	Latent Specificity of Molecular Recognition in Sodium Channels Engineered To Discriminate between Two Indistinguishable α -Conotoxins. <i>Biochemistry</i> , 2001, 40, 6002-6008.	1.2	15
56	Clockwise Domain Arrangement of the Sodium Channel Revealed by α -Conotoxin (GIIIA) Docking Orientation. <i>Journal of Biological Chemistry</i> , 2001, 276, 11072-11077.	1.6	85
57	Novel Structural Determinants of α -Conotoxin (GIIIB) Block in Rat Skeletal Muscle (α 1) Na ⁺ Channels. <i>Journal of Biological Chemistry</i> , 2000, 275, 27551-27558.	1.6	31
58	Stimulation of Myocardial Na ⁺ -Independent Cl ⁻ -HCO ₃ ⁻ Exchanger by Angiotensin II Is Mediated by Endogenous Endothelin. <i>Circulation Research</i> , 2000, 86, 622-627.	2.0	37
59	Mechanisms Underlying the Increase in Force and Ca ²⁺ Transient That Follow Stretch of Cardiac Muscle. <i>Circulation Research</i> , 1999, 85, 716-722.	2.0	193
60	Angiotensin II Activates Na ⁺ -Independent Cl ⁻ -HCO ₃ ⁻ Exchange in Ventricular Myocardium. <i>Circulation Research</i> , 1998, 82, 473-481.	2.0	61
61	Enalapril Induces Regression of Cardiac Hypertrophy and Normalization of pH _i Regulatory Mechanisms. <i>Hypertension</i> , 1998, 31, 961-967.	1.3	53
62	Stretch-Induced Alkalinization of Feline Papillary Muscle. <i>Circulation Research</i> , 1998, 83, 775-780.	2.0	132