## Jie Wei

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8861452/jie-wei-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

107	1,871	23	37
papers	citations	h-index	g-index
127 ext. papers	2,478 ext. citations	4.3 avg, IF	4.93 L-index

#	Paper	IF	Citations
107	Sodium-containing acetaminophen and cardiovascular outcomes in individuals with and without hypertension <i>European Heart Journal</i> , <b>2022</b> ,	9.5	3
106	Peripherally inserted central venous catheter in upper extremities leads to an increase in D-dimer and deep vein thrombosis in lower extremities. <i>Thrombosis Journal</i> , <b>2021</b> , 19, 24	5.6	4
105	Does smoking cessation increase risk of knee replacement? a general population-based cohort study. <i>Osteoarthritis and Cartilage</i> , <b>2021</b> , 29, 697-706	6.2	5
104	Prevalence of ultrasound-detected knee synovial abnormalities in a middle-aged and older general population-the Xiangya Osteoarthritis Study. <i>Arthritis Research and Therapy</i> , <b>2021</b> , 23, 156	5.7	1
103	Knee Osteoarthritis, Potential Mediators, and Risk of All-Cause Mortality: Data From the Osteoarthritis Initiative. <i>Arthritis Care and Research</i> , <b>2021</b> , 73, 566-573	4.7	10
102	Initial analgesic prescriptions for osteoarthritis in the United Kingdom, 2000-2016. <i>Rheumatology</i> , <b>2021</b> , 60, 147-159	3.9	8
101	Association Between Gut Microbiota and Symptomatic Hand Osteoarthritis: Data From the Xiangya Osteoarthritis Study. <i>Arthritis and Rheumatology</i> , <b>2021</b> , 73, 1656-1662	9.5	8
100	Identifying predictors of response to oral non-steroidal anti-inflammatory drugs and paracetamol in osteoarthritis: a hypothesis-driven protocol for an OA Trial Bank individual participant data meta-analysis. <i>BMJ Open</i> , <b>2021</b> , 11, e048652	3	
99	Reply. Arthritis and Rheumatology, <b>2021</b> , 73, 2146-2147	9.5	
98	Association between bariatric surgery with long-term analgesic prescription and all-cause mortality among patients with osteoarthritis: a general population-based cohort study. <i>Osteoarthritis and Cartilage</i> , <b>2021</b> , 29, 1412-1417	6.2	О
97	Increased risk of COVID-19 in patients with rheumatoid arthritis: a general population-based cohort study. <i>Arthritis Care and Research</i> , <b>2021</b> ,	4.7	3
96	Association between proton pump inhibitors use and risk of hip fracture: A general population-based cohort study. <i>Bone</i> , <b>2020</b> , 139, 115502	4.7	3
95	Exploration of metformin as novel therapy for osteoarthritis: preventing cartilage degeneration and reducing pain behavior. <i>Arthritis Research and Therapy</i> , <b>2020</b> , 22, 34	5.7	22
94	Statin use and risk of joint replacement due to osteoarthritis and rheumatoid arthritis: a propensity-score matched longitudinal cohort study. <i>Rheumatology</i> , <b>2020</b> , 59, 2898-2907	3.9	5
93	Association of Tramadol Use With Risk of Hip Fracture. <i>Journal of Bone and Mineral Research</i> , <b>2020</b> , 35, 631-640	6.3	8
92	expression and its prognostic significance in lung adenocarcinoma. <i>Annals of Translational Medicine</i> , <b>2020</b> , 8, 341	3.2	13
91	Comparative Risk-Benefit Profiles of Individual Devices for Graft Fixation in Anterior Cruciate Ligament Reconstruction: A Systematic Review and Network Meta-analysis. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , <b>2020</b> , 36, 1953-1972	5.4	5

90	A two-gene-based prognostic signature for pancreatic cancer. <i>Aging</i> , <b>2020</b> , 12, 18322-18342	5.6	4
89	Role of downregulated ADARB1 in lung squamous cell carcinoma. <i>Molecular Medicine Reports</i> , <b>2020</b> , 21, 1517-1526	2.9	2
88	Physical Distancing Measures and Walking Activity in Middle-aged and Older Residents in Changsha, China, During the COVID-19 Epidemic Period: Longitudinal Observational Study. <i>Journal of Medical Internet Research</i> , <b>2020</b> , 22, e21632	7.6	20
87	Overexpression of GSDMC is a prognostic factor for predicting a poor outcome in lung adenocarcinoma. <i>Molecular Medicine Reports</i> , <b>2020</b> , 21, 360-370	2.9	27
86	Delayed Denosumab Injections and Fracture Risk Among Patients With Osteoporosis : A Population-Based Cohort Study. <i>Annals of Internal Medicine</i> , <b>2020</b> , 173, 516-526	8	19
85	Risk of venous thromboembolism in knee, hip and hand osteoarthritis: a general population-based cohort study. <i>Annals of the Rheumatic Diseases</i> , <b>2020</b> , 79, 1616-1624	2.4	9
84	Association Between Dietary Selenium Intake and the Prevalence of Nonalcoholic Fatty Liver Disease: A Cross-Sectional Study. <i>Journal of the American College of Nutrition</i> , <b>2020</b> , 39, 103-111	3.5	10
83	Radiologic evidence of symmetric and polyarticular monosodium urate crystal deposition in gout - A cluster pattern analysis of dual-energy CT. <i>Seminars in Arthritis and Rheumatism</i> , <b>2020</b> , 50, 54-58	5.3	3
82	Association Between Serum Magnesium and the Prevalence of Kidney Stones: a Cross-sectional Study. <i>Biological Trace Element Research</i> , <b>2020</b> , 195, 20-26	4.5	3
81	CFHR1 is a potentially downregulated gene in lung adenocarcinoma. <i>Molecular Medicine Reports</i> , <b>2019</b> , 20, 3642-3648	2.9	4
80	Function of low ADARB1 expression in lung adenocarcinoma. <i>PLoS ONE</i> , <b>2019</b> , 14, e0222298	3.7	9
79	Expression and clinical significance of CPS1 in glioblastoma multiforme. <i>Current Research in Translational Medicine</i> , <b>2019</b> , 67, 123-128	3.7	8
78	Time series analysis of antibacterial usage and bacterial resistance in China: observations from a tertiary hospital from 2014 to 2018. <i>Infection and Drug Resistance</i> , <b>2019</b> , 12, 2683-2691	4.2	12
77	Analgesic efficacy and safety of ketamine after total knee or hip arthroplasty: a meta-analysis of randomised placebo-controlled studies. <i>BMJ Open</i> , <b>2019</b> , 9, e028337	3	6
76	The Molecular Aspect of Antitumor Effects of Protease Inhibitor Nafamostat Mesylate and Its Role in Potential Clinical Applications. <i>Frontiers in Oncology</i> , <b>2019</b> , 9, 852	5.3	20
75	Clinical value of preoperative methylated septin 9 in Chinese colorectal cancer patients. <i>World Journal of Gastroenterology</i> , <b>2019</b> , 25, 2099-2109	5.6	19
74	Association between chondrocalcinosis and osteoarthritis: A systematic review and meta-analysis. <i>International Journal of Rheumatic Diseases</i> , <b>2019</b> , 22, 1175-1182	2.3	8
73	The effects and the mechanisms of autophagy on the cancer-associated fibroblasts in cancer. <i>Journal of Experimental and Clinical Cancer Research</i> , <b>2019</b> , 38, 171	12.8	52

72	SIRT5 downregulation is associated with poor prognosis in glioblastoma. <i>Cancer Biomarkers</i> , <b>2019</b> , 24, 449-459	3.8	13
71	Clinical utility of flexion-extension ratio measured by surface electromyography for patients with nonspecific chronic low-back pain. <i>Journal of the Chinese Medical Association</i> , <b>2019</b> , 82, 35-39	2.8	6
70	Association of Tramadol With All-Cause Mortality Among Patients With Osteoarthritis. <i>JAMA - Journal of the American Medical Association</i> , <b>2019</b> , 321, 969-982	27.4	105
69	MTHFR C677T polymorphism is associated with follicle-stimulating hormone levels and controlled ovarian hyperstimulation response: a retrospective study from the clinical database. <i>Fertility and Sterility</i> , <b>2019</b> , 111, 982-990.e2	4.8	4
68	The Roles of Plant-Derived Triptolide on Non-Small Cell Lung Cancer. Oncology Research, 2019, 27, 849-	-845.8	19
67	Novel Function of lncRNA ADAMTS9-AS2 in Promoting Temozolomide Resistance in Glioblastoma via Upregulating the FUS/MDM2 Ubiquitination Axis. <i>Frontiers in Cell and Developmental Biology</i> , <b>2019</b> , 7, 217	5.7	55
66	Immunotherapy Combinations in Patients with Small Cell Lung Cancers. <i>Journal of Thoracic Oncology</i> , <b>2019</b> , 14, e244-e245	8.9	5
65	Association between body composition and osteoarthritis: A systematic review and meta-analysis. <i>International Journal of Rheumatic Diseases</i> , <b>2019</b> , 22, 2108-2118	2.3	6
64	Clinical prognostic value of isocitrate dehydrogenase mutation, O-6-methylguanine-DNA methyltransferase promoter methylation, and 1p19q co-deletion in glioma patients. <i>Annals of Translational Medicine</i> , <b>2019</b> , 7, 541	3.2	28
63	A tropomyosin receptor kinase family protein, NTRK2 is a potential predictive biomarker for lung adenocarcinoma. <i>PeerJ</i> , <b>2019</b> , 7, e7125	3.1	8
62	Identification of Aloperine as an anti-apoptotic Bcl2 protein inhibitor in glioma cells. <i>PeerJ</i> , <b>2019</b> , 7, e76	5521	10
61	Retrospective clinical study of renin-angiotensin system blockers in lung cancer patients with hypertension. <i>PeerJ</i> , <b>2019</b> , 7, e8188	3.1	6
60	Identification of CAV1 and DCN as potential predictive biomarkers for lung adenocarcinoma. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , <b>2019</b> , 316, L630-L643	5.8	30
59	Roles of highly expressed PAICS in lung adenocarcinoma. <i>Gene</i> , <b>2019</b> , 692, 1-8	3.8	23
58	Relative efficacy and safety of topical non-steroidal anti-inflammatory drugs for osteoarthritis: a systematic review and network meta-analysis of randomised controlled trials and observational studies. <i>British Journal of Sports Medicine</i> , <b>2018</b> , 52, 642-650	10.3	87
57	Association Between Magnetic Resonance Imaging-Measured Intercondylar Notch Dimensions and Anterior Cruciate Ligament Injury: A Meta-analysis. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , <b>2018</b> , 34, 889-900	5.4	13
56	Circular RNAs: clinical relevance in cancer. <i>Oncotarget</i> , <b>2018</b> , 9, 1444-1460	3.3	45
55	The Antitumor Activities of. <i>Frontiers in Oncology</i> , <b>2018</b> , 8, 473	5.3	24

## (2016-2018)

Efficacy and safety of the pulsed electromagnetic field in osteoarthritis: a meta-analysis. <i>BMJ Open</i> , <b>2018</b> , 8, e022879	3	15	
Association between serum magnesium concentration and metabolic syndrome, diabetes, hypertension and hyperuricaemia in knee osteoarthritis: a cross-sectional study in Hunan Province, China. <i>BMJ Open</i> , <b>2018</b> , 8, e019159	3	9	
Single-dose intra-articular bupivacaine plus morphine versus bupivacaine alone after arthroscopic knee surgery: a meta-analysis of randomized controlled trials. <i>Knee Surgery, Sports Traumatology, Arthroscopy,</i> <b>2017</b> , 25, 966-979	5.5	9	
Relationship between hyperuricemia and risk of coronary heart disease in a middle-aged and elderly Chinese population. <i>Journal of International Medical Research</i> , <b>2017</b> , 45, 254-260	1.4	12	
Association Between Tibial Plateau Slopes and Anterior Cruciate Ligament Injury: A Meta-analysis. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , <b>2017</b> , 33, 1248-1259.e4	5.4	36	
Dose-response relationship between lower serum magnesium level and higher prevalence of knee chondrocalcinosis. <i>Arthritis Research and Therapy</i> , <b>2017</b> , 19, 236	5.7	21	
Association between metabolic syndrome and knee osteoarthritis: a cross-sectional study. <i>BMC Musculoskeletal Disorders</i> , <b>2017</b> , 18, 533	2.8	23	
Associations of dietary and serum magnesium with serum high-sensitivity C-reactive protein in early radiographic knee osteoarthritis patients. <i>Modern Rheumatology</i> , <b>2017</b> , 27, 669-674	3.3	11	
Relationship between cigarette smoking and hyperuricemia in middle-aged and elderly population: a cross-sectional study. <i>Rheumatology International</i> , <b>2017</b> , 37, 131-136	3.6	9	
Topical diclofenac therapy for osteoarthritis: a meta-analysis of randomized controlled trials. <i>Clinical Rheumatology</i> , <b>2016</b> , 35, 1253-61	3.9	15	
Heterogeneity, consistency and model fit should be assessed in Bayesian network meta-analysis. <i>Annals of the Rheumatic Diseases</i> , <b>2016</b> , 75, e5	2.4	7	
Is coffee consumption associated with a lower risk of hyperuricaemia or gout? A systematic review and meta-analysis. <i>BMJ Open</i> , <b>2016</b> , 6, e009809	3	14	
Association among dietary magnesium, serum magnesium, and diabetes: a cross-sectional study in middle-aged and older adults. <i>Journal of Health, Population and Nutrition</i> , <b>2016</b> , 35, 33	2.5	9	
Relationship between soy milk intake and radiographic knee joint space narrowing and osteophytes. <i>Rheumatology International</i> , <b>2016</b> , 36, 1215-22	3.6	9	
Relation between phalangeal bone mineral density and radiographic knee osteoarthritis: a cross-sectional study. <i>BMC Musculoskeletal Disorders</i> , <b>2016</b> , 17, 71	2.8	8	
Associations between dietary antioxidants intake and radiographic knee osteoarthritis. <i>Clinical Rheumatology</i> , <b>2016</b> , 35, 1585-92	3.9	25	
The associations of serum uric acid level and hyperuricemia with knee osteoarthritis. <i>Rheumatology International</i> , <b>2016</b> , 36, 567-73	3.6	29	
Is painful knee an independent predictor of mortality in middle-aged women?. <i>Annals of the Rheumatic Diseases</i> , <b>2016</b> , 75, e22	2.4	1	
	Association between serum magnesium concentration and metabolic syndrome, diabetes, hypertension and hyperuricaemia in knee osteoarthritis: a cross-sectional study in Hunan Province, China. BMJ Open, 2018, 8, e019159  Single-dose intra-articular bupivacaine plus morphine versus bupivacaine alone after arthroscopic knee surgery: a meta-analysis of randomized controlled trials. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 966-979  Relationship between hyperuricaemia and risk of coronary heart disease in a middle-aged and elderly Chinese population. Journal of International Medical Research, 2017, 45, 254-260  Association Between Tibial Plateau Slopes and Anterior Cruciate Ligament Injury: A Meta-analysis. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2017, 33, 1248-1259.e4  Dose-response relationship between lower serum magnesium level and higher prevalence of knee chondrocalcinosis. Arthritis Research and Therapy, 2017, 19, 236  Association between metabolic syndrome and knee osteoarthritis: a cross-sectional study. BMC Musculoskeletal Disorders, 2017, 18, 533  Associations of dietary and serum magnesium with serum high-sensitivity C-reactive protein in early radiographic knee osteoarthritis patients. Modern Rheumatology, 2017, 27, 669-674  Relationship between cigarette smoking and hyperuricemia in middle-aged and elderly population: a cross-sectional study. Rheumatology International, 2017, 37, 131-136  Topical diclofenac therapy for osteoarthritis: a meta-analysis of randomized controlled trials. Clinical Rheumatology, 2016, 35, 1253-61  Heterogeneity, consistency and model fit should be assessed in Bayesian network meta-analysis. Annals of the Rheumatic Diseases, 2016, 75, e5  Is coffee consumption associated with a lower risk of hyperuricaemia or gout? A systematic review and meta-analysis. BMJ Open, 2016, 6, e009809  Association among dietary magnesium, serum magnesium, and diabetes: a cross-sectional study in middle-aged and older adults. Journal of Health, Population and Nutriti	Association between serum magnesium concentration and metabolic syndrome, diabetes, hypertension and hyperuricaemia in knee osteoarthritis: a cross-sectional study in Hunan Province, China. BMJ Open, 2018, 8, e019159  Single-dose intra-articular bupivacaine plus morphine versus bupivacaine alone after arthroscopic knee surgery: a meta-analysis of randomized controlled trials. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 966-979  Relationship between hyperuricemia and risk of coronary heart disease in a middle-aged and elderly Chinese population. Journal of International Medical Research, 2017, 45, 254-260  Association Between Tibial Plateau Slopes and Anterior Cruciae Ligament Injury: A Meta-analysis. Arthroscopy: Journal of Arthroscopic and Related Surgery, 2017, 33, 1248-1259.e4  Dose-response relationship between lower serum magnesium level and higher prevalence of knee chondrocalcinosis. Arthritis Research and Therapy, 2017, 19, 236  Association between metabolic syndrome and knee osteoarthritis: a cross-sectional study. BMC Musculoskeletal Disorders, 2017, 18, 533  Associations of dietary and serum magnesium with serum high-sensitivity C-reactive protein in early radiographic knee osteoarthritis patients. Modern Rheumatology, 2017, 27, 669-674  Relationship between cigarette smoking and hyperuricemia in middle-aged and elderly population: a cross-sectional study. Rheumatology International, 2017, 37, 131-136  Topical diclofenac therapy for osteoarthritis: a meta-analysis of randomized controlled trials. Clinical Rheumatology, 2016, 35, 1253-61  Heterogeneity, consistency and model fit should be assessed in Bayesian network meta-analysis. Annals of the Rheumatology International, 2016, 6, e009809  Association among dietary magnesium, serum magnesium, and diabetes: a cross-sectional study in middle-aged and older adults. Journal of Health, Population and Nutrition, 2016, 35, 33  Relationship between phalangeal bone mineral density and radiographic knee osteoarthritis: a cross-sectional study. BM	Association between serum magnesium concentration and metabolic syndrome, diabetes, hypertension and hyperuricaemia in knee osteoarthritis: a cross-sectional study in Hunan Province, China. BMJ Open, 2018, 8, e019159  Single-dose intra-articular bupivacaine plus morphine versus bupivacaine alone after arthroscopic knee surgery: a meta-analysis of randomized controlled trials. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 966-979  Relationship between hyperuricemia and risk of coronary heart disease in a middle-aged and elderly Chinese population. Journal of International Medical Research, 2017, 14, 254-260  Association Between Tibial Plateau Slopes and Anterior Cruciate Ligament Injury: A Meta-analysis. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2017, 33, 1248-1259.e4  Association Between metabolic syndrome and knee osteoarthritis: a cross-sectional study. BMC Association between metabolic syndrome and knee osteoarthritis: a cross-sectional study. BMC Associations of dietary and serum magnesium with serum high-sensitivity C-reactive protein in early radiographic knee osteoarthritis patients. Modern Rheumatology, 2017, 27, 669-674  Relationship between cigarette smoking and hyperuricemia in middle-aged and elderly population: a cross-sectional study. Rheumatology International, 2017, 37, 131-136  Topical diclofenac therapy for osteoarthritis: a meta-analysis of randomized controlled trials. Clinical Rheumatology, 2016, 55, 1233-61  Heterogeneity, consistency and model fit should be assessed in Bayesian network meta-analysis. Annals of the Rheumatology International, 2017, 37, 131-136  Es offee consumption associated with a lower risk of hyperuricaemia or gout? A systematic review and meta-analysis. BMJ Open, 2016, 6, e009809  Association among dietary magnesium, serum magnesium, and diabetes: a cross-sectional study in middle-aged and older adults. Journal of Health, Population and Nutrition, 2016, 35, 33  Relationship between soy milk intake and radiographic knee osteoarthritis. Clin

## (2009-2015)

18	Higher blood hematocrit predicts hyperuricemia: a prospective study of 62,897 person-years of follow-up. <i>Scientific Reports</i> , <b>2015</b> , 5, 13765	4.9	5
17	Effectiveness and safety of Glucosamine, chondroitin, the two in combination, or celecoxib in the treatment of osteoarthritis of the knee. <i>Scientific Reports</i> , <b>2015</b> , 5, 16827	4.9	40
16	Association between low serum magnesium concentration and hyperuricemia. <i>Magnesium Research</i> , <b>2015</b> , 28, 56-63	1.7	16
15	Associations between Dietary Antioxidant Intake and Metabolic Syndrome. <i>PLoS ONE</i> , <b>2015</b> , 10, e01308	73 <del>6</del> 7	48
14	A Single-Dose Intra-Articular Morphine plus Bupivacaine versus Morphine Alone following Knee Arthroscopy: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , <b>2015</b> , 10, e0140512	3.7	8
13	Development of an In-Patient Satisfaction Questionnaire for the Chinese Population. <i>PLoS ONE</i> , <b>2015</b> , 10, e0144785	3.7	11
12	A meta-analysis of anterior cruciate ligament reconstruction with autograft compared with nonirradiated allograft. <i>Knee</i> , <b>2015</b> , 22, 372-9	2.6	23
11	Does it make sense to investigate whether the offspring of people with a total knee replacement for severe primary knee osteoarthritis have a higher risk of worsening knee pain?. <i>Annals of the Rheumatic Diseases</i> , <b>2015</b> , 74, e44	2.4	4
10	The effect of synovial tissue volume shrinking on pain relief for knee osteoarthritis was overestimated or not?. <i>Annals of the Rheumatic Diseases</i> , <b>2015</b> , 74, e64	2.4	1
9	Association between Dietary Magnesium Intake and Radiographic Knee Osteoarthritis. <i>PLoS ONE</i> , <b>2015</b> , 10, e0127666	3.7	34
8	Association between Dietary Magnesium Intake and Hyperuricemia. <i>PLoS ONE</i> , <b>2015</b> , 10, e0141079	3.7	8
7	Single-dose intra-articular bupivacaine versus morphine after arthroscopic knee surgery: a meta-analysis of randomized-controlled studies. <i>Clinical Journal of Pain</i> , <b>2014</b> , 30, 630-8	3.5	13
6	The influence of the tibial plateau slopes on injury of the anterior cruciate ligament: a meta-analysis. <i>Knee Surgery, Sports Traumatology, Arthroscopy,</i> <b>2014</b> , 22, 53-65	5.5	54
5	Single-dose intra-articular bupivacaine after knee arthroscopic surgery: a meta-analysis of randomized placebo-controlled studies. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , <b>2014</b> , 22, 1517	-28	19
4	The influence of the intercondylar notch dimensions on injury of the anterior cruciate ligament: a meta-analysis. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , <b>2013</b> , 21, 804-15	5.5	65
3	Complications following dorsal versus volar plate fixation of distal radius fracture: a meta-analysis. <i>Journal of International Medical Research</i> , <b>2013</b> , 41, 265-75	1.4	57
2	Students and their parental attitudes toward the education of children affected by HIV/AIDS: a cross-sectional study in AIDS prevalent rural areas, China. <i>Australian and New Zealand Journal of Public Health</i> , <b>2013</b> , 37, 52-7	2.3	4
1	Thioesterase superfamily member 2 (Them2)/acyl-CoA thioesterase 13 (Acot13): a homotetrameric hotdog fold thioesterase with selectivity for long-chain fatty acyl-CoAs. <i>Biochemical Journal</i> , <b>2009</b> , 421, 311-22	3.8	44