

Harald Sourij

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8861521/harald-sourij-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

121
papers

2,248
citations

25
h-index

43
g-index

155
ext. papers

3,019
ext. citations

5.6
avg, IF

5.02
L-index

#	Paper	IF	Citations
121	Cardiovascular outcome trials of glucose-lowering drugs or strategies in type 2 diabetes. <i>Lancet, The</i> , 2014 , 383, 2008-17	40	167
120	Alternate Day Fasting Improves Physiological and Molecular Markers of Aging in Healthy, Non-obese Humans. <i>Cell Metabolism</i> , 2019 , 30, 462-476.e6	24.6	131
119	Short-term effects of high-dose oral vitamin D3 in critically ill vitamin D deficient patients: a randomized, double-blind, placebo-controlled pilot study. <i>Critical Care</i> , 2011 , 15, R104	10.8	118
118	Multicentric validation of proteomic biomarkers in urine specific for diabetic nephropathy. <i>PLoS ONE</i> , 2010 , 5, e13421	3.7	104
117	Evaluation of subcutaneous glucose monitoring systems under routine environmental conditions in patients with type 1 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2017 , 19, 1051-1055	6.7	81
116	Diabetic Cardiomyopathy: Current and Future Therapies. Beyond Glycemic Control. <i>Frontiers in Physiology</i> , 2018 , 9, 1514	4.6	80
115	The influence of probiotic supplementation on gut permeability in patients with metabolic syndrome: an open label, randomized pilot study. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 1110-5 ^{5.2}	5.2	76
114	Chronic TNF- α neutralization does not improve insulin resistance or endothelial function in "healthy" men with metabolic syndrome. <i>Molecular Medicine</i> , 2011 , 17, 189-93	6.2	73
113	Rationale and design of the EXenatide Study of Cardiovascular Event Lowering (EXSCEL) trial. <i>American Heart Journal</i> , 2016 , 174, 103-10	4.9	70
112	Short communication: Effect of supplementation with Lactobacillus casei Shirota on insulin sensitivity, β cell function, and markers of endothelial function and inflammation in subjects with metabolic syndrome--a pilot study. <i>Journal of Dairy Science</i> , 2013 , 96, 89-95	4	55
111	Arginine bioavailability ratios are associated with cardiovascular mortality in patients referred to coronary angiography. <i>Atherosclerosis</i> , 2011 , 218, 220-5	3.1	51
110	Effect of Lactobacillus casei Shirota supplementation on trimethylamine-N-oxide levels in patients with metabolic syndrome: An open-label, randomized study. <i>Atherosclerosis</i> , 2015 , 242, 141-4	3.1	47
109	Therapeutic options to reduce advanced glycation end products in patients with diabetes mellitus: A review. <i>Diabetes Research and Clinical Practice</i> , 2019 , 148, 54-63	7.4	46
108	Glycaemic control in acute coronary syndromes: prognostic value and therapeutic options. <i>European Heart Journal</i> , 2010 , 31, 1557-64	9.5	44
107	Low-dose atorvastatin improves dyslipidemia and vascular function in patients with primary biliary cirrhosis after one year of treatment. <i>Atherosclerosis</i> , 2010 , 209, 178-83	3.1	44
106	Randomized controlled trial comparing impact on platelet reactivity of twice-daily with once-daily aspirin in people with Type 2 diabetes. <i>Diabetic Medicine</i> , 2016 , 33, 224-30	3.5	43
105	An Untargeted Metabolomics Approach to Characterize Short-Term and Long-Term Metabolic Changes after Bariatric Surgery. <i>PLoS ONE</i> , 2016 , 11, e0161425	3.7	38

104	Performance of the Freestyle Libre flash glucose monitoring (Flash GM) system in individuals with type 1 diabetes: A secondary outcome analysis of a randomized crossover trial. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 2505-2512	6.7	37
103	Key role of postchallenge hyperglycemia for the presence and extent of coronary atherosclerosis: an angiographic study. <i>Atherosclerosis</i> , 2008 , 199, 317-22	3.1	36
102	Exenatide exerts a PKA-dependent positive inotropic effect in human atrial myocardium: GLP-1R mediated effects in human myocardium. <i>Journal of Molecular and Cellular Cardiology</i> , 2015 , 89, 365-75	5.8	34
101	Lactobacillus casei Shirota Supplementation Does Not Restore Gut Microbiota Composition and Gut Barrier in Metabolic Syndrome: A Randomized Pilot Study. <i>PLoS ONE</i> , 2015 , 10, e0141399	3.7	33
100	Post-challenge hyperglycaemia is strongly associated with future macrovascular events and total mortality in angiographed coronary patients. <i>European Heart Journal</i> , 2010 , 31, 1583-90	9.5	32
99	Empagliflozin protects heart from inflammation and energy depletion via AMPK activation. <i>Pharmacological Research</i> , 2020 , 158, 104870	10.2	31
98	Glucose management for exercise using continuous glucose monitoring (CGM) and intermittently scanned CGM (isCGM) systems in type 1 diabetes: position statement of the European Association for the Study of Diabetes (EASD) and of the International Society for Pediatric and Adolescent Diabetes (ISPAD) endorsed by JDRF and supported by the American Diabetes Association (ADA).	10.3	30
97	Telmisartan improves vascular function independently of metabolic and antihypertensive effects in hypertensive subjects with impaired glucose tolerance. <i>International Journal of Cardiology</i> , 2010 , 139, 289-96	3.2	29
96	Impact of FDA guidance for developing diabetes drugs on trial design: from policy to practice. <i>Current Cardiology Reports</i> , 2012 , 14, 59-69	4.2	25
95	Dipeptidyl peptidase-4 independent cardiac dysfunction links saxagliptin to heart failure. <i>Biochemical Pharmacology</i> , 2017 , 145, 64-80	6	25
94	Increased DNA dicarbonyl glycation and oxidation markers in patients with type 2 diabetes and link to diabetic nephropathy. <i>Journal of Diabetes Research</i> , 2015 , 2015, 915486	3.9	24
93	Insulin resistance as a risk factor for carotid atherosclerosis: a comparison of the Homeostasis Model Assessment and the short insulin tolerance test. <i>Stroke</i> , 2008 , 39, 1349-51	6.7	23
92	Multifactorial risk factor intervention in patients with Type 2 diabetes improves arginine bioavailability ratios. <i>Diabetic Medicine</i> , 2012 , 29, e365-8	3.5	22
91	Prevalence of pathological glucose metabolism in patients undergoing elective coronary angiography. <i>Atherosclerosis</i> , 2004 , 176, 419-21	3.1	21
90	Glucose management for exercise using continuous glucose monitoring (CGM) and intermittently scanned CGM (isCGM) systems in type 1 diabetes: position statement of the European Association for the Study of Diabetes (EASD) and of the International Society for Pediatric and Adolescent Diabetes (ISPAD) endorsed by JDRF and supported by the American Diabetes Association (ADA).	3.6	21
89	Assessment of cardiovascular risk of new drugs for the treatment of diabetes mellitus: risk assessment vs. risk aversion. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2016 , 2, 200-5	6.4	21
88	COVID-19 fatality prediction in people with diabetes and prediabetes using a simple score upon hospital admission. <i>Diabetes, Obesity and Metabolism</i> , 2021 , 23, 589-598	6.7	21
87	Graz Endocrine Causes of Hypertension (GECOH) study: a diagnostic accuracy study of aldosterone to active renin ratio in screening for primary aldosteronism. <i>BMC Endocrine Disorders</i> , 2009 , 9, 11	3.3	19

86	Effects of a multispecies synbiotic on glucose metabolism, lipid marker, gut microbiome composition, gut permeability, and quality of life in diabetes: a randomized, double-blind, placebo-controlled pilot study. <i>European Journal of Nutrition</i> , 2020 , 59, 2969-2983	5.2	19
85	Impact of physical exercise on sensor performance of the FreeStyle Libre intermittently viewed continuous glucose monitoring system in people with Type 1 diabetes: a randomized crossover trial. <i>Diabetic Medicine</i> , 2019 , 36, 606-611	3.5	17
84	Type 1 Diabetes and Physical Exercise: Moving (forward) as an Adjuvant Therapy. <i>Current Pharmaceutical Design</i> , 2020 , 26, 946-957	3.3	17
83	Impact of EMPagliflozin on cardiac function and biomarkers of heart failure in patients with acute MYocardial infarction-The EMMY trial. <i>American Heart Journal</i> , 2020 , 221, 39-47	4.9	17
82	Effects of pioglitazone on endothelial function, insulin sensitivity, and glucose control in subjects with coronary artery disease and new-onset type 2 diabetes. <i>Diabetes Care</i> , 2006 , 29, 1039-45	14.6	16
81	Patients with healed diabetic foot ulcer represent a cohort at highest risk for future fatal events. <i>Scientific Reports</i> , 2019 , 9, 10325	4.9	15
80	Differential effects of fluvastatin alone or in combination with ezetimibe on lipoprotein subfractions in patients at high risk of coronary events. <i>European Journal of Clinical Investigation</i> , 2010 , 40, 187-94	4.6	15
79	EASL-EASD-EASO Clinical Practice Guidelines for the management of non-alcoholic fatty liver disease: guidelines, clinical reality and health economic aspects. <i>Diabetologia</i> , 2016 , 59, 1148-9	10.3	15
78	A Pan-European and Canadian prospective survey to evaluate patient satisfaction with the SoloSTAR insulin injection device in type 1 and type 2 diabetes. <i>Journal of Diabetes Science and Technology</i> , 2011 , 5, 1224-34	4.1	14
77	Reduction in insulin degludec dosing for multiple exercise sessions improves time spent in euglycaemia in people with type 1 diabetes: A randomized crossover trial. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 349-356	6.7	14
76	MicroRNAs and long non-coding RNAs in the pathophysiological processes of diabetic cardiomyopathy: emerging biomarkers and potential therapeutics. <i>Cardiovascular Diabetology</i> , 2021 , 20, 55	8.7	14
75	Pre-Exercise Blood Glucose Levels Determine the Amount of Orally Administered Carbohydrates during Physical Exercise in Individuals with Type 1 Diabetes-A Randomized Cross-Over Trial. <i>Nutrients</i> , 2019 , 11,	6.7	13
74	Multiple risk factor intervention reduces carotid atherosclerosis in patients with type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2014 , 13, 95	8.7	13
73	Successful Medical Treatment of Adult Nesidioblastosis With Pasireotide over 3 Years: A Case Report. <i>Medicine (United States)</i> , 2016 , 95, e3272	1.8	12
72	Evaluation of a self-administered oral glucose tolerance test. <i>Diabetes Care</i> , 2013 , 36, 1483-8	14.6	11
71	Efficacy of a continuous GLP-1 infusion compared with a structured insulin infusion protocol to reach normoglycemia in nonfasted type 2 diabetic patients: a clinical pilot trial. <i>Diabetes Care</i> , 2009 , 32, 1669-71	14.6	11
70	A head-to-head comparison of personal and professional continuous glucose monitoring systems in people with type 1 diabetes: Hypoglycaemia remains the weak spot. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 1043-1048	6.7	11
69	Saxagliptin but Not Sitagliptin Inhibits CaMKII and PKC via DPP9 Inhibition in Cardiomyocytes. <i>Frontiers in Physiology</i> , 2018 , 9, 1622	4.6	11

68	Intermittent Fasting (Alternate Day Fasting) in Healthy, Non-obese Adults: Protocol for a Cohort Trial with an Embedded Randomized Controlled Pilot Trial. <i>Advances in Therapy</i> , 2018 , 35, 1265-1283	4.1	10
67	A Practical Guide for the Management of Steroid Induced Hyperglycaemia in the Hospital. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	10
66	Humoral immune response to Covid-19 vaccination in diabetes: age-dependent but independent of type of diabetes and glycaemic control - the prospective COVAC-DM cohort study.. <i>Diabetes, Obesity and Metabolism</i> , 2022 ,	6.7	9
65	Effects of linagliptin on endothelial function and postprandial lipids in coronary artery disease patients with early diabetes: a randomized, placebo-controlled, double-blind trial. <i>Cardiovascular Diabetology</i> , 2018 , 17, 71	8.7	8
64	New Antihyperglycemic Drugs and Heart Failure: Synopsis of Basic and Clinical Data. <i>BioMed Research International</i> , 2017 , 2017, 1253425	3	8
63	Isolated post-challenge hyperglycaemia predicts increased cardiovascular mortality. <i>Atherosclerosis</i> , 2012 , 225, 194-9	3.1	8
62	Evaluation of Endothelial Dysfunction and Inflammatory Vasculopathy After SARS-CoV-2 Infection-A Cross-Sectional Study. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 750887	5.4	8
61	Revisiting the Diabetes-Heart Failure Connection. <i>Current Diabetes Reports</i> , 2018 , 18, 134	5.6	8
60	Early Hyperglycemia after Initiation of Glucocorticoid Therapy Predicts Adverse Outcome in Patients with Acute Graft-versus-Host Disease. <i>Biology of Blood and Marrow Transplantation</i> , 2017 , 23, 1186-1192	4.7	7
59	SGLT2 inhibitors in T2D and associated comorbidities - differentiating within the class. <i>BMC Endocrine Disorders</i> , 2019 , 19, 64	3.3	7
58	Hypoglycaemia leads to a delayed increase in platelet and coagulation activation markers in people with type 2 diabetes treated with metformin only: Results from a stepwise hypoglycaemic clamp study. <i>Diabetes, Obesity and Metabolism</i> , 2020 , 22, 212-221	6.7	7
57	Identification of different shapes, colors and sizes of standard oral dosage forms in diabetes type 2 patients-A pilot study. <i>International Journal of Pharmaceutics</i> , 2017 , 517, 112-118	6.5	6
56	Admission levels of Soluble Urokinase Plasminogen Activator Receptor (suPAR) are Associated with the Development of Severe Complications in Hospitalised COVID-19 Patients: A Prospective Cohort Study. <i>International Journal of Infectious Diseases</i> , 2021 , 107, 188-194	10.5	6
55	Cardiovascular Outcome in Patients Treated With SGLT2 Inhibitors for Heart Failure: A Meta-Analysis. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 691907	5.4	6
54	Effects of SGLT2 Inhibitors on Ion Homeostasis and Oxidative Stress associated Mechanisms in Heart Failure. <i>Biomedicine and Pharmacotherapy</i> , 2021 , 143, 112169	7.5	6
53	Non-glycemic effects of insulin therapy: a comparison between insulin aspart and regular human insulin during two consecutive meals in patients with type 2 diabetes. <i>European Journal of Endocrinology</i> , 2011 , 165, 269-74	6.5	5
52	Time in Range for Closed-Loop Systems versus Standard of Care during Physical Exercise in People with Type 1 Diabetes: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	5
51	Branched-Chain Amino Acids Can Predict Mortality in ICU Sepsis Patients. <i>Nutrients</i> , 2021 , 13,	6.7	5

50	Cardiovascular outcome trials of glucose-lowering strategies in type 2 diabetes--AuthorsReply. <i>Lancet, The</i> , 2014 , 384, 1097-8	4.0	4
49	Arylesterase Activity of HDL Associated Paraoxonase as a Potential Prognostic Marker in Patients With Sepsis and Septic Shock-A Prospective Pilot Study. <i>Frontiers in Medicine</i> , 2020 , 7, 579677	4.9	4
48	The effects of linagliptin on endothelial function and global arginine bioavailability ratio in coronary artery disease patients with early diabetes: study protocol for a randomized controlled trial. <i>Trials</i> , 2016 , 17, 495	2.8	4
47	Rapid glucose rise reduces heart rate variability in adults with type 1 diabetes: A prospective secondary outcome analysis. <i>Diabetes, Obesity and Metabolism</i> , 2021 , 23, 1681-1684	6.7	4
46	Hyperglycaemia within the first month after allogeneic haematopoietic stem-cell transplantation is an independent risk factor for overall survival in patients with acute myeloid leukaemia. <i>Diabetes and Metabolism</i> , 2017 , 43, 560-562	5.4	3
45	Agreement between cardiovascular disease risk assessment tools: An application to the United Arab Emirates population. <i>PLoS ONE</i> , 2020 , 15, e0228031	3.7	3
44	Feasibility and safety of using an automated decision support system for insulin therapy in the treatment of steroid-induced hyperglycemia in patients with acute graft-versus-host disease: A randomized trial. <i>Journal of Diabetes Investigation</i> , 2019 , 10, 339-342	3.9	3
43	Women develop diabetes at higher BMIs than men. <i>Diabetologia</i> , 2012 , 55, 855-6	10.3	3
42	Pioglitazone in the management of Type 2 diabetes and beyond. <i>Therapy: Open Access in Clinical Medicine</i> , 2007 , 4, 517-533		3
41	Impact of COVID-19 Vaccination on Glycemia in Individuals With Type 1 and Type 2 Diabetes: Substudy of the COVAC-DM Study. <i>Diabetes Care</i> , 2021 ,	14.6	3
40	The competing risk between in-hospital mortality and recovery: A pitfall in COVID-19 survival analysis research		3
39	Blood levels of microRNAs associated with ischemic heart disease differ between Austrians and Japanese: a pilot study. <i>Scientific Reports</i> , 2020 , 10, 13628	4.9	3
38	Improved glycaemic variability and basal insulin dose reduction during a running competition in recreationally active adults with type 1 diabetes-A single-centre, prospective, controlled observational study. <i>PLoS ONE</i> , 2020 , 15, e0239091	3.7	3
37	Can sodium-glucose cotransporter 2 inhibitors be beneficial in patients with acute myocardial infarction?. <i>Kardiologia Polska</i> , 2021 , 79, 503-509	0.9	3
36	COVID-19 and its effects on endothelium in HIV-positive patients in sub-Saharan Africa: Cardiometabolic risk, thrombosis and vascular function (ENDOCOVID STUDY). <i>BMC Infectious Diseases</i> , 2021 , 21, 719	4	3
35	New American College of Cardiology and American Heart Association cholesterol treatment guidelines: subjects with Type 2 diabetes are under treated with high-intensity statins. <i>Diabetic Medicine</i> , 2014 , 31, 879-80	3.5	2
34	Occult pneumothorax on chest X-ray. <i>American Journal of Emergency Medicine</i> , 2011 , 29, 959.e3-4	2.9	2
33	Vitamin D and Cardiovascular Disease 2011 , 1973-1997		2

32	Epidemiology of major lower extremity amputations in individuals with diabetes in Austria, 2014-2017: A retrospective analysis of health insurance database. <i>Diabetes Research and Clinical Practice</i> , 2020 , 170, 108477	7.4	2
31	EndoBarrier™ Implantation Rapidly Improves Insulin Sensitivity in Obese Individuals with Type 2 Diabetes Mellitus. <i>Biomolecules</i> , 2021 , 11,	5.9	2
30	Impact of Duodeno-Jejunal Bypass Liner (EndoBarrier™) Implantation on Insulin Sensitivity in Patients with Type 2 Diabetes Mellitus (T2DM): A Study Protocol for a Pilot Trial. <i>Diabetes Therapy</i> , 2019 , 10, 299-309	3.6	2
29	Differences in Physiological Responses to Cardiopulmonary Exercise Testing in Adults With and Without Type 1 Diabetes: A Pooled Analysis. <i>Diabetes Care</i> , 2021 , 44, 240-247	14.6	2
28	People with type 1 diabetes and impaired awareness of hypoglycaemia have a delayed reaction to performing a glucose scan during hypoglycaemia: a prospective observational study. <i>Diabetic Medicine</i> , 2020 , 37, 2153-2159	3.5	1
27	Efficacy of Carbohydrate Supplementation Compared With Bolus Insulin Dose Reduction Around Exercise in Adults With Type 1 Diabetes: A Retrospective, Controlled Analysis. <i>Canadian Journal of Diabetes</i> , 2020 , 44, 697-700	2.1	1
26	Impact of Sepsis on High-Density Lipoprotein Metabolism.. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 795460	5.7	1
25	Association of periodontitis and diabetic macular edema in various stages of diabetic retinopathy. <i>Clinical Oral Investigations</i> , 2021 , 1	4.2	1
24	Change in choroidal volume after dexamethasone intravitreal implant in eyes with diabetic macular oedema. <i>Acta Ophthalmologica</i> , 2019 , 97, e320-e321	3.7	1
23	Performance of the Intermittently Scanned Continuous Glucose Monitoring (isCGM) System during a High Oral Glucose Challenge in Adults with Type 1 Diabetes-A Prospective Secondary Outcome Analysis. <i>Biosensors</i> , 2021 , 11,	5.9	1
22	Glucose management for exercise using continuous glucose monitoring: should sex and prandial state be additional considerations? Reply to Yardley JE and Sigal RJ [letter]. <i>Diabetologia</i> , 2021 , 64, 935-938	10.3	1
21	Combined serum free light chain levels are associated with carotid atherosclerosis in type 2 diabetes mellitus. <i>Diabetes and Vascular Disease Research</i> , 2018 , 15, 162-164	3.3	1
20	The role of miRNAs in regulation of platelet activity and related diseases - a bioinformatic analysis.. <i>Platelets</i> , 2022 , 1-13	3.6	1
19	Performance of intermittently scanned continuous glucose monitoring (isCGM) systems in people with type 1 diabetes: a pooled analysis. <i>Diabetes, Obesity and Metabolism</i> , 2021 ,	6.7	1
18	B Cell Composition Is Altered After Kidney Transplantation and Transitional B Cells Correlate With SARS-CoV-2 Vaccination Response.. <i>Frontiers in Medicine</i> , 2022 , 9, 818882	4.9	0
17	Ertugliflozin to Reduce Arrhythmic burden in ICD/CRT patients (ERASe-Trial) - a phase III Study.. <i>American Heart Journal</i> , 2022 , 246, 152-152	4.9	0
16	Impact of comorbidities on mortality in hospitalized influenza patients with diabetes - Analysis of the Austrian Health Insurance. <i>Diabetes Research and Clinical Practice</i> , 2021 , 174, 108758	7.4	0
15	Impact of a Single 36 Hours Prolonged Fasting Period in Adults With Type 1 Diabetes - A Cross-Over Controlled Trial. <i>Frontiers in Endocrinology</i> , 2021 , 12, 656346	5.7	0

14	INTERmittent FASTing in people with insulin-treated type 2 diabetes mellitus - the INTERFAST-2 study protocol.. <i>Diabetic Medicine</i> , 2022 , e14813	3.5	○
13	Effects of Short Term Adiponectin Receptor Agonism on Cardiac Function and Energetics in Diabetic db/db Mice. <i>Journal of Lipid and Atherosclerosis</i> , 2022 , 11, 161	3	○
12	Seltene Formen einer Insulinresistenz: Das K�berling-Syndrom. <i>Austrian Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 12, 123-125	0.2	
11	Interpreting the recent consensus on time in range for interstitial glucose right - Or wrong?. <i>Diabetes Research and Clinical Practice</i> , 2020 , 162, 108106	7.4	
10	Kardiovaskul�re Outcome-Studien in der Diabetologie �ein �berblick. <i>Austrian Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 10, 119-121	0.2	
9	Effect of dexamethasone intravitreal implant on blood glucose, hypothalamic-pituitary-adrenal axis function and vascular endothelial growth factor serum levels in patients with diabetic macular oedema. <i>Acta Ophthalmologica</i> , 2018 , 96, e543-e544	3.7	
8	The future is now: SGLT2 inhibitors and type 1 diabetes - What about exercise?. <i>Diabetes Research and Clinical Practice</i> , 2019 , 155, 107806	7.4	
7	l-Arginine and Cardiovascular Disease 2017 , 483-496		
6	Comment on: Davidson et al. High-dose vitamin D supplementation in people with prediabetes and hypovitaminosis D. <i>Diabetes Care</i> 2013;36:260-266. <i>Diabetes Care</i> , 2013 , 36, e81	14.6	
5	Association of circulating endothelial progenitor cell growth in patients with Type 2 diabetes with type of glucose-lowering treatment. <i>Diabetic Medicine</i> , 2007 , 24, 926-7	3.5	
4	Diabetes und Knochen. <i>Journal F�r Mineralstoffwechsel & Muskuloskelettale Erkrankungen</i> , 2020 , 27, 153-157	0.1	
3	Diabetes mellitus is independently associated with adverse clinical outcome in soft tissue sarcoma patients. <i>Scientific Reports</i> , 2020 , 10, 12438	4.9	
2	SGLT-Hemmer als therapeutische Option bei Patienten mit Typ 1 Diabetes mellitus. <i>Austrian Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 11, 122-126	0.2	
1	Glucose-Lowering Therapy beyond Insulin in Type 1 Diabetes: A Narrative Review on Existing Evidence from Randomized Controlled Trials and Clinical Perspective. <i>Pharmaceutics</i> , 2022 , 14, 1180	6.4	