

Yasuhiro Minami

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8863166/yasuhiro-minami-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

78
papers

20,526
citations

39
h-index

83
g-index

83
ext. papers

24,533
ext. citations

6
avg, IF

6.72
L-index

#	Paper	IF	Citations
78	The Ror-Family Receptors in Development, Tissue Regeneration and Age-Related Disease.. <i>Frontiers in Cell and Developmental Biology</i> , 2022 , 10, 891763	5.7	4
77	c-Src-mediated phosphorylation and activation of kinesin KIF1C promotes elongation of invadopodia in cancer cells. <i>Journal of Biological Chemistry</i> , 2022 , 102090	5.4	
76	Increased Glycolysis Affects Cell Function and Identity in Aging and Diabetes. <i>Molecular Metabolism</i> , 2021 , 55, 101414	8.8	2
75	Methionine restriction breaks obligatory coupling of cell proliferation and death by an oncogene Src in. <i>ELife</i> , 2021 , 10,	8.9	5
74	Oncogenic E6 and/or E7 proteins drive proliferation and invasion of human papilloma virus-positive head and neck squamous cell cancer through upregulation of Ror2 expression. <i>Oncology Reports</i> , 2021 , 46,	3.5	1
73	Stage-dependent function of Wnt5a during male external genitalia development. <i>Congenital Anomalies (discontinued)</i> , 2021 , 61, 212-219	1.1	2
72	Loss of PRMT1 in the central nervous system (CNS) induces reactive astrocytes and microglia during postnatal brain development. <i>Journal of Neurochemistry</i> , 2021 , 156, 834-847	6	2
71	Role of noncanonical Wnt ligands and Ror-family receptor tyrosine kinases in the development, regeneration, and diseases of the musculoskeletal system. <i>Developmental Dynamics</i> , 2021 , 250, 27-38	2.9	7
70	Mesenchymal stem cell-derived CXCL16 promotes progression of gastric cancer cells by STAT3-mediated expression of Ror1. <i>Cancer Science</i> , 2020 , 111, 1254-1265	6.9	26
69	Tactics of cancer invasion: solitary and collective invasion. <i>Journal of Biochemistry</i> , 2020 , 167, 347-355	3.1	10
68	E2F1-Ror2 signaling mediates coordinated transcriptional regulation to promote G1/S phase transition in bFGF-stimulated NIH/3T3 fibroblasts. <i>FASEB Journal</i> , 2020 , 34, 3413-3428	0.9	11
67	Intraflagellar transport 20 promotes collective cancer cell invasion by regulating polarized organization of Golgi-associated microtubules. <i>Cancer Science</i> , 2019 , 110, 1306-1316	6.9	8
66	Genetic interactions between Ror2 and Wnt9a, Ror1 and Wnt9a and Ror2 and Ror1: Phenotypic analysis of the limb skeleton and palate in compound mutants. <i>Genes To Cells</i> , 2019 , 24, 307-317	2.3	8
65	Impaired ligand-dependent MET activation caused by an extracellular SEMA domain missense mutation in lung cancer. <i>Cancer Science</i> , 2019 , 110, 3340-3349	6.9	8
64	Diverse roles for the ror-family receptor tyrosine kinases in neurons and glial cells during development and repair of the nervous system. <i>Developmental Dynamics</i> , 2018 , 247, 24-32	2.9	15
63	Synchronized mesenchymal cell polarization and differentiation shape the formation of the murine trachea and esophagus. <i>Nature Communications</i> , 2018 , 9, 2816	17.4	30
62	Critical role of the Ror-family of receptor tyrosine kinases in invasion and proliferation of malignant pleural mesothelioma cells. <i>Genes To Cells</i> , 2018 , 23, 606-613	2.3	7

61	Diverse regulation of mammary epithelial growth and branching morphogenesis through noncanonical Wnt signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 3121-3126	11.5	35
60	Regulatory mechanisms and cellular functions of non-centrosomal microtubules. <i>Journal of Biochemistry</i> , 2017 , 162, 1-10	3.1	18
59	Protein kinase N3 promotes bone resorption by osteoclasts in response to Wnt5a-Ror2 signaling. <i>Science Signaling</i> , 2017 , 10,	8.8	36
58	The Ror1 receptor tyrosine kinase plays a critical role in regulating satellite cell proliferation during regeneration of injured muscle. <i>Journal of Biological Chemistry</i> , 2017 , 292, 15939-15951	5.4	18
57	Ror2 signaling regulates Golgi structure and transport through IFT20 for tumor invasiveness. <i>Scientific Reports</i> , 2017 , 7, 1	4.9	14841
56	Critical role of Ror2 receptor tyrosine kinase in regulating cell cycle progression of reactive astrocytes following brain injury. <i>Glia</i> , 2017 , 65, 182-197	9	19
55	Expression of Ror2 Associated with Fibrosis of the Submandibular Gland. <i>Cell Structure and Function</i> , 2017 , 42, 159-167	2.2	5
54	Wnt5a-Ror2 signaling in mesenchymal stem cells promotes proliferation of gastric cancer cells by activating CXCL16-CXCR6 axis. <i>Cancer Science</i> , 2016 , 107, 290-7	6.9	43
53	Essential role of Wnt5a-Ror1/Ror2 signaling in metanephric mesenchyme and ureteric bud formation. <i>Genes To Cells</i> , 2016 , 21, 325-34	2.3	14
52	ROR1 is essential for proper innervation of auditory hair cells and hearing in humans and mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 5993-8	11.5	28
51	The ROR Receptor Family 2015 , 593-640		2
50	The Wnt5a-Ror2 axis promotes the signaling circuit between interleukin-12 and interferon- γ colitis. <i>Scientific Reports</i> , 2015 , 5, 10536	4.9	41
49	Insight into the role of Wnt5a-induced signaling in normal and cancer cells. <i>International Review of Cell and Molecular Biology</i> , 2015 , 314, 117-48	6	64
48	Noncanonical Wnt5a enhances Wnt/ β -catenin signaling during osteoblastogenesis. <i>Scientific Reports</i> , 2014 , 4, 4493	4.9	93
47	IL-6-accelerated calcification by induction of ROR2 in human adipose tissue-derived mesenchymal stem cells is STAT3 dependent. <i>Rheumatology</i> , 2014 , 53, 1282-90	3.9	36
46	Role of Wnt5a-Ror2 signaling in morphogenesis of the metanephric mesenchyme during ureteric budding. <i>Molecular and Cellular Biology</i> , 2014 , 34, 3096-105	4.8	39
45	Critical role of Frizzled1 in age-related alterations of Wnt/ β -catenin signal in myogenic cells during differentiation. <i>Genes To Cells</i> , 2014 , 19, 287-96	2.3	7
44	Diabetic osteopenia by decreased β -catenin signaling is partly induced by epigenetic derepression of sFRP-4 gene. <i>PLoS ONE</i> , 2014 , 9, e102797	3.7	20

43	Activation of Wnt5a-Ror2 signaling associated with epithelial-to-mesenchymal transition of tubular epithelial cells during renal fibrosis. <i>Genes To Cells</i> , 2013 , 18, 608-19	2.3	31
42	Analysis of Wnt/planar cell polarity pathway in cultured cells. <i>Methods in Molecular Biology</i> , 2012 , 839, 201-14	1.4	11
41	Wnt5a-Ror2 signaling between osteoblast-lineage cells and osteoclast precursors enhances osteoclastogenesis. <i>Nature Medicine</i> , 2012 , 18, 405-12	50.5	337
40	Dissection of Wnt5a-Ror2 signaling leading to matrix metalloproteinase (MMP-13) expression. <i>Journal of Biological Chemistry</i> , 2012 , 287, 1588-99	5.4	46
39	Ror family receptor tyrosine kinases regulate the maintenance of neural progenitor cells in the developing neocortex. <i>Journal of Cell Science</i> , 2012 , 125, 2017-29	5.3	43
38	Wnt signaling gradients establish planar cell polarity by inducing Vangl2 phosphorylation through Ror2. <i>Developmental Cell</i> , 2011 , 20, 163-76	10.2	355
37	Critical role of Wnt5a-Ror2 signaling in motility and invasiveness of carcinoma cells following Snail-mediated epithelial-mesenchymal transition. <i>Genes To Cells</i> , 2011 , 16, 304-15	2.3	76
36	Ror2/Frizzled complex mediates Wnt5a-induced AP-1 activation by regulating Dishevelled polymerization. <i>Molecular and Cellular Biology</i> , 2010 , 30, 3610-9	4.8	130
35	Ror-family receptor tyrosine kinases in noncanonical Wnt signaling: their implications in developmental morphogenesis and human diseases. <i>Developmental Dynamics</i> , 2010 , 239, 1-15	2.9	167
34	Filamin associates with stress signalling kinases MKK7 and MKK4 and regulates JNK activation. <i>Biochemical Journal</i> , 2010 , 427, 237-45	3.8	23
33	Cell/tissue-tropic functions of Wnt5a signaling in normal and cancer cells. <i>Trends in Cell Biology</i> , 2010 , 20, 346-54	18.3	139
32	Ror2 is required for midgut elongation during mouse development. <i>Developmental Dynamics</i> , 2010 , 239, 941-53	2.9	64
31	Mice lacking the orphan receptor ror1 have distinct skeletal abnormalities and are growth retarded. <i>Developmental Dynamics</i> , 2010 , 239, 2266-77	2.9	29
30	Ror2 receptor requires tyrosine kinase activity to mediate Wnt5A signaling. <i>Journal of Biological Chemistry</i> , 2009 , 284, 30167-76	5.4	127
29	Ror2 expression in squamous cell carcinoma and epithelial dysplasia of the oral cavity. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2009 , 107, 398-406		32
28	Wnt5a regulates directional cell migration and cell proliferation via Ror2-mediated noncanonical pathway in mammalian palatogenesis. <i>FASEB Journal</i> , 2009 , 23, 308.4	0.9	
27	Cthrc1 selectively activates the planar cell polarity pathway of Wnt signaling by stabilizing the Wnt-receptor complex. <i>Developmental Cell</i> , 2008 , 15, 23-36	10.2	233
26	Wnt5a regulates directional cell migration and cell proliferation via Ror2-mediated noncanonical pathway in mammalian palate development. <i>Development (Cambridge)</i> , 2008 , 135, 3871-9	6.6	167

25	Arsenic trioxide augments Chk2/p53-mediated apoptosis by inhibiting oncogenic Wip1 phosphatase. <i>Journal of Biological Chemistry</i> , 2008 , 283, 18969-79	5.4	46
24	Receptor tyrosine kinase Ror2 mediates Wnt5a-induced polarized cell migration by activating c-Jun N-terminal kinase via actin-binding protein filamin A. <i>Journal of Biological Chemistry</i> , 2008 , 283, 27973-27981	5.4	155
23	Ror2 modulates the canonical Wnt signaling in lung epithelial cells through cooperation with Fzd2. <i>BMC Molecular Biology</i> , 2008 , 9, 11	4.5	69
22	Chk2 kinase is required for methylglyoxal-induced G2/M cell-cycle checkpoint arrest: implication of cell-cycle checkpoint regulation in diabetic oxidative stress signaling. <i>Genes To Cells</i> , 2007 , 12, 919-28	2.3	17
21	Wnt5a modulates glycogen synthase kinase 3 to induce phosphorylation of receptor tyrosine kinase Ror2. <i>Genes To Cells</i> , 2007 , 12, 1215-23	2.3	70
20	A histone lysine methyltransferase activated by non-canonical Wnt signalling suppresses PPAR-gamma transactivation. <i>Nature Cell Biology</i> , 2007 , 9, 1273-85	23.4	370
19	Filopodia formation mediated by receptor tyrosine kinase Ror2 is required for Wnt5a-induced cell migration. <i>Journal of Cell Biology</i> , 2006 , 175, 555-62	7.3	167
18	Wip1 phosphatase modulates ATM-dependent signaling pathways. <i>Molecular Cell</i> , 2006 , 23, 757-64	17.6	285
17	The receptor tyrosine kinase Ror2 associates with and is activated by casein kinase Iepsilon. <i>Journal of Biological Chemistry</i> , 2004 , 279, 50102-9	5.4	73
16	Modulation of GDF5/BRI-b signalling through interaction with the tyrosine kinase receptor Ror2. <i>Genes To Cells</i> , 2004 , 9, 1227-38	2.3	87
15	Ror2 knockout mouse as a model for the developmental pathology of autosomal recessive Robinow syndrome. <i>Developmental Dynamics</i> , 2004 , 229, 400-10	2.9	93
14	Expression of the Chk2 Gene Is Downregulated in Hodgkin's Lymphoma Cell Lines Via Epigenetic Mechanisms.. <i>Blood</i> , 2004 , 104, 429-429	2.2	
13	Regulation of outgrowth and apoptosis for the terminal appendage: external genitalia development by concerted actions of BMP signaling [corrected]. <i>Development (Cambridge)</i> , 2003 , 130, 6209-20	6.6	105
12	The receptor tyrosine kinase Ror2 is involved in non-canonical Wnt5a/JNK signalling pathway. <i>Genes To Cells</i> , 2003 , 8, 645-54	2.3	559
11	Expression and function of the Ror-family receptor tyrosine kinases during development: lessons from genetic analyses of nematodes, mice, and humans. <i>Journal of Receptor and Signal Transduction Research</i> , 2003 , 23, 1-15	2.6	73
10	The receptor tyrosine kinase Ror2 associates with the melanoma-associated antigen (MAGE) family protein Dlxin-1 and regulates its intracellular distribution. <i>Journal of Biological Chemistry</i> , 2003 , 278, 29057-64	5.4	52
9	H-Ras/mitogen-activated protein kinase pathway inhibits integrin-mediated adhesion and induces apoptosis in osteoblasts. <i>Journal of Biological Chemistry</i> , 2002 , 277, 21446-52	5.4	35
8	Down-regulation of alpha6 integrin, an anti-oncogene product, by functional cooperation of H-Ras and c-Myc. <i>Genes To Cells</i> , 2001 , 6, 337-43	2.3	9

7	Loss of mRor1 enhances the heart and skeletal abnormalities in mRor2-deficient mice: redundant and pleiotropic functions of mRor1 and mRor2 receptor tyrosine kinases. <i>Molecular and Cellular Biology</i> , 2001 , 21, 8329-35	4.8	108
6	Expression of the receptor tyrosine kinase genes, Ror1 and Ror2, during mouse development. <i>Mechanisms of Development</i> , 2001 , 105, 153-6	1.7	113
5	Mouse Ror2 receptor tyrosine kinase is required for the heart development and limb formation. <i>Genes To Cells</i> , 2000 , 5, 71-8	2.3	177
4	Spatio-temporally regulated expression of receptor tyrosine kinases, mRor1, mRor2, during mouse development: implications in development and function of the nervous system. <i>Genes To Cells</i> , 1999 , 4, 41-56	2.3	99
3	A critical role for cyclin C in promotion of the hematopoietic cell cycle by cooperation with c-Myc. <i>Molecular and Cellular Biology</i> , 1998 , 18, 3445-54	4.8	40
2	A novel <i>Drosophila</i> receptor tyrosine kinase expressed specifically in the nervous system. Unique structural features and implication in developmental signaling. <i>Journal of Biological Chemistry</i> , 1997 , 272, 11916-23	5.4	72
1	Protein tyrosine kinase Syk is associated with and activated by the IL-2 receptor: possible link with the c-myc induction pathway. <i>Immunity</i> , 1995 , 2, 89-100	32.3	137