

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8863484/publications.pdf>

Version: 2024-02-01

203  
papers

3,292  
citations

172457

29  
h-index

254184

43  
g-index

215  
all docs

215  
docs citations

215  
times ranked

2003  
citing authors

#	ARTICLE	IF	CITATIONS
1	Metazoan parasite species richness in Neotropical fishes: hotspots and the geography of biodiversity. <i>Parasitology</i> , 2007, 134, 865-878.	1.5	129
2	Parasite biodiversity and its determinants in coastal marine teleost fishes of Brazil. <i>Parasitology</i> , 2004, 128, 671-682.	1.5	103
3	Marine debris ingestion by Magellanic penguins, <i>Spheniscus magellanicus</i> (Aves: Sphenisciformes), from the Brazilian coastal zone. <i>Marine Pollution Bulletin</i> , 2011, 62, 2246-2249.	5.0	90
4	Checklist of Nematoda associated with the fishes of Brazil. <i>Zootaxa</i> , 2011, 3082, .	0.5	83
5	Cross-Cultural Differences in a Global "Survey of World Views". <i>Journal of Cross-Cultural Psychology</i> , 2015, 46, 53-70.	1.6	83
6	Checklist of Copepoda associated with fishes from Brazil. <i>Zootaxa</i> , 2007, 1579, .	0.5	76
7	Checklist of helminth parasites in wild carnivore mammals from Brazil. <i>Zootaxa</i> , 2008, 1721, 1.	0.5	75
8	Linking ecology with parasite diversity in Neotropical fishes. <i>Journal of Fish Biology</i> , 2008, 72, 189-204.	1.6	69
9	Checklist of Crustacea parasitizing fishes from Brazil. <i>Check List</i> , 2013, 9, 1449.	0.4	67
10	Similarity in parasite communities of the teleost fish <i>Pinguipes brasiliensis</i> in the southwestern Atlantic: Infracommunities as a tool to detect geographical patterns. <i>International Journal for Parasitology</i> , 2010, 40, 243-254.	3.1	58
11	Parasites of <i>Cynoscion guatucupa</i> along South American Atlantic coasts: evidence for stock discrimination. <i>Journal of Fish Biology</i> , 2005, 67, 1603-1618.	1.6	55
12	Checklist of Acanthocephala associated with the fishes of Brazil. <i>Zootaxa</i> , 2008, 1938, 1-22.	0.5	45
13	Seasonal Influence on the Parasite Fauna of a Wild Population of <i>Astronotus ocellatus</i> (Perciformes: Cichlidae) from the Brazilian Amazon. <i>Journal of Parasitology</i> , 2013, 99, 718-721.	0.7	42
14	Community ecology of the metazoan parasites of white croaker, <i>Micropogonias furnieri</i> (Osteichthyes: Sciaenidae), from the coastal zone of the State of Rio de Janeiro, Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2001, 96, 145-153.	1.6	41
15	A host-endoparasite network of Neotropical marine fish: are there organizational patterns?. <i>Parasitology</i> , 2011, 138, 1945-1952.	1.5	41
16	Checklist of helminth parasites of threatened vertebrate species from Brazil. <i>Zootaxa</i> , 2009, 2123, 1-45.	0.5	40
17	Helminth parasites of South American fishes: current status and characterization as a model for studies of biodiversity. <i>Journal of Helminthology</i> , 2017, 91, 150-164.	1.0	40
18	Developmental Stage of Parasites Influences the Structure of Fish-Parasite Networks. <i>PLoS ONE</i> , 2013, 8, e75710.	2.5	40

#	ARTICLE	IF	CITATIONS
19	Host ontogeny and the temporal decay of similarity in parasite communities of marine fish. <i>International Journal for Parasitology</i> , 2010, 40, 963-968.	3.1	38
20	Ecologia das comunidades de metazoários parasitos, do xaréu, <i>Caranx hippos</i> (Linnaeus) e do xerelete, <i>Caranx latus</i> Agassiz (Osteichthyes, Carangidae) do litoral do estado do Rio de Janeiro, Brasil. <i>Revista Brasileira De Zoologia</i> , 2001, 18, 399-410.	0.5	37
21	Host population density as the major determinant of endoparasite species richness in floodplain fishes of the upper Paranã River, Brazil. <i>Journal of Helminthology</i> , 2005, 79, 75-84.	1.0	35
22	Endemic Angiostrongyliasis, Rio de Janeiro, Brazil. <i>Emerging Infectious Diseases</i> , 2011, 17, 1331-1333.	4.3	35
23	Acanthocephala, Annelida, Arthropoda, Myxozoa, Nematoda and Platyhelminthes parasites of fishes from the Guandu river, Rio de Janeiro, Brazil. <i>Check List</i> , 2010, 6, 659.	0.4	35
24	Ecologia da comunidade de metazoários parasitos da anchova <i>Pomatomus saltator</i> (Linnaeus) (Osteichthyes, Pomatomidae) do litoral do estado do Rio de Janeiro, Brasil. <i>Revista Brasileira De Zoologia</i> , 1999, 16, 711-723.	0.5	33
25	Identifying hotspots of parasite diversity from species-area relationships: host phylogeny versus host ecology. <i>Oikos</i> , 2011, 120, 740-747.	2.7	33
26	Ectoparasites and endoparasites of fish form networks with different structures. <i>Parasitology</i> , 2015, 142, 901-909.	1.5	32
27	Geographical Patterns of Parasite Infracommunities in the Rough Scad, <i>Trachurus lathami</i> Nichols, in the Southwestern Atlantic Ocean. <i>Journal of Parasitology</i> , 2012, 98, 768-777.	0.7	31
28	The patterns of organisation and structure of interactions in a fish-parasite network of a neotropical river. <i>International Journal for Parasitology</i> , 2015, 45, 549-557.	3.1	31
29	Annotated checklist of fish cestodes from South America. <i>ZooKeys</i> , 2017, 650, 1-205.	1.1	31
30	Variation in the helminth community structure of three sympatric sigmodontine rodents from the coastal Atlantic Forest of Rio de Janeiro, Brazil. <i>Journal of Helminthology</i> , 2011, 85, 171-178.	1.0	30
31	A longitudinal study of <i>Angiostrongylus cantonensis</i> in an urban population of <i>Rattus norvegicus</i> in Brazil: the influences of seasonality and host features on the pattern of infection. <i>Parasites and Vectors</i> , 2014, 7, 100.	2.5	29
32	A New <i>Physaloptera</i> (Nematoda: Physalopteridae) Parasite of <i>Tupinambis merrianae</i> (Squamata: Teiidae) from Southeastern Brazil. <i>Journal of Parasitology</i> , 2012, 98, 1227-1235.	0.7	28
33	A general test of the interactive-isolationist continuum in gastrointestinal parasite communities of fish. <i>International Journal for Parasitology</i> , 2003, 33, 1623-1630.	3.1	27
34	A New Metastrongyloidean Species (Nematoda) Parasitizing Pulmonary Arteries of <i>Puma yagouaroundi</i> (Geoffroy, 1803) (Carnivora: Felidae) from Brazil. <i>Journal of Parasitology</i> , 2013, 99, 327-331.	0.7	27
35	Community ecology of the metazoan parasites of namorado sandperches, <i>Pseudoperca numida</i> Miranda-Ribeiro, 1903 and <i>P. semifasciata</i> Cuvier, 1829 (Perciformes: Pinguipedidae), from the coastal zone of the State of Rio de Janeiro, Brazil. <i>Brazilian Journal of Biology</i> , 2008, 68, 269-278.	0.9	25
36	Four New Species of <i>Ligophorus</i> (Monogenea: Dactylogyridae) Parasitic on <i>Mugiliza liza</i> (Actinopterygii): Tj ETQq0 0 0 rgBT /Overlock 10 Tt	0.7	25

#	ARTICLE	IF	CITATIONS
37	The influence of habitat fragmentation on helminth communities in rodent populations from a Brazilian Mountain Atlantic Forest. <i>Journal of Helminthology</i> , 2016, 90, 460-468.	1.0	25
38	Species abundance distributions and numerical dominance in gastrointestinal helminth communities of fish hosts. <i>Journal of Helminthology</i> , 2008, 82, 193-202.	1.0	24
39	Checklist of Protozoan parasites of fishes from Brazil. <i>Zootaxa</i> , 2012, 3221, 1.	0.5	24
40	&lt;strong&gt;A Checklist of the Aspidogastrea (Platyhelminthes: Trematoda) of the World&lt;/strong&gt;. <i>Zootaxa</i> , 2015, 3918, 339.	0.5	24
41	Community ecology of the metazoan parasites of pink cusk-eel, <i>Genypterus brasiliensis</i> (Osteichthyes: Tj ETQq1 1 0.784314 rgBT /Oswaldo Cruz, 2002, 97, 683-689.	1.6	23
42	What can metazoan parasites reveal about the taxonomy of <i>Scomber japonicus</i> Houttuyn in the coast of South America and Madeira Islands?. <i>Journal of Fish Biology</i> , 2008, 72, 545-554.	1.6	23
43	New and Previously Described Species of Urocleidoides (Monogenea: Dactylogyridae) Infecting the Gills and Nasal Cavities of <i>Hoplias malabaricus</i> (Characiformes: Erythrinidae) From Brazil. <i>Journal of Parasitology</i> , 2011, 97, 406-417.	0.7	23
44	From mammals back to birds: Host-switch of the acanthocephalan <i>Corynosoma australe</i> from pinnipeds to the Magellanic penguin <i>Spheniscus magellanicus</i> . <i>PLoS ONE</i> , 2017, 12, e0183809.	2.5	23
45	Metazoan parasites as biological tags for stock discrimination of whitemouth croaker <i>Micropogonias furnieri</i>. <i>Journal of Fish Biology</i> , 2010, 76, 591-600.	1.6	22
46	Factors associated with parasite aggregation levels in fishes from Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2015, 24, 174-182.	0.7	22
47	Genetic and morphological evidence reveals the existence of a new family, genus and species of Echinorhynchida (Acanthocephala). <i>Folia Parasitologica</i> , 2014, 61, 377-384.	1.3	22
48	Metazoan Parasite Infracommunities in Five Sciaenids from the Central Peruvian Coast. <i>Memorias Do Instituto Oswaldo Cruz</i> , 1998, 93, 175-180.	1.6	21
49	First record of <i>Neobenedenia melleni</i> (Monogenea: Capsalidae) in sea-farmed cobia ( <i>Rachycentron</i> ) Tj ETQq1 1 0.784314 rgBT /Overl	0.7	21
50	Parasite community of <i>Pagrus pagrus</i> (Sparidae) from Rio de Janeiro, Brazil: evidence of temporal stability. <i>Brazilian Journal of Veterinary Parasitology</i> , 2014, 23, 216-223.	0.7	21
51	Checklist of Platyhelminthes, Acanthocephala, Nematoda and Arthropoda parasitizing penguins of the world. <i>Check List</i> , 2014, 10, 562-573.	0.4	21
52	Similarity Between Metazoan Parasite Communities of Two Sympatric Brackish Fish Species From Brazil. <i>Journal of Parasitology</i> , 2008, 94, 985-989.	0.7	20
53	Molecular and Morphological Characterization of Anisakid Nematode Larvae from the Sandperches <i>Pseudoperca numida</i> and <i>Pinguipes brasiliensis</i> (Perciformes: Pinguipedidae) off Brazil. <i>Journal of Parasitology</i> , 2015, 101, 492-499.	0.7	20
54	Parasites of the Brazilian flathead <i>Percophis brasiliensis</i> reflect West Atlantic biogeographic regions. <i>Parasitology</i> , 2017, 144, 169-178.	1.5	19

#	ARTICLE	IF	CITATIONS
55	Are different parasite guilds of <i>Pagrus pagrus</i> equally suitable sources of information on host zoogeography?. <i>Parasitology Research</i> , 2018, 117, 1865-1875.	1.6	19
56	Parasites of <i>Urophycis brasiliensis</i> (Gadiformes: Phycidae) as indicators of marine ecoregions in coastal areas of the South American Atlantic. <i>Parasitology Research</i> , 2014, 113, 4281-4292.	1.6	18
57	New evidence on a cold case: trophic transmission, distribution and host-specificity in <i>Hedruris spinigera</i> (Nematoda: Hedruridae). <i>Folia Parasitologica</i> , 2010, 57, 223-231.	1.3	18
58	Checklist of metazoan associated with grunts (Perciformes, Haemulidae) from the Nearctic and Neotropical regions. <i>Check List</i> , 2015, 11, 1501.	0.4	17
59	The metazoan parasites of <i>Stellifer minor</i> (Tschudi, 1844): an ecological approach. <i>Memorias Do Instituto Oswaldo Cruz</i> , 1990, 85, 271-274.	1.6	16
60	Two new species of <i>Henneguya Thãlohan</i> , 1892 (Myxozoa, Myxobolidae), parasitic on the gills of <i>Hoplosternum littorale</i> (Callichthyidae) and <i>Cyphocharax gilbert</i> (Curimatidae) from the Guandu River, State of Rio de Janeiro, Brazil. <i>Parasitologia Latinoamericana</i> , 2007, 62, .	0.2	16
61	Seasonal variation in metazoan parasites of <i>Trichiurus lepturus</i> (Perciformes: Trichiuridae) of Rio de Janeiro, Brazil. <i>Brazilian Journal of Biology</i> , 2011, 71, 771-782.	0.9	16
62	A morphological and molecular study of two species of <i>Raphidascaroides Yamaguti</i> , 1941 (Nematoda:) Tj ETQq0 0 0 rgBT /Overlock 10 T moraveci n. sp.. <i>Systematic Parasitology</i> , 2015, 91, 49-61.	1.1	16
63	Parasitological evidence of stocks of <i>Paralichthys isosceles</i> (Pleuronectiformes: Paralichthyidae) at small and large geographical scales in South American Atlantic coasts. <i>Fisheries Research</i> , 2016, 173, 221-228.	1.7	16
64	Biotic and abiotic effects on the intestinal helminth community of the brown rat <i>Rattus norvegicus</i> from Rio de Janeiro, Brazil. <i>Journal of Helminthology</i> , 2016, 90, 21-27.	1.0	16
65	Stocks and migrations of the demersal fish <i>Umbrina canosai</i> (Sciaenidae) endemic from the subtropical and temperate Southwestern Atlantic revealed by its parasites. <i>Fisheries Research</i> , 2019, 214, 10-18.	1.7	16
66	Parasite fauna of wild and cultured dusky-grouper <i>Epinephelus marginatus</i> (Lowe, 1834) from Ubatuba, Southeastern Brazil. <i>Brazilian Journal of Biology</i> , 2013, 73, 871-878.	0.9	15
67	A new species of <i>Ergasilus</i> (Copepoda: Ergasilidae) from <i>Geophagus altifrons</i> and <i>G. argyrostictus</i> (Perciformes: Cichlidae) in the Brazilian Amazon. <i>Acta Parasitologica</i> , 2016, 61, 549-55.	1.1	15
68	An integrated phylogenetic analysis on ascaridoid nematodes (Anisakidae, Raphidascarididae), including further description and intraspecific variations of <i>Raphidascaris</i> ( <i>Sprentascaris</i> ) <i>lanfrediae</i> in freshwater fishes from Brazil. <i>Parasitology International</i> , 2017, 66, 898-904.	1.3	15
69	Checklist of helminth parasites of cetaceans from Brazil. <i>Zootaxa</i> , 2010, 2548, 57.	0.5	14
70	New records and descriptions of digeneans from the Magellanic penguin <i>Spheniscus magellanicus</i> (Forster) (Aves: Sphenisciformes) on the coast of Brazil. <i>Systematic Parasitology</i> , 2013, 85, 79-98.	1.1	14
71	Community ecology of the metazoan parasites of Brazilian sardinella, <i>Sardinella brasiliensis</i> (Steindachner, 1879) (Actinopterygii: Clupeidae) from the coastal zone of the State of Rio de Janeiro, Brazil. <i>Brazilian Journal of Biology</i> , 2015, 75, 736-741.	0.9	14
72	Morphology and molecular characterization hold hands: clarifying the taxonomy of <i>Hysterothylacium</i> (Nematoda: Anisakidae) larval forms. <i>Parasitology Research</i> , 2016, 115, 4353-4364.	1.6	14

#	ARTICLE	IF	CITATIONS
73	Metazoan Parasite Infracommunities of Menticirrhus (Teleostei: Sciaenidae): An Amphi-Oceanic Approximation. <i>Journal of Parasitology</i> , 1999, 85, 379.	0.7	13
74	<i>Physaloptera baina</i> n. sp. (Nematoda: Physalopteridae) Parasitic in <i>Salvator merianae</i> (Squamata: Teiidae), with a Key to <i>Physaloptera</i> Species Parasitizing Reptiles from Brazil. <i>Journal of Parasitology</i> , 2014, 100, 221-227.	0.7	13
75	A survey of nematodes of the genus <i>Cucullanus</i> Måller, 1777 (Nematoda, Seuratoidea) parasitic in marine fishes off Brazil, including description of three new species. <i>Zootaxa</i> , 2015, 4039, 289.	0.5	13
76	First data on the parasites of <i>Hoplias aimara</i> (Characiformes): description of two new species of gill monogeneans (Dactylogyridae). <i>Acta Parasitologica</i> , 2015, 60, 254-60.	1.1	13
77	Parasitic nematodes of three species of wild carnivore mammals from Atlantic forest in the state of Minas Gerais, Brazil. <i>Revista Mexicana De Biodiversidad</i> , 2017, 88, 801-806.	0.4	13
78	Ecologia da comunidade de metazoários parasitos da Maria-Luiza, <i>Paralanchurus brasiliensis</i> (Osteichthyes: Sciaenidae) do litoral do Estado do Rio de Janeiro, Brasil. <i>Acta Scientiarum - Biological Sciences</i> , 2003, 25, 273.	0.3	12
79	Ecotonal marine regions – ecotonal parasite communities: helminth assemblages in the convergence of masses of water in the southwestern Atlantic Ocean. <i>International Journal for Parasitology</i> , 2016, 46, 809-818.	3.1	12
80	An integrative approach assesses the intraspecific variations of <i>Procamallanus</i> ( <i>Spirocamallanus</i> ) <i>inopinatus</i> , a common parasite in Neotropical freshwater fishes, and the phylogenetic patterns of Camallanidae. <i>Parasitology</i> , 2020, 147, 1752-1764.	1.5	12
81	<i>Kudoa sciaenae</i> (Myxozoa: Multivalvulidae) cysts distribution in the somatic muscles of <i>Stellifer minor</i> (Tschudi, 1844) (Pisces: Sciaenidae). <i>Memorias Do Instituto Oswaldo Cruz</i> , 1992, 87, 33-35.	1.6	11
82	Tissue alterations in the pirarucu, <i>Arapaima gigas</i> , infected by <i>Goezia spinulosa</i> (Nematoda). <i>Brazilian Journal of Veterinary Parasitology</i> , 2011, 20, 207-209.	0.7	11
83	The relationship between nematode infections and ontogeny and diet of the lizard <i>Tropidurus torquatus</i> (Wied, 1820) (Squamata: Tropiduridae) from the Atlantic Rainforest in south-eastern Brazil. <i>Journal of Helminthology</i> , 2013, 87, 364-370.	1.0	11
84	A new species of <i>Cucullanus</i> Måller, 1777 (Nematoda: Cucullanidae) parasitic in the grey triggerfish <i>Balistes capriscus</i> Gmelin (Osteichthyes: Balistidae) off Rio de Janeiro, Brazil. <i>Systematic Parasitology</i> , 2014, 87, 283-291.	1.1	11
85	<i>Hypanocotyle bullardi</i> n. gen. n. sp. (Monogenea: Hexabothriidae) from gill of the diamond stingray <i>Hypanus dipterurus</i> (Jordan et Gilbert) (Myliobatiformes: Dasyatidae) in the Southeastern Pacific Ocean off Peru. <i>Parasitology International</i> , 2018, 67, 425-430.	1.3	11
86	Larval <i>Hysterothylacium</i> sp. (Nematoda, Anisakidae) and trematode metacercariae from the amphipod <i>Paracorophium excavatum</i> (Corphiidae) in New Zealand. <i>Acta Parasitologica</i> , 2007, 52, 146.	1.1	10
87	A new species of <i>Dichelyne</i> (Nematoda, Cucullanidae) parasitizing sciaenid fishes from off the South American Atlantic coast. <i>Acta Parasitologica</i> , 2009, 54, .	1.1	10
88	Expanded description of <i>Lamproglena monodi</i> (Copepoda: Lernaeidae), parasitizing native and introduced fishes in Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2012, 21, 263-269.	0.7	10
89	Dactylogyrids (Monogenea) parasitic on cichlids from northern Brazil, with description of two new species of <i>Sciadicleithrum</i> and new host and geographical records. <i>Acta Parasitologica</i> , 2016, 61, 158-64.	1.1	10
90	<i>Parapharyngodon hugoi</i> n. sp., a new nematode (Oxyuroidea: Pharyngodonidae) of the tree frog <i>Trachycephalus typhonius</i> (Linnaeus) from the Brazilian Pantanal, including a key to the congeners from amphibians of the American continent. <i>Systematic Parasitology</i> , 2017, 94, 599-607.	1.1	10

#	ARTICLE	IF	CITATIONS
91	Integrative taxonomy reveals hidden cestode diversity in <i>Pimelodus</i> catfishes in the Neotropics. <i>Zoologica Scripta</i> , 2021, 50, 210-224.	1.7	10
92	<i>Crenosoma brasiliense</i> sp. n. (Nematoda: Metastrongyloidea) parasitic in lesser grison, <i>Galictis cuja</i> (Molina, 1782) (Carnivora, Mustelidae) from Brazil, with a key to species of <i>Crenosoma</i> Molin, 1861. <i>Folia Parasitologica</i> , 2012, 59, 187-194.	1.3	10
93	First molecular assessment of the interrelationships of cladorchiid digeneans (Digenea: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 new host and geographical records. <i>Folia Parasitologica</i> , 2019, 66, .	1.3	10
94	A new species of <i>Acantholochus</i> (Copepoda: Bomolochidae) parasitic on <i>Centropomus undecimalis</i> (Osteichthyes: Centropomidae) from the coastal zone of the State of Rio de Janeiro, Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2003, 98, 241-246.	1.6	9
95	Metazoários parasitos do coeloma <i>Dactylopterus volitans</i> (Linnaeus, 1758) (Osteichthyes: Dactylopteridae) do litoral do Estado do Rio de Janeiro, Brasil. <i>Acta Scientiarum - Biological Sciences</i> , 2005, 27, 119.	0.3	9
96	A new species of <i>Sciadicleithrum</i> (Monogenea, Dactylogyridae) parasitic on <i>Geophagus brasiliensis</i> (Perciformes, Cichlidae) from Guandu River, Southeastern Brazil. <i>Acta Parasitologica</i> , 2008, 53, .	1.1	9
97	Three New Species of <i>Demidospermus</i> (Monogenea: Dactylogyridae) Parasitic on <i>Brachyplatystoma filamentosum</i> (Siluriformes: Pimelodidae) From the Araguaia River, Brazil. <i>Journal of Parasitology</i> , 2010, 96, 869-873.	0.7	9
98	Ectoparasites as numerical dominant species in parasite community of <i>Trachelyopterus striatulus</i> (Siluriformes: Auchenipteridae) from Guandu River, southeastern Brazil. <i>Brazilian Journal of Biology</i> , 2011, 71, 623-627.	0.9	9
99	Redescription and first genetic characterisation of <i>Procamallanus</i> ( <i>Spirocamallanus</i> ) <i>macaensis</i> Vicente & Santos, 1972 (Nematoda: Camallanidae), including re-evaluation of the species of <i>Procamallanus</i> ( <i>Spirocamallanus</i> ) from marine fishes off Brazil. <i>Systematic Parasitology</i> , 2017, 94, 657-668.	1.1	9
100	Helminth metacommunity structure of wild rodents in a preserved area of the Atlantic Forest, Southeast Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2018, 27, 495-504.	0.7	9
101	Monogenean parasitic on marine fishes from Peru and Chile: three new species and two new combinations. <i>Memorias Do Instituto Oswaldo Cruz</i> , 1995, 90, 569-574.	1.6	9
102	<i>Pseudolernentoma brasiliensis</i> n. g., n. sp. (Copepoda: Poecilostomatoida: Chondracanthidae) parasitic on <i>Gerytherus brasiliensis</i> (Osteichthyes: Ophidiidae) from off the State of Rio de Janeiro, Brazil. <i>Systematic Parasitology</i> , 2003, 56, 195-199.	1.1	8
103	Metazoários ectoparasitos do pampo-galhudo, <i>Trachinotus goodei</i> Jordan & Evermann, 1896 (Osteichthyes: Carangidae), do litoral do Estado do Rio de Janeiro, Brasil. <i>Acta Scientiarum - Biological Sciences</i> , 2004, 26, 19.	0.3	8
104	Helminth communities in three sympatric rodents from the Brazilian Atlantic Forest: contrasting biomass and numerical abundance. <i>Brazilian Journal of Biology</i> , 2012, 72, 909-914.	0.9	8
105	PREVALENCE OF <i>Calodium hepaticum</i> (SYN. <i>Capillaria hepatica</i> ) IN <i>Rattus norvegicus</i> IN THE URBAN AREA OF RIO DE JANEIRO, BRAZIL. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2014, 56, 455-457.	1.1	8
106	<i>Dichelyne</i> ( <i>Cucullanellus</i> ) <i>tornquisti</i> n. sp. (Nematoda: Cucullanidae) from Corocoro Grunt, <i>Orthopristis ruber</i> (Cuvier, 1830) (Perciformes: Haemulidae) from Southeastern Brazil. <i>Journal of Parasitology</i> , 2014, 100, 215-220.	0.7	8
107	Morphological and molecular characterization of cucullanid nematodes including <i>Cucullanus opisthoporus</i> n. sp. in freshwater fish from the Brazilian Amazon. <i>Journal of Helminthology</i> , 2017, 91, 739-751.	1.0	8
108	Integrative approach on Pharyngodonidae (Nematoda: Oxyuroidea) parasitic in reptiles: Relationship among its genera, importance of their diagnostic features, and new data on <i>Parapharyngodon baina</i> . <i>PLoS ONE</i> , 2018, 13, e0200494.	2.5	8

#	ARTICLE	IF	CITATIONS
109	Testing for deterministic succession in metazoan parasite communities of marine fish. Ecology Letters, 2020, 23, 631-641.	6.4	8
110	A new genus and species of proteocephalidean tapeworm (Cestoda), first parasite found in the driftwood catfish Tocantinsia piresi (Siluriformes: Auchenipteridae) from Brazil. Folia Parasitologica, 2015, 62, .	1.3	8
111	Comunidad de Helminthos Parásitos del Sapo Espinoso Rhinella spinulosa (Wiegmann, 1834) (Anura:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 62 To	0.1	8
112	First Record of <i>Raillietina celebensis</i> (Cestoda: Cyclophyllidae) in South America: Redescription and Phylogeny. Journal of Parasitology, 2017, 103, 359-365.	0.7	8
113	A new species of Kritskyia (Monogenea, Dactylogyridae) parasitic in the urinary bladder of Salminus brasiliensis (Characiformes) from the Pantanal wetlands, Brazil. Acta Parasitologica, 2011, 56, .	1.1	7
114	Seasonal variability of the composition and structure of parasite communities of red porgy, Pagrus pagrus (Perciformes: Sparidae) off Brazil. Helminthologia, 2015, 52, 236-243.	0.9	7
115	Untangling convoluted taxonomy of Chambriella Rego, Chubb & Pavanelli, 1999 (Cestoda:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 62 To pimelodid catfishes in the Neotropical Region. Systematic Parasitology, 2017, 94, 367-389.	1.1	7
116	A new genus and species of the Dasybatotremiinae Bychowsky, 1957 (Monogenea: Monocotylidae), parasitic on Hypanus dipterurus (Jordan & Gilbert) (Myliobatiformes: Dasyatidae) in the Southeastern Pacific Ocean off Peru. Zootaxa, 2018, 4527, 347.	0.5	7
117	First molecular data for Lernaea cyprinacea (Copepoda: Cyclopoida) infesting Odontesthes bonariensis, a commercially important freshwater fish in Argentina. Brazilian Journal of Veterinary Parasitology, 2018, 27, 105-108.	0.7	7
118	Phylogenetic Position of Pseudosellacotyla lutzii (Freitas, 1941) (Digenea: Cryptogonimidae), A Parasite of Hoplias malabaricus (Bloch) in South America, through 28S rDNA Sequences, and New Observations of the Ultrastructure of Their Tegument. Journal of Parasitology, 2018, 104, 530-538.	0.7	7
119	New Species and Records of Anacanthorus (Monogenea: Dactylogyridae) Parasitizing Serrasalmid Fish (Characiformes) from Brazil, Including Molecular Data. Acta Parasitologica, 2019, 64, 449-455.	1.1	7
120	A new species of <i>Contraecaecum</i> (Nematoda: Anisakidae) found parasitizing <i>Nannopterum brasilianus</i> (Suliformes: Phalacrocoracidae) and <i>Hoplias argentinensis</i> (Characiformes:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 To stages. Journal of Helminthology, 2020, 94, e184.	1.0	7
121	A new species of Neoascarophis (Nematoda: Cystidicolidae) parasitic in Mullus argentinae (Perciformes: Mullidae) from the Atlantic coast of South America. Folia Parasitologica, 2012, 59, 64-70.	1.3	7
122	Ecología Comunitaria de Metazoos Parásitos del Bonito Sarda chiliensis Cuvier, 1832 (Perciformes:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 To	0.1	7
123	Metazoarios parásitos de Micropogonias furnieri (Osteichthyes: Sciaenidae) do litoral do Estado do Rio de Janeiro, Brasil. Parasitologia Al Dã, 2000, 24, .	0.0	7
124	HELMINTH COMMUNITY STRUCTURE OF TWO SIGMODONTINE RODENTS IN SERRA DOS ARGÊFOS NATIONAL PARK, STATE OF RIO DE JANEIRO, BRAZIL. Oecologia Australis, 2019, 23, 301-314.	0.2	7
125	The genus lobatostoma (Trematoda: Aspidocotylea) in the pacific coast of South America, with description of Lobatostoma veranoi new species, parasite of Menticirrus ophycephalus (Teleostei:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 62 To	0.1	7
126	Endohelminth Parasites of the Trambollo Labrisomus philippii (Steindachner) (Osteichthyes:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 To	0.4	6



#	ARTICLE	IF	CITATIONS
127	A New Heligmonellid Species (Nematoda) from <i>Oligoryzomys nigripes</i> (Rodentia: Sigmodontinae) in the Atlantic Forest, Brazil. <i>Journal of Parasitology</i> , 2009, 95, 734-738.	0.7	6
128	A New species of <i>Heterosentis</i> Van Cleave, 1931 (Acanthocephala: Arhythmacanthidae) Parasitic in <i>Pseudopercis numida</i> Miranda Ribeiro, 1903 (Perciformes: Pinguipedidae) from Southeastern Brazilian Coastal Zone. <i>Journal of Parasitology</i> , 2009, 95, 747-750.	0.7	6
129	A new species of <i>Colobomatus</i> (Copepoda, Philichthyidae) parasitic on <i>Mullus argentinae</i> (Perciformes, Mullidae) from South American Atlantic coast. <i>Acta Parasitologica</i> , 2012, 57, 323-8.	1.1	6
130	<i>Pseudascarophis brasiliensis</i> sp. nov. (Nematoda: Cystidicolidae) parasitic in the Bermuda chub <i>Kyphosus sectatrix</i> (Perciformes: Kyphosidae) from southeastern Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2013, 108, 476-480.	1.6	6
131	A Morphological and Molecular Study of <i>Spectatus spectatus</i> (Kathlaniidae), Including Redescription of the Species and Amendment of Genus Diagnosis. <i>Journal of Parasitology</i> , 2015, 101, 468-475.	0.7	6
132	A new species of <i>Diaphorocleidus</i> (Monogenea: Ancyrocephalinae) from the gills of <i>Argonectes robertsi</i> (Characiformes) and new records of dactylogyrids parasitic on fishes from the Xingu River, Amazon Basin, Brazil. <i>Zoologia</i> , 2016, 33, .	0.5	6
133	<i>Colobomatus kimi</i> sp. nov. (Copepoda: Philichthyidae) parasitic in the dwarf goatfish <i>Upeneus parvus</i> Poey, 1852 (Perciformes: Mullidae) in the South Atlantic Ocean. <i>Zootaxa</i> , 2016, 4174, 176.	0.5	6
134	<i>Mexicana rubra</i> sp. nov. and <i>Encotyllabe</i> cf. <i>spari</i> Yamaguti, 1934 (Monogenea) of <i>Orthopristis ruber</i> (Cuvier, 1830) from the Brazilian Coast off Rio de Janeiro. <i>Helminthologia</i> , 2017, 54, 336-347.	0.9	6
135	Dactylogyrids (Monogenea) parasitic on marine fish from Peru including the description of a new species of <i>Haliotrema</i> Johnston & Tiegs, 1922 and two new species of <i>Parancylodiscoides</i> Caballero & C. & Bravo-Hollis, 1961. <i>Zootaxa</i> , 2017, 4311, 111.	0.5	6
136	New genera and species of paramphistomes (Digenea: Paramphistomoidea: Cladorchiidae) parasitic in fishes from the Amazon basin in Peru. <i>Systematic Parasitology</i> , 2018, 95, 611-624.	1.1	6
137	<i>Annulotrematoides bryconi</i> sp. n. (Monogenea: Dactylogyridae) parasitic on <i>Brycon cephalus</i> (Osteichthyes: Characidae) from Brazil. <i>Folia Parasitologica</i> , 2003, 50, 272-274.	1.3	6
138	Metazoan parasites of Brazilian menhaden <i>Brevoortia aurea</i> (Spix & Agassiz, 1829) (Osteichthyes): <i>Tj ETQqO O O rgBT /Overlock 10 Tf 50</i> 2004, 64, 553-554.	0.9	6
139	Two new species of <i>Acantholochus</i> Cressey, 1984 (Copepoda: Bomolochidae) parasitic on Peruvian marine fishes. <i>Journal of Natural History</i> , 1990, 24, 241-249.	0.5	5
140	<i>Apedunculata discoidea</i> gen. n., sp. n. (Monogenea: Dactylogyridae) parasitic on <i>Prochilodus lineatus</i> (Valenciennes, 1837) (Characiformes: Prochilodontidae) from southeastern Brazil. <i>Brazilian Journal of Biology</i> , 2009, 69, 895-898.	0.9	5
141	<i>Dipylidium caninum</i> (Cyclophyllidea, Dipylidiidae) in a Wild Carnivore from Brazil. <i>Journal of Wildlife Diseases</i> , 2012, 48, 233-234.	0.8	5
142	Molecular and morphological characterization of <i>Contraecaecum pelagicum</i> (Nematoda) parasitizing <i>Spheniscus magellanicus</i> (Chordata) from Brazilian waters. <i>Brazilian Journal of Veterinary Parasitology</i> , 2014, 23, 74-79.	0.7	5
143	A new species of philichthyid copepod (Crustacea: Cyclopoida) parasitic on <i>Stellifer</i> spp. (Perciformes: Sciaenidae) from southeastern Brazil. <i>Zootaxa</i> , 2015, 3925, 438-44.	0.5	5
144	A new species of <i>Leposphilus</i> Hesse, 1866 (Copepoda: Philichthyidae) parasitic in the interorbital canals of the whitemouth croaker <i>Micropogonias furnieri</i> (Desmarest) (Sciaenidae) off Brazil with an amended diagnosis of the genus. <i>Systematic Parasitology</i> , 2016, 93, 501-515.	1.1	5

#	ARTICLE	IF	CITATIONS
145	Diplectanids (Monogenea) parasitic on sciaenid fish from Peru with the proposal of <i>Pseudorhamnocercoides</i> n. gen., the description of <i>Rhamnocercus dominguesi</i> n. sp. and the redescription of <i>Rhamnocercoides menticirrhoi</i> Luque and Iannacone, 1991. <i>Acta Parasitologica</i> , 2017, 62, 541-548.	1.1	5
146	Redescription and genetic characterization of <i>Cystidicoloides vaucheri</i> , including first description of male and current status on the phylogeny of Cystidicolidae (Nematoda: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 697 Td (Ha	1.1	5
147	Four new species of dactylogyrids (Monogenea: Dactylogyridae) parasitic on gills of labrid and sparid fishes from Southeastern Pacific Ocean off Peru. <i>Systematic Parasitology</i> , 2018, 95, 829-840.	1.1	5
148	The phylogenetic position of <i>Anacanthorus</i> (Monogenea, Dactylogyridae) parasitizing Brazilian serrasalmids (Characiformes). <i>Parasite</i> , 2019, 26, 44.	2.0	5
149	A new genus and three new species of dactylogyrids (Monogenea), gill parasites of the threadfin bass, <i>Pronotogrammus multifasciatus</i> Gill (Perciformes: Serranidae) in the Southeastern Pacific Ocean off Peru. <i>Systematic Parasitology</i> , 2020, 97, 121-131.	1.1	5
150	New arrangement of three genera of fish tapeworms (Cestoda: Proteocephalidae) in catfishes (Siluriformes) from the Neotropical Region: taxonomic implications of molecular phylogenetic analyses. <i>Parasitology Research</i> , 2021, 120, 1593-1603.	1.6	5
151	Distribution Patterns of <i>Microcotyle nemadactylus</i> (Monogenea) on Gill Filaments of <i>Cheilodactylus variegatus</i> (Teleostei). <i>Memorias Do Instituto Oswaldo Cruz</i> , 1998, 93, 477-478.	1.6	5
152	Expanded description of <i>Dolops bidentata</i> (Bouvier, 1899) (Branchiura: Argulidae) based on specimens collected on <i>Pygocentrus nattereri</i> Kner, 1858 (Characiformes) from Poconã Wetland, MT, Brazil. <i>Brazilian Journal of Biology</i> , 2011, 71, 145-149.	0.9	5
153	Metazoários parasitos do peixe espada, <i>Trichiurus lepturus</i> (Osteichthyes: Trichiuridae) do litoral do estado do Rio de Janeiro, Brasil. <i>Parasitologia Al Dãa</i> , 2000, 24, .	0.0	5
154	Aspectos quantitativos das infrapopulações de metazoários parasitos de <i>Micropogonias furnieri</i> (Osteichthyes: Sciaenidae) do litoral do estado do Rio de Janeiro, Brasil. <i>Parasitologia Al Dãa</i> , 2001, 25, .	0.0	5
155	Human diphyllbothriasis: reports from Rio de Janeiro, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2005, 14, 85-7.	0.7	5
156	Larvals of <i>Terranova</i> sp. (Nematoda: Anisakidae) parasitic in <i>Plagioscion squamosissimus</i> (Perciformes: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 697 Td (Ha <i>Parasitology</i> , 2007, 16, 110-5.	0.7	5
157	A new species of <i>Probursata</i> Bravo-Hollis, 1984 (Monogenea: Heteraxinidae: Heteraxininae) parasite of <i>Oligoplites</i> spp. (Osteichthyes: Carangidae) from the coast of the state of Rio de Janeiro, Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 1993, 88, 285-288.	1.6	4
158	Monogeneans of leatherjackets, <i>Oligoplites</i> spp. (Osteichthyes: Carangidae), with the description of a new species of <i>Metacamopia</i> (Monogenea: Alloodiscocotylidae) from the coast of the State of Rio de Janeiro, Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 1996, 91, 165-172.	1.6	4
159	A new species of <i>Anoplodiscus</i> (Monogenea: Anoplodiscidae) parasitic on <i>Pagrus pagrus</i> (Osteichthyes: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 697 Td (Ha <i>Cruz</i> , 2002, 97, 1197-1199.	1.6	4
160	First record of <i>Caligus mutabilis</i> (Copepoda: Caligidae), in sea-farmed <i>Mycteroperca microlepis</i> (Perciformes: Serranidae) in Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2012, 21, 330-333.	0.7	4
161	A new species of <i>Acantholochus</i> (Cyclopoida, Bomolochidae) parasitic on the barred grunt <i>Conodon nobilis</i> (Linnaeus, 1758) (Osteichthyes, Haemulidae) from Rio de Janeiro, Brazil. <i>Crustaceana</i> , 2013, 86, 212-220.	0.3	4
162	Redescription of the nematode parasites of lizards: <i>Strongyluris oscari</i> Travassos, 1923 (Heterakidae) from Brazil and <i>Pharyngodon mamillatus</i> (Linstow, 1897) (Pharyngodonidae) from Egypt. <i>Acta Parasitologica</i> , 2017, 62, 805-814.	1.1	4

#	ARTICLE	IF	CITATIONS
163	A new species of <i>Argulus</i> (Crustacea, Branchiura, Argulidae) from the skin of catfish, with new records of branchiurans from wild fish in the Brazilian Pantanal wetland. <i>Zootaxa</i> , 2017, 4320, 447.	0.5	4
164	New morphological data and molecular diagnostic of <i>Henneguya friderici</i> (Myxozoa: Myxobolidae), a parasite of <i>Leporinus friderici</i> (Osteichthyes: Anostomidae) from southeastern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2017, 26, 81-88.	0.7	4
165	Morphological and phylogenetic characterization of a novel <i>Unicauda</i> species, infecting the kidney of <i>Astyanax altiparanae</i> (Teleostei: Characidae) in Brazil. <i>Acta Parasitologica</i> , 2018, 63, 495-503.	1.1	4
166	A new species of <i>Heterocotyle</i> (Monogenea: Monocotylidae), a gill parasite of the diamond stingray <i>Hypanus dipterurus</i> (Myliobatiformes: Dasyatidae) from the Peruvian coastal zone. <i>Acta Parasitologica</i> , 2020, 65, 474-481.	1.1	4
167	<i>Bicentenariella</i> n. g. (Monogenea: Dactylogyridae) including descriptions of three new species and two new combinations from serranid fishes (Actinopterygii: Serranidae: Anthiinae) in the South American Pacific Ocean. <i>Systematic Parasitology</i> , 2021, 98, 357-367.	1.1	4
168	A new species of <i>Comephoronema</i> (Nematoda: Cystidicolidae) from the squirrelfish <i>Holocentrus adscensionis</i> (Beryciformes: Holocentridae) off Brazil. <i>Folia Parasitologica</i> , 2014, 61, 55-62.	1.3	4
169	Community ecology of the metazoan parasites of the grey triggerfish, <i>Balistes capriscus</i> Gmelin, 1789 and queen triggerfish <i>B. vetula</i> Linnaeus, 1758 (Osteichthyes: Balistidae) from the State of Rio de Janeiro, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2005, 14, 71-7.	0.7	4
170	Four new species of <i>Hargicotyle</i> Mamaev, 1972 (Diclidophoridae) parasites on sciaenid fishes from Peru and Chile. <i>Journal of Natural History</i> , 1989, 23, 1387-1395.	0.5	3
171	Some copepods parasitic on elasmobranch fishes from the Peruvian coast, with the description of two new species of <i>Eudactylinavan</i> Beneden, 1853 (Eudactylinidae) and four new records. <i>Journal of Natural History</i> , 1991, 25, 1233-1246.	0.5	3
172	Redescription of <i>Rhamnocercus stichospinus</i> Seamster and Monaco, 1956 (Monogenea: Diplectanidae), parasitic on <i>Menticirrhus americanus</i> (Osteichthyes: Sciaenidae) from the Coastal Zone of the state of Rio de Janeiro, Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 1999, 94, 615-618.	1.6	3
173	Additional Data on the Synlophe of <i>Stilestrongylus aculeata</i> (Travassos, 1918) and <i>Stilestrongylus eta</i> (Travassos, 1937) (Heligmonellidae) Parasitic in <i>Akodon montensis</i> (Sigmodontinae) from the Atlantic Forest. <i>Journal of Parasitology</i> , 2014, 100, 151-153.	0.7	3
174	A redescription of <i>Lobatostoma kemostoma</i> (MacCallum & MacCallum, 1913) (Trematoda: Aspidogastrea) from the florida pompano fish <i>Trachinotus carolinus</i> (Linnaeus, 1766) off the Brazilian coast. <i>Journal of Helminthology</i> , 2015, 89, 335-344.	1.0	3
175	Parasite abundance and its determinants in fishes from Brazil: an eco-epidemiological approach. <i>Brazilian Journal of Veterinary Parasitology</i> , 2016, 25, 196-201.	0.7	3
176	Three monogeneans parasitic on marine sciaenid fish from Peru including description of <i>Cynoscionicola veranoi</i> n. sp. (Microcotylidae), and redescription of <i>C. americanus</i> Tantaleñ, Martñez and Escalante, 1987 and <i>Hargicotyle sciaenae</i> Oliva and Luque, 1989 (Diclidophoridae). <i>Acta Parasitologica</i> , 2017, 62, 675-687.	1.1	3
177	First Data on the Parasites of the Pacific Kingcroaker <i>Menticirrhus elongatus</i> (Perciformes:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T5 <i>Parasitologica</i> , 2021, 66, 1246-1250.	1.1	3
178	Molecular and morphological evidence of a new species of <i>Crassicutis</i> Manter 1936 (Digenea), a parasite of cichlids in South America. <i>Parasitology Research</i> , 2021, 120, 2429-2443.	1.6	3
179	A New Species of Hatschekiid Copepod (Crustacea: Hatschekiidae) Parasitic on the Porkfish <i>Anisotremus virginicus</i> (Linnaeus, 1758) (Actinopterygii: Haemulidae), with Notes on Previously Known Species of <i>Hatschekia</i> Poche, 1902 Collected from Actinopterygians off Brazil. <i>Acta Parasitologica</i> , 2022, 67, 1126-1135.	1.1	3
180	<i>Pseudohaliotrema paralonchuri</i> sp.n. (Monogenoidea: Dactylogyridae), parasitic on <i>Paralonchurus peruanus</i> (Steindachner) (Teleostei: Sciaenidae) from the peruvian coast. <i>Memorias Do Instituto Oswaldo Cruz</i> , 1989, 84, 545-547.	1.6	2

#	ARTICLE	IF	CITATIONS
181	A new species of Lernanthropus De Blainville, 1822 (Copepoda: Lernanthropidae) parasitic on Menticirrhus ophicephalus (Jenyns) (Teleostei: Sciaenidae) from the Peruvian coast. Systematic Parasitology, 1990, 17, 97-101.	1.1	2
182	A new species of Aphanoblastella (Monogenea: Dactylogyridae) parasitic on Rhamdia quelen (Siluriformes: Heptapteridae) from Southeastern Brazil. Acta Scientiarum - Biological Sciences, 2009, 31, .	0.3	2
183	A parasitic copepod, Neoalbionella sp. (Lernaeopodidae), on the southern lanternshark Etmopterus granulosus (Etmopteridae) off Juan Fernández Archipelago, Chile. Revista De Biología Marina Y Oceanografía, 2010, 45, .	0.2	2
184	Variação sazonal dos metazoários parasitos de Geophagus brasiliensis (Perciformes: Cichlidae) no rio Guandu, Estado do Rio de Janeiro, Brasil. Acta Scientiarum - Biological Sciences, 2010, 32, .	0.3	2
185	New morphological data on Cucullanus pinnai pinnai (Nematoda) parasitizing Pimelodus maculatus (Pimelodidae) in southeastern Brazil. Brazilian Journal of Veterinary Parasitology, 2015, 24, 155-161.	0.7	2
186	A new species of Loimopapillosum Hargis, 1955 (Monogenea: Monocotylidae) parasitizing Hypanus dipterurus (Myliobatiformes: Dasyatidae) off the Pacific coast of South America, and its phylogenetic relationships. Journal of Helminthology, 2021, 95, .	1.0	2
187	Some monogenea parasitic on peruvian marine fishes, with description of Anoplocotylodes chorrillensis new species and new records. Memórias Do Instituto Oswaldo Cruz, 1991, 86, 425-428.	1.6	2
188	Glossidiella peruensis sp. nov., a new digenean (Plagiorchiida: Plagiorchiidae) from the lung of the brown ground snake Atractus major (Serpentes: Dipsadidae) from Peru. Zoologia, 0, 37, 1-6.	0.5	2
189	A new species of Comephoronema (Nematoda: Cystidicolidae) from the squirrelfish Holocentrus adscensionis (Beryciformes: Holocentridae) off Brazil. Folia Parasitologica, 2014, 61, 55-62.	1.3	2
190	A checklist of helminths associated with reptiles (Tetrapoda: Reptilia) from Peru. Journal of Helminthology, 2022, 96, e30.	1.0	2
191	Bomolochus peruensis n. sp. (Copepoda: Bomolochidae), a parasite of sciaenid fishes from the Peruvian coast. Systematic Parasitology, 1990, 15, 203-209.	1.1	1
192	Metacercárias de Neascus sp. em Geophagus brasiliensis (Perciformes: Cichlidae) do rio do Peixe, Juiz de Fora, Brasil. Acta Scientiarum - Biological Sciences, 2008, 30, .	0.3	1
193	Occurrence of Clavellisa ilishae (Copepoda: Lernaeopodidae) parasitizing herrings (Actinopterygii): Tj ETQq1 1 0.784314 rgBT/Overlo	0.7	1
194	New morphological data and first description of gravid female of Cucullanus bagre Petter, 1974 (Seuratoidea: Cucullanidae) from Bagre bagre (Linnaeus, 1766) (Siluriformes: Ariidae) off Brazil. Acta Parasitologica, 2014, 60, 138-45.	1.1	1
195	Factors associated with parasite dominance in fishes from Brazil. Brazilian Journal of Veterinary Parasitology, 2016, 25, 225-230.	0.7	1
196	Towards a robust systematic baseline of Neotropical fish tapeworms (Cestoda: Proteocephalidae): amended diagnoses of two genera from the redbelt catfish, Phractocephalus hemiliopterus. Zootaxa, 2018, 4370, 363.	0.5	1
197	Redescription and First Nucleotide Sequences of Rhinobatonchocotyle pacifica Oliva & Luque, 1995 (Monogenea: Hexabothriidae), a Parasite of Pseudobatos planiceps (Garman, 1880) (Rhinopristiformes: Rhinobatidae) from Peru. Acta Parasitologica, 2019, 64, 797-806.	1.1	1
198	Diet and abundance of the barber goby Elacatinus figaro on Brazilian marginal reefs: ecological predictors and reliance on cleaning interactions. Marine Biology, 2021, 168, 1.	1.5	1

#	ARTICLE	IF	CITATIONS
199	New record of monogeneans (Platyhelminthes: Monogenea) infecting some marine fishes from the Peruvian coastal zone. <i>Revista Peruana De Biología</i> , 2021, 28, e21125.	0.3	1
200	Redescriptions of two species of <i>Lepeophtheirus</i> (Copepoda, Siphonostomatoida, Caligidae) parasitic on teleost marine fishes from the coastal zone of the State of Rio de Janeiro, Brazil. <i>Revista Brasileira De Zoologia</i> , 2000, 17, 1079-1088.	0.5	1
201	Six new species of <i>Rhamnocercus</i> Monaco, Wood & Mizelle, 1954 (Monogenea: Diplectanidae) infecting the gills from South American sciaenid fishes. <i>Systematic Parasitology</i> , 0, , .	1.1	1
202	First record of sea lice <i>Lepeophtheirus curtus</i> (Copepoda, Caligidae) in sea-farmed <i>Epinephelus marginatus</i> (Serranidae) in Brazil. <i>Brazilian Journal of Biology</i> , 2016, 76, 545-547.	0.9	0
203	A new species of <i>Dermadena</i> (Digenea: Lepocreadiidae) from the stone triggerfish <i>Pseudobalistes naufragium</i> (Tetraodontiformes: Balistidae) in the South American Pacific Ocean. <i>Journal of Helminthology</i> , 2022, 96, e34.	1.0	0