

JosÃ© L Luque

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8863484/publications.pdf>

Version: 2024-02-01

203
papers

3,292
citations

172457
h-index

254184
g-index

215
all docs

215
docs citations

215
times ranked

2003
citing authors

#	ARTICLE	IF	CITATIONS
1	A checklist of helminths associated with reptiles (Tetrapoda: Reptilia) from Peru. <i>Journal of Helminthology</i> , 2022, 96, e30.	1.0	2
2	A new species of <i>Dermadema</i> (Digenea: Lepocreadiidae) from the stone triggerfish <i>Pseudobalistes naufragium</i> (Tetraodontiformes: Balistidae) in the South American Pacific Ocean. <i>Journal of Helminthology</i> , 2022, 96, e34.	1.0	0
3	A New Species of Hatschekiid Copepod (Crustacea: Hatschekiidae) Parasitic on the Porkfish <i>Anisotremus virginicus</i> (Linnaeus, 1758) (Actinopterygi: Haemulidae), with Notes on Previously Known Species of Hatschekia Poche, 1902 Collected from Actinopterygians off Brazil. <i>Acta Parasitologica</i> , 2022, 67, 1126-1135.	1.1	3
4	Integrative taxonomy reveals hidden cestode diversity in <i>Pimelodus</i> catfishes in the Neotropics. <i>Zoologica Scripta</i> , 2021, 50, 210-224.	1.7	10
5	First Data on the Parasites of the Pacific Kingcroaker <i>Menticirrhus elongatus</i> (Perciformes:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 Parasitologica, 2021, 66, 1246-1250.	1.1	3
6	Diet and abundance of the barber goby <i>Elacatinus figaro</i> on Brazilian marginal reefs: ecological predictors and reliance on cleaning interactions. <i>Marine Biology</i> , 2021, 168, 1.	1.5	1
7	New arrangement of three genera of fish tapeworms (Cestoda: Proteocephalidae) in catfishes (Siluriformes) from the Neotropical Region: taxonomic implications of molecular phylogenetic analyses. <i>Parasitology Research</i> , 2021, 120, 1593-1603.	1.6	5
8	Molecular and morphological evidence of a new species of <i>Crassicutis Manter</i> 1936 (Digenea), a parasite of cichlids in South America. <i>Parasitology Research</i> , 2021, 120, 2429-2443.	1.6	3
9	Bicentenariella n. g. (Monogenea: Dactylogyridae) including descriptions of three new species and two new combinations from serranid fishes (Actinopterygii: Serranidae: Anthiinae) in the South American Pacific Ocean. <i>Systematic Parasitology</i> , 2021, 98, 357-367.	1.1	4
10	New record of monogeneans (Platyhelminthes: Monogenea) infecting some marine fishes from the Peruvian coastal zone. <i>Revista Peruana De Biologia</i> , 2021, 28, e21125.	0.3	1
11	A new species of <i>Loimopapillosum Hargis</i> , 1955 (Monogenea: Monocotylidae) parasitizing <i>Hypanus dipterurus</i> (Myliobatiformes: Dasyatidae) off the Pacific coast of South America, and its phylogenetic relationships. <i>Journal of Helminthology</i> , 2021, 95, .	1.0	2
12	A new species of <i>Contraeacum</i> (Nematoda: Anisakidae) found parasitizing <i>Nannopterum brasiliensis</i> (Suliformes: Phalacrocoracidae) and <i>Hoplias argentinensis</i> (Characiformes:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 stages, <i>Journal of Helminthology</i> , 2020, 94, e184.	1.0	1
13	An integrative approach assesses the intraspecific variations of <i>Procamallanus</i> (<i>Spirocammallanus</i>) <i>inopinatus</i> , a common parasite in Neotropical freshwater fishes, and the phylogenetic patterns of Camallanidae. <i>Parasitology</i> , 2020, 147, 1752-1764.	1.5	12
14	A new species of Heterocotyle (Monogenea: Monocotylidae), a gill parasite of the diamond stingray <i>Hypanus dipterurus</i> (Myliobatiformes: Dasyatidae) from the Peruvian coastal zone. <i>Acta Parasitologica</i> , 2020, 65, 474-481.	1.1	4
15	A new genus and three new species of dactylogyrids (Monogenea), gill parasites of the threadfin bass, <i>Pronotogrammus multifasciatus</i> Gill (Perciformes: Serranidae) in the Southeastern Pacific Ocean off Peru. <i>Systematic Parasitology</i> , 2020, 97, 121-131.	1.1	5
16	Testing for deterministic succession in metazoan parasite communities of marine fish. <i>Ecology Letters</i> , 2020, 23, 631-641.	6.4	8
17	Redescription and First Nucleotide Sequences of <i>Rhinobatonchocotyle pacifica</i> Oliva & Luque, 1995 (Monogenea: Hexabothriidae), a Parasite of <i>Pseudobatos planiceps</i> (Garman, 1880) (Rhinopristiformes: Rhinobatidae) from Peru. <i>Acta Parasitologica</i> , 2019, 64, 797-806.	1.1	1
18	The phylogenetic position of <i>Anacanthorus</i> (Monogenea, Dactylogyridae) parasitizing Brazilian serrasalmids (Characiformes). <i>Parasite</i> , 2019, 26, 44.	2.0	5

#	ARTICLE	IF	CITATIONS
19	New Species and Records of <i>Anacanthorus</i> (Monogenea: Dactylogyridae) Parasitizing Serrasalmid Fish (Characiformes) from Brazil, Including Molecular Data. <i>Acta Parasitologica</i> , 2019, 64, 449-455.	1.1	7
20	Stocks and migrations of the demersal fish <i>Umbrina canosai</i> (Sciaenidae) endemic from the subtropical and temperate Southwestern Atlantic revealed by its parasites. <i>Fisheries Research</i> , 2019, 214, 10-18.	1.7	16
21	First molecular assessment of the interrelationships of cladorchiid digeneans (Digenea:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 66 new host and geographical records. <i>Folia Parasitologica</i> , 2019, 66, .	1.3	10
22	HELMINTH COMMUNITY STRUCTURE OF TWO SIGMODONTINE RODENTS IN SERRA DOS Ã“RGÃƒOS NATIONAL PARK, STATE OF RIO DE JANEIRO, BRAZIL. <i>Oecologia Australis</i> , 2019, 23, 301-314.	0.2	7
23	Are different parasite guilds of <i>Pagrus pagrus</i> equally suitable sources of information on host zoogeography?. <i>Parasitology Research</i> , 2018, 117, 1865-1875.	1.6	19
24	Hypanocotyle bullardi n. gen. n. sp. (Monogenea: Hexabothriidae) from gill of the diamond stingray <i>Hypanus dipterurus</i> (Jordan et Gilbert) (Myliobatiformes: Dasyatidae) in the Southeastern Pacific Ocean off Peru. <i>Parasitology International</i> , 2018, 67, 425-430.	1.3	11
25	Redescription and genetic characterization of <i>Cystidicoloides vaucherii</i>, including first description of male and current status on the phylogeny of Cystidicolidae (Nematoda:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 49		
26	Helminth metacommunity structure of wild rodents in a preserved area of the Atlantic Forest, Southeast Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2018, 27, 495-504.	0.7	9
27	A new genus and species of the Dasybatotreminae Bychowsky, 1957 (Monogenea: Monocotylidae), parasitic on <i>Hypanus dipterurus</i> (Jordan & Gilbert) (Myliobatiformes: Dasyatidae) in the Southeastern Pacific Ocean off Peru. <i>Zootaxa</i> , 2018, 4527, 347.	0.5	7
28	Four new species of dactylogyrids (Monogenea: Dactylogyridae) parasitic on gills of labrid and sparid fishes from Southeastern Pacific Ocean off Peru. <i>Systematic Parasitology</i> , 2018, 95, 829-840.	1.1	5
29	First molecular data for <i>Lernaea cyprinacea</i> (Copepoda: Cyclopoida) infesting <i>Odontesthes bonariensis</i> , a commercially important freshwater fish in Argentina. <i>Brazilian Journal of Veterinary Parasitology</i> , 2018, 27, 105-108.	0.7	7
30	Integrative approach on Pharyngodonidae (Nematoda: Oxyuroidea) parasitic in reptiles: Relationship among its genera, importance of their diagnostic features, and new data on <i>Parapharyngodon bainae</i> . <i>PLoS ONE</i> , 2018, 13, e0200494.	2.5	8
31	New genera and species of paramphistomes (Digenea: Paramphistomoidea: Cladorchidae) parasitic in fishes from the Amazon basin in Peru. <i>Systematic Parasitology</i> , 2018, 95, 611-624.	1.1	6
32	Morphological and phylogenetic characterization of a novel <i>Unicauda</i> species, infecting the kidney of <i>Astyanax altiparanae</i> (Teleostei: Characidae) in Brazil. <i>Acta Parasitologica</i> , 2018, 63, 495-503.	1.1	4
33	Towards a robust systematic baseline of Neotropical fish tapeworms (Cestoda: Proteocephalidae): amended diagnoses of two genera from the redtail catfish, <i>Phractocephalus hemiolopterus</i> . <i>Zootaxa</i> , 2018, 4370, 363.	0.5	1
34	Phylogenetic Position of <i>Pseudosellacotyla lutzi</i> (Freitas, 1941) (Digenea: Cryptogonimidae), A Parasite of <i>Hoplias malabaricus</i> (Bloch) in South America, through 28S rDNA Sequences, and New Observations of the Ultrastructure of Their Tegument. <i>Journal of Parasitology</i> , 2018, 104, 530-538.	0.7	7
35	Parapharyngodon hugoi n. sp., a new nematode (Oxyuroidea: Pharyngodonidae) of the tree frog <i>Trachycephalus typhonius</i> (Linnaeus) from the Brazilian Pantanal, including a key to the congeners from amphibians of the American continent. <i>Systematic Parasitology</i> , 2017, 94, 599-607.	1.1	10
36	Redescription and first genetic characterisation of <i>Procammallanus</i> (<i>Spirocammallanus</i>) <i>macaensis</i> Vicente & Santos, 1972 (Nematoda: Camallanidae), including re-evaluation of the species of <i>Procammallanus</i> (<i>Spirocammallanus</i>) from marine fishes off Brazil. <i>Systematic Parasitology</i> , 2017, 94, 657-668.	1.1	9

#	ARTICLE	IF	CITATIONS
37	Parasites of the Brazilian flathead <i>Percophis brasiliensis</i> reflect West Atlantic biogeographic regions. <i>Parasitology</i> , 2017, 144, 169-178.	1.5	19
38	Untangling convoluted taxonomy of Chambriella Rego, Chubb & Pavanelli, 1999 (Cestoda: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 7 pimelodid catfishes in the Neotropical Region. <i>Systematic Parasitology</i> , 2017, 94, 367-389.	1.1	7
39	Redescription of the nematode parasites of lizards: <i>Strongyluris oscari</i> Travassos, 1923 (Heterakidae) from Brazil and <i>Pharyngodon mamillatus</i> (Linstow, 1897) (Pharyngodontidae) from Egypt. <i>Acta Parasitologica</i> , 2017, 62, 805-814.	1.1	4
40	Diplectanids (Monogenea) parasitic on sciaenid fish from Peru with the proposal of <i>Pseudorhamnocercoides</i> n. gen., the description of <i>Rhamnocercus dominguesi</i> n. sp. and the redescription of <i>Rhamnocercoides menticirrhi</i> Luque and Iannaccone, 1991. <i>Acta Parasitologica</i> , 2017, 62, 541-548.	1.1	5
41	Three monogeneans parasitic on marine sciaenid fish from Peru including description of <i>Cynoscionicola veranoi</i> n. sp. (Microcotylidae), and redescription of <i>C. americanus</i> TantaleÃ¡n, MartÃ¡nez and Escalante, 1987 and <i>Hargicotide sciaenae</i> Oliva and Luque, 1989 (Diclidophoridae). <i>Acta Parasitologica</i> , 2017, 62, 675-687.	1.1	3
42	An integrated phylogenetic analysis on ascaridoid nematodes (Anisakidae, Raphidascarididae), including further description and intraspecific variations of <i>Raphidascaris</i> (<i>Sprentascaris</i>) lanfrediae in freshwater fishes from Brazil. <i>Parasitology International</i> , 2017, 66, 898-904.	1.3	15
43	Helminth parasites of South American fishes: current status and characterization as a model for studies of biodiversity. <i>Journal of Helminthology</i> , 2017, 91, 150-164.	1.0	40
44	Morphological and molecular characterization of cucullanid nematodes including <i>Cucullanus opisthoporus</i> n. sp. in freshwater fish from the Brazilian Amazon. <i>Journal of Helminthology</i> , 2017, 91, 739-751.	1.0	8
45	Parasitic nematodes of three species of wild carnivore mammals from Atlantic forest in the state of Minas Gerais, Brazil. <i>Revista Mexicana De Biodiversidad</i> , 2017, 88, 801-806.	0.4	13
46	<i>Mexicana rubra</i> sp. nov. and <i>Encotyllabe</i> cf. <i>spari</i> Yamaguti, 1934 (Monogenea) of <i>Orthopristis ruber</i> (Cuvier, 1830) from the Brazilian Coast off Rio de Janeiro. <i>Helminthologia</i> , 2017, 54, 336-347.	0.9	6
47	Dactylogyrids (Monogenea) parasitic on marine fish from Peru including the description of a new species of <i>Haliotrema</i> Johnston & Tiegs, 1922 and two new species of <i>Paracyclodiscoides</i> Caballero & C. & Bravo-Hollis, 1961. <i>Zootaxa</i> , 2017, 4311, 111.	0.5	6
48	A new species of <i>Argulus</i> (Crustacea, Branchiura, Argulidae) from the skin of catfish, with new records of branchiurans from wild fish in the Brazilian Pantanal wetland. <i>Zootaxa</i> , 2017, 4320, 447.	0.5	4
49	New morphological data and molecular diagnostic of <i>Henneguya friderici</i> (Myxozoa: Myxobolidae), a parasite of <i>Leporinus friderici</i> (Osteichthyes: Anostomidae) from southeastern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2017, 26, 81-88.	0.7	4
50	Annotated checklist of fish cestodes from South America. <i>ZooKeys</i> , 2017, 650, 1-205.	1.1	31
51	From mammals back to birds: Host-switch of the acanthocephalan <i>Corynosoma australe</i> from pinnipeds to the Magellanic penguin <i>Spheniscus magellanicus</i> . <i>PLoS ONE</i> , 2017, 12, e0183809.	2.5	23
52	First Record of <i>Raillietina celebensis</i> (Cestoda: Cyclophyllidea) in South America: Redescription and Phylogeny. <i>Journal of Parasitology</i> , 2017, 103, 359-365.	0.7	8
53	Parasite abundance and its determinants in fishes from Brazil: an eco-epidemiological approach. <i>Brazilian Journal of Veterinary Parasitology</i> , 2016, 25, 196-201.	0.7	3
54	A new species of <i>Diaphorocleidus</i> (Monogenea: Ancyrocephalinae) from the gills of <i>Argonectes robertsi</i> (Characiformes) and new records of dactylogyrids parasitic on fishes from the Xingu River, Amazon Basin, Brazil. <i>Zoologica</i> , 2016, 33, .	0.5	6

#	ARTICLE	IF	CITATIONS
55	Factors associated with parasite dominance in fishes from Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2016, 25, 225-230.	0.7	1
56	A new species of <i>Leposphilus</i> Hesse, 1866 (Copepoda: Philichthyidae) parasitic in the interorbital canals of the whitemouth croaker <i>Micropogonias furnieri</i> (Desmarest) (Sciaenidae) off Brazil with an amended diagnosis of the genus. <i>Systematic Parasitology</i> , 2016, 93, 501-515.	1.1	5
57	Ecotonal marine regions – ecotonal parasite communities: helminth assemblages in the convergence of masses of water in the southwestern Atlantic Ocean. <i>International Journal for Parasitology</i> , 2016, 46, 809-818.	3.1	12
58	A new species of <i>Ergasilus</i> (Copepoda: Ergasilidae) from <i>Geophagus altifrons</i> and <i>G. argyrostictus</i> (Perciformes: Cichlidae) in the Brazilian Amazon. <i>Acta Parasitologica</i> , 2016, 61, 549-55.	1.1	15
59	<i>Colobomatus kimi</i> sp. nov. (Copepoda: Philichthyidae) parasitic in the dwarf goatfish <i>Upeneus parvus</i> Poey, 1852 (Perciformes: Mullidae) in the South Atlantic Ocean. <i>Zootaxa</i> , 2016, 4174, 176.	0.5	6
60	Morphology and molecular characterization hold hands: clarifying the taxonomy of <i>Hysterothylacium</i> (Nematoda: Anisakidae) larval forms. <i>Parasitology Research</i> , 2016, 115, 4353-4364.	1.6	14
61	The influence of habitat fragmentation on helminth communities in rodent populations from a Brazilian Mountain Atlantic Forest. <i>Journal of Helminthology</i> , 2016, 90, 460-468.	1.0	25
62	Dactylogyrids (Monogenea) parasitic on cichlids from northern Brazil, with description of two new species of <i>Sciadicleithrum</i> and new host and geographical records. <i>Acta Parasitologica</i> , 2016, 61, 158-64.	1.1	10
63	Parasitological evidence of stocks of <i>Paralichthys isosceles</i> (Pleuronectiformes: Paralichthyidae) at small and large geographical scales in South American Atlantic coasts. <i>Fisheries Research</i> , 2016, 173, 221-228.	1.7	16
64	Biotic and abiotic effects on the intestinal helminth community of the brown rat <i>Rattus norvegicus</i> from Rio de Janeiro, Brazil. <i>Journal of Helminthology</i> , 2016, 90, 21-27.	1.0	16
65	Comunidad de Helmintos Parásitos del Sapo Espinoso <i>Rhinella spinulosa</i> (Wiegmann, 1834) (Anura: Tij ETQq1 1 0,784314 rgBT /Overlock 10 Tf		
66	Ecología Comunitaria de Metazoos Parásitos del Bonito Sarda chilensis Cuvier, 1832 (Perciformes:) Tij ETQq0 0 0 rgBT /Overlock 10 Tf		
67	First record of sea lice <i>Lepeophtheirus curtus</i> (Copepoda, Caligidae) in sea-farmed <i>Epinephelus marginatus</i> (Serranidae) in Brazil. <i>Brazilian Journal of Biology</i> , 2016, 76, 545-547.	0.9	0
68	Seasonal variability of the composition and structure of parasite communities of red porgy, <i>Pagrus pagrus</i> (Perciformes: Sparidae) off Brazil. <i>Helminthologia</i> , 2015, 52, 236-243.	0.9	7
69	A new species of philichthyid copepod (Crustacea: Cyclopoida) parasitic on <i>Stellifer</i> spp. (Perciformes: Sciaenidae) from southeastern Brazil. <i>Zootaxa</i> , 2015, 3925, 438-44.	0.5	5
70	Community ecology of the metazoan parasites of Brazilian sardinella, <i>Sardinella brasiliensis</i> (Steindachner, 1879) (Actinopterygii: Clupeidae) from the coastal zone of the State of Rio de Janeiro, Brazil. <i>Brazilian Journal of Biology</i> , 2015, 75, 736-741.	0.9	14
71	New morphological data on <i>Cucullanus pinnai pinnai</i> (Nematoda) parasitizing <i>Pimelodus maculatus</i> (Pimelodidae) in southeastern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2015, 24, 155-161.	0.7	2
72	Factors associated with parasite aggregation levels in fishes from Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2015, 24, 174-182.	0.7	22

#	ARTICLE	IF	CITATIONS
73	<p>A survey of nematodes of the genus Cucullanus MÃ¼ller, 1777(Nematoda, Seuratoidea) parasitic in marine fishes off Brazil, including description of three new species</p>. Zootaxa, 2015, 4039, 289.	0.5	13
74	A Checklist of the Aspidogastrea (Platyhelminthes: Trematoda) of the World. Zootaxa, 2015, 3918, 339.	0.5	24
75	Molecular and Morphological Characterization of Anisakid Nematode Larvae from the Sandperches <i>Pseudoperca numida</i> and <i>Pinguipe brasiliensis</i> (Perciformes: Pinguipedidae) off Brazil. Journal of Parasitology, 2015, 101, 492-499.	0.7	20
76	First data on the parasites of Hoplias aimara (Characiformes): description of two new species of gill monogeneans (Dactylogyridae). Acta Parasitologica, 2015, 60, 254-60.	1.1	13
77	Cross-Cultural Differences in a Global â€œSurvey of World Viewsâ€. Journal of Cross-Cultural Psychology, 2015, 46, 53-70.	1.6	83
78	A Morphological and Molecular Study of <i>Spectatus spectatus</i> (Kathlaniidae), Including Redescription of the Species and Amendment of Genus Diagnosis. Journal of Parasitology, 2015, 101, 468-475.	0.7	6
79	A morphological and molecular study of two species of Raphidascaroides Yamaguti, 1941 (Nematoda: Tj ETQq1 1 0.784314 rgBT /Over moraveci n. sp.. Systematic Parasitology, 2015, 91, 49-61.	1.1	16
80	The patterns of organisation and structure of interactions in a fish-parasite network of a neotropical river. International Journal for Parasitology, 2015, 45, 549-557.	3.1	31
81	Ectoparasites and endoparasites of fish form networks with different structures. Parasitology, 2015, 142, 901-909.	1.5	32
82	A redescription of Lobatostoma kemostoma (MacCallum & MacCallum, 1913) (Trematoda: Aspidogastrea) from the florida pompano fish Trachinotus carolinus (Linnaeus, 1766) off the Brazilian coast. Journal of Helminthology, 2015, 89, 335-344.	1.0	3
83	A new genus and species of proteocephalidean tapeworm (Cestoda), first parasite found in the driftwood catfish Tocantinsia piresi (Siluriformes: Auchenipteridae) from Brazil. Folia Parasitologica, 2015, 62, .	1.3	8
84	Checklist of metazoan associated with grunts (Perciformes, Haemulidae) from the Nearctic and Neotropical regions. Check List, 2015, 11, 1501.	0.4	17
85	Parasite community of Pagrus pagrus(Sparidae) from Rio de Janeiro, Brazil: evidence of temporal stability. Brazilian Journal of Veterinary Parasitology, 2014, 23, 216-223.	0.7	21
86	Molecular and morphological characterization of Contracaecum pelagicum (Nematoda) parasitizing Spheniscus magellanicus (Chordata) from Brazilian waters. Brazilian Journal of Veterinary Parasitology, 2014, 23, 74-79.	0.7	5
87	Checklist of Platyhelminthes, Acanthocephala, Nematoda and Arthropoda parasitizing penguins of the world. Check List, 2014, 10, 562-573.	0.4	21
88	PREVALENCE OF Calodium hepaticum (SYN. Capillaria hepatica) IN Rattus norvegicus IN THE URBAN AREA OF RIO DE JANEIRO, BRAZIL. Revista Do Instituto De Medicina Tropical De Sao Paulo, 2014, 56, 455-457.	1.1	8
89	<i>Dichelyne</i> (<i>Cucullanellus</i>) <i>tornquisti</i> n. sp. (Nematoda: Cucullanidae) from Corocoro Grunt, <i>Orthopristis ruber</i> (Cuvier, 1830) (Perciformes: Haemulidae) from Southeastern Brazil. Journal of Parasitology, 2014, 100, 215-220.	0.7	8
90	Additional Data on the Synlophe of <i>Stilestrongylus aculeata</i> (Travassos, 1918) and <i>Stilestrongylus eta</i> (Travassos, 1937) (Heligmonellidae) Parasitic in <i>Akodon montensis</i> (Sigmodontinae) from the Atlantic Forest. Journal of Parasitology, 2014, 100, 151-153.	0.7	3

#	ARTICLE	IF	CITATIONS
91	A longitudinal study of <i>Angiostrongylus cantonensis</i> in an urban population of <i>Rattus norvegicus</i> in Brazil: the influences of seasonality and host features on the pattern of infection. <i>Parasites and Vectors</i> , 2014, 7, 100.	2.5	29
92	A new species of <i>Cucullanus MÃ¼ller</i> , 1777 (Nematoda: Cucullanidae) parasitic in the grey triggerfish <i>Balistes capriscus</i> Gmelin (Osteichthyes: Balistidae) off Rio de Janeiro, Brazil. <i>Systematic Parasitology</i> , 2014, 87, 283-291.	1.1	11
93	< i>Physaloptera bainae</i>n. sp. (Nematoda: Physalopteridae) Parasitic in < i>Salvator merianae</i>(Squamata: Teiidae), with a Key to < i>Physaloptera</i>Species Parasitizing Reptiles from Brazil. <i>Journal of Parasitology</i> , 2014, 100, 221-227.	0.7	13
94	Parasites of <i>Urophycis brasiliensis</i> (Gadiformes: Phycidae) as indicators of marine ecoregions in coastal areas of the South American Atlantic. <i>Parasitology Research</i> , 2014, 113, 4281-4292.	1.6	18
95	New morphological data and first description of gravid female of <i>Cucullanus bagre</i> Petter, 1974 (Seuratoidea: Cucullanidae) from Bagre bagre (Linnaeus, 1766) (Siluriformes: Ariidae) off Brazil. <i>Acta Parasitologica</i> , 2014, 60, 138-45.	1.1	1
96	A new species of <i>Comephoronema</i> (Nematoda: Cystidicolidae) from the squirrelfish <i>Holocentrus adscensionis</i> (Beryciformes: Holocentridae) off Brazil. <i>Folia Parasitologica</i> , 2014, 61, 55-62.	1.3	4
97	Genetic and morphological evidence reveals the existence of a new family, genus and species of Echinorhynchida (Acanthocephala). <i>Folia Parasitologica</i> , 2014, 61, 377-384.	1.3	22
98	A new species of <i>Comephoronema</i> (Nematoda: Cystidicolidae) from the squirrelfish <i>Holocentrus adscensionis</i> (Beryciformes: Holocentridae) off Brazil. <i>Folia Parasitologica</i> , 2014, 61, 55-62.	1.3	2
99	Seasonal Influence on the Parasite Fauna of a Wild Population of < i>Astronotus ocellatus</i> (Perciformes: Cichlidae) from the Brazilian Amazon. <i>Journal of Parasitology</i> , 2013, 99, 718-721.	0.7	42
100	New records and descriptions of digeneans from the Magellanic penguin <i>Spheniscus magellanicus</i> (Forster) (Aves: Sphenisciformes) on the coast of Brazil. <i>Systematic Parasitology</i> , 2013, 85, 79-98.	1.1	14
101	A New Metastrongyloidean Species (Nematoda) Parasitizing Pulmonary Arteries of <i>Puma (Herpailurus) yagouaroundi</i> (Geoffroy, 1803) (Carnivora: Felidae) from Brazil. <i>Journal of Parasitology</i> , 2013, 99, 327-331.	0.7	27
102	A new species of <i>Acantholochus</i> (Cyclopoida, Bomolochidae) parasitic on the barred grunt <i>Conodon nobilis</i> (Linnaeus, 1758) (Osteichthyes, Haemulidae) from Rio de Janeiro, Brazil. <i>Crustaceana</i> , 2013, 86, 212-220.	0.3	4
103	The relationship between nematode infections and ontogeny and diet of the lizard < i>Tropidurus torquatus</i> (Wied, 1820) (Squamata: Tropiduridae) from the Atlantic Rainforest in south-eastern Brazil. <i>Journal of Helminthology</i> , 2013, 87, 364-370.	1.0	11
104	Occurrence of <i>Clavellisa ilisha</i> e(Copepoda: Lernaeopodidae) parasitizing herrings (Actinopterygii: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.7	
105	Parasite fauna of wild and cultured dusky-grouper <i>Epinephelus marginatus</i> (Lowe, 1834) from Ubatuba, Southeastern Brazil. <i>Brazilian Journal of Biology</i> , 2013, 73, 871-878.	0.9	15
106	Pseudascarophis brasiliensis sp. nov. (Nematoda: Cystidicolidae) parasitic in the Bermuda chub <i>Kyphosus sectatrix</i> (Perciformes: Kyphosidae) from southeastern Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2013, 108, 476-480.	1.6	6
107	Developmental Stage of Parasites Influences the Structure of Fish-Parasite Networks. <i>PLoS ONE</i> , 2013, 8, e75710.	2.5	40
108	Checklist of Crustacea parasitizing fishes from Brazil. <i>Check List</i> , 2013, 9, 1449.	0.4	67

#	ARTICLE	IF	CITATIONS
109	Dipylidium caninum (Cyclophyllidea, Dipylidiidae) in a Wild Carnivore from Brazil. <i>Journal of Wildlife Diseases</i> , 2012, 48, 233-234.	0.8	5
110	A New <i>Physaloptera</i> (Nematoda: Physalopteridae) Parasite of <i>Tupinambis merianae</i> (Squamata: Teiidae) from Southeastern Brazil. <i>Journal of Parasitology</i> , 2012, 98, 1227-1235.	0.7	28
111	A new species of <i>Colobomatus</i> (Copepoda, Phylichthyidae) parasitic on <i>Mullus argentinae</i> (Perciformes, Mullidae) from South American Atlantic coast. <i>Acta Parasitologica</i> , 2012, 57, 323-8.	1.1	6
112	Geographical Patterns of Parasite Infracommunities in the Rough Scad, <i>Trachurus lathami</i> Nichols, in the Southwestern Atlantic Ocean. <i>Journal of Parasitology</i> , 2012, 98, 768-777.	0.7	31
113	Helminth communities in three sympatric rodents from the Brazilian Atlantic Forest: contrasting biomass and numerical abundance. <i>Brazilian Journal of Biology</i> , 2012, 72, 909-914.	0.9	8
114	Checklist of Protozoan parasites of fishes from Brazil. <i>Zootaxa</i> , 2012, 3221, 1.	0.5	24
115	Expanded description of <i>Lamproglena monodi</i> (Copepoda: Lernaeidae), parasitizing native and introduced fishes in Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2012, 21, 263-269.	0.7	10
116	First record of <i>Caligus mutabilis</i> (Copepoda: Caligidae), in sea-farmed <i>Mycteroperca microlepis</i> (Perciformes: Serranidae) in Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2012, 21, 330-333.	0.7	4
117	A new species of <i>Neoascarophis</i> (Nematoda: Cystidicolidae) parasitic in <i>Mullus argentinae</i> (Perciformes: Mullidae) from the Atlantic coast of South America. <i>Folia Parasitologica</i> , 2012, 59, 64-70.	1.3	7
118	<i>Crenosoma brasiliense</i> sp. n. (Nematoda: Metastrongyloidea) parasitic in lesser grison, <i>Galictis cuja</i> (Molina, 1782) (Carnivora, Mustelidae) from Brazil, with a key to species of <i>Crenosoma</i> Molin, 1861. <i>Folia Parasitologica</i> , 2012, 59, 187-194.	1.3	10
119	New and Previously Described Species of <i>Urocleidooides</i> (Monogenoidea: Dactylogyridae) Infecting the Gills and Nasal Cavities of <i>Hoplias malabaricus</i> (Characiformes: Erythrinidae) From Brazil. <i>Journal of Parasitology</i> , 2011, 97, 406-417.	0.7	23
120	Checklist of Nematoda associated with the fishes of Brazil. <i>Zootaxa</i> , 2011, 3082, .	0.5	83
121	Ectoparasites as numerical dominant species in parasite community of <i>Trachelyopterus striatulus</i> (Siluriformes: Auchenipteridae) from Guandu River, southeastern Brazil. <i>Brazilian Journal of Biology</i> , 2011, 71, 623-627.	0.9	9
122	Tissue alterations in the pirarucu, <i>Arapaima gigas</i> , infected by <i>Goezia spinulosa</i> (Nematoda). <i>Brazilian Journal of Veterinary Parasitology</i> , 2011, 20, 207-209.	0.7	11
123	First record of <i>Neobenedenia melleni</i> (Monogenea: Capsalidae) in sea-farmed cobia (<i>Rachycentron</i>) Tj ETQq1 1 0.784314 rgBT ₂₁ Overlock	0.7	1
124	Seasonal variation in metazoan parasites of <i>Trichiurus lepturus</i> (Perciformes: Trichiuridae) of Rio de Janeiro, Brazil. <i>Brazilian Journal of Biology</i> , 2011, 71, 771-782.	0.9	16
125	Identifying hotspots of parasite diversity from species-area relationships: host phylogeny versus host ecology. <i>Oikos</i> , 2011, 120, 740-747.	2.7	33
126	Marine debris ingestion by Magellanic penguins, <i>Spheniscus magellanicus</i> (Aves: Sphenisciformes), from the Brazilian coastal zone. <i>Marine Pollution Bulletin</i> , 2011, 62, 2246-2249.	5.0	90

#	ARTICLE	IF	CITATIONS
127	A new species of <i>Kritskya</i> (Monogenea, Dactylogyridae) parasitic in the urinary bladder of <i>Salminus brasiliensis</i> (Characiformes) from the Pantanal wetlands, Brazil. <i>Acta Parasitologica</i> , 2011, 56, .	1.1	7
128	Endemic Angiostrongylasis, Rio de Janeiro, Brazil. <i>Emerging Infectious Diseases</i> , 2011, 17, 1331-1333.	4.3	35
129	A host-endoparasite network of Neotropical marine fish: are there organizational patterns?. <i>Parasitology</i> , 2011, 138, 1945-1952.	1.5	41
130	Variation in the helminth community structure of three sympatric sigmodontine rodents from the coastal Atlantic Forest of Rio de Janeiro, Brazil. <i>Journal of Helminthology</i> , 2011, 85, 171-178.	1.0	30
131	Expanded description of <i>Dolops bidentata</i> (Bouvier, 1899) (Branchiura: Argulidae) based on specimens collected on <i>Pygocentrus nattereri</i> Kner, 1858 (Characiformes) from Poconé Wetland, MT, Brazil. <i>Brazilian Journal of Biology</i> , 2011, 71, 145-149.	0.9	5
132	Similarity in parasite communities of the teleost fish <i>Pinguipes brasilianus</i> in the southwestern Atlantic: Infracommunities as a tool to detect geographical patterns. <i>International Journal for Parasitology</i> , 2010, 40, 243-254.	3.1	58
133	Host ontogeny and the temporal decay of similarity in parasite communities of marine fish. <i>International Journal for Parasitology</i> , 2010, 40, 963-968.	3.1	38
134	Metazoan parasites as biological tags for stock discrimination of whitemouth croaker <i>Micropogonias furnieri</i>. <i>Journal of Fish Biology</i> , 2010, 76, 591-600.	1.6	22
135	Checklist of helminth parasites of cetaceans from Brazil. <i>Zootaxa</i> , 2010, 2548, 57.	0.5	14
136	A parasitic copepod, <i>Neocalbionella</i> sp. (Lernaeopodidae), on the southern lanternshark <i>Etmopterus granulosus</i> (Etmopteridae) off Juan Fernández Archipelago, Chile. <i>Revista De Biología Marina Y Oceanografía</i> , 2010, 45, .	0.2	2
137	Variação sazonal dos metazoários parasitos de <i>Geophagus brasiliensis</i> (Perciformes: Cichlidae) no rio Guandu, Estado do Rio de Janeiro, Brasil. <i>Acta Scientiarum - Biological Sciences</i> , 2010, 32, .	0.3	2
138	Three New Species of <i>Demidospermus</i> (Monogenea: Dactylogyridae) Parasitic on <i>Brachyplatystoma filamentosum</i> (Siluriformes: Pimelodidae) From the Araguaia River, Brazil. <i>Journal of Parasitology</i> , 2010, 96, 869-873.	0.7	9
139	New evidence on a cold case: trophic transmission, distribution and host-specificity in <i>Hedruris spinigera</i> (Nematoda: Hedruridae). <i>Folia Parasitologica</i> , 2010, 57, 223-231.	1.3	18
140	Acanthocephala, Annelida, Arthropoda, Myxozoa, Nematoda and Platyhelminthes parasites of fishes from the Guandu river, Rio de Janeiro, Brazil. <i>Check List</i> , 2010, 6, 659.	0.4	35
141	Checklist of helminth parasites of threatened vertebrate species from Brazil. <i>Zootaxa</i> , 2009, 2123, 1-45.	0.5	40
142	A new species of <i>Aphanoblastella</i> (Monogenea: Dactylogyridae) parasitic on Rhamdia quelen (Siluriformes: Heptapteridae) from Southeastern Brazil. <i>Acta Scientiarum - Biological Sciences</i> , 2009, 31, .	0.3	2
143	<i>Apedunculata discoidea</i> gen. n., sp. n. (Monogenea: Dactylogyridae) parasitic on <i>Prochilodus lineatus</i> (Valenciennes, 1837) (Characiformes: Prochilodontidae) from southeastern Brazil. <i>Brazilian Journal of Biology</i> , 2009, 69, 895-898.	0.9	5
144	A New Heligmonellid Species (Nematoda) from <i>Oligoryzomys nigripes</i> (Rodentia: Sigmodontinae) in the Atlantic Forest, Brazil. <i>Journal of Parasitology</i> , 2009, 95, 734-738.	0.7	6

#	ARTICLE	IF	CITATIONS
145	A new species of <i>Dichelyne</i> (Nematoda, Cucullanidae) parasitizing sciaenid fishes from off the South American Atlantic coast. <i>Acta Parasitologica</i> , 2009, 54, .	1.1	10
146	A New species of <i>Heterosentis</i> Van Cleave, 1931 (Acanthocephala: Arhythmacanthidae) Parasitic in <i>Pseudopercis numida</i> Miranda Ribeiro, 1903 (Perciformes: Pinguipedidae) from Southeastern Brazilian Coastal Zone. <i>Journal of Parasitology</i> , 2009, 95, 747-750.	0.7	6
147	Four New Species of <i>Ligophorus</i> (Monogenea: Dactylogyridae) Parasitic on <i>Mugil liza</i> (Actinopterygii): Tj ETQq1 1 0.784314 rgBT /Overleaf	0.7	25
148	A new species of <i>Sciadicleithrum</i> (Monogenea, Dactylogyridae) parasitic on <i>Geophagus brasiliensis</i> (Perciformes, Cichlidae) from Guandu River, Southeastern Brazil. <i>Acta Parasitologica</i> , 2008, 53, .	1.1	9
149	Linking ecology with parasite diversity in Neotropical fishes. <i>Journal of Fish Biology</i> , 2008, 72, 189-204.	1.6	69
150	What can metazoan parasites reveal about the taxonomy of <i>Scomber japonicus</i> ? Houttuyn in the coast of South America and Madeira Islands?. <i>Journal of Fish Biology</i> , 2008, 72, 545-554.	1.6	23
151	Similarity Between Metazoan Parasite Communities of Two Sympatric Brackish Fish Species From Brazil. <i>Journal of Parasitology</i> , 2008, 94, 985-989.	0.7	20
152	Species abundance distributions and numerical dominance in gastrointestinal helminth communities of fish hosts. <i>Journal of Helminthology</i> , 2008, 82, 193-202.	1.0	24
153	Checklist of helminth parasites in wild carnivore mammals from Brazil. <i>Zootaxa</i> , 2008, 1721, 1.	0.5	75
154	MetacercÃ¡rias de <i>Neascus</i> sp. em <i>Geophagus brasiliensis</i> (Perciformes: Cichlidae) do rio do Peixe, Juiz de Fora, Brasil. <i>Acta Scientiarum - Biological Sciences</i> , 2008, 30, .	0.3	1
155	Community ecology of the metazoan parasites of namorado sandperches, <i>Pseudopercis numida</i> Miranda-Ribeiro, 1903 and <i>P. semifasciata</i> Cuvier, 1829 (Perciformes: Pinguipedidae), from the coastal zone of the State of Rio de Janeiro, Brazil. <i>Brazilian Journal of Biology</i> , 2008, 68, 269-278.	0.9	25
156	Checklist of Acanthocephala associated with the fishes of Brazil. <i>Zootaxa</i> , 2008, 1938, 1-22.	0.5	45
157	Metazoan parasite species richness in Neotropical fishes: hotspots and the geography of biodiversity. <i>Parasitology</i> , 2007, 134, 865-878.	1.5	129
158	Two new species of <i>Henneguya</i> ThÃ©lohan, 1892 (Myxozoa, Myxobolidae), parasitic on the gills of <i>Hoplosternum littorale</i> (Callichthyidae) and <i>Cyphocharax gilberti</i> (Curimatidae) from the Guandu River, State of Rio de Janeiro, Brazil. <i>Parasitologia Latinoamericana</i> , 2007, 62, .	0.2	16
159	Checklist of Copepoda associated with fishes from Brazil. <i>Zootaxa</i> , 2007, 1579, .	0.5	76
160	Larval <i>Hysterothylacium</i> sp. (Nematoda, Anisakidae) and trematode metacercariae from the amphipod <i>Paracorophium excavatum</i> (Corophiidae) in New Zealand. <i>Acta Parasitologica</i> , 2007, 52, 146.	1.1	10
161	Larvals of <i>Terranova</i> sp. (Nematoda: Anisakidae) parasitic in <i>Plagioscion squamosissimus</i> (Perciformes: Tj ETQq1 1 0.784314 rgBT /Overleaf	0.7	5
162	Parasites of <i>Cynoscion guatucupa</i> along South American Atlantic coasts: evidence for stock discrimination. <i>Journal of Fish Biology</i> , 2005, 67, 1603-1618.	1.6	55

#	ARTICLE	IF	CITATIONS
163	Metazoários parasitos do coiÃ³ <i>Dactylopterus volitans</i> (Linnaeus, 1758) (Osteichthyes: Dactylopteridae) do litoral do Estado do Rio de Janeiro, Brasil. <i>Acta Scientiarum - Biological Sciences</i> , 2005, 27, 119.	0.3	9
164	Host population density as the major determinant of endoparasite species richness in floodplain fishes of the upper Paraná River, Brazil. <i>Journal of Helminthology</i> , 2005, 79, 75-84.	1.0	35
165	Community ecology of the metazoan parasites of the grey triggerfish, <i>Balistes capriscus</i> Gmelin, 1789 and queen triggerfish <i>B. vetula</i> Linnaeus, 1758 (Osteichthyes: Balistidae) from the State of Rio de Janeiro, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2005, 14, 71-7.	0.7	4
166	Human diphyllobothriasis: reports from Rio de Janeiro, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2005, 14, 85-7.	0.7	5
167	Metazoários ectoparasitos do pampo-galhudo, <i>Trachinotus goodei</i> Jordan & Evermann, 1896 (Osteichthyes: Carangidae), do litoral do Estado do Rio de Janeiro, Brasil. <i>Acta Scientiarum - Biological Sciences</i> , 2004, 26, 19.	0.3	8
168	Parasite biodiversity and its determinants in coastal marine teleost fishes of Brazil. <i>Parasitology</i> , 2004, 128, 671-682.	1.5	103
169	Metazoan parasites of Brazilian menhaden <i>Brevoortia aurea</i> (Spix & Agassiz, 1829) (Osteichthyes:) Tj ETQq1 1 0.784314 rgBT /Overlock 2004, 64, 553-554.	0.9	6
170	Pseudolernentoma brasiliensis n. g., n. sp. (Copepoda: Poecilostomatoidea: Chondracanthidae) parasitic on <i>Genypterus brasiliensis</i> (Osteichthyes: Ophidiidae) from off the State of Rio de Janeiro, Brazil. <i>Systematic Parasitology</i> , 2003, 56, 195-199.	1.1	8
171	A general test of the interactive-isolationist continuum in gastrointestinal parasite communities of fish. <i>International Journal for Parasitology</i> , 2003, 33, 1623-1630.	3.1	27
172	Ecologia da comunidade de metazoários parasitos da Maria-Luiza, <i>Paralonchurus brasiliensis</i> (Osteichthyes: Sciaenidae) do litoral do Estado do Rio de Janeiro, Brasil. <i>Acta Scientiarum - Biological Sciences</i> , 2003, 25, 273.	0.3	12
173	A new species of <i>Acantholochus</i> (Copepoda: Bomolochidae) parasitic on <i>Centropomus undecimalis</i> (Osteichthyes: Centropomidae) from the coastal zone of the State of Rio de Janeiro, Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2003, 98, 241-246.	1.6	9
174	<i>Annulotrematoides bryconi</i> sp. n. (Monogenea: Dactylogyridae) parasitic on <i>Brycon cephalus</i> (Osteichthyes: Characidae) from Brazil. <i>Folia Parasitologica</i> , 2003, 50, 272-274.	1.3	6
175	Endohelminth Parasites of the Trambollo <i>Labrisomus philippi</i> (Steindachner) (Osteichthyes:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 0.24 6		
176	Community ecology of the metazoan parasites of pink cusk-eel, <i>Genypterus brasiliensis</i> (Osteichthyes:) Tj ETQq0 0 0 rgBT /Overlock 10 Oswaldo Cruz, 2002, 97, 683-689.	1.6	23
177	A new species of <i>Anoplodiscus</i> (Monogenea: Anoplodiscidae) parasitic on <i>Pagrus pagrus</i> (Osteichthyes:) Tj ETQq1 1 0.784314 rgBT /Ove Cruz, 2002, 97, 1197-1199.	1.6	4
178	Ecologia das comunidades de metazoários parasitos, do xarã, <i>Caranx hippos</i> (Linnaeus) e do xerelete, <i>Caranx latus</i> Agassiz (Osteichthyes, Carangidae) do litoral do estado do Rio de Janeiro, Brasil. <i>Revista Brasileira De Zoologia</i> , 2001, 18, 399-410.	0.5	37
179	Community ecology of the metazoan parasites of white croaker, <i>Micropogonias furnieri</i> (Osteichthyes: Sciaenidae), from the coastal zone of the State of Rio de Janeiro, Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2001, 96, 145-153.	1.6	41
180	Aspectos quantitativos das infrapopulações de metazoários parasitos de <i>Micropogonias furnieri</i> (Osteichthyes: Sciaenidae) do litoral do estado do Rio de Janeiro, Brasil. <i>Parasitologia Al Dâa</i> , 2001, 25, .	0.0	5

#	ARTICLE	IF	CITATIONS
181	Metazoários parásitos de <i>Micropogonias furnieri</i> (Osteichthyes: Sciaenidae) do litoral do Estado do Rio de Janeiro, Brasil. Parasitologia Al Dáa, 2000, 24, .	0.0	7
182	Metazoários parasitos do peixe espada, <i>Trichiurus lepturus</i> (Osteichthyes: Trichiuridae) do litoral do estado do Rio de Janeiro, Brasil. Parasitologia Al Dáa, 2000, 24, .	0.0	5
183	Redescriptions of two species of <i>Lepeophtheirus</i> (Copepoda, Siphonostomatoida, Caligidae) parasitic on teleost marine fishes from the coastal zone of the State of Rio de Janeiro, Brazil. Revista Brasileira De Zoologia, 2000, 17, 1079-1088.	0.5	1
184	Redescription of <i>Rhamnocercus stichospinus</i> Seamster and Monaco, 1956 (Monogenea: Diplectanidae), parasitic on <i>Menticirrus americanus</i> (Osteichthyes: Sciaenidae) from the Coastal Zone of the state of Rio de Janeiro, Brazil. Memorias Do Instituto Oswaldo Cruz, 1999, 94, 615-618.	1.6	3
185	Ecologia da comunidade de metazoários parasitos da anchova <i>Pomatomus saltator</i> (Linnaeus) (Osteichthyes, Pomatomidae) do litoral do estado do Rio de Janeiro, Brasil. Revista Brasileira De Zoologia, 1999, 16, 711-723.	0.5	33
186	Metazoan Parasite Infracommunities of <i>Menticirrus</i> (Teleostei: Sciaenidae): An Amphi-Oceanic Approximation. Journal of Parasitology, 1999, 85, 379.	0.7	13
187	Metazoan Parasite Infracommunities in Five Sciaenids from the Central Peruvian Coast. Memorias Do Instituto Oswaldo Cruz, 1998, 93, 175-180.	1.6	21
188	Distribution Patterns of <i>Microcotyle nemadactylus</i> (Monogenea) on Gill Filaments of <i>Cheilodactylus variegatus</i> (Teleostei). Memorias Do Instituto Oswaldo Cruz, 1998, 93, 477-478.	1.6	5
189	Monogeneans of leatherjackets, <i>Oligoplites</i> spp. (Osteichthyes: Carangidae), with the description of a new species of <i>Metacamopia</i> (Monogenea: Allodiscocotylidae) from the coast of the State of Rio de Janeiro, Brazil. Memorias Do Instituto Oswaldo Cruz, 1996, 91, 165-172.	1.6	4
190	Monogenean parasitic on marine fishes from Perú and Chile: three new species and two new combinations. Memorias Do Instituto Oswaldo Cruz, 1995, 90, 569-574.	1.6	9
191	A new species of <i>Probursata</i> Bravo-Hollis, 1984 (Mogenea: Heteraxinidae: Heteraxininae) parasite of <i>Oligoplites</i> spp. (Osteichthyes: Carangidae) from the coast of the state of Rio de Janeiro, Brazil. Memorias Do Instituto Oswaldo Cruz, 1993, 88, 285-288.	1.6	4
192	Kudoa sciaenae (Myxozoa: Multivalvulidae) cysts distribution in the somatic muscles of <i>Stellifer minor</i> (Tschudi, 1844) (Pisces: Sciaenidae). Memorias Do Instituto Oswaldo Cruz, 1992, 87, 33-35.	1.6	11
193	Some copepods parasitic on elasmobranch fishes from the Peruvian coast, with the description of two new species of <i>Eudactylinavan Beneden</i> , 1853 (Eudactylinidae) and four new records. Journal of Natural History, 1991, 25, 1233-1246.	0.5	3
194	Some monogenoidea parasitic on peruvian marine fishes, with description of <i>Anoplocotyloides chorillensis</i> new species and new records. Memorias Do Instituto Oswaldo Cruz, 1991, 86, 425-428.	1.6	2
195	A new species of <i>Lernanthropus</i> De Blainville, 1822 (Copepoda: Lernanthropidae) parasitic on <i>Menticirrus ophicephalus</i> (Jenyns) (Teleostei: Sciaenidae) from the Peruvian coast. Systematic Parasitology, 1990, 17, 97-101.	1.1	2
196	<i>Bomolochus peruvensis</i> n. sp. (Copepoda: Bomolochidae), a parasite of sciaenid fishes from the Peruvian coast. Systematic Parasitology, 1990, 15, 203-209.	1.1	1
197	The metazoan parasites of <i>Stellifer minor</i> (Tschudi, 1844): an ecological approach. Memorias Do Instituto Oswaldo Cruz, 1990, 85, 271-274.	1.6	16
198	Two new species of <i>Acantholochus</i> Cressey, 1984 (Copepoda: Bomolochidae) parasitic on Peruvian marine fishes. Journal of Natural History, 1990, 24, 241-249.	0.5	5

#	ARTICLE	IF	CITATIONS
199	The genus lobatostoma (Trematoda: Aspidocotylea) in the pacific coast of South America, with description of Lobatostoma veranoi new species, parasite of <i>Menticirrhus ophycephalus</i> (Teleostei) Tj ETQq1 1 0.784314 rgBT /Overlo...	1.6	1
200	Pseudohaliotrema paralonchuri sp.n. (Monogenoidea: Dactylogyridae), parasitic on <i>Paralonchurus peruanus</i> (Steindachner) (Teleostei: Sciaenidae) from the peruvian coast. Memorias Do Instituto Oswaldo Cruz, 1989, 84, 545-547.	1.6	2
201	Four new species of <i>Hargicotyle</i> Mamaev, 1972 (Diclidophoridae) parasites on sciaenid fishes from Peru and Chile. Journal of Natural History, 1989, 23, 1387-1395.	0.5	3
202	Glossidiella peruensis sp. nov., a new digenean (Plagiorchiida: Plagiorchiidae) from the lung of the brown ground snake <i>Atractus major</i> (Serpentes: Dipsadidae) from Peru. Zoologia, 0, 37, 1-6.	0.5	2
203	Six new species of <i>Rhamnocercus</i> Monaco, Wood & Mizelle, 1954 (Monogenea: Diplectanidae) infecting the gills from South American sciaenid fishes. Systematic Parasitology, 0, , .	1.1	1