

Lasse Melvaer Giil

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8866263/publications.pdf>

Version: 2024-02-01

28
papers

606
citations

840119

11
h-index

642321

23
g-index

31
all docs

31
docs citations

31
times ranked

986
citing authors

#	ARTICLE	IF	CITATIONS
1	Autoantibodies targeting GPCRs and RAS-related molecules associate with COVID-19 severity. <i>Nature Communications</i> , 2022, 13, 1220.	5.8	74
2	Body mass index trajectories and associations with cognitive decline in people with Lewy body dementia and Alzheimer's disease. <i>Health Science Reports</i> , 2022, 5, e590.	0.6	2
3	The Truth behind the Zeros: A New Approach to Principal Component Analysis of the Neuropsychiatric Inventory. <i>Multivariate Behavioral Research</i> , 2021, 56, 70-85.	1.8	7
4	The relationship between cytokine and neutrophil gene network distinguishes SARS-CoV-2â€“infected patients by sex and age. <i>JCI Insight</i> , 2021, 6, .	2.3	17
5	Serum tyrosine is associated with better cognition in Lewy body dementia. <i>Brain Research</i> , 2021, 1765, 147481.	1.1	9
6	Fluctuating biomarkers in primary sclerosing cholangitis: A longitudinal comparison of alkaline phosphatase, liver stiffness, and ELF. <i>JHEP Reports</i> , 2021, 3, 100328.	2.6	8
7	One-Carbon Metabolism in Nepalese Infantâ€“Mother Pairs and Child Cognition at 5 Years Old. <i>Journal of Nutrition</i> , 2021, 151, 883-891.	1.3	5
8	The individual course of neuropsychiatric symptoms in people with Alzheimer's and Lewy body dementia: 12-year longitudinal cohort study. <i>British Journal of Psychiatry</i> , 2020, 216, 43-48.	1.7	54
9	Components of the choline oxidation pathway modify the association between the apolipoprotein Î¼4 gene variant and cognitive decline in patients with dementia. <i>Brain Research</i> , 2020, 1726, 146519.	1.1	3
10	Greater Variability in Cognitive Decline in Lewy Body Dementia Compared to Alzheimerâ€™s Disease. <i>Journal of Alzheimer's Disease</i> , 2020, 73, 1321-1330.	1.2	9
11	Plasma kynurenines and prognosis in patients with heart failure. <i>PLoS ONE</i> , 2020, 15, e0227365.	1.1	31
12	Neuropsychiatric Symptoms and Functional Decline in Alzheimer's Disease and Lewy Body Dementia. <i>Journal of the American Geriatrics Society</i> , 2020, 68, 2257-2263.	1.3	21
13	Does pain, psychological distress and deteriorated family economy follow traumatic amputation among war casualties? A retrospective, cross-sectional study from Gaza. <i>BMJ Open</i> , 2019, 9, e029892.	0.8	5
14	Kynurenines, Neuropsychiatric Symptoms, and Cognitive Prognosis in Patients with Mild Dementia. <i>International Journal of Tryptophan Research</i> , 2019, 12, 117864691987788.	1.0	13
15	Plasma Amino Acids and Incident Type 2 Diabetes in Patients With Coronary Artery Disease. <i>Diabetes Care</i> , 2019, 42, 1225-1233.	4.3	10
16	Computed Tomography Assessment of Anatomic Graft Placement After ACL Reconstruction: A Comparative Study of Grid and Angle Measurements. <i>Orthopaedic Journal of Sports Medicine</i> , 2019, 7, 232596711983259.	0.8	4
17	Traumatic amputations caused by drone attacks in the local population in Gaza: a retrospective cross-sectional study. <i>Lancet Planetary Health</i> , The, 2019, 3, e40-e47.	5.1	12
18	Serum Potassium Is Associated with Cognitive Decline in Patients with Lewy Body Dementia. <i>Journal of Alzheimer's Disease</i> , 2019, 68, 239-253.	1.2	1

#	ARTICLE	IF	CITATIONS
19	The Associations Between Cognitive Prognosis and Kynurenines Are Modified by the Apolipoprotein $\hat{\mu}4$ Allele Variant in Patients With Dementia. <i>International Journal of Tryptophan Research</i> , 2019, 12, 117864691988563.	1.0	1
20	The kynurenine pathway and cognitive performance in community-dwelling older adults. The Hordaland Health Study. <i>Brain, Behavior, and Immunity</i> , 2019, 75, 155-162.	2.0	46
21	Reduced Walking Speed in Subjective and Mild Cognitive Impairment: A Cross-Sectional Study. <i>Journal of Geriatric Physical Therapy</i> , 2019, 42, E122-E128.	0.6	29
22	Antibodies to receptors are associated with biomarkers of inflammation and myocardial damage in heart failure. <i>International Journal of Cardiology</i> , 2018, 250, 253-259.	0.8	5
23	Reduced glucose transporter-1 in brain derived circulating endothelial cells in mild Alzheimer's disease patients. <i>Brain Research</i> , 2018, 1678, 304-309.	1.1	20
24	Course of neuropsychiatric symptoms in dementia: 5-year longitudinal study. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 1361-1369.	1.3	65
25	Antibodies to Multiple Receptors are Associated with Neuropsychiatric Symptoms and Mortality in Alzheimer's Disease: A Longitudinal Study. <i>Journal of Alzheimer's Disease</i> , 2018, 64, 761-774.	1.2	7
26	Kynurenine Pathway Metabolites in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2017, 60, 495-504.	1.2	99
27	Antibodies to Signaling Molecules and Receptors in Alzheimer's Disease are Associated with Psychomotor Slowing, Depression, and Poor Visuospatial Function. <i>Journal of Alzheimer's Disease</i> , 2017, 59, 929-939.	1.2	15
28	Autoantibodies Toward the Angiotensin 2 Type 1 Receptor: A Novel Autoantibody in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2015, 47, 523-529.	1.2	25