
Sébastien Cortaredona

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8867681/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Long-Term Persistence of Olfactory and Gustatory Disorders in COVID-19 Patients. Frontiers in Medicine, 2022, 9, 794550.	2.6	9
2	Who Were Hospitalized Deceased Patients from COVID-19 During the First Year of Pandemic? Retrospective Analysis of 1104 Deceased Patients in South of France. Journal of Epidemiology and Global Health, 2022, , .	2.9	0
3	Would we recover better sleep at the end of Covid-19? A relative improvement observed at the population level with the end of the lockdown in France. Sleep Medicine, 2021, 78, 115-119.	1.6	30
4	Asymptomatic hypoxia in COVID-19 is associated with poor outcome. International Journal of Infectious Diseases, 2021, 102, 233-238.	3.3	94
5	Early combination therapy with hydroxychloroquine and azithromycin reduces mortality in 10,429 COVID-19 outpatients. Reviews in Cardiovascular Medicine, 2021, 22, 1063.	1.4	21
6	Clinical evidence of the role of Methanobrevibacter smithii in severe acute malnutrition. Scientific Reports, 2021, 11, 5426.	3.3	33
7	SARS-CoV-2 Persistent Viral Shedding in the Context of Hydroxychloroquine-Azithromycin Treatment. Viruses, 2021, 13, 890.	3.3	7
8	Prolonged SARS-CoV-2 RNA virus shedding and lymphopenia are hallmarks of COVID-19 in cancer patients with poor prognosis. Cell Death and Differentiation, 2021, 28, 3297-3315.	11.2	31
9	COVID-19-related attitudes, risk perceptions, preventive behaviours and economic impact in sub-Saharan African countries: implementing a longitudinal phone-based survey protocol in rural Senegalese households. BMJ Open, 2021, 11, e050090.	1.9	1
10	Effective crisis management requires close monitoring of public reactions. The case of international travelers from South-Eastern France. Travel Medicine and Infectious Disease, 2021, 43, 102123.	3.0	0
11	Assessment of the burden of malaria and bacteraemia by retrospective molecular diagnosis in febrile illnesses and first-line anti-infectives in Côte d'Ivoire. Travel Medicine and Infectious Disease, 2021, 43, 102105.	3.0	5
12	Attitudes about COVID-19 Lockdown among General Population, France, March 2020. Emerging Infectious Diseases, 2021, 27, 301-303.	4.3	16
13	SARS-CoV-2 Vaccination and Protection Against Clinical Disease: A Retrospective Study, Bouches-du-Rhône District, Southern France, 2021. Frontiers in Microbiology, 2021, 12, 796807.	3.5	5
14	Determinants of childhood immunizations in Senegal: Adding previous shots to sociodemographic background. Human Vaccines and Immunotherapeutics, 2020, 16, 363-370.	3.3	4
15	Poor sleep associated with overuse of media during the COVID-19 lockdown. Sleep, 2020, 43, .	1.1	28
16	Risk perceptions of infectious diseases at the Grand Magal of Touba. A pilot study in two senegalese villages. Travel Medicine and Infectious Disease, 2020, 38, 101767.	3.0	0
17	Longâ€ŧerm risk of hip or forearm fractures in older occasional users of benzodiazepines. British Journal of Clinical Pharmacology, 2020, 86, 2155-2164.	2.4	5
18	The French public's attitudes to a future COVID-19 vaccine: The politicization of a public health issue. Social Science and Medicine, 2020, 265, 113414.	3.8	292

#	Article	IF	CITATIONS
19	Assessing the future medical cost burden for the European health systems under alternative exposure-to-risks scenarios. PLoS ONE, 2020, 15, e0238565.	2.5	22
20	Vaccination card availability and childhood immunization in Senegal. BMC Public Health, 2020, 20, 658.	2.9	16
21	Seasonal influenza vaccination among people with diabetes: influence of patients' characteristics and healthcare use on behavioral changes. Human Vaccines and Immunotherapeutics, 2020, 16, 2565-2572.	3.3	10
22	Regional variations of childhood immunisations in Senegal: a multilevel analysis. Tropical Medicine and International Health, 2020, 25, 1122-1130.	2.3	0
23	Outcomes of 3,737 COVID-19 patients treated with hydroxychloroquine/azithromycin and other regimens in Marseille, France: A retrospective analysis. Travel Medicine and Infectious Disease, 2020, 36, 101791.	3.0	209
24	A future vaccination campaign against COVID-19 at risk of vaccine hesitancy and politicisation. Lancet Infectious Diseases, The, 2020, 20, 769-770.	9.1	426
25	Prevalence and risk factors for lung involvement on low-dose chest CT (LDCT) in a paucisymptomatic population of 247 patients affected by COVID-19. Insights Into Imaging, 2020, 11, 117.	3.4	11
26	High Circulation of Malaria and Low Prevalence of Bacteremia in Febrile and Afebrile Children in Northeastern Gabon. American Journal of Tropical Medicine and Hygiene, 2020, 102, 121-129.	1.4	5
27	Trajectories of seasonal influenza vaccine uptake among French people with diabetes: a nationwide retrospective cohort study, 2006–2015. BMC Public Health, 2019, 19, 918.	2.9	7
28	Multiâ€trajectories of antidepressant and antipsychotic use: a 11â€year naturalistic study in a communityâ€based sample. Acta Psychiatrica Scandinavica, 2019, 139, 536-547.	4.5	7
29	An innovative continuing medical education approach of general practitioners on vaccination: ForMéVac. European Journal of Public Health, 2019, 29, .	0.3	0
30	Geographic disparities in bladder cancer incidence among men in the department of Bouches-du-Rhône. European Journal of Public Health, 2019, 29, .	0.3	0
31	Environmental health risks perceptions: results from cross-sectional surveys in Southeastern France. European Journal of Public Health, 2019, 29, .	0.3	0
32	Prospective study on chronic diseases and healthcare costs for the south of France region, 2016-2028. European Journal of Public Health, 2019, 29, .	0.3	0
33	Trajectories of Antipsychotic Drug Use Over 10 Years in a French Community-Based Sample of Persons Aged 50 and Older. American Journal of Geriatric Psychiatry, 2019, 27, 73-83.	1.2	0
34	Chronic neuropathic pain negatively associated with employment retention of cancer survivors: evidence from a national French survey. Journal of Cancer Survivorship, 2018, 12, 115-126.	2.9	16
35	Trajectory analysis of anxiolytic dispensing over 10 years among new users aged 50 and older. Acta Psychiatrica Scandinavica, 2018, 137, 328-341.	4.5	15
36	Vaccine hesitancy in the French population in 2016, and its association with vaccine uptake and perceived vaccine risk–benefit balance. Eurosurveillance, 2018, 23, .	7.0	98

#	Article	IF	CITATIONS
37	Social differentiation of vaccine hesitancy among French parents and the mediating role of trust and commitment to health: A nationwide cross-sectional study. Vaccine, 2018, 36, 7666-7673.	3.8	62
38	Trends in seasonal influenza vaccine coverage of target groups in France, 2006/07 to 2015/16: Impact of recommendations and 2009 influenza A(H1N1) pandemic. Eurosurveillance, 2018, 23, .	7.0	22
39	Trajectories of seasonal influenza vaccination uptake in French people with diabetes from 2006 to 2015. Revue D'Epidemiologie Et De Sante Publique, 2018, 66, S383-S384.	0.5	Ο
40	Opioid analgesics prescription in people with and without cancer in France. Journal of Opioid Management, 2018, 14, 245-256.	0.5	3
41	Comparison of pharmacy-based and diagnosis-based comorbidity measures from medical administrative data. Pharmacoepidemiology and Drug Safety, 2017, 26, 402-411.	1.9	24
42	Impact of chronic neuropathic pain on job retention among cancer survivors: evidence from the French national survey VICAN. European Journal of Cancer, 2017, 72, S6.	2.8	0
43	Effectiveness of seasonal influenza vaccination in patients with diabetes: protocol for a nested case–control study. BMJ Open, 2017, 7, e016023.	1.9	5
44	Psychotropic drug dispensing in people with and without cancer in France. Journal of Cancer Survivorship, 2017, 11, 92-101.	2.9	15
45	Eight-Year Follow-up of Hypnotic Delivery by Adults Aged 50 and Older from an Insurance Database. Sleep, 2017, 40, .	1.1	12
46	The extra cost of comorbidity: multiple illnesses and the economic burden of non-communicable diseases. BMC Medicine, 2017, 15, 216.	5.5	76
47	Membership in a diabetes-care network and adherence to clinical practice guidelines for treating type 2 diabetes among general practitioners: A four-year follow-up. Primary Care Diabetes, 2016, 10, 342-351.	1.8	6
48	Geographical disparities in prescription practices of lithium and clozapine: a communityâ€based study. Acta Psychiatrica Scandinavica, 2016, 133, 470-480.	4.5	19
49	Antipsychotic prescribing in youths: A French community-based study from 2006 to 2013. European Psychiatry, 2015, 30, S9-S10.	0.2	2
50	1020 Psychotropic drug treatment of people with and without cancer in France: The VICAN study. European Journal of Cancer, 2015, 51, S151-S152.	2.8	0
51	The labour market, psychosocial outcomes and health conditions in cancer survivors: protocol for a nationwide longitudinal survey 2 and 5 years after cancer diagnosis (the VICAN survey). BMJ Open, 2015, 5, e005971-e005971.	1.9	61
52	Antipsychotic prescribing in youths: a French community-based study from 2006 to 2013. European Child and Adolescent Psychiatry, 2015, 24, 1181-1191.	4.7	31
53	Characteristics of patients and physicians correlated with regular influenza vaccination in patients treated for type 2 diabetes: a follow-up study from 2008 to 2011 in southeastern France. Clinical Microbiology and Infection, 2015, 21, 930.e1-930.e9.	6.0	31
54	Membership in a Diabetes Care Network Improves General Practitioners' Practices for HbA1cand Microalbuminuria Monitoring: A Cohort Study Among Patients With Type 2 Diabetes: Table 1. Diabetes Care, 2014, 37, e133-e134.	8.6	2

#	Article	IF	CITATIONS
55	Social Inequalities and Antidepressant Use in Canada and France: In Reply. Psychiatric Services, 2014, 65, 1506-1507.	2.0	0
56	ls exposure to night-time traffic noise a risk factor for purchase of anxiolytic–hypnotic medication? A cohort study. European Journal of Public Health, 2014, 24, 298-303.	0.3	23
57	Social Inequalities in Early Antidepressant Discontinuation. Psychiatric Services, 2014, 65, 618-625.	2.0	18
58	Psychotherapy for depression in primary care: a panel survey of general practitioners' opinion and prescribing practice. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 59-68.	3.1	16
59	Small-area analysis of social inequalities in residential exposure to road traffic noise in Marseilles, France. European Journal of Public Health, 2013, 23, 540-546.	0.3	42
60	Social inequalities in antidepressant treatment. European Psychiatry, 2013, 28, 75-75.	0.2	0
61	Social inequalities in new antidepressant treatment: a study at the individual and neighborhood levels. Annals of Epidemiology, 2013, 23, 99-105.	1.9	22
62	Young breast cancer patients' involvement in treatment decisions: the major role played by decisionâ€making about surgery. Psycho-Oncology, 2013, 22, 2546-2556.	2.3	20
63	General Practitioners' Choices and Their Determinants When Starting Treatment for Major Depression: A Cross Sectional, Randomized Case-Vignette Survey. PLoS ONE, 2012, 7, e52429.	2.5	36
64	Feedback and lessons from the prescription of rimonabant, a drug to be used under strict guidelines, in southeastern France, March 2007 through June 2008. Revue D'Epidemiologie Et De Sante Publique, 2011, 59, 115-122.	0.5	0
65	Prevalence of treated diabetes: Geographical variations at the small-area level and their association with area-level characteristics. A multilevel analysis in Southeastern France. Diabetes and Metabolism, 2011, 37, 39-46.	2.9	28
66	ROAD TRAFFIC NOISE AND SOCIOECONOMIC STATUS: ENVIRONMENTAL INEQUALITIES AT THE SMALL-AREA LEVEL IN MARSEILLES, FRANCE. ISEE Conference Abstracts, 2011, 2011, .	0.0	0
67	Low adherence to long-term adjuvant endocrine therapy in breast cancer women age 40 or younger Journal of Clinical Oncology, 2010, 28, 643-643.	1.6	4
68	Outcomes of 2111 COVID-19 Hospitalized Patients Treated with Hydroxychloroquine/Azithromycin and Other Regimens in Marseille, France, 2020: A Monocentric Retrospective Analysis. Therapeutics and Clinical Risk Management, 0, Volume 18, 603-617.	2.0	5