

Joanna Kvist, Rpt

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8869557/publications.pdf>

Version: 2024-02-01

88
papers

4,523
citations

136740

32
h-index

102304

66
g-index

90
all docs

90
docs citations

90
times ranked

3076
citing authors

#	ARTICLE	IF	CITATIONS
1	Fear of re-injury: a hindrance for returning to sports after anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2005, 13, 393-397.	2.3	505
2	Rehabilitation Following Anterior Cruciate Ligament Injury. <i>Sports Medicine</i> , 2004, 34, 269-280.	3.1	373
3	Muscle strength and hop performance criteria prior to return to sports after ACL reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2011, 19, 1798-1805.	2.3	329
4	The impact of psychological readiness to return to sport and recreational activities after anterior cruciate ligament reconstruction. <i>British Journal of Sports Medicine</i> , 2014, 48, 1613-1619.	3.1	315
5	Autologous Platelets Have No Effect on the Healing of Human Achilles Tendon Ruptures. <i>American Journal of Sports Medicine</i> , 2011, 39, 38-47.	1.9	241
6	Results From the Swedish National Anterior Cruciate Ligament Register. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2014, 30, 803-810.	1.3	194
7	Knee arthroscopic surgery is beneficial to middle-aged patients with meniscal symptoms: a prospective, randomised, single-blinded study. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 1808-1816.	0.6	170
8	The influence of graft choice on isokinetic muscle strength 4â€“24Âmonths after anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2011, 19, 768-780.	2.3	128
9	Psychological factors are important to return to pre-injury sport activity after anterior cruciate ligament reconstruction: expect and motivate to satisfy. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 1375-1384.	2.3	123
10	A Comprehensive Rehabilitation Program with Quadriceps Strengthening in Closed versus Open Kinetic Chain Exercise in Patients with Anterior Cruciate Ligament Deficiency. <i>American Journal of Sports Medicine</i> , 2008, 36, 298-307.	1.9	120
11	Advanced 3D visualization in student-centred medical education. <i>Medical Teacher</i> , 2008, 30, e115-e124.	1.0	113
12	Sagittal Plane Knee Translation and Electromyographic Activity during Closed and Open Kinetic Chain Exercises in Anterior Cruciate Ligament-Deficient Patients and Control Subjects. <i>American Journal of Sports Medicine</i> , 2001, 29, 72-82.	1.9	112
13	Translation and measurement properties of the <scp>S</scp>wedish version of <scp>ACL</scp>â€Return to Sports after Injury questionnaire. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2013, 23, 568-575.	1.3	95
14	Predictors for additional anterior cruciate ligament reconstruction: data from the Swedish national ACL register. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 885-894.	2.3	84
15	Mechanical properties during healing of Achilles tendon ruptures to predict final outcome: A pilot Roentgen stereophotogrammetric analysis in 10 patients. <i>BMC Musculoskeletal Disorders</i> , 2007, 8, 116.	0.8	77
16	Satisfaction With Knee Function After Primary Anterior Cruciate Ligament Reconstruction Is Associated With Self-Efficacy, Quality of Life, and Returning to the Preinjury Physical Activity. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2016, 32, 1631-1638.e3.	1.3	73
17	Psychological Aspects of Anterior Cruciate Ligament Injuries. <i>Operative Techniques in Sports Medicine</i> , 2016, 24, 77-83.	0.2	72
18	Early Eâ€modulus of healing Achilles tendons correlates with late function: Similar results with or without surgery. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2012, 22, 18-23.	1.3	68

#	ARTICLE	IF	CITATIONS
19	Patient-Reported Knee Function, Quality of Life, and Activity Level After Bilateral Anterior Cruciate Ligament Injuries. <i>American Journal of Sports Medicine</i> , 2013, 41, 2805-2813.	1.9	67
20	Anterior positioning of tibia during motion after anterior cruciate ligament injury. <i>Medicine and Science in Sports and Exercise</i> , 2001, 33, 1063-1072.	0.2	66
21	The measurement properties of the IKDC-subjective knee form. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 3698-3706.	2.3	58
22	Hand Function and Quality of Life Before and After Fasciectomy for Dupuytren Contracture. <i>Journal of Hand Surgery</i> , 2014, 39, 1333-1343.e2.	0.7	52
23	Female Soccer Players With Anterior Cruciate Ligament Reconstruction Have a Higher Risk of New Knee Injuries and Quit Soccer to a Higher Degree Than Knee-Healthy Controls. <i>American Journal of Sports Medicine</i> , 2019, 47, 31-40.	1.9	50
24	Factors associated with playing football after anterior cruciate ligament reconstruction in female football players. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2016, 26, 1343-1352.	1.3	46
25	Acetabular Revision With Extensive Allograft Impaction and Uncemented Hydroxyapatite-Coated Implants. Results After 9 (7-11) Years Follow-Up. <i>Journal of Arthroplasty</i> , 2007, 22, 1083-1091.	1.5	44
26	Knee Arthroscopic Surgery in Middle-Aged Patients With Meniscal Symptoms: A 3-Year Follow-up of a Prospective, Randomized Study. <i>American Journal of Sports Medicine</i> , 2017, 45, 2077-2084.	1.9	44
27	Interrater Reliability in Finger Joint Goniometer Measurement in Dupuytren's Disease. <i>American Journal of Occupational Therapy</i> , 2012, 66, 98-103.	0.1	43
28	Comparison of patient-reported outcomes among those who chose ACL reconstruction or non-surgical treatment. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2017, 27, 535-544.	1.3	41
29	Students' experiences of learning manual clinical skills through simulation. <i>Advances in Health Sciences Education</i> , 2013, 18, 99-114.	1.7	39
30	The postural response of the pelvic floor muscles during limb movements: A methodological electromyography study in parous women without lumbopelvic pain. <i>Clinical Biomechanics</i> , 2009, 24, 183-189.	0.5	37
31	Anterior Tibial Translation During Different Isokinetic Quadriceps Torque in Anterior Cruciate Ligament Deficient and Nonimpaired Individuals. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2001, 31, 4-15.	1.7	33
32	Sagittal Plane Translation during Level Walking in Poor-Functioning and Well-Functioning Patients with Anterior Cruciate Ligament Deficiency. <i>American Journal of Sports Medicine</i> , 2004, 32, 1250-1255.	1.9	32
33	Functional Performance Among Active Female Soccer Players After Unilateral Primary Anterior Cruciate Ligament Reconstruction Compared With Knee-Healthy Controls. <i>American Journal of Sports Medicine</i> , 2017, 45, 377-385.	1.9	32
34	Sagittal tibial translation during exercises in the anterior cruciate ligament-deficient knee. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2005, 15, 148-158.	1.3	30
35	Intra- And Interrater Reliability of the Establishment of One Repetition Maximum on Squat and Seated Knee Extension. <i>Journal of Strength and Conditioning Research</i> , 2007, 21, 801.	1.0	30
36	Ways of Experiencing Participation and Factors Affecting the Activity Level After Nonreconstructed Anterior Cruciate Ligament Injury: A Qualitative Study. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2013, 43, 172-183.	1.7	27

#	ARTICLE	IF	CITATIONS
37	High Risk of New Knee Injuries in Female Soccer Players After Primary Anterior Cruciate Ligament Reconstruction at 5- to 10-Year Follow-up. <i>American Journal of Sports Medicine</i> , 2021, 49, 3479-3487.	1.9	26
38	Static and dynamic tibial translation before, 5 weeks after, and 5 years after anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 3691-3697.	2.3	25
39	Changes in knee motion pattern after anterior cruciate ligament injury – A case report. <i>Clinical Biomechanics</i> , 2007, 22, 551-556.	0.5	24
40	Tibial translation and muscle activation during rehabilitation exercises 5 weeks after anterior cruciate ligament reconstruction. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2010, 20, 154-164.	1.3	23
41	Knee Arthroscopic Surgery in Middle-Aged Patients With Meniscal Symptoms: A 5-Year Follow-up of a Prospective, Randomized Study. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596711989392.	0.8	22
42	Radiographic and Symptomatic Knee Osteoarthritis 32 to 37 Years After Acute Anterior Cruciate Ligament Rupture. <i>American Journal of Sports Medicine</i> , 2020, 48, 2387-2394.	1.9	21
43	Translation and testing of measurement properties of the Swedish version of the IKDC subjective knee form. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2017, 27, 554-562.	1.3	20
44	Clinical Risk Profile for a Second Anterior Cruciate Ligament Injury in Female Soccer Players After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2021, 49, 1421-1430.	1.9	20
45	Factors affecting functional recovery after surgery and hand therapy in patients with Dupuytren's disease. <i>Journal of Hand Therapy</i> , 2015, 28, 255-260.	0.7	19
46	Jump performance in male and female football players. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 606-613.	2.3	18
47	Fear of Movement and Reinjury in Sports Medicine: Relevance for Rehabilitation and Return to Sport. <i>Physical Therapy</i> , 2022, 102, .	1.1	18
48	Socioeconomic status of patients in a Swedish national self-management program for osteoarthritis compared with the general population – a descriptive observational study. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 10.	0.8	17
49	Greater fear of re-injury and increased tibial translation in patients who later sustain an ACL graft rupture or a contralateral ACL rupture: a pilot study. <i>Journal of Sports Sciences</i> , 2016, 34, 125-132.	1.0	16
50	Activity demands and instability are the most important factors for recommending to treat ACL injuries with reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 2401-2409.	2.3	16
51	Natural corollaries and recovery after acute ACL injury: the NACOX cohort study protocol. <i>BMJ Open</i> , 2018, 8, e020543.	0.8	15
52	Back in the Game (BANG) – a smartphone application to help athletes return to sport following anterior cruciate ligament reconstruction: protocol for a multi-centre, randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 523.	0.8	15
53	Decision Making for Treatment After ACL Injury From an Orthopaedic Surgeon and Patient Perspective: Results From the NACOX Study. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712110050.	0.8	14
54	What is the evidence to support a psychological component to rehabilitation programs after anterior cruciate ligament reconstruction?. <i>Current Orthopaedic Practice</i> , 2016, 27, 263-268.	0.1	13

#	ARTICLE	IF	CITATIONS
55	Fear of Reinjury Following Surgical and Nonsurgical Management of Anterior Cruciate Ligament Injury: An Exploratory Analysis of the NACOX Multicenter Longitudinal Cohort Study. <i>Physical Therapy</i> , 2022, 102, .	1.1	13
56	Patients' perspective on surgical intervention for Dupuytren's disease – experiences, expectations and appraisal of results. <i>Disability and Rehabilitation</i> , 2016, 38, 2538-2549.	0.9	12
57	Test position and reliability in measurements of dorsal neck muscle endurance. <i>Advances in Physiotherapy</i> , 2007, 9, 181-189.	0.2	11
58	Experiences of men living with Dupuytren's disease – Consequences of the disease for hand function and daily activities. <i>Journal of Hand Therapy</i> , 2020, 33, 386-393.	0.7	11
59	Poor Validity of Functional Performance Tests to Predict Knee Injury in Female Soccer Players With or Without Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2021, 49, 1441-1450.	1.9	11
60	Differences in Knee Joint Stabilization Between Children and Adults and Between the Sexes. <i>American Journal of Sports Medicine</i> , 2013, 41, 678-683.	1.9	10
61	Dynamic and static tibial translation in patients with anterior cruciate ligament deficiency initially treated with a structured rehabilitation protocol. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 2337-2346.	2.3	10
62	Jumping performance based on duration of rehabilitation in female football players after anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 556-563.	2.3	10
63	Low correlation between functional performance and patient reported outcome measures in individuals with non-surgically treated ACL injury. <i>Physical Therapy in Sport</i> , 2021, 47, 185-192.	0.8	10
64	Tibial translation in exercises used early in rehabilitation after anterior cruciate ligament reconstruction. <i>Knee</i> , 2006, 13, 460-463.	0.8	9
65	Patients' needs during a surgical intervention process for Dupuytren's disease. <i>Disability and Rehabilitation</i> , 2019, 41, 666-673.	0.9	9
66	Health status of individuals referred to first-line intervention for hip and knee osteoarthritis compared with the general population: an observational register-based study. <i>BMJ Open</i> , 2021, 11, e049476.	0.8	8
67	Early knee status affects self-reported knee function 1 year after non-surgically treated anterior cruciate ligament injury. <i>Physical Therapy in Sport</i> , 2021, 50, 173-183.	0.8	7
68	Prognostic Factors for Patient-Reported Outcomes at 32 to 37 Years After Surgical or Nonsurgical Management of Anterior Cruciate Ligament Injury. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712110215.	0.8	7
69	PATIENTS FOCUS ON PERFORMANCE OF PHYSICAL ACTIVITY, KNEE STABILITY AND ADVICE FROM CLINICIANS WHEN MAKING DECISIONS CONCERNING THE TREATMENT OF THEIR ANTERIOR CRUCIATE LIGAMENT INJURY. <i>International Journal of Sports Physical Therapy</i> , 2020, 15, 441-450.	0.5	7
70	Progression to arthroplasty surgery among patients with hip and knee osteoarthritis. <i>Bone and Joint Journal</i> , 2022, 104-B, 792-800.	1.9	7
71	Gender differences in post-exercise sagittal knee translation: A comparison between elite volleyball players and swimmers. <i>Knee</i> , 2006, 13, 132-136.	0.8	6
72	TUCK JUMP SCORE IS NOT RELATED TO HOPPING PERFORMANCE OR PATIENT-REPORTED OUTCOME MEASURES IN FEMALE SOCCER PLAYERS. <i>International Journal of Sports Physical Therapy</i> , 2020, 15, 395-406.	0.5	6

#	ARTICLE	IF	CITATIONS
73	Passive and dynamic translation in the knee is not influenced by knee exercises in healthy individuals. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2005, 15, 139-147.	1.3	5
74	INTRA-AND INTERRATER RELIABILITY OF THE ESTABLISHMENT OF ONE REPETITION MAXIMUM ON SQUAT AND SEATED KNEE EXTENSION. <i>Journal of Strength and Conditioning Research</i> , 2007, 21, 801-807.	1.0	5
75	Sagittal Plane Knee Motion in the ACL-Deficient Knee During Body Weight Shift Exercises on Different Support Surfaces. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2006, 36, 954-962.	1.7	4
76	Study protocol for an observational register-based study on health and risk factors in patients with hip and knee osteoarthritis. <i>BMJ Open</i> , 2018, 8, e022812.	0.8	4
77	Quantitative evaluation of the tibiofemoral joint cartilage by T2 mapping in patients with acute anterior cruciate ligament injury vs contralateral knees: results from the subacute phase using data from the NACOX study cohort. <i>Osteoarthritis and Cartilage</i> , 2022, 30, 987-997.	0.6	4
78	Biopsychosocial Factors Associated With Return to Preinjury Sport After ACL Injury Treated Without Reconstruction: NACOX Cohort Study 12-Month Follow-up. <i>Sports Health</i> , 0, , 194173812210947.	1.3	4
79	Rehabilitation of ACL Injury in the Handball Player. , 2018, , 481-491.		3
80	TUCK JUMP SCORE IS NOT RELATED TO HOPPING PERFORMANCE OR PATIENT-REPORTED OUTCOME MEASURES IN FEMALE SOCCER PLAYERS. <i>International Journal of Sports Physical Therapy</i> , 2020, 15, 395-406.	0.5	3
81	Structured Rehabilitation Model with Clinical Outcomes After Anterior Cruciate Ligament Reconstruction. , 2015, , 1439-1465.		2
82	Assessing implementation, limited efficacy, and acceptability of the BEAST tool: A rehabilitation and return-to-sport decision tool for nonprofessional athletes with anterior cruciate ligament reconstruction. <i>Physical Therapy in Sport</i> , 2021, 52, 147-154.	0.8	2
83	Short-term recovery of physical activity and knee function after an acute knee injury. <i>BMJ Open Sport and Exercise Medicine</i> , 2020, 6, e000950.	1.4	2
84	Rehabilitation after ACL injury and reconstruction from the patients' perspective. <i>Physical Therapy in Sport</i> , 2022, 53, 158-165.	0.8	2
85	PATIENTS FOCUS ON PERFORMANCE OF PHYSICAL ACTIVITY, KNEE STABILITY AND ADVICE FROM CLINICIANS WHEN MAKING DECISIONS CONCERNING THE TREATMENT OF THEIR ANTERIOR CRUCIATE LIGAMENT INJURY. <i>International Journal of Sports Physical Therapy</i> , 2020, 15, 441-450.	0.5	2
86	Neuromuscular control and hop performance in youth and adult male and female football players. <i>Physical Therapy in Sport</i> , 2022, 55, 189-195.	0.8	2
87	Structured Rehabilitation Model with Clinical Outcomes After ACL Reconstruction. , 2014, , 1-28.		1
88	Time to stop using the term "conservative treatment" when we actually mean different physiotherapy modalities " Editorial. <i>European Journal of Physiotherapy</i> , 2018, 20, 187-188.	0.7	0