

Joanna Kvist, Rpt

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8869557/publications.pdf>

Version: 2024-02-01

88
papers

4,523
citations

136740

32
h-index

102304

66
g-index

90
all docs

90
docs citations

90
times ranked

3076
citing authors

#	ARTICLE	IF	CITATIONS
1	Rehabilitation after ACL injury and reconstruction from the patientsâ€™ perspective. <i>Physical Therapy in Sport</i> , 2022, 53, 158-165.	0.8	2
2	Fear of Reinjury Following Surgical and Nonsurgical Management of Anterior Cruciate Ligament Injury: An Exploratory Analysis of the NACOX Multicenter Longitudinal Cohort Study. <i>Physical Therapy</i> , 2022, 102, .	1.1	13
3	Fear of Movement and Reinjury in Sports Medicine: Relevance for Rehabilitation and Return to Sport. <i>Physical Therapy</i> , 2022, 102, .	1.1	18
4	Neuromuscular control and hop performance in youth and adult male and female football players. <i>Physical Therapy in Sport</i> , 2022, 55, 189-195.	0.8	2
5	Quantitative evaluation of the tibiofemoral joint cartilage by T2 mapping in patients with acute anterior cruciate ligament injury vs contralateral knees: results from the subacute phase using data from the NACOX study cohort. <i>Osteoarthritis and Cartilage</i> , 2022, 30, 987-997.	0.6	4
6	Progression to arthroplasty surgery among patients with hip and knee osteoarthritis. <i>Bone and Joint Journal</i> , 2022, 104-B, 792-800.	1.9	7
7	Low correlation between functional performance and patient reported outcome measures in individuals with non-surgically treated ACL injury. <i>Physical Therapy in Sport</i> , 2021, 47, 185-192.	0.8	10
8	Clinical Risk Profile for a Second Anterior Cruciate Ligament Injury in Female Soccer Players After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2021, 49, 1421-1430.	1.9	20
9	Decision Making for Treatment After ACL Injury From an Orthopaedic Surgeon and Patient Perspective: Results From the NACOX Study. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712110050.	0.8	14
10	Poor Validity of Functional Performance Tests to Predict Knee Injury in Female Soccer Players With or Without Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2021, 49, 1441-1450.	1.9	11
11	Early knee status affects self-reported knee function 1 year after non-surgically treated anterior cruciate ligament injury. <i>Physical Therapy in Sport</i> , 2021, 50, 173-183.	0.8	7
12	Prognostic Factors for Patient-Reported Outcomes at 32 to 37 Years After Surgical or Nonsurgical Management of Anterior Cruciate Ligament Injury. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712110215.	0.8	7
13	Health status of individuals referred to first-line intervention for hip and knee osteoarthritis compared with the general population: an observational register-based study. <i>BMJ Open</i> , 2021, 11, e049476.	0.8	8
14	Assessing implementation, limited efficacy, and acceptability of the BEAST tool: A rehabilitation and return-to-sport decision tool for nonprofessional athletes with anterior cruciate ligament reconstruction. <i>Physical Therapy in Sport</i> , 2021, 52, 147-154.	0.8	2
15	High Risk of New Knee Injuries in Female Soccer Players After Primary Anterior Cruciate Ligament Reconstruction at 5- to 10-Year Follow-up. <i>American Journal of Sports Medicine</i> , 2021, 49, 3479-3487.	1.9	26
16	Experiences of men living with Dupuytren's diseaseâ€™ Consequences of the disease for hand function and daily activities. <i>Journal of Hand Therapy</i> , 2020, 33, 386-393.	0.7	11
17	Jump performance in male and female football players. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 606-613.	2.3	18
18	Socioeconomic status of patients in a Swedish national self-management program for osteoarthritis compared with the general populationâ€™ a descriptive observational study. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 10.	0.8	17

#	ARTICLE	IF	CITATIONS
19	Back iN the Game (BANG) – a smartphone application to help athletes return to sport following anterior cruciate ligament reconstruction: protocol for a multi-centre, randomised controlled trial. BMC Musculoskeletal Disorders, 2020, 21, 523.	0.8	15
20	Radiographic and Symptomatic Knee Osteoarthritis 32 to 37 Years After Acute Anterior Cruciate Ligament Rupture. American Journal of Sports Medicine, 2020, 48, 2387-2394.	1.9	21
21	Knee Arthroscopic Surgery in Middle-Aged Patients With Meniscal Symptoms: A 5-Year Follow-up of a Prospective, Randomized Study. Orthopaedic Journal of Sports Medicine, 2020, 8, 232596711989392.	0.8	22
22	Short-term recovery of physical activity and knee function after an acute knee injury. BMJ Open Sport and Exercise Medicine, 2020, 6, e000950.	1.4	2
23	TUCK JUMP SCORE IS NOT RELATED TO HOPPING PERFORMANCE OR PATIENT-REPORTED OUTCOME MEASURES IN FEMALE SOCCER PLAYERS. International Journal of Sports Physical Therapy, 2020, 15, 395-406.	0.5	6
24	PATIENTS FOCUS ON PERFORMANCE OF PHYSICAL ACTIVITY, KNEE STABILITY AND ADVICE FROM CLINICIANS WHEN MAKING DECISIONS CONCERNING THE TREATMENT OF THEIR ANTERIOR CRUCIATE LIGAMENT INJURY. International Journal of Sports Physical Therapy, 2020, 15, 441-450.	0.5	7
25	TUCK JUMP SCORE IS NOT RELATED TO HOPPING PERFORMANCE OR PATIENT-REPORTED OUTCOME MEASURES IN FEMALE SOCCER PLAYERS. International Journal of Sports Physical Therapy, 2020, 15, 395-406.	0.5	3
26	PATIENTS FOCUS ON PERFORMANCE OF PHYSICAL ACTIVITY, KNEE STABILITY AND ADVICE FROM CLINICIANS WHEN MAKING DECISIONS CONCERNING THE TREATMENT OF THEIR ANTERIOR CRUCIATE LIGAMENT INJURY. International Journal of Sports Physical Therapy, 2020, 15, 441-450.	0.5	2
27	Female Soccer Players With Anterior Cruciate Ligament Reconstruction Have a Higher Risk of New Knee Injuries and Quit Soccer to a Higher Degree Than Knee-Healthy Controls. American Journal of Sports Medicine, 2019, 47, 31-40.	1.9	50
28	Jumping performance based on duration of rehabilitation in female football players after anterior cruciate ligament reconstruction. Knee Surgery, Sports Traumatology, Arthroscopy, 2019, 27, 556-563.	2.3	10
29	Patients'™ needs during a surgical intervention process for Dupuytren's™ disease. Disability and Rehabilitation, 2019, 41, 666-673.	0.9	9
30	Activity demands and instability are the most important factors for recommending to treat ACL injuries with reconstruction. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 2401-2409.	2.3	16
31	Study protocol for an observational register-based study on health and risk factors in patients with hip and knee osteoarthritis. BMJ Open, 2018, 8, e022812.	0.8	4
32	Time to stop using the term "conservative treatment" when we actually mean different physiotherapy modalities – Editorial. European Journal of Physiotherapy, 2018, 20, 187-188.	0.7	0
33	Natural corollaries and recovery after acute ACL injury: the NACOX cohort study protocol. BMJ Open, 2018, 8, e020543.	0.8	15
34	Rehabilitation of ACL Injury in the Handball Player. , 2018, , 481-491.		3
35	Dynamic and static tibial translation in patients with anterior cruciate ligament deficiency initially treated with a structured rehabilitation protocol. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 2337-2346.	2.3	10
36	Comparison of patient-reported outcomes among those who chose <sc>ACL</sc> reconstruction or non-surgical treatment. Scandinavian Journal of Medicine and Science in Sports, 2017, 27, 535-544.	1.3	41

#	ARTICLE	IF	CITATIONS
37	Translation and testing of measurement properties of the Swedish version of the <sc>IKDC</sc> subjective knee form. Scandinavian Journal of Medicine and Science in Sports, 2017, 27, 554-562.	1.3	20
38	Knee Arthroscopic Surgery in Middle-Aged Patients With Meniscal Symptoms: A 3-Year Follow-up of a Prospective, Randomized Study. American Journal of Sports Medicine, 2017, 45, 2077-2084.	1.9	44
39	Psychological factors are important to return to pre-injury sport activity after anterior cruciate ligament reconstruction: expect and motivate to satisfy. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 1375-1384.	2.3	123
40	Functional Performance Among Active Female Soccer Players After Unilateral Primary Anterior Cruciate Ligament Reconstruction Compared With Knee-Healthy Controls. American Journal of Sports Medicine, 2017, 45, 377-385.	1.9	32
41	Predictors for additional anterior cruciate ligament reconstruction: data from the Swedish national ACL register. Knee Surgery, Sports Traumatology, Arthroscopy, 2016, 24, 885-894.	2.3	84
42	What is the evidence to support a psychological component to rehabilitation programs after anterior cruciate ligament reconstruction?. Current Orthopaedic Practice, 2016, 27, 263-268.	0.1	13
43	Factors associated with playing football after anterior cruciate ligament reconstruction in female football players. Scandinavian Journal of Medicine and Science in Sports, 2016, 26, 1343-1352.	1.3	46
44	Satisfaction With Knee Function After Primary Anterior Cruciate Ligament Reconstruction Is Associated With Self-Efficacy, Quality of Life, and Returning to the Preinjury Physical Activity. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2016, 32, 1631-1638.e3.	1.3	73
45	Patientsâ€™ perspective on surgical intervention for Dupuytrenâ€™s disease â€“ experiences, expectations and appraisal of results. Disability and Rehabilitation, 2016, 38, 2538-2549.	0.9	12
46	Psychological Aspects of Anterior Cruciate Ligament Injuries. Operative Techniques in Sports Medicine, 2016, 24, 77-83.	0.2	72
47	Greater fear of re-injury and increased tibial translation in patients who later sustain an ACL graft rupture or a contralateral ACL rupture: a pilot study. Journal of Sports Sciences, 2016, 34, 125-132.	1.0	16
48	The measurement properties of the IKDC-subjective knee form. Knee Surgery, Sports Traumatology, Arthroscopy, 2015, 23, 3698-3706.	2.3	58
49	Factors affecting functional recovery after surgery and hand therapy in patients with Dupuytren's disease. Journal of Hand Therapy, 2015, 28, 255-260.	0.7	19
50	Structured Rehabilitation Model with Clinical Outcomes After Anterior Cruciate Ligament Reconstruction. , 2015, , 1439-1465.		2
51	Static and dynamic tibial translation before, 5 weeks after, and 5 years after anterior cruciate ligament reconstruction. Knee Surgery, Sports Traumatology, Arthroscopy, 2015, 23, 3691-3697.	2.3	25
52	Structured Rehabilitation Model with Clinical Outcomes After ACL Reconstruction. , 2014, , 1-28.		1
53	Hand Function and Quality of Life Before and After Fasciectomy for Dupuytren Contracture. Journal of Hand Surgery, 2014, 39, 1333-1343.e2.	0.7	52
54	The impact of psychological readiness to return to sport and recreational activities after anterior cruciate ligament reconstruction. British Journal of Sports Medicine, 2014, 48, 1613-1619.	3.1	315

#	ARTICLE	IF	CITATIONS
55	Knee arthroscopic surgery is beneficial to middle-aged patients with meniscal symptoms: a prospective, randomised, single-blinded study. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 1808-1816.	0.6	170
56	Results From the Swedish National Anterior Cruciate Ligament Register. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2014, 30, 803-810.	1.3	194
57	Translation and measurement properties of the Swedish version of ACL Return to Sports after Injury questionnaire. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2013, 23, 568-575.	1.3	95
58	Students' experiences of learning manual clinical skills through simulation. <i>Advances in Health Sciences Education</i> , 2013, 18, 99-114.	1.7	39
59	Patient-Reported Knee Function, Quality of Life, and Activity Level After Bilateral Anterior Cruciate Ligament Injuries. <i>American Journal of Sports Medicine</i> , 2013, 41, 2805-2813.	1.9	67
60	Ways of Experiencing Participation and Factors Affecting the Activity Level After Nonreconstructed Anterior Cruciate Ligament Injury: A Qualitative Study. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2013, 43, 172-183.	1.7	27
61	Differences in Knee Joint Stabilization Between Children and Adults and Between the Sexes. <i>American Journal of Sports Medicine</i> , 2013, 41, 678-683.	1.9	10
62	Early modulus of healing Achilles tendons correlates with late function: Similar results with or without surgery. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2012, 22, 18-23.	1.3	68
63	Interrater Reliability in Finger Joint Goniometer Measurement in Dupuytren's Disease. <i>American Journal of Occupational Therapy</i> , 2012, 66, 98-103.	0.1	43
64	Autologous Platelets Have No Effect on the Healing of Human Achilles Tendon Ruptures. <i>American Journal of Sports Medicine</i> , 2011, 39, 38-47.	1.9	241
65	The influence of graft choice on isokinetic muscle strength 24 months after anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2011, 19, 768-780.	2.3	128
66	Muscle strength and hop performance criteria prior to return to sports after ACL reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2011, 19, 1798-1805.	2.3	329
67	Tibial translation and muscle activation during rehabilitation exercises 5 weeks after anterior cruciate ligament reconstruction. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2010, 20, 154-164.	1.3	23
68	The postural response of the pelvic floor muscles during limb movements: A methodological electromyography study in parous women without lumbopelvic pain. <i>Clinical Biomechanics</i> , 2009, 24, 183-189.	0.5	37
69	A Comprehensive Rehabilitation Program with Quadriceps Strengthening in Closed versus Open Kinetic Chain Exercise in Patients with Anterior Cruciate Ligament Deficiency. <i>American Journal of Sports Medicine</i> , 2008, 36, 298-307.	1.9	120
70	Advanced 3D visualization in student-centred medical education. <i>Medical Teacher</i> , 2008, 30, e115-e124.	1.0	113
71	Test position and reliability in measurements of dorsal neck muscle endurance. <i>Advances in Physiotherapy</i> , 2007, 9, 181-189.	0.2	11
72	INTRA-AND INTERRATER RELIABILITY OF THE ESTABLISHMENT OF ONE REPETITION MAXIMUM ON SQUAT AND SEATED KNEE EXTENSION. <i>Journal of Strength and Conditioning Research</i> , 2007, 21, 801-807.	1.0	5

#	ARTICLE	IF	CITATIONS
73	Acetabular Revision With Extensive Allograft Impaction and Uncemented Hydroxyapatite-Coated Implants. Results After 9 (7-11) Years Follow-Up. <i>Journal of Arthroplasty</i> , 2007, 22, 1083-1091.	1.5	44
74	Changes in knee motion pattern after anterior cruciate ligament injury – A case report. <i>Clinical Biomechanics</i> , 2007, 22, 551-556.	0.5	24
75	Mechanical properties during healing of Achilles tendon ruptures to predict final outcome: A pilot Roentgen stereophotogrammetric analysis in 10 patients. <i>BMC Musculoskeletal Disorders</i> , 2007, 8, 116.	0.8	77
76	Intra- And Interrater Reliability of the Establishment of One Repetition Maximum on Squat and Seated Knee Extension. <i>Journal of Strength and Conditioning Research</i> , 2007, 21, 801.	1.0	30
77	Gender differences in post-exercise sagittal knee translation: A comparison between elite volleyball players and swimmers. <i>Knee</i> , 2006, 13, 132-136.	0.8	6
78	Tibial translation in exercises used early in rehabilitation after anterior cruciate ligament reconstruction. <i>Knee</i> , 2006, 13, 460-463.	0.8	9
79	Sagittal Plane Knee Motion in the ACL-Deficient Knee During Body Weight Shift Exercises on Different Support Surfaces. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2006, 36, 954-962.	1.7	4
80	Passive and dynamic translation in the knee is not influenced by knee exercises in healthy individuals. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2005, 15, 139-147.	1.3	5
81	Sagittal tibial translation during exercises in the anterior cruciate ligament-deficient knee. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2005, 15, 148-158.	1.3	30
82	Fear of re-injury: a hindrance for returning to sports after anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2005, 13, 393-397.	2.3	505
83	Sagittal Plane Translation during Level Walking in Poor-Functioning and Well-Functioning Patients with Anterior Cruciate Ligament Deficiency. <i>American Journal of Sports Medicine</i> , 2004, 32, 1250-1255.	1.9	32
84	Rehabilitation Following Anterior Cruciate Ligament Injury. <i>Sports Medicine</i> , 2004, 34, 269-280.	3.1	373
85	Anterior positioning of tibia during motion after anterior cruciate ligament injury. <i>Medicine and Science in Sports and Exercise</i> , 2001, 33, 1063-1072.	0.2	66
86	Sagittal Plane Knee Translation and Electromyographic Activity during Closed and Open Kinetic Chain Exercises in Anterior Cruciate Ligament-Deficient Patients and Control Subjects. <i>American Journal of Sports Medicine</i> , 2001, 29, 72-82.	1.9	112
87	Anterior Tibial Translation During Different Isokinetic Quadriceps Torque in Anterior Cruciate Ligament Deficient and Nonimpaired Individuals. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2001, 31, 4-15.	1.7	33
88	Biopsychosocial Factors Associated With Return to Preinjury Sport After ACL Injury Treated Without Reconstruction: NACOX Cohort Study 12-Month Follow-up. <i>Sports Health</i> , 0, , 194173812210947.	1.3	4