

Ulrike Blume-Peytavi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8869936/publications.pdf>

Version: 2024-02-01

297
papers

13,838
citations

20797

60
h-index

30058

103
g-index

330
all docs

330
docs citations

330
times ranked

11533
citing authors

#	ARTICLE	IF	CITATIONS
1	The effect of a basic skin care product on the structural strength of the dermo-epidermal junction: An exploratory, randomised, controlled split-body trial. <i>International Wound Journal</i> , 2022, 19, 426-435.	1.3	7
2	Efficacy and safety of topical finasteride spray solution for male androgenetic alopecia: a phase III, randomized, controlled clinical trial. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, 286-294.	1.3	30
3	A multicentre, randomised, parallel-group, double-blind, vehicle-controlled and open-label, active-controlled study (versus amorolfine 5%), to evaluate the efficacy and safety of terbinafine 10% nail lacquer in the treatment of onychomycosis. <i>Mycoses</i> , 2022, 65, 392-401.	1.8	3
4	Expert consensus on ceramides containing skincare in newborns and infants and potential mitigation of atopic dermatitis. <i>Italian Journal of Dermatology and Venereology</i> , 2022, 157, .	0.1	2
5	Alopecia areata – Current understanding and management. <i>JDDG - Journal of the German Society of Dermatology</i> , 2022, 20, 59-90.	0.4	6
6	Epidermal thickness in healthy humans: a systematic review and meta-analysis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, 1191-1200.	1.3	33
7	Skin, hair and beyond: the impact of menopause. <i>Climacteric</i> , 2022, 25, 434-442.	1.1	17
8	Effects of Adipose-Derived Stem Cells and Their Conditioned Medium in a Human Ex Vivo Wound Model. <i>Cells</i> , 2022, 11, 1198.	1.8	18
9	The Alopecia Areata Consensus of Experts (ACE) study part II: Results of an international expert opinion on diagnosis and laboratory evaluation for alopecia areata. <i>Journal of the American Academy of Dermatology</i> , 2021, 84, 1594-1601.	0.6	33
10	The Potential Relevance of the Microbiome to Hair Physiology and Regeneration: The Emerging Role of Metagenomics. <i>Biomedicines</i> , 2021, 9, 236.	1.4	14
11	Identification of anti-microbial peptides and traces of microbial DNA in infrainfundibular compartments of human scalp terminal hair follicles. <i>European Journal of Dermatology</i> , 2021, 31, 22-31.	0.3	8
12	Reliability and agreement of instrumental skin barrier measurements in clinical pressure ulcer prevention research. <i>International Wound Journal</i> , 2021, 18, 716-727.	1.3	12
13	Dysbiosis and Enhanced Beta-Defensin Production in Hair Follicles of Patients with Lichen Planopilaris and Frontal Fibrosing Alopecia. <i>Biomedicines</i> , 2021, 9, 266.	1.4	7
14	A Global eDelphi Exercise to Identify Core Domains and Domain Items for the Development of a Global Registry of Alopecia Areata Disease Severity and Treatment Safety (GRASS). <i>JAMA Dermatology</i> , 2021, 157, 439.	2.0	13
15	A Melanocortin-4 Receptor Agonist Induces Skin and Hair Pigmentation in Patients with Monogenic Mutations in the Leptin-Melanocortin Pathway. <i>Skin Pharmacology and Physiology</i> , 2021, 34, 307-316.	1.1	16
16	Effects of loading and prophylactic dressings on the sacral and heel skin: An exploratory crossover trial. <i>International Wound Journal</i> , 2021, 18, 909-922.	1.3	6
17	Screening of Surfactants for Improved Delivery of Antimicrobials and Poly-Lactic-co-Glycolic Acid Particles in Wound Tissue. <i>Pharmaceutics</i> , 2021, 13, 1093.	2.0	5
18	Guidelines for clinical trials of frontal fibrosing alopecia: consensus recommendations from the International FFA Cooperative Group (IFFACC)*. <i>British Journal of Dermatology</i> , 2021, 185, 1221-1231.	1.4	14

#	ARTICLE	IF	CITATIONS
19	Comparing the effects of three different multilayer dressings for pressure ulcer prevention on sacral skin after prolonged loading: An exploratory crossover trial. <i>Wound Repair and Regeneration</i> , 2021, 29, 270-279.	1.5	8
20	Topical Delivery of Rapamycin by Means of Microenvironment-Sensitive Core-Multi-Shell Nanocarriers: Assessment of Anti-Inflammatory Activity in an ex vivo Skin/T Cell Co-Culture Model. <i>International Journal of Nanomedicine</i> , 2021, Volume 16, 7137-7151.	3.3	5
21	Quantitative and physical characterization of normal hair ageing in White European women: a single-centre study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, 21-23.	1.3	0
22	Interrelationships between Skin Structure, Function, and Microbiome of Pregnant Females and Their Newborns: Study Protocol for a Prospective Cohort Study. <i>Dermatology Research and Practice</i> , 2021, 2021, 1-10.	0.3	0
23	Molecular characterization of xerosis cutis: A systematic review. <i>PLoS ONE</i> , 2021, 16, e0261253.	1.1	16
24	The role of the microbiome in scalp hair follicle biology and disease. <i>Experimental Dermatology</i> , 2020, 29, 286-294.	1.4	75
25	Long-term safety and efficacy of trifarotene 50µg/g cream, a first-in-class RAR α selective topical retinoid, in patients with moderate facial and truncal acne. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 166-173.	1.3	46
26	The effectiveness of two silicone dressings for sacral and heel pressure ulcer prevention compared with no dressings in high-risk intensive care unit patients: a randomized controlled parallel-group trial. <i>British Journal of Dermatology</i> , 2020, 183, 256-264.	1.4	46
27	Prevalence of intertrigo and associated factors: A secondary data analysis of four annual multicentre prevalence studies in the Netherlands. <i>International Journal of Nursing Studies</i> , 2020, 104, 103437.	2.5	13
28	Maintaining skin integrity in the aged: A systematic review. <i>International Journal of Nursing Studies</i> , 2020, 103, 103509.	2.5	61
29	Serine Protease-Mediated Cutaneous Inflammation: Characterization of an Ex Vivo Skin Model for the Assessment of Dexamethasone-Loaded Core Multishell-Nanocarriers. <i>Pharmaceutics</i> , 2020, 12, 862.	2.0	7
30	A niche in the spotlight: Could external factors critically disturb hair follicle homeostasis and contribute to inflammatory hair follicle diseases?. <i>Experimental Dermatology</i> , 2020, 29, 1080-1087.	1.4	6
31	Skin health and integrity. , 2020, , 183-196.		7
32	Reliability and agreement of skin barrier measurements in a geriatric care setting. <i>Journal of Tissue Viability</i> , 2020, 29, 269-276.	0.9	12
33	Efficacy and safety of setmelanotide, an MC4R agonist, in individuals with severe obesity due to LEPR or POMC deficiency: single-arm, open-label, multicentre, phase 3 trials. <i>Lancet Diabetes and Endocrinology</i> , 2020, 8, 960-970.	5.5	235
34	Cost-effectiveness of multi-layered silicone foam dressings for prevention of sacral and heel pressure ulcers in high-risk intensive care unit patients: An economic analysis of a randomised controlled trial. <i>International Wound Journal</i> , 2020, 17, 1291-1299.	1.3	10
35	The Alopecia Areata Consensus of Experts (ACE) study: Results of an international expert opinion on treatments for alopecia areata. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, 123-130.	0.6	98
36	A Contemporary View on Felix Pinkus's™ Concept of the Vitreous Membrane. <i>Skin Appendage Disorders</i> , 2020, 6, 25-31.	0.5	0

#	ARTICLE	IF	CITATIONS
37	A Comparison of Psoriasis Severity in Pediatric Patients Treated With Methotrexate vs Biologic Agents. <i>JAMA Dermatology</i> , 2020, 156, 384.	2.0	33
38	Congenital Hair Anomaly in Association with Hypodontia of Permanent Teeth: A Quiz. <i>Acta Dermato-Venereologica</i> , 2020, 100, adv00223.	0.6	0
39	Dermal Delivery of the High-Molecular-Weight Drug Tacrolimus by Means of Polyglycerol-Based Nanogels. <i>Pharmaceutics</i> , 2019, 11, 394.	2.0	18
40	Genetical, clinical, and functional analysis of a large international cohort of patients with autosomal recessive congenital ichthyosis due to mutations in <i>NIPAL4</i> . <i>Human Mutation</i> , 2019, 40, 2318-2333.	1.1	8
41	Evaluation of Drug Delivery and Efficacy of Ciprofloxacin-Loaded Povidone Foils and Nanofiber Mats in a Wound-Infection Model Based on Ex Vivo Human Skin. <i>Pharmaceutics</i> , 2019, 11, 527.	2.0	34
42	Associations of dry skin, skin care habits, well-being, sleep quality and itch in nursing home residents: Results of a multicentre, observational, cross-sectional study. <i>Nursing Open</i> , 2019, 6, 1501-1509.	1.1	9
43	Person-Centred Dermatology Self-care Index: a translation and validation study. <i>Journal of Wound Care</i> , 2019, 28, 566-575.	0.5	3
44	Comparing skin characteristics and molecular markers of xerotic foot skin between diabetic and non-diabetic subjects: An exploratory study. <i>Journal of Tissue Viability</i> , 2019, 28, 200-209.	0.9	25
45	Frontal fibrosing alopecia: demographic and clinical characteristics of 490 cases. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 1976-1983.	1.3	51
46	Randomized phase 3 evaluation of trifarotene 50µg/g cream treatment of moderate facial and truncal acne. <i>Journal of the American Academy of Dermatology</i> , 2019, 80, 1691-1699.	0.6	68
47	Prevalence and associated factors of skin cancer in aged nursing home residents: A multicenter prevalence study. <i>PLoS ONE</i> , 2019, 14, e0215379.	1.1	12
48	Interactions of Nanoparticles with Skin. <i>Nanoscience and Technology</i> , 2019, , 329-339.	1.5	6
49	Prevalence and associated factors of intertrigo in aged nursing home residents: a multi-center cross-sectional prevalence study. <i>BMC Geriatrics</i> , 2019, 19, 105.	1.1	18
50	Soft X-ray microscopy for probing of topical tacrolimus delivery via micelles. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2019, 139, 68-75.	2.0	9
51	Frequency of the Types of Alopecia at Twenty-Two Specialist Hair Clinics: A Multicenter Study. <i>Skin Appendage Disorders</i> , 2019, 5, 309-315.	0.5	61
52	Core-multishell nanocarriers enhance drug penetration and reach keratinocytes and antigen-presenting cells in intact human skin. <i>Journal of Controlled Release</i> , 2019, 299, 138-148.	4.8	19
53	Dermatology today and tomorrow: from symptom control to targeted therapy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 3-36.	1.3	31
54	Dry skin and the use of leave-on products in nursing care: A prevalence study in nursing homes and hospitals. <i>Nursing Open</i> , 2019, 6, 189-196.	1.1	15

#	ARTICLE	IF	CITATIONS
55	Efficacy and safety of a new 5% minoxidil formulation in male androgenetic alopecia: A randomized, placebo-controlled, double-blind, noninferiority study. <i>Journal of Cosmetic Dermatology</i> , 2019, 18, 215-220.	0.8	8
56	Physiological and Molecular Effects of in vivo and ex vivo Mild Skin Barrier Disruption. <i>Skin Pharmacology and Physiology</i> , 2018, 31, 115-124.	1.1	10
57	Effect of Fluid Intake on Hydration Status and Skin Barrier Characteristics in Geriatric Patients: An Explorative Study. <i>Skin Pharmacology and Physiology</i> , 2018, 31, 155-162.	1.1	10
58	Prevention and treatment of diaper dermatitis. <i>Pediatric Dermatology</i> , 2018, 35, s19-s23.	0.5	32
59	Does dietary fluid intake affect skin hydration in healthy humans? A systematic literature review. <i>Skin Research and Technology</i> , 2018, 24, 459-465.	0.8	14
60	Comparing the effects of 3 different pressure ulcer prevention support surfaces on the structure and function of heel and sacral skin: An exploratory crossover trial. <i>International Wound Journal</i> , 2018, 15, 429-437.	1.3	26
61	Noninvasive monitoring of plant-based formulations on skin barrier properties in infants with dry skin and risk for atopic dermatitis. <i>International Journal of Women's Dermatology</i> , 2018, 4, 95-101.	1.1	4
62	Identification of polystyrene nanoparticle penetration across intact skin barrier as rare event at sites of focal particle aggregations. <i>Journal of Biophotonics</i> , 2018, 11, e201700169.	1.1	18
63	Measuring the quality of pressure ulcer prevention: A systematic mapping review of quality indicators. <i>International Wound Journal</i> , 2018, 15, 218-224.	1.3	27
64	Evidence-based (S3) guideline for the treatment of androgenetic alopecia in women and in men – short version. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, 11-22.	1.3	191
65	Genome-Wide MicroRNA Analysis Implicates miR-30b/d in the Etiology of Alopecia Areata. <i>Journal of Investigative Dermatology</i> , 2018, 138, 549-556.	0.3	21
66	Vernarbende Alopezien. <i>JDDG - Journal of the German Society of Dermatology</i> , 2018, 16, 435-463.	0.4	2
67	Differential expression of mTOR signaling pathway proteins in lichen planopilaris and frontal fibrosing alopecia. <i>Acta Histochemica</i> , 2018, 120, 837-845.	0.9	5
68	Female type of adult acne: Physiological and psychological considerations and management. <i>JDDG - Journal of the German Society of Dermatology</i> , 2018, 16, 1185-1194.	0.4	44
69	Akne bei erwachsenen Frauen: Physiologische und psychologische Erwägungen und Management. <i>JDDG - Journal of the German Society of Dermatology</i> , 2018, 16, 1185-1196.	0.4	7
70	Patterns and associations of structural and functional cutaneous responses during loading at heel and sacral skin in aged females: A reanalysis of clinical study data. <i>Journal of Tissue Viability</i> , 2018, 27, 123-129.	0.9	7
71	Protease-mediated Inflammation: An <i>In Vitro</i> Human Keratinocyte-based Screening Tool for Anti-inflammatory Drug Nanocarrier Systems. <i>Zeitschrift Fur Physikalische Chemie</i> , 2018, 232, 919-933.	1.4	8
72	Transepidermal water loss in healthy adults: a systematic review and meta-analysis update. <i>British Journal of Dermatology</i> , 2018, 179, 1049-1055.	1.4	111

#	ARTICLE	IF	CITATIONS
73	Dry skin in home care: A representative prevalence study. <i>Journal of Tissue Viability</i> , 2018, 27, 226-231.	0.9	19
74	MC4R agonism promotes durable weight loss in patients with leptin receptor deficiency. <i>Nature Medicine</i> , 2018, 24, 551-555.	15.2	219
75	Cicatricial alopecia. <i>JDDG - Journal of the German Society of Dermatology</i> , 2018, 16, 435-461.	0.4	28
76	The epidemiology of skin conditions in the aged: A systematic review. <i>Journal of Tissue Viability</i> , 2017, 26, 20-28.	0.9	116
77	Genomewide analysis of copy number variants in alopecia areata in a central European cohort reveals association with <i>MCHR2</i> . <i>Experimental Dermatology</i> , 2017, 26, 536-541.	1.4	21
78	Influence of sunflower seed oil or baby lotion on the skin barrier function of newborns: A pilot study. <i>Journal of Cosmetic Dermatology</i> , 2017, 16, 500-507.	0.8	17
79	Infundibular protein and RNA microarray analyses from affected and clinically non-affected scalp in male androgenetic alopecia patients. <i>Experimental Dermatology</i> , 2017, 26, 518-521.	1.4	9
80	9th Skin Academy Symposium: Building Bridges in Dermatology Chair's Introduction. <i>Dermatology and Therapy</i> , 2017, 7, 1-3.	1.4	1
81	Measuring acne using Coproporphyrin III, Protoporphyrin IX, and lesion-specific inflammation: an exploratory study. <i>Archives of Dermatological Research</i> , 2017, 309, 159-167.	1.1	27
82	The effectiveness of standardized skin care regimens on skin dryness in nursing home residents: A randomized controlled parallel-group pragmatic trial. <i>International Journal of Nursing Studies</i> , 2017, 70, 1-10.	2.5	32
83	Dry skin and pressure ulcer risk: A multi-center cross-sectional prevalence study in German hospitals and nursing homes. <i>International Journal of Nursing Studies</i> , 2017, 73, 63-69.	2.5	52
84	Data-based modeling of drug penetration relates human skin barrier function to the interplay of diffusivity and free-energy profiles. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 3631-3636.	3.3	47
85	Influence of the skin barrier on the penetration of topically-applied dexamethasone probed by soft X-ray spectromicroscopy. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2017, 118, 30-37.	2.0	19
86	Assessment of skin barrier function and biochemical changes of ex vivo human skin in response to physical and chemical barrier disruption. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2017, 116, 138-148.	2.0	27
87	Successful treatment of childhood cheilitis granulomatosa with infliximab. <i>JDDG - Journal of the German Society of Dermatology</i> , 2017, 15, 1241-1243.	0.4	6
88	Prevalence and associated factors of skin diseases in aged nursing home residents: a multicentre prevalence study. <i>BMJ Open</i> , 2017, 7, e018283.	0.8	54
89	Effects of glucocorticoids on stratum corneum lipids and function in human skin – A detailed lipidomic analysis. <i>Journal of Dermatological Science</i> , 2017, 88, 330-338.	1.0	23
90	<i>In vivo</i> characterization of structural changes after topical application of glucocorticoids in healthy human skin. <i>Journal of Biomedical Optics</i> , 2017, 22, 076018.	1.4	15

#	ARTICLE	IF	CITATIONS
91	Symmetrical inflammatory erosive plaques and blisters in an infant. JDDG - Journal of the German Society of Dermatology, 2017, 15, 956-959.	0.4	1
92	Erfolgreiche Behandlung einer Cheilitis granulomatosa mit Infliximab bei Kindern. JDDG - Journal of the German Society of Dermatology, 2017, 15, 1240-1242.	0.4	0
93	Persistent Skin Pouches Following Subcutaneous Immunoglobulin Infusions in a Girl with Immunodeficiency, Bullous Skin Lesions and Melanosis Oculi. Journal of Clinical Immunology, 2017, 37, 505-507.	2.0	1
94	Preventive Skin Care During Skin Aging. , 2017, , 1601-1612.		1
95	Studies for improved understanding of lipid distributions in human skin by combining stimulated and spontaneous Raman microscopy. European Journal of Pharmaceutics and Biopharmaceutics, 2017, 116, 76-84.	2.0	15
96	The effectiveness of using a bath oil to reduce signs of dry skin: A randomized controlled pragmatic study. International Journal of Nursing Studies, 2017, 65, 17-24.	2.5	16
97	Effects of two different fabrics on skin barrier function under real pressure conditions. Journal of Tissue Viability, 2017, 26, 150-155.	0.9	22
98	Systematic mapping review about costs and economic evaluations of skin conditions and diseases in the aged. Journal of Tissue Viability, 2017, 26, 6-19.	0.9	14
99	Sensitivity to change of the Dermatology Life Quality Index in adult females with facial acne vulgaris: a validation study. Journal of the European Academy of Dermatology and Venereology, 2017, 31, 169-174.	1.3	15
100	Drug delivery across intact and disrupted skin barrier: Identification of cell populations interacting with penetrated thermoresponsive nanogels. European Journal of Pharmaceutics and Biopharmaceutics, 2017, 116, 4-11.	2.0	32
101	Response to "The concept of fragile skin: a case of disease mongering in dermatology?" TM . Journal of the European Academy of Dermatology and Venereology, 2017, 31, e282-e283.	1.3	2
102	Topically applied virus-like particles containing HIV-1 Pr55gag protein reach skin antigen-presenting cells after mild skin barrier disruption. Journal of Controlled Release, 2017, 268, 296-304.	4.8	6
103	Symmetrische entzündliche, erosive Plaques und Blasen bei einem Säugling. JDDG - Journal of the German Society of Dermatology, 2017, 15, 955-958.	0.4	1
104	Associations between skin barrier characteristics, skin conditions and health of aged nursing home residents: a multi-center prevalence and correlational study. BMC Geriatrics, 2017, 17, 263.	1.1	32
105	Parent-of-origin Effect in Alopecia Areata: A Large-scale Pedigree Study. Acta Dermato-Venereologica, 2017, 97, 862-863.	0.6	1
106	Transepidermal Water Loss in Young and Aged Healthy Humans. , 2017, , 1197-1202.		2
107	Development, standardization and testing of a bacterial wound infection model based on ex vivo human skin. PLoS ONE, 2017, 12, e0186946.	1.1	43
108	Assessment of Topical Skin Care Practices in Long-Term Institutional Nursing Care from a Health Service Perspective. Journal of Gerontological Nursing, 2016, 42, 18-24.	0.3	6

#	ARTICLE	IF	CITATIONS
109	The Diagnosis and Treatment of Hair and Scalp Diseases. Deutsches Ärztblatt International, 2016, 113, 377-86.	0.6	66
110	Expanding the Clinical and Genetic Spectrum of KRT1, KRT2 and KRT10 Mutations in Keratinopathic Ichthyosis. Acta Dermato-Venereologica, 2016, 96, 473-478.	0.6	47
111	Follicular fluorescence quantity to characterize acne severity: a validation study. Skin Research and Technology, 2016, 22, 451-459.	0.8	8
112	Towards a consensus on how to diagnose and quantify female pattern hair loss â€“ The â€“Female Pattern Hair Loss Severity Index (<sc>FPHL</sc>â€“<sc>SI</sc>)™. Journal of the European Academy of Dermatology and Venereology, 2016, 30, 667-676.	1.3	30
113	Miniâ€“zone cyanoacrylate skin surface stripping: a new method for nonâ€“invasive sampling of scalp material. Experimental Dermatology, 2016, 25, 555-556.	1.4	7
114	Ethyl cellulose nanocarriers and nanocrystals differentially deliver dexamethasone into intact, tape-stripped or sodium lauryl sulfate-exposed ex vivo human skin - assessment by intradermal microdialysis and extraction from the different skin layers. Journal of Controlled Release, 2016, 242, 25-34.	4.8	56
115	Effect of minoxidil topical foam on frontotemporal and vertex androgenetic alopecia in men: a 104â€“week openâ€“label clinical trial. Journal of the European Academy of Dermatology and Venereology, 2016, 30, 1183-1189.	1.3	25
116	Age-Associated Skin Conditions and Diseases: Current Perspectives and Future Options. Gerontologist, The, 2016, 56, S230-S242.	2.3	146
117	Letter to the Editor. Clinical Biomechanics, 2016, 33, 84.	0.5	1
118	Core-multishell nanocarriers: Transport and release of dexamethasone probed by soft X-ray spectromicroscopy. Journal of Controlled Release, 2016, 242, 64-70.	4.8	31
119	Evaluation of trichodynia (hair pain) during chemotherapy or tamoxifen treatment in breast cancer patients. Journal of the European Academy of Dermatology and Venereology, 2016, 30, 112-118.	1.3	8
120	Fragility of epidermis in newborns, children and adolescents. Journal of the European Academy of Dermatology and Venereology, 2016, 30, 3-56.	1.3	46
121	Recommendations from a European Roundtable Meeting on Best Practice Healthy Infant Skin Care. Pediatric Dermatology, 2016, 33, 311-321.	0.5	98
122	Children with Dry Skin and Atopic Predisposition: Outcome Measurement with Validated Scores for Atopic Dermatitis. Skin Pharmacology and Physiology, 2016, 29, 148-156.	1.1	7
123	Proopiomelanocortin Deficiency Treated with a Melanocortin-4 Receptor Agonist. New England Journal of Medicine, 2016, 375, 240-246.	13.9	358
124	Mutations in Three Genes Encoding Proteins Involved in Hair Shaft Formation Cause Uncombable Hair Syndrome. American Journal of Human Genetics, 2016, 99, 1292-1304.	2.6	127
125	Correlation between the chemical composition of thermoresponsive nanogels and their interaction with the skin barrier. Journal of Controlled Release, 2016, 243, 323-332.	4.8	42
126	Reduction of Inflammatory and Noninflammatory Lesions with Topical Tyrothricin 0.1% in the Treatment of Mild to Severe Acne Papulopustulosa: A Randomized Controlled Clinical Trial. Skin Pharmacology and Physiology, 2016, 29, 1-8.	1.1	11

#	ARTICLE	IF	CITATIONS
127	Effects of intrinsic aging and photodamage on skin dyspigmentation: an explorative study. <i>Journal of Biomedical Optics</i> , 2016, 21, 066016.	1.4	7
128	Dry skin in nursing care receivers: A multi-centre cross-sectional prevalence study in hospitals and nursing homes. <i>International Journal of Nursing Studies</i> , 2016, 56, 37-44.	2.5	45
129	Effects of thermoresponsivity and softness on skin penetration and cellular uptake of polyglycerol-based nanogels. <i>Journal of Controlled Release</i> , 2016, 228, 159-169.	4.8	63
130	A Phase III, Multicenter, Parallel-Design Clinical Trial to Compare the Efficacy and Safety of 5% Minoxidil Foam Versus Vehicle in Women With Female Pattern Hair Loss. <i>Journal of Drugs in Dermatology</i> , 2016, 15, 874-81.	0.4	7
131	Efficacy and Safety of Once-Daily Minoxidil Foam 5% Versus Twice-Daily Minoxidil Solution 2% in Female Pattern Hair Loss: A Phase III, Randomized, Investigator-Blinded Study. <i>Journal of Drugs in Dermatology</i> , 2016, 15, 883-9.	0.4	8
132	Quantifying dyspigmentation in facial skin ageing: an explorative study. <i>International Journal of Cosmetic Science</i> , 2015, 37, 542-549.	1.2	13
133	Evidence-Based Skin Care. <i>Journal of Wound, Ostomy and Continence Nursing</i> , 2015, 42, 501-524.	0.6	59
134	Characterizing Facial Skin Ageing in Humans: Disentangling Extrinsic from Intrinsic Biological Phenomena. <i>BioMed Research International</i> , 2015, 2015, 1-9.	0.9	60
135	Measuring skin aging using optical coherence tomography <i>in vivo</i> : a validation study. <i>Journal of Biomedical Optics</i> , 2015, 20, 045003.	1.4	36
136	Genome-wide meta-analysis in alopecia areata resolves HLA associations and reveals two new susceptibility loci. <i>Nature Communications</i> , 2015, 6, 5966.	5.8	213
137	Reliability and validity of two <i>in vivo</i> measurements for skin surface topography in aged adults. <i>Skin Research and Technology</i> , 2015, 21, 54-60.	0.8	23
138	A Single-Centre, Randomized, Double-Blind, Placebo-Controlled Clinical Trial to Investigate the Efficacy and Safety of Minoxidil Topical Foam in Frontotemporal and Vertex Androgenetic Alopecia in Men. <i>Skin Pharmacology and Physiology</i> , 2015, 28, 236-244.	1.1	24
139	Translational Positioning of Janus Kinase (JAK) Inhibitors in Alopecia Areata. <i>EBioMedicine</i> , 2015, 2, 282-283.	2.7	10
140	Skin response to sustained loading: A clinical explorative study. <i>Journal of Tissue Viability</i> , 2015, 24, 114-122.	0.9	36
141	Selective Probing of the Penetration of Dexamethasone into Human Skin by Soft X-ray Spectromicroscopy. <i>Analytical Chemistry</i> , 2015, 87, 6173-6179.	3.2	23
142	Application of Single Molecule Fluorescence Microscopy to Characterize the Penetration of a Large Amphiphilic Molecule in the Stratum Corneum of Human Skin. <i>International Journal of Molecular Sciences</i> , 2015, 16, 6960-6977.	1.8	20
143	Using ultrasound elastography to monitor human soft tissue behaviour during prolonged loading: A clinical explorative study. <i>Journal of Tissue Viability</i> , 2015, 24, 165-172.	0.9	9
144	The epidemiology of skin care provided by nurses at home: a multicentre prevalence study. <i>Journal of Advanced Nursing</i> , 2015, 71, 570-580.	1.5	28

#	ARTICLE	IF	CITATIONS
145	Weight-bearing-induced changes in the microtopography and structural stiffness of human skin in vivo following immobility periods. <i>Wound Repair and Regeneration</i> , 2015, 23, 37-43.	1.5	17
146	Relation between skin microtopography, roughness, and skin age. <i>Skin Research and Technology</i> , 2015, 21, 69-75.	0.8	51
147	Evaluation of skin ageing: a systematic review of clinical scales. <i>British Journal of Dermatology</i> , 2015, 172, 1249-1261.	1.4	51
148	ImmunoChip-Based Analysis: High-Density Genotyping of Immune-Related Loci Sheds Further Light on the Autoimmune Genetic Architecture of Alopecia Areata. <i>Journal of Investigative Dermatology</i> , 2015, 135, 919-921.	0.3	7
149	Blistering time as a parameter for the strength of dermoepidermal adhesion: a systematic review and meta-analysis. <i>British Journal of Dermatology</i> , 2015, 172, 323-330.	1.4	26
150	Hair follicle targeting, penetration enhancement and Langerhans cell activation make cyanoacrylate skin surface stripping a promising delivery technique for transcutaneous immunization with large molecules and particle-based vaccines. <i>Experimental Dermatology</i> , 2015, 24, 73-75.	1.4	33
151	A multi-center prevalence study and randomized controlled parallel-group pragmatic trial to compare the effectiveness of standardized skin care regimens on skin health in nursing home residents: A study protocol. <i>International Journal of Nursing Studies</i> , 2015, 52, 598-604.	2.5	14
152	Transepidermal Water Loss in Young and Aged Healthy Humans. , 2015, , 1-6.		1
153	Preventive Skin Care During Skin Aging. , 2015, , 1-12.		1
154	The skin barrier function: differences between intrinsic and extrinsic aging. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2015, 150, 687-92.	0.8	13
155	Interaction of dermatologically relevant nanoparticles with skin cells and skin. <i>Beilstein Journal of Nanotechnology</i> , 2014, 5, 2363-2373.	1.5	55
156	Utilization of biodegradable polymeric materials as delivery agents in dermatology. <i>Clinical, Cosmetic and Investigational Dermatology</i> , 2014, 7, 23.	0.8	44
157	IL-17/Th17 Pathway Is Activated in Acne Lesions. <i>PLoS ONE</i> , 2014, 9, e105238.	1.1	139
158	Skin manifestations associated with chronic recurrent multifocal osteomyelitis in a 9-year-old girl. <i>Journal of the American Academy of Dermatology</i> , 2014, 71, e218-e219.	0.6	2
159	Influence of Sunflower Seed Oil on the Skin Barrier Function of Preterm Infants: A Randomized Controlled Trial. <i>Dermatology</i> , 2014, 229, 230-239.	0.9	32
160	Ultraviolet radiation and nanoparticle induced intracellular free radicals generation measured in human keratinocytes by electron paramagnetic resonance spectroscopy. <i>Skin Research and Technology</i> , 2014, 20, 182-193.	0.8	24
161	Effect of Diaper Cream and Wet Wipes on Skin Barrier Properties in Infants: A Prospective Randomized Controlled Trial. <i>Pediatric Dermatology</i> , 2014, 31, 683-691.	0.5	25
162	Comparison of silver nanoparticles stored under air or argon with respect to the induction of intracellular free radicals and toxic effects toward keratinocytes. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2014, 88, 651-657.	2.0	39

#	ARTICLE	IF	CITATIONS
163	Analysis of quantitative changes in hair growth during treatment with chemotherapy or tamoxifen in patients with breast cancer: a cohort study. <i>British Journal of Dermatology</i> , 2014, 170, 643-650.	1.4	26
164	Children with Dry Skin and Atopic Predisposition: Daily Use of Emollients in a Participant-Blinded, Randomized, Prospective Trial. <i>Skin Pharmacology and Physiology</i> , 2014, 27, 208-208.	1.1	18
165	Do Repeated Skin Barrier Measurements Influence Each Other's Results? An Explorative Study. <i>Skin Pharmacology and Physiology</i> , 2014, 27, 90-96.	1.1	29
166	Postnatal Maturation of Skin Barrier Function in Premature Infants. <i>Skin Pharmacology and Physiology</i> , 2014, 27, 234-241.	1.1	27
167	Investigation of four novel male androgenetic alopecia susceptibility loci: no association with female pattern hair loss. <i>Archives of Dermatological Research</i> , 2014, 306, 413-418.	1.1	23
168	Selective hair therapy: bringing science to the fiction. <i>Experimental Dermatology</i> , 2014, 23, 83-86.	1.4	17
169	Prevention of Diaper Dermatitis in Infants – a Literature Review. <i>Pediatric Dermatology</i> , 2014, 31, 413-429.	0.5	64
170	The oestrogen receptor 2 (<i>ESR2</i>) gene in female-pattern hair loss: replication of association with rs10137185 in German patients. <i>British Journal of Dermatology</i> , 2014, 170, 982-985.	1.4	10
171	Lichen planopilaris: Epidemiology and prevalence of subtypes – a retrospective analysis in 104 patients. <i>JDDG - Journal of the German Society of Dermatology</i> , 2014, 12, 229-235.	0.4	30
172	Skin barrier function in infancy: a systematic review. <i>Archives of Dermatological Research</i> , 2014, 306, 591-599.	1.1	51
173	Associations between individual characteristics and incontinence-associated dermatitis: A secondary data analysis of a multi-centre prevalence study. <i>International Journal of Nursing Studies</i> , 2014, 51, 1373-1380.	2.5	66
174	Particle-based transcutaneous administration of HIV-1 p24 protein to human skin explants and targeting of epidermal antigen presenting cells. <i>Journal of Controlled Release</i> , 2014, 176, 115-122.	4.8	25
175	Selected variants of the melanocortin 4 receptor gene (<i>MC4R</i>) do not confer susceptibility to female pattern hair loss. <i>Archives of Dermatological Research</i> , 2013, 305, 249-253.	1.1	11
176	Investigation of six novel susceptibility loci for male androgenetic alopecia in women with female pattern hair loss. <i>Journal of Dermatological Science</i> , 2013, 72, 186-188.	1.0	27
177	Chronic pruritus associated with dermatologic disease in infancy and childhood: Update from an interdisciplinary group of dermatologists and pediatricians. <i>Pediatric Allergy and Immunology</i> , 2013, 24, 527-539.	1.1	26
178	Hair Follicle Targeting with Nanoparticles. , 2013, , 95-107.		6
179	Transepidermal water loss in young and aged healthy humans: a systematic review and meta-analysis. <i>Archives of Dermatological Research</i> , 2013, 305, 315-323.	1.1	136
180	Maintaining skin integrity in the aged: a systematic review. <i>British Journal of Dermatology</i> , 2013, 169, 528-542.	1.4	125

#	ARTICLE	IF	CITATIONS
181	How to Diagnose and Treat Medically Women with Excessive Hair. <i>Dermatologic Clinics</i> , 2013, 31, 57-65.	1.0	17
182	Characterisation of epidermal regeneration in vivo: a 60-day follow-up study. <i>Journal of Wound Care</i> , 2013, 22, 395-400.	0.5	23
183	Comparison of two <i>in vivo</i> measurements for skin surface topography. <i>Skin Research and Technology</i> , 2013, 19, 84-90.	0.8	33
184	Psychotrichology: psychosomatic aspects of hair diseases. <i>JDDG - Journal of the German Society of Dermatology</i> , 2013, 11, 125-135.	0.4	19
185	An observational cross-sectional survey of rosacea: clinical associations and progression between subtypes. <i>British Journal of Dermatology</i> , 2013, 169, 555-562.	1.4	86
186	Psychotrichologie: Haare, Haarerkrankungen und psychosomatische Aspekte. <i>JDDG - Journal of the German Society of Dermatology</i> , 2013, 11, 125-136.	0.4	12
187	Skin care practice in German nursing homes: a German-wide cross-sectional study. <i>JDDG - Journal of the German Society of Dermatology</i> , 2013, 11, 329-336.	0.4	20
188	Hautbasispflegepraxis in deutschen Pflegeheimen: eine deutschlandweite Querschnittsstudie. <i>JDDG - Journal of the German Society of Dermatology</i> , 2013, 11, 329-337.	0.4	10
189	Hair-shaft abnormality in a 7-year-old girl. Trichorrhexis nodosa due to biotinidase deficiency. <i>JAMA Dermatology</i> , 2013, 149, 357-63.	2.0	2
190	Genome-wide pooling approach identifies SPATA5 as a new susceptibility locus for alopecia areata. <i>European Journal of Human Genetics</i> , 2012, 20, 326-332.	1.4	48
191	Skin Academy: Hair, skin, hormones and menopause – current status/knowledge on the management of hair disorders in menopausal women. <i>European Journal of Dermatology</i> , 2012, 22, 310-318.	0.3	35
192	Leishmaniasis: A Reminder in the Face of Forgotten Travel. <i>Journal of Pediatrics</i> , 2012, 161, 966-966.e1.	0.9	4
193	Standardized Diaper Care Regimen: A Prospective, Randomized Pilot Study on Skin Barrier Function and Epidermal IL-1 \pm in Newborns. <i>Pediatric Dermatology</i> , 2012, 29, 270-276.	0.5	42
194	A randomized double-blind placebo-controlled pilot study to assess the efficacy of a 24-week topical treatment by latanoprost 0.1% on hair growth and pigmentation in healthy volunteers with androgenetic alopecia. <i>Journal of the American Academy of Dermatology</i> , 2012, 66, 794-800.	0.6	104
195	Stability of polylactic acid particles and release of fluorochromes upon topical application on human skin explants. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2012, 80, 76-84.	2.0	32
196	Hair shaft abnormalities after chemotherapy and tamoxifen therapy in patients with breast cancer evaluated by optical coherence tomography. <i>British Journal of Dermatology</i> , 2012, 167, 1272-1278.	1.4	19
197	A focus on pruritus in children. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012, 26, 1-1.	1.3	245
198	Atopic dermatitis in children: management of pruritus. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2012, 26, 2-8.	1.3	43

#	ARTICLE	IF	CITATIONS
199	Skin Penetration and Cellular Uptake of Amorphous Silica Nanoparticles with Variable Size, Surface Functionalization, and Colloidal Stability. ACS Nano, 2012, 6, 6829-6842.	7.3	238
200	Follow-Up Study of the First Genome-Wide Association Scan in Alopecia Areata: IL13 and KIAA0350 as Susceptibility Loci Supported with Genome-Wide Significance. Journal of Investigative Dermatology, 2012, 132, 2192-2197.	0.3	107
201	Analysis of the efficiency of hair removal by different optical methods: comparison of Trichoscan, reflectance confocal microscopy, and optical coherence tomography. Journal of Biomedical Optics, 2012, 17, 101504.	1.4	11
202	Skin Care Practices for Newborns and Infants: Review of the Clinical Evidence for Best Practices. Pediatric Dermatology, 2012, 29, 1-14.	0.5	105
203	Hyperkeratoses as paraneoplastic syndrome. JDDG - Journal of the German Society of Dermatology, 2012, 10, 593-595.	0.4	0
204	A randomized, single-blind trial of 5% minoxidil foam once daily versus 2% minoxidil solution twice daily in the treatment of androgenetic alopecia in women. Journal of the American Academy of Dermatology, 2011, 65, 1126-1134.e2.	0.6	114
205	Clinically misinterpreted melanoma metastases can correctly be diagnosed by ultrasound-guided fine needle aspiration cytology. European Journal of Dermatology, 2011, 21, 238-241.	0.3	5
206	S1 guideline for diagnostic evaluation in androgenetic alopecia in men, women and adolescents. British Journal of Dermatology, 2011, 164, 5-15.	1.4	172
207	Human hair follicle: reservoir function and selective targeting. British Journal of Dermatology, 2011, 165, 13-17.	1.4	97
208	New insights on dandruff/seborrheic dermatitis: the role of the scalp follicular infundibulum in effective treatment strategies. British Journal of Dermatology, 2011, 165, 18-23.	1.4	47
209	An overview of unwanted female hair. British Journal of Dermatology, 2011, 165, 19-23.	1.4	20
210	Albright Hereditary Osteodystrophy. Pediatric Dermatology, 2011, 28, 135-137.	0.5	4
211	Optimizing the treatment of atopic dermatitis in children: a review of the benefit/risk ratio of methylprednisolone aceponate. Journal of the European Academy of Dermatology and Venereology, 2011, 25, 508-515.	1.3	39
212	Hair shaft abnormalities in alopecia areata evaluated by optical coherence tomography. Skin Research and Technology, 2011, 17, 201-205.	0.8	16
213	Einfluss von Babyschwimmen und Babypflegelotion auf die Hautbarriere von 3-6 Monate alten SÄuglingen. JDDG - Journal of the German Society of Dermatology, 2011, 9, 1018-1026.	0.4	0
214	Current standards in the diagnostics and therapy of hair diseases – hair consultation. JDDG - Journal of the German Society of Dermatology, 2011, 9, 394-412.	0.4	10
215	Aktuelle Standards zur Diagnostik und Therapie von Haarerkrankungen - Haarsprechstunde. JDDG - Journal of the German Society of Dermatology, 2011, 9, 394-413.	0.4	7
216	Effect of baby swimming and baby lotion on the skin barrier of infants aged 3-6 months. JDDG - Journal of the German Society of Dermatology, 2011, 9, 1018-1025.	0.4	20

#	ARTICLE	IF	CITATIONS
217	Evidence-based (S3) guideline for the treatment of androgenetic alopecia in women and in men. JDDG - Journal of the German Society of Dermatology, 2011, 9, S1-57.	0.4	215
218	Nanoparticles in dermatology. Archives of Dermatological Research, 2011, 303, 533-550.	1.1	192
219	Optical coherent tomography: promising in vivo measurement of hair shaft cross section. Journal of Biomedical Optics, 2011, 16, 096003.	1.4	10
220	Effect of Standardized Skin Care Regimens on Neonatal Skin Barrier Function in Different Body Areas. Pediatric Dermatology, 2010, 27, 1-8.	0.5	105
221	Systemic isotretinoin in the treatment of rosacea - doxycycline- and placebo-controlled, randomized clinical study. JDDG - Journal of the German Society of Dermatology, 2010, 8, 505-514.	0.4	40
222	Preferential Amplification of CD8 Effector-T Cells after Transcutaneous Application of an Inactivated Influenza Vaccine: A Randomized Phase I Trial. PLoS ONE, 2010, 5, e10818.	1.1	92
223	Follicular and percutaneous penetration pathways of topically applied minoxidil foam. European Journal of Pharmaceutics and Biopharmaceutics, 2010, 76, 450-453.	2.0	81
224	European Consensus on the evaluation of women presenting with excessive hair growth. European Journal of Dermatology, 2009, 19, 597-602.	0.3	28
225	Influence of Bathing or Washing on Skin Barrier Function in Newborns during the First Four Weeks of Life. Skin Pharmacology and Physiology, 2009, 22, 248-257.	1.1	69
226	Qualitative detection of single submicron and nanoparticles in human skin by scanning transmission x-ray microscopy. Journal of Biomedical Optics, 2009, 14, 021015.	1.4	41
227	Autosomal dominant inheritance in a large family with focal facial dermal dysplasia (Brauer-Setleis) Tj ETQq1 1 0,784314 rgBT / Overlo	0.7	10
228	Investigation of Polylactic Acid (PLA) Nanoparticles as Drug Delivery Systems for Local Dermatotherapy. Pharmaceutical Research, 2009, 26, 2027-2036.	1.7	208
229	Nanoparticle-Based Targeting of Vaccine Compounds to Skin Antigen-Presenting Cells By Hair Follicles and their Transport in Mice. Journal of Investigative Dermatology, 2009, 129, 1156-1164.	0.3	114
230	Bathing and cleansing in newborns from day 1 to first year of life: recommendations from a European round table meeting. Journal of the European Academy of Dermatology and Venereology, 2009, 23, 751-759.	1.3	101
231	Follicular transport route - Research progress and future perspectives. European Journal of Pharmaceutics and Biopharmaceutics, 2009, 71, 173-180.	2.0	205
232	Cutaneous lycopene and Î²-carotene levels measured by resonance Raman spectroscopy: High reliability and sensitivity to oral lactycopene deprivation and supplementation. European Journal of Pharmaceutics and Biopharmaceutics, 2009, 73, 187-194.	2.0	64
233	Diagnosis of Hair Disorders. Seminars in Cutaneous Medicine and Surgery, 2009, 28, 33-38.	1.6	79
234	Alopecia del ni±o. EMC - DermatologÃa, 2009, 43, 1-18.	0.1	0

#	ARTICLE	IF	CITATIONS
235	Trichologie. Fortschritte Der Praktischen Dermatologie Und Venerologie, 2009, , 624-630.	0.0	0
236	Optical method for the screening of doping substances. Laser Physics Letters, 2008, 5, 908-911.	0.6	9
237	Hormone-related hair disorders - from clinical needs to new therapeutic perspectives. Experimental Dermatology, 2008, 15, 643-648.	1.4	0
238	Melanocortin receptors in fibroblastic cell types of the skin -in vitro and in vivo expression and functional relevance. Experimental Dermatology, 2008, 13, 584-585.	1.4	1
239	Medical treatment of hirsutism. Dermatologic Therapy, 2008, 21, 329-339.	0.8	62
240	Polycystic ovary syndrome (PCOS) trilogy: a translational and clinical review. Clinical Endocrinology, 2008, 69, 831-844.	1.2	20
241	Patient experiences with oily skin: The qualitative development of content for two new patient reported outcome questionnaires. Health and Quality of Life Outcomes, 2008, 6, 80.	1.0	25
242	Hair follicles, their disorders and their opportunities. Drug Discovery Today Disease Mechanisms, 2008, 5, e173-e181.	0.8	44
243	One-year study on the variation of carotenoid antioxidant substances in living human skin: influence of dietary supplementation and stress factors. Journal of Biomedical Optics, 2008, 13, 044028.	1.4	112
244	Biology of the Hair Follicle. , 2008, , 1-22.		33
245	Ichthyosis cribriformis: A new entity?. Journal of the American Academy of Dermatology, 2008, 58, 505-507.	0.6	3
246	Differential stripping demonstrates a significant reduction of the hair follicle reservoir in vitro compared to in vivo. European Journal of Pharmaceutics and Biopharmaceutics, 2008, 70, 234-238.	2.0	93
247	Encephalocraniocutaneous Lipomatosis With Didymosis Aplasticopsilolipara. Archives of Dermatology, 2008, 144, 266-8.	1.7	13
248	Hair Follicles â€“ An Efficient Storage and Penetration Pathway for Topically Applied Substances. Skin Pharmacology and Physiology, 2008, 21, 150-155.	1.1	155
249	Transcutaneous Anti-Influenza Vaccination Promotes Both CD4 and CD8 T Cell Immune Responses in Humans. Journal of Immunology, 2008, 180, 1482-1489.	0.4	101
250	Hair Loss in Children. , 2008, , 273-309.		9
251	Hair Growth Assessment Techniques. , 2008, , 125-157.		20
252	Optical Coherent Tomography for in vivo Determination of Changes in Hair Cross Section and Diameter during Treatment with Glucocorticosteroids â€“ A Simple Method to Screen for Doping Substances?. Skin Pharmacology and Physiology, 2008, 21, 312-317.	1.1	17

#	ARTICLE	IF	CITATIONS
253	Nanoparticles – An efficient carrier for drug delivery into the hair follicles. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2007, 66, 159-164.	2.0	488
254	Comparison of the efficacy and safety of topical minoxidil and topical alfatradiol in the treatment of androgenetic alopecia in women. <i>JDDG - Journal of the German Society of Dermatology</i> , 2007, 5, 391-395.	0.4	59
255	Hay-Wells syndrome in a child with mutation in the TP73L gene. <i>JDDG - Journal of the German Society of Dermatology</i> , 2007, 5, 919-923.	0.4	4
256	Morphometry of human terminal and vellus hair follicles. <i>Experimental Dermatology</i> , 2007, 16, 946-950.	1.4	80
257	Hair Follicles – A Long-Term Reservoir for Drug Delivery. <i>Skin Pharmacology and Physiology</i> , 2006, 19, 232-236.	1.1	208
258	40nm, but not 750 or 1,500nm, Nanoparticles Enter Epidermal CD1a+ Cells after Transcutaneous Application on Human Skin. <i>Journal of Investigative Dermatology</i> , 2006, 126, 1316-1322.	0.3	315
259	Effect of 5 α -Dihydrotestosterone and Testosterone on Apoptosis in Human Dermal Papilla Cells. <i>Skin Pharmacology and Physiology</i> , 2006, 19, 311-321.	1.1	60
260	Development of Alopecia Areata Universalis in a Patient Receiving Adalimumab. <i>Archives of Dermatology</i> , 2006, 142, 1654-5.	1.7	67
261	Microscopy of the Hair. , 2006, , 875-881.		5
262	Diffuse Normolipemic Plane Xanthoma in a 9-year-old Boy. <i>Pediatric Dermatology</i> , 2005, 22, 127-129.	0.5	10
263	Antifungal effect of 5-aminolevulinic acid PDT in <i>Trichophyton rubrum</i> . <i>Mycoses</i> , 2005, 48, 101-107.	1.8	88
264	Expression of melanocortin receptors on cutaneous fibroblastic cells - collagen and beyond. <i>Experimental Dermatology</i> , 2005, 14, 157-157.	1.4	0
265	Follicular Penetration and Targeting. <i>Journal of Investigative Dermatology Symposium Proceedings</i> , 2005, 10, 301-303.	0.8	63
266	Follicular Targeting – A Promising Tool in Selective Dermatotherapy. <i>Journal of Investigative Dermatology Symposium Proceedings</i> , 2005, 10, 252-255.	0.8	106
267	Detection of Functionally Active Melanocortin Receptors and Evidence for an Immunoregulatory Activity of α -Melanocyte-Stimulating Hormone in Human Dermal Papilla Cells. <i>Endocrinology</i> , 2005, 146, 4635-4646.	1.4	59
268	Profiling of Alopecia Areata Autoantigens Based on Protein Microarray Technology. <i>Molecular and Cellular Proteomics</i> , 2005, 4, 1382-1390.	2.5	67
269	RU 58841-myristate-prodrug development for topical treatment of acne and androgenetic alopecia. <i>Die Pharmazie</i> , 2005, 60, 8-12.	0.3	75
270	Stratum Corneum Maturation. <i>Skin Pharmacology and Physiology</i> , 2004, 17, 57-66.	1.1	153

#	ARTICLE	IF	CITATIONS
271	Penetration Profile of Microspheres in Follicular Targeting of Terminal Hair Follicles. <i>Journal of Investigative Dermatology</i> , 2004, 123, 168-176.	0.3	283
272	Variations of Hair Follicle Size and Distribution in Different Body Sites. <i>Journal of Investigative Dermatology</i> , 2004, 122, 14-19.	0.3	353
273	Differential diagnosis of hair loss in children. <i>Differentialdiagnose des Haarausfalls bei Kindern. JDDG - Journal of the German Society of Dermatology</i> , 2004, 2, 399-411.	0.4	32
274	Expression of MC4R, POMC and POMC peptides and evidence for an immunoregulatory role of α -MSH in human dermal papilla cells. <i>Experimental Dermatology</i> , 2004, 13, 581-582.	1.4	0
275	Nitric oxide in the human hair follicle: constitutive and dihydrotestosterone-induced nitric oxide synthase expression and NO production in dermal papilla cells. <i>Journal of Molecular Medicine</i> , 2003, 81, 110-117.	1.7	33
276	Regulation of PDGF and PDGF receptor in cultured dermal papilla cells and follicular keratinocytes of the human hair follicle. <i>Experimental Dermatology</i> , 2003, 12, 662-672.	1.4	51
277	Differentiation and Apoptosis in Human Immortalized Sebocytes. <i>Journal of Investigative Dermatology</i> , 2003, 120, 175-181.	0.3	114
278	Testosterone Metabolism in Human Skin Cells in vitro and Its Interaction with Estradiol and Dutasteride. <i>Skin Pharmacology and Physiology</i> , 2003, 16, 356-366.	1.1	29
279	Effects of Finasteride on Apoptosis and Regulation of the Human Hair Cycle. <i>Journal of Cutaneous Medicine and Surgery</i> , 2002, 6, 1-9.	0.6	23
280	Interleukin-4 induces apoptosis in cultured human follicular keratinocytes, but not in dermal papilla cells. <i>European Journal of Dermatology</i> , 2002, 12, 432-8.	0.3	10
281	Androgen responsive genes as they affect hair growth. <i>European Journal of Dermatology</i> , 2001, 11, 304-8.	0.3	20
282	Matting of Hair: A Multifactorial Enigma. <i>Dermatology</i> , 2000, 201, 101-104.	0.9	24
283	Signalling molecules in human hair follicle cell populations. , 2000, , 95-101.		1
284	Multiple familial cutaneous glomangioma: a pedigree of 4 generations and critical analysis of histologic and genetic differences of glomus tumors. <i>Journal of the American Academy of Dermatology</i> , 2000, 42, 633-9.	0.6	7
285	Rheumatoid Nodules Developing under Methotrexate Treatment for Rheumatoid Arthritis. <i>Acta Dermato-Venereologica</i> , 1999, 79, 397-398.	0.6	2
286	Retinoid Signaling by all-trans Retinoic Acid and all-trans Retinoyl- β -D-Glucuronide Is Attenuated by Simultaneous Exposure of Human Keratinocytes to Retinol. <i>Journal of Investigative Dermatology</i> , 1999, 112, 157-164.	0.3	16
287	Basal cell carcinoma possibly originates from the outer root sheath and/or the bulge region of the vellus hair follicle. <i>Archives of Dermatological Research</i> , 1999, 291, 253-259.	1.1	362
288	Expression of vascular endothelial growth factor (VEGF) in various compartments of the human hair follicle. <i>Archives of Dermatological Research</i> , 1998, 290, 661-668.	1.1	90

#	ARTICLE	IF	CITATIONS
289	Vascular Endothelial Growth Factor Expression Induced by Proinflammatory Cytokines (Interleukin 1 α , Tumor Necrosis Factor- α) in Human Dermal Endothelial Cells. <i>Journal of Cellular Biochemistry</i> , 1997, 64, 107-114.	10.7843	14
290	The phospholipid analogue hexadecylphosphocholine (HePC) inhibits proliferation of keloid fibroblasts in vitro and modulates their fibronectin and integrin synthesis. <i>Archives of Dermatological Research</i> , 1997, 289, 164-169.	1.1	10
291	Cultured dermal papilla cells of the rat vibrissa follicle. Proliferative activity, adhesion properties and reorganization of the extracellular matrix in vitro. <i>Archives of Dermatological Research</i> , 1997, 289, 698-704.	1.1	22
292	Fulminant metastatic calcinosis with cutaneous necrosis in a child with end-stage renal disease and tertiary hyperparathyroidism. <i>British Journal of Dermatology</i> , 1996, 135, 617-622.	1.4	19
293	Hypotrichosis, hair structure defects, hypercysteine hair and glucosuria: a new genetic syndrome?. <i>British Journal of Dermatology</i> , 1996, 134, 319-324.	1.4	15
294	Hypotrichosis, hair structure defects, hypercysteine hair and glucosuria: a new genetic syndrome?. <i>British Journal of Dermatology</i> , 1996, 134, 319-24.	1.4	3
295	Generalised acanthosis nigricans with vitiligo.. <i>Acta Dermato-Venereologica</i> , 1996, 76, 377-380.	0.6	6
296	Successful outcome of cryosurgery in patients with granuloma annulare. <i>British Journal of Dermatology</i> , 1994, 130, 494-497.	1.4	61
297	Evidence-Based Treatment of Hirsutism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000, 90, 527-535.		1