

# Haiqiao Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8871558/publications.pdf>

Version: 2024-02-01

72  
papers

2,730  
citations

218677

26  
h-index

182427

51  
g-index

73  
all docs

73  
docs citations

73  
times ranked

3128  
citing authors

#	ARTICLE	IF	CITATIONS
1	Synthesis and electroluminescence of novel copolymers containing crown ether spacers. <i>Journal of Materials Chemistry</i> , 2003, 13, 800-806.	6.7	485
2	Synthesis and Photovoltaic Properties of Dâ€A Copolymers Based on Alkyl-Substituted Indacenodithiophene Donor Unit. <i>Chemistry of Materials</i> , 2011, 23, 4264-4270.	6.7	193
3	Effects of Î€-Conjugated Bridges on Photovoltaic Properties of Donor-Î€-Acceptor Conjugated Copolymers. <i>Macromolecules</i> , 2012, 45, 1208-1216.	4.8	191
4	Self-Assembly of MXene-Surfactants at Liquid-Liquid Interfaces: From Structured Liquids to 3D Aerogels. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 18171-18176.	13.8	166
5	Highly efficient solar anti-icing/deicing <i>via</i> a hierarchical structured surface. <i>Materials Horizons</i> , 2020, 7, 2097-2104.	12.2	108
6	Rational design on Dâ€A conjugated P(BDTâ€DTBT) polymers for polymer solar cells. <i>Polymer Chemistry</i> , 2014, 5, 5200-5210.	3.9	94
7	Efficiency Enhancement of Polymer Solar Cells Based on Poly(3-hexylthiophene)/Indene <sub>70</sub> Bisadduct via Methylthiophene Additive. <i>Advanced Energy Materials</i> , 2011, 1, 1058-1061.	19.5	80
8	Naphtho[1,2-b:5,6-b']dithiophene-Based Donor-Acceptor Copolymer Semiconductors for High-Mobility Field-Effect Transistors and Efficient Polymer Solar Cells. <i>Macromolecules</i> , 2013, 46, 3358-3366.	4.8	75
9	A furan-bridged D-A copolymer with deep HOMO level: synthesis and application in polymer solar cells. <i>Polymer Chemistry</i> , 2011, 2, 2872.	3.9	71
10	Thieno[3,2-b]thiophene-Bridged Dâ€A Polymer Semiconductor Based on Benzo[1,2-b:4,5-b']dithiophene and Benzoxadiazole. <i>Macromolecules</i> , 2013, 46, 4805-4812.	4.8	66
11	Zinc Tetraphenylporphyrin-Fluorene Branched Copolymers: Synthesis and Light-Emitting Properties. <i>Macromolecules</i> , 2010, 43, 709-715.	4.8	59
12	Efficient polymer solar cells based on a broad bandgap Dâ€A copolymer of zigzag naphthodithiophene and thieno[3,4-c]pyrrole-4,6-dione. <i>Journal of Materials Chemistry A</i> , 2013, 1, 1540-1543.	10.3	55
13	Effects of fluorination on the properties of thieno[3,2-b]thiophene-bridged donor-acceptor polymer semiconductors. <i>Polymer Chemistry</i> , 2014, 5, 502-511.	3.9	55
14	Hydrogels Facilitated by Monovalent Cations and Their Use as Efficient Dye Adsorbents. <i>Journal of Physical Chemistry B</i> , 2014, 118, 4693-4701.	2.6	49
15	Perylene-diimide derived organic photovoltaic materials. <i>Science China Chemistry</i> , 2022, 65, 462-485.	8.2	43
16	Self n-doped [6,6]-phenyl-C61-butyric acid 2-((2-(trimethylammonium)ethyl)-(dimethyl)ammonium) ethyl ester diiodides as a cathode interlayer for inverted polymer solar cells. <i>Journal of Materials Chemistry A</i> , 2014, 2, 14720-14728.	10.3	41
17	The role of conjugated side chains in high performance photovoltaic polymers. <i>Journal of Materials Chemistry A</i> , 2015, 3, 2802-2814.	10.3	41
18	Synthesis and Characterization of Angular-Shaped Naphtho[1,2-b:5,6-b']difuran-Diketopyrrolopyrrole-Containing Copolymers for High-Performance Organic Field-Effect Transistors. <i>Macromolecules</i> , 2014, 47, 616-625.	4.8	39

#	ARTICLE	IF	CITATIONS
19	Improved Photovoltaic Properties of Donor-Acceptor Copolymers by Introducing Quinoxalino[2,3-b]porphyrin as a Light-Harvesting Unit. <i>Macromolecules</i> , 2015, 48, 287-296.	4.8	38
20	Efficiency enhancement for bulk heterojunction photovoltaic cells via incorporation of alcohol soluble conjugated polymer interlayer. <i>Applied Physics Letters</i> , 2012, 100, 203304.	3.3	36
21	Narrow band gap A copolymer of indacenodithiophene and diketopyrrolopyrrole with deep HOMO level: Synthesis and application in field-effect transistors and polymer solar cells. <i>Journal of Polymer Science Part A</i> , 2012, 50, 371-377.	2.3	35
22	Hydrogels Triggered by Metal Ions as Precursors of Network CuS for DNA Detection. <i>Chemistry - A European Journal</i> , 2015, 21, 12194-12201.	3.3	35
23	Porphyrin-containing A conjugated polymer with absorption over the entire spectrum of visible light and its applications in solar cells. <i>Journal of Materials Chemistry</i> , 2012, 22, 11006.	6.7	33
24	Novel hyperbranched poly(phenylene oxide)s with phenolic terminal groups: synthesis, characterization, and modification. <i>Polymer</i> , 2006, 47, 1511-1518.	3.8	30
25	Ordered macroporous titania photonic balls by micrometer-scale spherical assembly templating. <i>Journal of Materials Chemistry</i> , 2005, 15, 2551.	6.7	29
26	Novel epoxidized hyperbranched poly(phenylene oxide): Synthesis and application as a modifier for diglycidyl ether of bisphenol A. <i>Journal of Applied Polymer Science</i> , 2013, 128, 907-914.	2.6	28
27	Blue-green light-emission LECs based on block copolymers containing di( $\pm$ -naphthalene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5	3.9	27
28	End-Capping Effect of Quinoxalino[2,3-b]porphyrin on Donor-Acceptor Copolymer and Improved Performance of Polymer Solar Cells. <i>Macromolecules</i> , 2016, 49, 3723-3732.	4.8	27
29	Synthesis and characterization of a partial-conjugated hyperbranched poly(p-phenylene vinylene) (HPPV). <i>Synthetic Metals</i> , 2005, 151, 279-284.	3.9	26
30	Electroluminescent properties of a partially-conjugated hyperbranched poly(p-phenylene vinylene). <i>Polymers for Advanced Technologies</i> , 2006, 17, 145-149.	3.2	26
31	Two Gelation Mechanisms of Deoxycholate with Inorganic Additives: Hydrogen Bonding and Electrostatic Interactions. <i>Journal of Physical Chemistry B</i> , 2016, 120, 6812-6818.	2.6	25
32	High-Efficiency Polymer Solar Cells Based on Poly(3-pentylthiophene) with Indene Bisadduct as an Acceptor. <i>Advanced Energy Materials</i> , 2012, 2, 966-969.	19.5	24
33	Reconfigurable Liquids Stabilized by DNA Surfactants. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 13551-13557.	8.0	23
34	Hexa-peri-hexabenzocoronene and diketopyrrolopyrrole based D-A conjugated copolymers for organic field effect transistor and polymer solar cells. <i>Organic Electronics</i> , 2016, 38, 245-255.	2.6	22
35	The Assembly and Jamming of Nanoparticle Surfactants at Liquid-Liquid Interfaces. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	13.8	22
36	Study of glycidyl ether as a new kind of modifier for urea-formaldehyde wood adhesives. <i>Journal of Applied Polymer Science</i> , 2013, 128, 4086-4094.	2.6	18

#	ARTICLE	IF	CITATIONS
37	The Assembly and Jamming of Nanoparticle Surfactants at Liquid-Liquid Interfaces. <i>Angewandte Chemie</i> , 2022, 134, .	2.0	18
38	A novel poly(thienylenevinylene) derivative for application in polymer solar cells. <i>Polymer Chemistry</i> , 2011, 2, 2102.	3.9	17
39	Photoaging and Fire Performance of Polypropylene Containing Melamine Phosphate. <i>ACS Applied Polymer Materials</i> , 2020, 2, 4455-4463.	4.4	17
40	Recent progress in small-molecule donors for non-fullerene all-small-molecule organic solar cells. <i>Nano Select</i> , 2022, 3, 233-247.	3.7	17
41	Synthesis, characterization, and field-effect properties of (E)-2-(2-(thiophen-2-yl)vinyl)thiophen-based donor-acceptor copolymers. <i>Polymer</i> , 2015, 68, 302-307.	3.8	16
42	Synthesis and characterization of Ag@polycarbazole coaxial nanocables and their enhanced dispersion behavior. <i>Metals and Materials International</i> , 2011, 17, 417-423.	3.4	15
43	Effect of fluorine substitution on the photovoltaic performance of poly(thiophene-quinoxaline) copolymers. <i>Polymer Chemistry</i> , 2015, 6, 8203-8213.	3.9	14
44	Self-Assembly of MXene-Surfactants at Liquid-Liquid Interfaces: From Structured Liquids to 3D Aerogels. <i>Angewandte Chemie</i> , 2019, 131, 18339-18344.	2.0	14
45	High photovoltaic performance of as-cast devices based on new quinoxaline-based donor-acceptor copolymers. <i>Polymer Chemistry</i> , 2017, 8, 5688-5697.	3.9	13
46	Synthesis and characterization of porphyrin-based D-A conjugated polymers for polymer solar cells. <i>Journal of Polymer Science Part A</i> , 2013, 51, 2243-2251.	2.3	12
47	Polymer light-emitting electrochemical cell based on a block copolymer containing tri(ethyleneoxide) spacers. <i>Polymers for Advanced Technologies</i> , 2002, 13, 663-669.	3.2	11
48	Synthesis and property investigations: A partially conjugated hyperbranched polymer for light-emitting application. <i>Synthetic Metals</i> , 2008, 158, 437-441.	3.9	11
49	Design and synthesis of novel luminescent copolymers containing ionic conductive blocks on the skeletons. <i>Synthetic Metals</i> , 2002, 126, 219-223.	3.9	9
50	A luminescent copolymer containing PPV-based chromophores and flexible tri(ethylene oxide) spacers. <i>Reactive and Functional Polymers</i> , 2002, 52, 61-69.	4.1	9
51	Effect of Extended $\pi$ -Conjugation Structure of Donor-Acceptor Conjugated Copolymers on the Photoelectronic Properties. <i>Chemistry - an Asian Journal</i> , 2014, 9, 2961-2969.	3.3	9
52	Facile synthesis and surface activity of poly(ethylene glycol) star polymers with a phosphazene core. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2018, 541, 17-25.	4.7	9
53	High-Efficiency All Polymer Solar Cell with a Low Voltage Loss of 0.56 V. <i>ACS Applied Energy Materials</i> , 2018, 1, 2350-2357.	5.1	9
54	Alkylphenyl Substituted Naphthodithiophene: A New Building Unit with Conjugated Side Chains for Semiconducting Materials. <i>Macromolecular Rapid Communications</i> , 2014, 35, 1886-1889.	3.9	8

#	ARTICLE	IF	CITATIONS
55	Synthesis, characterization, and organic field-effect transistors study of conjugated D-A copolymers based on dialkylated naphtho[1,2-b:5,6-b']dithiophene/naphtho[1,2-b:5,6-b']difuran and 3-benzodiathiazole/benzoxadiazole. <i>Journal of Polymer Science Part A</i> , 2014, 52, 2465-2476.		8
56	Preparation and characterization of polyamide 66/poly(hydroxyl ether of bisphenol A) blends without compatibilizer. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	2.6	7
57	Study on ethanol resistance stability and adhesion properties of polyacrylate latex for PE or BOPP film inks. <i>Journal of Applied Polymer Science</i> , 2022, 139, .	2.6	7
58	Synthesis and electroluminescence properties of a novel poly(paraphenylene vinylene)-based copolymer with tri(ethylene oxide) segments on the backbone. <i>Journal of Applied Polymer Science</i> , 2002, 83, 2195-2200.	2.6	6
59	Synthesis of block copolymers with well-defined alternating chromophore and flexible spacer for electroluminescence application. <i>Thin Solid Films</i> , 2003, 426, 40-46.	1.8	6
60	Synthesis and electroluminescent properties of a novel copolymer with short alternating conjugated and non-conjugated blocks. <i>Polymer International</i> , 2003, 52, 343-346.	3.1	6
61	Introducing alkylthio side chains into acceptor units to improve the photovoltaic performance of a quinoxaline based D-A polymer. <i>Organic Electronics</i> , 2018, 61, 197-206.	2.6	6
62	Structure-phase morphology - Property relationship of a series of light-emitting alternating copolymers with distyrylbenzenes segments and oligo(ethylene oxide) spacers. <i>Acta Materialia</i> , 2008, 56, 3327-3337.	7.9	5
63	Hyperbranched polymer for light-emitting applications. <i>Polymer International</i> , 2010, 59, 1384-1389.	3.1	5
64	Implication of side-chain fluorination on electronic properties, ordering structures, and photovoltaic performance in asymmetric-indenothiophene-based semiconducting polymers. <i>Organic Electronics</i> , 2019, 70, 122-130.	2.6	5
65	Positive effects of side-chain fluorination and polymer additive SBS on the enhanced performance of asymmetric-indenothiophene-based polymer solar cells. <i>Dyes and Pigments</i> , 2020, 174, 108044.	3.7	5
66	Synthesis and properties of partially conjugated hyperbranched light-emitting polymers. <i>Journal of Applied Polymer Science</i> , 2010, 117, 517-523.	2.6	4
67	Synthesis and Photovoltaic Properties of Poly(5,6-bis(octyloxy)-4,7-di(thiophen-2-yl)benzo-[c][1,2,5]-thiadiazole-9,9-dioctylfluorene). <i>Journal of Materials Science and Technology</i> , 2013, 29, 1214-1218.	10.7	4
68	Incorporation of Hexaperi-hexabenzocoronene (HBC) into Carbazole-Benzo[2,1,3]-thiadiazole Copolymers to Improve Hole Mobility and Photovoltaic Performance. <i>Chemistry - an Asian Journal</i> , 2016, 11, 766-774.	3.3	4
69	Preparation, rheology, and film properties of polyacrylate latex using amphiphilic macroreversible addition-fragmentation chain transfer agents as surfactants. <i>Journal of Applied Polymer Science</i> , 2019, 136, 47463.	2.6	3
70	Novel copolymers for electroluminescent devices. <i>Journal of Applied Polymer Science</i> , 2002, 86, 3316-3321.	2.6	2
71	Synthesis of waterborne polyurethane ink binder with high T-peel strength and its application in biaxially oriented polypropylene film printing. <i>Journal of Applied Polymer Science</i> , 2021, 138, 50273.	2.6	2
72	Polymer Additive SBS: More Sensitive to Fluorinated Asymmetric-Indenothiophene-Based Polymer Solar Cells. <i>ChemistrySelect</i> , 2021, 6, 1852-1861.	1.5	1