

# W A M Vollebergh

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/8871869/w-a-m-vollebergh-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

164  
papers

11,838  
citations

59  
h-index

105  
g-index

165  
ext. papers

12,844  
ext. citations

4.5  
avg, IF

5.92  
L-index

#	Paper	IF	Citations
164	Prevalence of mental disorders in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , <b>2004</b> , 109, 21-7	6.5	791
163	The epidemiology of major depressive episodes: results from the International Consortium of Psychiatric Epidemiology (ICPE) Surveys. <i>International Journal of Methods in Psychiatric Research</i> , <b>2003</b> , 12, 3-21	4.3	682
162	The structure and stability of common mental disorders: the NEMESIS study. <i>Archives of General Psychiatry</i> , <b>2001</b> , 58, 597-603		412
161	Social Support from Parents and Friends and Emotional Problems in Adolescence. <i>Journal of Youth and Adolescence</i> , <b>2000</b> , 29, 319-335	4.5	388
160	The incidence and outcome of subclinical psychotic experiences in the general population. <i>British Journal of Clinical Psychology</i> , <b>2005</b> , 44, 181-91	3.6	314
159	Patterns of Adolescent Identity Development: Review of Literature and Longitudinal Analysis. <i>Developmental Review</i> , <b>1999</b> , 19, 419-461	7.4	282
158	Risk factors for 12-month comorbidity of mood, anxiety, and substance use disorders: findings from the Netherlands Mental Health Survey and Incidence Study. <i>American Journal of Psychiatry</i> , <b>2002</b> , 159, 620-9	11.9	277
157	Psychiatric and sociodemographic predictors of attrition in a longitudinal study: The Netherlands Mental Health Survey and Incidence Study (NEMESIS). <i>American Journal of Epidemiology</i> , <b>2000</b> , 152, 1039-47	3.8	270
156	Evidence that psychotic symptoms are prevalent in disorders of anxiety and depression, impacting on illness onset, risk, and severity--implications for diagnosis and ultra-high risk research. <i>Schizophrenia Bulletin</i> , <b>2012</b> , 38, 247-57	1.3	260
155	Use of mental health services in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , <b>2004</b> , 109, 47-54	6.5	249
154	Mental health in migrant children. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , <b>2008</b> , 49, 276-94	7.9	226
153	Discrimination and delusional ideation. <i>British Journal of Psychiatry</i> , <b>2003</b> , 182, 71-6	5.4	213
152	Disability and quality of life impact of mental disorders in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , <b>2004</b> , 109, 38-46	6.5	213
151	Intergenerational Transmission and the Formation of Cultural Orientations in Adolescence and Young Adulthood. <i>Journal of Marriage and Family</i> , <b>2001</b> , 63, 1185-1198	4.5	176
150	Comorbidity of physical and mental disorders and the effect on work-loss days. <i>Acta Psychiatrica Scandinavica</i> , <b>2005</b> , 111, 436-43	6.5	165
149	Preventing heavy alcohol use in adolescents (PAS): cluster randomized trial of a parent and student intervention offered separately and simultaneously. <i>Addiction</i> , <b>2009</b> , 104, 1669-78	4.6	159
148	Body mass index and body weight perception as risk factors for internalizing and externalizing problem behavior among adolescents. <i>Journal of Adolescent Health</i> , <b>2006</b> , 39, 27-34	5.8	153

147	Bipolar disorder in the general population in The Netherlands (prevalence, consequences and care utilisation): results from The Netherlands Mental Health Survey and Incidence Study (NEMESIS). <i>Journal of Affective Disorders</i> , <b>2002</b> , 68, 203-13	6.6	151
146	Parental and peer attachment and identity development in adolescence. <i>Journal of Adolescence</i> , <b>2002</b> , 25, 93-106	3.4	151
145	Gender and age-specific first incidence of DSM-III-R psychiatric disorders in the general population. Results from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2002</b> , 37, 372-9	4.5	147
144	Predictors of first incidence of DSM-III-R psychiatric disorders in the general population: findings from the Netherlands Mental Health Survey and Incidence Study. <i>Acta Psychiatrica Scandinavica</i> , <b>2002</b> , 106, 303-13	6.5	146
143	Temporal sequencing of lifetime mood disorders in relation to comorbid anxiety and substance use disorders—findings from the Netherlands Mental Health Survey and Incidence Study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2003</b> , 38, 1-11	4.5	146
142	Mental health in Dutch adolescents: a TRAILS report on prevalence, severity, age of onset, continuity and co-morbidity of DSM disorders. <i>Psychological Medicine</i> , <b>2015</b> , 45, 345-60	6.9	144
141	Do urbanicity and familial liability coparticipate in causing psychosis?. <i>American Journal of Psychiatry</i> , <b>2003</b> , 160, 477-82	11.9	144
140	The structure of the extended psychosis phenotype in early adolescence—a cross-sample replication. <i>Schizophrenia Bulletin</i> , <b>2011</b> , 37, 850-60	1.3	138
139	Parent, teacher and self-reported problem behavior in The Netherlands: comparing Moroccan immigrant with Dutch and with Turkish immigrant children and adolescents. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2003</b> , 38, 576-85	4.5	128
138	Functional disability of mental disorders and comparison with physical disorders: a study among the general population of six European countries. <i>Acta Psychiatrica Scandinavica</i> , <b>2006</b> , 113, 492-500	6.5	126
137	Psychosocial disability before, during, and after a major depressive episode: a 3-wave population-based study of state, scar, and trait effects. <i>Archives of General Psychiatry</i> , <b>2004</b> , 61, 387-92		119
136	12-Month comorbidity patterns and associated factors in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , <b>2004</b> , 109, 28-37	6.5	114
135	Sampling and methods of the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , <b>2004</b> , 109, 8-20	6.5	110
134	Development of depressed mood predicts onset of psychotic disorder in individuals who report hallucinatory experiences. <i>British Journal of Clinical Psychology</i> , <b>2005</b> , 44, 113-25	3.6	106
133	Psychotropic drug utilization in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , <b>2004</b> , 109, 55-64	6.5	103
132	Self-reported psychotic experiences in the general population: a valid screening tool for DSM-III-R psychotic disorders?. <i>Acta Psychiatrica Scandinavica</i> , <b>2003</b> , 107, 369-77	6.5	102
131	Sex differences in symptoms of psychosis in a non-selected, general population sample. <i>Schizophrenia Research</i> , <b>2003</b> , 63, 89-95	3.6	96
130	Substance use risk profiles and associations with early substance use in adolescence. <i>Journal of Behavioral Medicine</i> , <b>2010</b> , 33, 474-85	3.6	95

129	Mediators of the association between depression and role functioning. <i>Acta Psychiatrica Scandinavica</i> , <b>2008</b> , 118, 451-8	6.5	92
128	Cohort Profile Update: the TRacking Adolescents' Individual Lives Survey (TRAILS). <i>International Journal of Epidemiology</i> , <b>2015</b> , 44, 76-76n	7.8	91
127	Pathways to comorbidity: the transition of pure mood, anxiety and substance use disorders into comorbid conditions in a longitudinal population-based study. <i>Journal of Affective Disorders</i> , <b>2004</b> , 82, 461-7	6.6	91
126	The suicidal process; prospective comparison between early and later stages. <i>Journal of Affective Disorders</i> , <b>2004</b> , 82, 43-52	6.6	90
125	Mental health in immigrant children in the Netherlands. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2005</b> , 40, 489-96	4.5	89
124	Seasonal variations in mental disorders in the general population of a country with a maritime climate: findings from the Netherlands mental health survey and incidence study. <i>American Journal of Epidemiology</i> , <b>2005</b> , 162, 654-61	3.8	87
123	Rapid onset of comorbidity of common mental disorders: findings from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). <i>Acta Psychiatrica Scandinavica</i> , <b>2004</b> , 109, 55-63	6.5	86
122	Evidence for a persistent, environment-dependent and deteriorating subtype of subclinical psychotic experiences: a 6-year longitudinal general population study. <i>Psychological Medicine</i> , <b>2011</b> , 41, 2317-29	6.9	80
121	Early trauma may increase the risk for psychotic experiences by impacting on emotional response and perception of control. <i>Acta Psychiatrica Scandinavica</i> , <b>2005</b> , 112, 360-6	6.5	79
120	Dimensions of depression, mania and psychosis in the general population. <i>Psychological Medicine</i> , <b>2004</b> , 34, 1177-86	6.9	78
119	Long-term effects of a parent and student intervention on alcohol use in adolescents: a cluster randomized controlled trial. <i>American Journal of Preventive Medicine</i> , <b>2011</b> , 40, 541-7	6.1	75
118	The European Study of the Epidemiology of Mental Disorders (ESEMeD/MHEDEA 2000) project: rationale and methods. <i>International Journal of Methods in Psychiatric Research</i> , <b>2002</b> , 11, 55-67	4.3	72
117	National Income and Income Inequality, Family Affluence and Life Satisfaction Among 13-year Old Boys and Girls: A Multilevel Study in 35 Countries. <i>Social Indicators Research</i> , <b>2011</b> , 104, 179-194	2.7	68
116	Predicting life-time and regular cannabis use during adolescence; the roles of temperament and peer substance use: the TRAILS study. <i>Addiction</i> , <b>2010</b> , 105, 699-708	4.6	68
115	Prevalence of bipolar disorder in the general population: a Reappraisal Study of the Netherlands Mental Health Survey and Incidence Study. <i>Acta Psychiatrica Scandinavica</i> , <b>2004</b> , 110, 374-82	6.5	67
114	Patterns of Psychological Acculturation in Adult and Adolescent Moroccan Immigrants Living in the Netherlands. <i>Journal of Cross-Cultural Psychology</i> , <b>2004</b> , 35, 689-704	1.9	66
113	Why target early adolescents and parents in alcohol prevention? The mediating effects of self-control, rules and attitudes about alcohol use. <i>Addiction</i> , <b>2011</b> , 106, 538-46	4.6	63
112	When does experience of psychosis result in a need for care? A prospective general population study. <i>Schizophrenia Bulletin</i> , <b>2003</b> , 29, 349-58	1.3	63

111	Hallucinatory experiences and onset of psychotic disorder: evidence that the risk is mediated by delusion formation. <i>Acta Psychiatrica Scandinavica</i> , <b>2004</b> , 110, 264-72	6.5	63
110	Alcohol-specific socialization practices and alcohol use in Dutch early adolescents. <i>Journal of Adolescence</i> , <b>2010</b> , 33, 93-100	3.4	62
109	Working memory and alcohol use in at-risk adolescents: a 2-year follow-up. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2014</b> , 38, 1176-83	3.7	61
108	Course, Co-Occurrence, and Longitudinal Associations of Emotional Disturbance and Delinquency from Adolescence to Young Adulthood: A Six-Year Three-Wave Study. <i>Journal of Youth and Adolescence</i> , <b>2001</b> , 30, 401-426	4.5	61
107	Cross-national comparison of adolescent drinking and cannabis use in the United States, Canada, and the Netherlands. <i>International Journal of Drug Policy</i> , <b>2010</b> , 21, 64-9	5.5	60
106	First cannabis use: does onset shift to younger ages? Findings from 1988 to 2003 from the Dutch National School Survey on Substance Use. <i>Addiction</i> , <b>2005</b> , 100, 963-70	4.6	59
105	Does neuroticism explain variations in care service use for mental health problems in the general population? Results from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2005</b> , 40, 425-31	4.5	54
104	Do societal wealth, family affluence and gender account for trends in adolescent cannabis use? A 30 country cross-national study. <i>Addiction</i> , <b>2014</b> , 109, 273-83	4.6	53
103	Can the gateway hypothesis, the common liability model and/or, the route of administration model predict initiation of cannabis use during adolescence? A survival analysis--the TRAILS study. <i>Journal of Adolescent Health</i> , <b>2011</b> , 48, 73-8	5.8	51
102	The relationship between coping and subclinical psychotic experiences in adolescents from the general population--a longitudinal study. <i>Psychological Medicine</i> , <b>2011</b> , 41, 2535-46	6.9	48
101	Selecting key variables for depression prevention: results from a population-based prospective epidemiological study. <i>Journal of Affective Disorders</i> , <b>2004</b> , 81, 241-9	6.6	48
100	Do different psychotic experiences differentially predict need for care in the general population?. <i>Comprehensive Psychiatry</i> , <b>2005</b> , 46, 192-9	7.3	47
99	The three year course of alcohol use disorders in the general population: DSM-IV, ICD-10 and the Craving Withdrawal Model. <i>Addiction</i> , <b>2006</b> , 101, 385-92	4.6	47
98	Does educational background explain inequalities in care service use for mental health problems in the Dutch general population?. <i>Acta Psychiatrica Scandinavica</i> , <b>2003</b> , 107, 178-87	6.5	47
97	Solidarity in Dutch Families: Family Ties Under Strain?. <i>Journal of Family Issues</i> , <b>2002</b> , 23, 171-188	1.6	47
96	Combined effect of mental disorder and low social support on care service use for mental health problems in the Dutch general population. <i>Psychological Medicine</i> , <b>2002</b> , 32, 311-23	6.9	47
95	Early trauma and familial risk in the development of the extended psychosis phenotype in adolescence. <i>Acta Psychiatrica Scandinavica</i> , <b>2012</b> , 126, 266-73	6.5	44
94	Predicting externalizing problems in Moroccan immigrant adolescents in the Netherlands. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2005</b> , 40, 571-9	4.5	44

93	Executive functioning shows differential maturation from early to late adolescence: longitudinal findings from a TRAILS study. <i>Neuropsychology</i> , <b>2014</b> , 28, 177-87	3.8	43
92	Psychometric properties of the World Health Organization Disability Assessment Schedule used in the European Study of the Epidemiology of Mental Disorders. <i>International Journal of Methods in Psychiatric Research</i> , <b>2008</b> , 17, 185-97	4.3	43
91	Cannabis use and development of externalizing and internalizing behaviour problems in early adolescence: A TRAILS study. <i>Drug and Alcohol Dependence</i> , <b>2011</b> , 116, 11-7	4.9	41
90	The soundtrack of substance use: music preference and adolescent smoking and drinking. <i>Substance Use and Misuse</i> , <b>2009</b> , 44, 514-31	2.2	41
89	What depressive symptoms are associated with the use of care services? Results from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). <i>Journal of Affective Disorders</i> , <b>2004</b> , 80, 239-48	6.6	41
88	Hearing impairment and psychosis revisited. <i>Schizophrenia Research</i> , <b>2005</b> , 76, 99-103	3.6	39
87	Explaining Adolescents' Delinquency and Substance Use: A Test of the Maturity Gap: The SNARE study. <i>Journal of Research in Crime and Delinquency</i> , <b>2015</b> , 52, 747-767	2.3	38
86	Individual and environmental predictors of health risk behaviours among Dutch adolescents: the HBSC study. <i>Public Health</i> , <b>2012</b> , 126, 566-73	4	37
85	The Cross-Cultural Equivalence of Parental Rearing Measure: EMBU-C. <i>European Journal of Psychological Assessment</i> , <b>2006</b> , 22, 85-91	2.2	37
84	Cross-national evidence for the clustering and psychosocial correlates of adolescent risk behaviours in 27 countries. <i>European Journal of Public Health</i> , <b>2015</b> , 25, 50-6	2.1	36
83	Cannabis use and subclinical positive psychotic experiences in early adolescence: findings from a Dutch survey. <i>Addiction</i> , <b>2012</b> , 107, 381-7	4.6	36
82	Problem Behavior and Acculturation in Moroccan Immigrant Adolescents in the Netherlands: Effects of Gender and Parent-Child Conflict. <i>Journal of Cross-Cultural Psychology</i> , <b>2007</b> , 38, 310-317	1.9	36
81	Psychological changes and cognitive impairments in adolescent heavy drinkers. <i>Alcohol and Alcoholism</i> , <b>2014</b> , 49, 182-6	3.5	35
80	Subclinical psychosis and depression: co-occurring phenomena that do not predict each other over time. <i>Schizophrenia Research</i> , <b>2011</b> , 130, 277-81	3.6	35
79	DRD2 and DRD4 in relation to regular alcohol and cannabis use among adolescents: does parenting modify the impact of genetic vulnerability? The TRAILS study. <i>Drug and Alcohol Dependence</i> , <b>2011</b> , 115, 35-42	4.9	35
78	Is it the music? Peer substance use as a mediator of the link between music preferences and adolescent substance use. <i>Journal of Adolescence</i> , <b>2010</b> , 33, 387-94	3.4	35
77	The Role of Individual- and Macro-Level Social Determinants on Young Adolescents' Psychosomatic Complaints. <i>Journal of Early Adolescence</i> , <b>2012</b> , 32, 126-158	1.9	35
76	A twin study of genetic and environmental determinants of abnormal persistence of psychotic experiences in young adulthood. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2011</b> , 156B, 546-52	3.5	34

75	The role of general parenting and cannabis-specific parenting practices in adolescent cannabis and other illicit drug use. <i>Drug and Alcohol Dependence</i> , <b>2015</b> , 147, 222-8	4.9	33
74	The course of panic attacks in individuals with panic disorder and subthreshold panic disorder: a population-based study. <i>Journal of Affective Disorders</i> , <b>2010</b> , 121, 30-8	6.6	33
73	Functioning after a major depressive episode: complete or incomplete recovery?. <i>Journal of Affective Disorders</i> , <b>2004</b> , 82, 363-71	6.6	33
72	Is our concept of schizophrenia influenced by Berkson's bias?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2004</b> , 39, 600-5	4.5	33
71	The Happiest Kids on Earth. Gender Equality and Adolescent Life Satisfaction in Europe and North America. <i>Journal of Youth and Adolescence</i> , <b>2018</b> , 47, 1073-1085	4.5	32
70	Alcohol consumption and symptoms as predictors for relapse of DSM-5 alcohol use disorder. <i>Drug and Alcohol Dependence</i> , <b>2014</b> , 140, 85-91	4.9	32
69	Trends in alcohol-specific parenting practices and adolescent alcohol use between 2007 and 2011 in the Netherlands. <i>International Journal of Drug Policy</i> , <b>2014</b> , 25, 133-41	5.5	31
68	Ethnic differences in mental health among incarcerated youths: do Moroccan immigrant boys show less psychopathology than native Dutch boys?. <i>European Child and Adolescent Psychiatry</i> , <b>2010</b> , 19, 431-40	5.5	31
67	The role of temperament in the relationship between early onset of tobacco and cannabis use: the TRAILS study. <i>Drug and Alcohol Dependence</i> , <b>2009</b> , 104, 113-8	4.9	30
66	Substance use by adolescents in special education and residential youth care institutions. <i>European Child and Adolescent Psychiatry</i> , <b>2011</b> , 20, 311-9	5.5	29
65	Does the urban environment independently increase the risk for both negative and positive features of psychosis?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2002</b> , 37, 460-4	4.5	29
64	Adolescent Heavy Drinking Does Not Affect Maturation of Basic Executive Functioning: Longitudinal Findings from the TRAILS Study. <i>PLoS ONE</i> , <b>2015</b> , 10, e0139186	3.7	28
63	Bulimia nervosa following psychological and multiple child abuse: support for the self-medication hypothesis in a population-based cohort study. <i>International Journal of Eating Disorders</i> , <b>2002</b> , 32, 381-8	6.3	28
62	Predictors of incident care service utilisation for mental health problems in the Dutch general population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2001</b> , 36, 141-9	4.5	28
61	A test of the vulnerability model: temperament and temperament change as predictors of future mental disorders in the TRAILS study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , <b>2014</b> , 55, 227-36	7.9	27
60	The 2-year prognosis of panic episodes in the general population. <i>Psychological Medicine</i> , <b>2010</b> , 40, 147-57	5.9	27
59	Ethnic density in school classes and adolescent mental health. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2010</b> , 45, 639-46	4.5	27
58	Cross-ethnic generalizability of the three-factor model of psychopathy: the Youth Psychopathic Traits Inventory in an incarcerated sample of native Dutch and Moroccan immigrant boys. <i>International Journal of Law and Psychiatry</i> , <b>2011</b> , 34, 127-30	2.6	26

57	Ten-year trends in adolescents' self-reported emotional and behavioral problems in the Netherlands. <i>European Child and Adolescent Psychiatry</i> , <b>2015</b> , 24, 1119-28	5.5	25
56	Prenatal smoking exposure and the risk of behavioral problems and substance use in adolescence: the TRAILS study. <i>European Addiction Research</i> , <b>2011</b> , 17, 342-50	4.6	25
55	Parenting and Internalizing and Externalizing Problems in Moroccan Immigrant Youth in the Netherlands. <i>Journal of Youth and Adolescence</i> , <b>2007</b> , 36, 685-695	4.5	25
54	The craving withdrawal model for alcoholism: towards the DSM-V. Improving the discriminant validity of alcohol use disorder diagnosis. <i>Alcohol and Alcoholism</i> , <b>2005</b> , 40, 314-22	3.5	24
53	Mental health problems in early adolescents in the Netherlands: differences between school and household surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2006</b> , 41, 156-63	4.5	24
52	Young adults' relationship transitions and the incidence of mental disorders: a three-wave longitudinal study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2003</b> , 38, 669-76	4.5	24
51	Interactions between parental alcohol-specific rules and risk personalities in the prediction of adolescent alcohol use. <i>Alcohol and Alcoholism</i> , <b>2014</b> , 49, 579-85	3.5	23
50	Effectiveness of the 'Healthy School and Drugs' prevention programme on adolescents' substance use: a randomized clustered trial. <i>Addiction</i> , <b>2014</b> , 109, 1031-40	4.6	23
49	Parental attachment and romantic relationships: Associations with emotional disturbance during late adolescence.. <i>Journal of Counseling Psychology</i> , <b>2003</b> , 50, 28-39	3.6	23
48	Longitudinal relations between cognitive bias and adolescent alcohol use. <i>Addictive Behaviors</i> , <b>2015</b> , 44, 51-57	4.2	22
47	Legal substance use and the development of a DSM-IV cannabis use disorder during adolescence: the TRAILS study. <i>Addiction</i> , <b>2014</b> , 109, 303-11	4.6	22
46	Short-term efficacy of nicotine replacement therapy for smoking cessation in adolescents: a randomized controlled trial. <i>Journal of Substance Abuse Treatment</i> , <b>2014</b> , 46, 120-7	4.2	22
45	Alcohol abuse and dependence criteria as predictors of a chronic course of alcohol use disorders in the general population. <i>Alcohol and Alcoholism</i> , <b>2005</b> , 40, 441-6	3.5	21
44	Long-term efficacy of nicotine replacement therapy for smoking cessation in adolescents: a randomized controlled trial. <i>Drug and Alcohol Dependence</i> , <b>2014</b> , 140, 217-20	4.9	20
43	Predicting transitions in low and high levels of risk behavior from early to middle adolescence: the TRAILS study. <i>Journal of Abnormal Child Psychology</i> , <b>2012</b> , 40, 923-31	4	20
42	Effects of a combined parent-student alcohol prevention program on intermediate factors and adolescents' drinking behavior: A sequential mediation model. <i>Journal of Consulting and Clinical Psychology</i> , <b>2015</b> , 83, 719-27	6.5	19
41	Identifying target groups for the prevention of anxiety disorders in the general population. <i>Acta Psychiatrica Scandinavica</i> , <b>2010</b> , 122, 56-65	6.5	19
40	Need for mental health care in adolescents and its determinants: the TRAILS Study. <i>European Journal of Public Health</i> , <b>2013</b> , 23, 236-41	2.1	18



39	Youth Centrism and the Formation of Political Orientations in Adolescence and Young Adulthood. <i>Journal of Cross-Cultural Psychology</i> , <b>2001</b> , 32, 229-240	1.9	18
38	Risk moderation of a parent and student preventive alcohol intervention by adolescent and family factors: a cluster randomized trial. <i>Preventive Medicine</i> , <b>2014</b> , 60, 88-94	4.3	17
37	Buying cannabis in 'coffee shops'. <i>Drug and Alcohol Review</i> , <b>2011</b> , 30, 148-56	3.2	17
36	The relationship between excessive alcohol consumption and alcohol use disorders according to DSM-IV and DSM-5. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2014</b> , 38, 249-56	3.7	16
35	Substance use outcomes in the Healthy School and Drugs program: results from a latent growth curve approach. <i>Addictive Behaviors</i> , <b>2015</b> , 42, 194-202	4.2	15
34	Mediation and moderation effects of an in-home family intervention: the "in control: no alcohol!" pilot study. <i>Prevention Science</i> , <b>2014</b> , 15, 633-42	4	15
33	Psychological acculturation and juvenile delinquency: comparing Moroccan immigrant families from a general and pretrial detention population. <i>Cultural Diversity and Ethnic Minority Psychology</i> , <b>2014</b> , 20, 254-65	3.2	14
32	Young adult smoking in peer groups: an experimental observational study. <i>Nicotine and Tobacco Research</i> , <b>2013</b> , 15, 656-61	4.9	14
31	Moroccan adolescent suspect offenders in the Netherlands: ethnic differences in offender profiles. <i>Psychology, Crime and Law</i> , <b>2011</b> , 17, 545-561	1.4	14
30	Young adults' recollections of parental bonds--does satisfaction with partner relationships mediate the longitudinal association with mental disorders?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2004</b> , 39, 703-10	4.5	14
29	The Emerging Gender Gap: Cultural and Economic Conservatism in the Netherlands 1970-1992. <i>Political Psychology</i> , <b>1999</b> , 20, 291-321	3.6	14
28	Actions speak louder than words: an experiment on the impact of peers discouraging young adult smoking. <i>European Addiction Research</i> , <b>2011</b> , 17, 316-20	4.6	13
27	Trends over Time in Adolescent Emotional Wellbeing in the Netherlands, 2005-2017: Links with Perceived Schoolwork Pressure, Parent-Adolescent Communication and Bullying Victimization. <i>Journal of Youth and Adolescence</i> , <b>2020</b> , 49, 2124-2135	4.5	13
26	Understanding the elevated risk of substance use by adolescents in special education and residential youth care: the role of individual, family and peer factors. <i>European Child and Adolescent Psychiatry</i> , <b>2014</b> , 23, 461-72	5.5	11
25	Familiarity of depression in the community; associations with gender and phenotype of major depressive disorder. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2009</b> , 44, 1067-74	4.5	11
24	Adolescents' use of care for behavioral and emotional problems: types, trends, and determinants. <i>PLoS ONE</i> , <b>2014</b> , 9, e93526	3.7	11
23	Adolescents' use of nicotine replacement therapy for smoking cessation: predictors of compliance trajectories. <i>Psychopharmacology</i> , <b>2014</b> , 231, 1743-52	4.7	10
22	The impact of psychiatric history on women's pre- and postabortion experiences. <i>Contraception</i> , <b>2015</b> , 92, 246-53	2.5	10

21	STRESS AND ETHNIC IDENTITY IN ETHNIC MINORITY YOUTH IN THE NETHERLANDS. <i>Social Behavior and Personality</i> , <b>1997</b> , 25, 249-258	1.2	10
20	Bidirectional associations between depression/anxiety and bowel disease in a population based cohort. <i>Journal of Epidemiology and Community Health</i> , <b>2005</b> , 59, 434	5.1	10
19	Differential effects of baseline drinking status: effects of an alcohol prevention program targeting students and/or parents (PAS) among weekly drinking students. <i>Journal of Substance Abuse Treatment</i> , <b>2014</b> , 46, 522-7	4.2	9
18	Internet chameleons: an experimental study on imitating smoking peers through digital interaction. <i>Nicotine and Tobacco Research</i> , <b>2012</b> , 14, 323-8	4.9	9
17	Revising the self-report strengths and difficulties questionnaire for cross-country comparisons of adolescent mental health problems: the SDQ-R. <i>Epidemiology and Psychiatric Sciences</i> , <b>2019</b> , 29, e35	5.1	9
16	Immigration background and adolescent mental health problems: the role of family affluence, adolescent educational level and gender. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2020</b> , 55, 435-445	4.5	8
15	Juvenile delinquency as acting out: Emotional disturbance mediating the effects of parental attachment and life events. <i>European Journal of Developmental Psychology</i> , <b>2005</b> , 2, 39-46	1.5	8
14	The relation between bullying and subclinical psychotic experiences and the influence of the bully climate of school classes. <i>European Child and Adolescent Psychiatry</i> , <b>2014</b> , 23, 765-72	5.5	7
13	Neurocognitive moderation of associations between cannabis use and psychoneuroticism. <i>Journal of Clinical and Experimental Neuropsychology</i> , <b>2014</b> , 36, 794-805	2.1	7
12	Mild psychotic experiences among ethnic minority and majority adolescents and the role of ethnic density. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2015</b> , 50, 1029-37	4.5	6
11	Initiation of Substance Use by Adolescents After One Year in Residential Youth Care. <i>Child and Youth Care Forum</i> , <b>2015</b> , 44, 597-611	2.4	6
10	Do child's psychosocial functioning, and parent and family characteristics predict early alcohol use? The TRAILS Study. <i>European Journal of Public Health</i> , <b>2015</b> , 25, 38-43	2.1	6
9	Using the Youth Self-Report internalizing syndrome scales among immigrant adolescents: Testing measurement invariance across groups and over time. <i>European Journal of Developmental Psychology</i> , <b>2014</b> , 11, 102-110	1.5	6
8	Familiality of major depressive disorder and patterns of lifetime comorbidity. The NEMESIS and GenMood studies. A comparison of three samples. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2008</b> , 258, 505-12	5.1	6
7	Negative and positive participant responses to the Composite International Diagnostic Interview. Results of the Netherlands Mental Health Survey and Incidence Study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2004</b> , 39, 521-7	4.5	6
6	Social skills as precursors of cannabis use in young adolescents: a TRAILS study. <i>Journal of Clinical Child and Adolescent Psychology</i> , <b>2011</b> , 40, 706-14	5.4	5
5	Age at menarche and adolescent alcohol use. <i>Journal of Youth and Adolescence</i> , <b>2014</b> , 43, 1333-45	4.5	4
4	Beyond not bad or just okay: social predictors of young adults' wellbeing and functioning (a TRAILS study). <i>Psychological Medicine</i> , <b>2019</b> , 49, 1459-1469	6.9	4

- |   |                                                                                                                                                                                                                                               |     |   |
|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|
| 3 | Upward trends in the use of community mental health and social work services in the Netherlands between 1979 and 1995: are particular sociodemographic groups responsible?. <i>Acta Psychiatrica Scandinavica</i> , <b>2003</b> , 108, 447-54 | 6.5 | 3 |
| 2 | Risk of Early Onset Substance Use among Students with and without Mild Academic Disabilities: Results of a Discrete-Time Survival Analysis. <i>Learning Disabilities Research and Practice</i> , <b>2014</b> , 29, 139-149                    | 0.8 | 1 |
| 1 | ETHNOCENTRISM IN SECONDARY SCHOOL STUDENTS IN THE NETHERLANDS: AGREEMENT, ABSENCE OF OPINION, AND EDUCATION. <i>Psychological Reports</i> , <b>1997</b> , 81, 339                                                                             | 1.6 |   |