

W A M Vollebergh

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8871869/w-a-m-vollebergh-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

164
papers

11,838
citations

59
h-index

105
g-index

165
ext. papers

12,844
ext. citations

4.5
avg, IF

5.92
L-index

#	Paper	IF	Citations
164	Immigration background and adolescent mental health problems: the role of family affluence, adolescent educational level and gender. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020 , 55, 435-445	4.5	8
163	Trends over Time in Adolescent Emotional Wellbeing in the Netherlands, 2005-2017: Links with Perceived Schoolwork Pressure, Parent-Adolescent Communication and Bullying Victimization. <i>Journal of Youth and Adolescence</i> , 2020 , 49, 2124-2135	4.5	13
162	Beyond not bad or just okay: social predictors of young adults' wellbeing and functioning (a TRAILS study). <i>Psychological Medicine</i> , 2019 , 49, 1459-1469	6.9	4
161	Revising the self-report strengths and difficulties questionnaire for cross-country comparisons of adolescent mental health problems: the SDQ-R. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 29, e35	5.1	9
160	The Happiest Kids on Earth. Gender Equality and Adolescent Life Satisfaction in Europe and North America. <i>Journal of Youth and Adolescence</i> , 2018 , 47, 1073-1085	4.5	32
159	Ten-year trends in adolescents' self-reported emotional and behavioral problems in the Netherlands. <i>European Child and Adolescent Psychiatry</i> , 2015 , 24, 1119-28	5.5	25
158	Mild psychotic experiences among ethnic minority and majority adolescents and the role of ethnic density. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 1029-37	4.5	6
157	Mental health in Dutch adolescents: a TRAILS report on prevalence, severity, age of onset, continuity and co-morbidity of DSM disorders. <i>Psychological Medicine</i> , 2015 , 45, 345-60	6.9	144
156	Longitudinal relations between cognitive bias and adolescent alcohol use. <i>Addictive Behaviors</i> , 2015 , 44, 51-57	4.2	22
155	Initiation of Substance Use by Adolescents After One Year in Residential Youth Care. <i>Child and Youth Care Forum</i> , 2015 , 44, 597-611	2.4	6
154	Substance use outcomes in the Healthy School and Drugs program: results from a latent growth curve approach. <i>Addictive Behaviors</i> , 2015 , 42, 194-202	4.2	15
153	Effects of a combined parent-student alcohol prevention program on intermediate factors and adolescents' drinking behavior: A sequential mediation model. <i>Journal of Consulting and Clinical Psychology</i> , 2015 , 83, 719-27	6.5	19
152	Adolescent Heavy Drinking Does Not Affect Maturation of Basic Executive Functioning: Longitudinal Findings from the TRAILS Study. <i>PLoS ONE</i> , 2015 , 10, e0139186	3.7	28
151	Do child's psychosocial functioning, and parent and family characteristics predict early alcohol use? The TRAILS Study. <i>European Journal of Public Health</i> , 2015 , 25, 38-43	2.1	6
150	Explaining Adolescents' Delinquency and Substance Use: A Test of the Maturity Gap: The SNARE study. <i>Journal of Research in Crime and Delinquency</i> , 2015 , 52, 747-767	2.3	38
149	The impact of psychiatric history on women's pre- and postabortion experiences. <i>Contraception</i> , 2015 , 92, 246-53	2.5	10
148	The role of general parenting and cannabis-specific parenting practices in adolescent cannabis and other illicit drug use. <i>Drug and Alcohol Dependence</i> , 2015 , 147, 222-8	4.9	33

147	Cohort Profile Update: the TRacking Adolescents' Individual Lives Survey (TRAILS). <i>International Journal of Epidemiology</i> , 2015 , 44, 76-76n	7.8	91
146	Cross-national evidence for the clustering and psychosocial correlates of adolescent risk behaviours in 27 countries. <i>European Journal of Public Health</i> , 2015 , 25, 50-6	2.1	36
145	The relation between bullying and subclinical psychotic experiences and the influence of the bully climate of school classes. <i>European Child and Adolescent Psychiatry</i> , 2014 , 23, 765-72	5.5	7
144	Mediation and moderation effects of an in-home family intervention: the "in control: no alcohol!" pilot study. <i>Prevention Science</i> , 2014 , 15, 633-42	4	15
143	Working memory and alcohol use in at-risk adolescents: a 2-year follow-up. <i>Alcoholism: Clinical and Experimental Research</i> , 2014 , 38, 1176-83	3.7	61
142	Alcohol consumption and symptoms as predictors for relapse of DSM-5 alcohol use disorder. <i>Drug and Alcohol Dependence</i> , 2014 , 140, 85-91	4.9	32
141	Adolescents' use of nicotine replacement therapy for smoking cessation: predictors of compliance trajectories. <i>Psychopharmacology</i> , 2014 , 231, 1743-52	4.7	10
140	Differential effects of baseline drinking status: effects of an alcohol prevention program targeting students and/or parents (PAS) among weekly drinking students. <i>Journal of Substance Abuse Treatment</i> , 2014 , 46, 522-7	4.2	9
139	Psychological acculturation and juvenile delinquency: comparing Moroccan immigrant families from a general and pretrial detention population. <i>Cultural Diversity and Ethnic Minority Psychology</i> , 2014 , 20, 254-65	3.2	14
138	Psychological changes and cognitive impairments in adolescent heavy drinkers. <i>Alcohol and Alcoholism</i> , 2014 , 49, 182-6	3.5	35
137	Executive functioning shows differential maturation from early to late adolescence: longitudinal findings from a TRAILS study. <i>Neuropsychology</i> , 2014 , 28, 177-87	3.8	43
136	Neurocognitive moderation of associations between cannabis use and psychoneuroticism. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2014 , 36, 794-805	2.1	7
135	Interactions between parental alcohol-specific rules and risk personalities in the prediction of adolescent alcohol use. <i>Alcohol and Alcoholism</i> , 2014 , 49, 579-85	3.5	23
134	Effectiveness of the 'Healthy School and Drugs' prevention programme on adolescents' substance use: a randomized clustered trial. <i>Addiction</i> , 2014 , 109, 1031-40	4.6	23
133	A test of the vulnerability model: temperament and temperament change as predictors of future mental disorders in the TRAILS study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014 , 55, 227-36	7.9	27
132	Using the Youth Self-Report internalizing syndrome scales among immigrant adolescents: Testing measurement invariance across groups and over time. <i>European Journal of Developmental Psychology</i> , 2014 , 11, 102-110	1.5	6
131	The relationship between excessive alcohol consumption and alcohol use disorders according to DSM-IV and DSM-5. <i>Alcoholism: Clinical and Experimental Research</i> , 2014 , 38, 249-56	3.7	16
130	Legal substance use and the development of a DSM-IV cannabis use disorder during adolescence: the TRAILS study. <i>Addiction</i> , 2014 , 109, 303-11	4.6	22

129	Do societal wealth, family affluence and gender account for trends in adolescent cannabis use? A 30 country cross-national study. <i>Addiction</i> , 2014 , 109, 273-83	4.6	53
128	Risk of Early Onset Substance Use among Students with and without Mild Academic Disabilities: Results of a Discrete-Time Survival Analysis. <i>Learning Disabilities Research and Practice</i> , 2014 , 29, 139-149	0.8	1
127	Short-term efficacy of nicotine replacement therapy for smoking cessation in adolescents: a randomized controlled trial. <i>Journal of Substance Abuse Treatment</i> , 2014 , 46, 120-7	4.2	22
126	Trends in alcohol-specific parenting practices and adolescent alcohol use between 2007 and 2011 in the Netherlands. <i>International Journal of Drug Policy</i> , 2014 , 25, 133-41	5.5	31
125	Long-term efficacy of nicotine replacement therapy for smoking cessation in adolescents: a randomized controlled trial. <i>Drug and Alcohol Dependence</i> , 2014 , 140, 217-20	4.9	20
124	Risk moderation of a parent and student preventive alcohol intervention by adolescent and family factors: a cluster randomized trial. <i>Preventive Medicine</i> , 2014 , 60, 88-94	4.3	17
123	Age at menarche and adolescent alcohol use. <i>Journal of Youth and Adolescence</i> , 2014 , 43, 1333-45	4.5	4
122	Understanding the elevated risk of substance use by adolescents in special education and residential youth care: the role of individual, family and peer factors. <i>European Child and Adolescent Psychiatry</i> , 2014 , 23, 461-72	5.5	11
121	Adolescents' use of care for behavioral and emotional problems: types, trends, and determinants. <i>PLoS ONE</i> , 2014 , 9, e93526	3.7	11
120	Need for mental health care in adolescents and its determinants: the TRAILS Study. <i>European Journal of Public Health</i> , 2013 , 23, 236-41	2.1	18
119	Young adult smoking in peer groups: an experimental observational study. <i>Nicotine and Tobacco Research</i> , 2013 , 15, 656-61	4.9	14
118	Early trauma and familial risk in the development of the extended psychosis phenotype in adolescence. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 126, 266-73	6.5	44
117	Individual and environmental predictors of health risk behaviours among Dutch adolescents: the HBSC study. <i>Public Health</i> , 2012 , 126, 566-73	4	37
116	Predicting transitions in low and high levels of risk behavior from early to middle adolescence: the TRAILS study. <i>Journal of Abnormal Child Psychology</i> , 2012 , 40, 923-31	4	20
115	Cannabis use and subclinical positive psychotic experiences in early adolescence: findings from a Dutch survey. <i>Addiction</i> , 2012 , 107, 381-7	4.6	36
114	Internet chameleons: an experimental study on imitating smoking peers through digital interaction. <i>Nicotine and Tobacco Research</i> , 2012 , 14, 323-8	4.9	9
113	The Role of Individual- and Macro-Level Social Determinants on Young Adolescents' Psychosomatic Complaints. <i>Journal of Early Adolescence</i> , 2012 , 32, 126-158	1.9	35
112	Evidence that psychotic symptoms are prevalent in disorders of anxiety and depression, impacting on illness onset, risk, and severity--implications for diagnosis and ultra-high risk research. <i>Schizophrenia Bulletin</i> , 2012 , 38, 247-57	1.3	260

111	Subclinical psychosis and depression: co-occurring phenomena that do not predict each other over time. <i>Schizophrenia Research</i> , 2011 , 130, 277-81	3.6	35
110	Long-term effects of a parent and student intervention on alcohol use in adolescents: a cluster randomized controlled trial. <i>American Journal of Preventive Medicine</i> , 2011 , 40, 541-7	6.1	75
109	DRD2 and DRD4 in relation to regular alcohol and cannabis use among adolescents: does parenting modify the impact of genetic vulnerability? The TRAILS study. <i>Drug and Alcohol Dependence</i> , 2011 , 115, 35-42	4.9	35
108	Cannabis use and development of externalizing and internalizing behaviour problems in early adolescence: A TRAILS study. <i>Drug and Alcohol Dependence</i> , 2011 , 116, 11-7	4.9	41
107	Can the gateway hypothesis, the common liability model and/or, the route of administration model predict initiation of cannabis use during adolescence? A survival analysis--the TRAILS study. <i>Journal of Adolescent Health</i> , 2011 , 48, 73-8	5.8	51
106	Buying cannabis in 'coffee shops'. <i>Drug and Alcohol Review</i> , 2011 , 30, 148-56	3.2	17
105	Why target early adolescents and parents in alcohol prevention? The mediating effects of self-control, rules and attitudes about alcohol use. <i>Addiction</i> , 2011 , 106, 538-46	4.6	63
104	Cross-ethnic generalizability of the three-factor model of psychopathy: the Youth Psychopathic Traits Inventory in an incarcerated sample of native Dutch and Moroccan immigrant boys. <i>International Journal of Law and Psychiatry</i> , 2011 , 34, 127-30	2.6	26
103	National Income and Income Inequality, Family Affluence and Life Satisfaction Among 13-year Old Boys and Girls: A Multilevel Study in 35 Countries. <i>Social Indicators Research</i> , 2011 , 104, 179-194	2.7	68
102	Substance use by adolescents in special education and residential youth care institutions. <i>European Child and Adolescent Psychiatry</i> , 2011 , 20, 311-9	5.5	29
101	A twin study of genetic and environmental determinants of abnormal persistence of psychotic experiences in young adulthood. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 546-52	3.5	34
100	Social skills as precursors of cannabis use in young adolescents: a TRAILS study. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2011 , 40, 706-14	5.4	5
99	The relationship between coping and subclinical psychotic experiences in adolescents from the general population--a longitudinal study. <i>Psychological Medicine</i> , 2011 , 41, 2535-46	6.9	48
98	The structure of the extended psychosis phenotype in early adolescence--a cross-sample replication. <i>Schizophrenia Bulletin</i> , 2011 , 37, 850-60	1.3	138
97	Actions speak louder than words: an experiment on the impact of peers discouraging young adult smoking. <i>European Addiction Research</i> , 2011 , 17, 316-20	4.6	13
96	Prenatal smoking exposure and the risk of behavioral problems and substance use in adolescence: the TRAILS study. <i>European Addiction Research</i> , 2011 , 17, 342-50	4.6	25
95	Evidence for a persistent, environment-dependent and deteriorating subtype of subclinical psychotic experiences: a 6-year longitudinal general population study. <i>Psychological Medicine</i> , 2011 , 41, 2317-29	6.9	80
94	Moroccan adolescent suspect offenders in the Netherlands: ethnic differences in offender profiles. <i>Psychology, Crime and Law</i> , 2011 , 17, 545-561	1.4	14

93	Predicting life-time and regular cannabis use during adolescence; the roles of temperament and peer substance use: the TRAILS study. <i>Addiction</i> , 2010 , 105, 699-708	4.6	68
92	The 2-year prognosis of panic episodes in the general population. <i>Psychological Medicine</i> , 2010 , 40, 147-159	5.7	27
91	Alcohol-specific socialization practices and alcohol use in Dutch early adolescents. <i>Journal of Adolescence</i> , 2010 , 33, 93-100	3.4	62
90	Is it the music? Peer substance use as a mediator of the link between music preferences and adolescent substance use. <i>Journal of Adolescence</i> , 2010 , 33, 387-94	3.4	35
89	Identifying target groups for the prevention of anxiety disorders in the general population. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 122, 56-65	6.5	19
88	Ethnic density in school classes and adolescent mental health. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010 , 45, 639-46	4.5	27
87	Ethnic differences in mental health among incarcerated youths: do Moroccan immigrant boys show less psychopathology than native Dutch boys?. <i>European Child and Adolescent Psychiatry</i> , 2010 , 19, 431-40	5.5	31
86	Substance use risk profiles and associations with early substance use in adolescence. <i>Journal of Behavioral Medicine</i> , 2010 , 33, 474-85	3.6	95
85	Cross-national comparison of adolescent drinking and cannabis use in the United States, Canada, and the Netherlands. <i>International Journal of Drug Policy</i> , 2010 , 21, 64-9	5.5	60
84	The course of panic attacks in individuals with panic disorder and subthreshold panic disorder: a population-based study. <i>Journal of Affective Disorders</i> , 2010 , 121, 30-8	6.6	33
83	Familiality of depression in the community; associations with gender and phenotype of major depressive disorder. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 1067-74	4.5	11
82	Preventing heavy alcohol use in adolescents (PAS): cluster randomized trial of a parent and student intervention offered separately and simultaneously. <i>Addiction</i> , 2009 , 104, 1669-78	4.6	159
81	The role of temperament in the relationship between early onset of tobacco and cannabis use: the TRAILS study. <i>Drug and Alcohol Dependence</i> , 2009 , 104, 113-8	4.9	30
80	The soundtrack of substance use: music preference and adolescent smoking and drinking. <i>Substance Use and Misuse</i> , 2009 , 44, 514-31	2.2	41
79	Mental health in migrant children. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2008 , 49, 276-94	7.9	226
78	Familiality of major depressive disorder and patterns of lifetime comorbidity. The NEMESIS and GenMood studies. A comparison of three samples. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2008 , 258, 505-12	5.1	6
77	Psychometric properties of the World Health Organization Disability Assessment Schedule used in the European Study of the Epidemiology of Mental Disorders. <i>International Journal of Methods in Psychiatric Research</i> , 2008 , 17, 185-97	4.3	43
76	Mediators of the association between depression and role functioning. <i>Acta Psychiatrica Scandinavica</i> , 2008 , 118, 451-8	6.5	92

75	Parenting and Internalizing and Externalizing Problems in Moroccan Immigrant Youth in the Netherlands. <i>Journal of Youth and Adolescence</i> , 2007 , 36, 685-695	4.5	25
74	Problem Behavior and Acculturation in Moroccan Immigrant Adolescents in the Netherlands: Effects of Gender and Parent-Child Conflict. <i>Journal of Cross-Cultural Psychology</i> , 2007 , 38, 310-317	1.9	36
73	Body mass index and body weight perception as risk factors for internalizing and externalizing problem behavior among adolescents. <i>Journal of Adolescent Health</i> , 2006 , 39, 27-34	5.8	153
72	Functional disability of mental disorders and comparison with physical disorders: a study among the general population of six European countries. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 113, 492-500	6.5	126
71	The three year course of alcohol use disorders in the general population: DSM-IV, ICD-10 and the Craving Withdrawal Model. <i>Addiction</i> , 2006 , 101, 385-92	4.6	47
70	Mental health problems in early adolescents in the Netherlands: differences between school and household surveys. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 156-63	4.5	24
69	The Cross-Cultural Equivalence of Parental Rearing Measure: EMBU-C. <i>European Journal of Psychological Assessment</i> , 2006 , 22, 85-91	2.2	37
68	The craving withdrawal model for alcoholism: towards the DSM-V. Improving the discriminant validity of alcohol use disorder diagnosis. <i>Alcohol and Alcoholism</i> , 2005 , 40, 314-22	3.5	24
67	Hearing impairment and psychosis revisited. <i>Schizophrenia Research</i> , 2005 , 76, 99-103	3.6	39
66	Juvenile delinquency as acting out: Emotional disturbance mediating the effects of parental attachment and life events. <i>European Journal of Developmental Psychology</i> , 2005 , 2, 39-46	1.5	8
65	Do different psychotic experiences differentially predict need for care in the general population?. <i>Comprehensive Psychiatry</i> , 2005 , 46, 192-9	7.3	47
64	Development of depressed mood predicts onset of psychotic disorder in individuals who report hallucinatory experiences. <i>British Journal of Clinical Psychology</i> , 2005 , 44, 113-25	3.6	106
63	The incidence and outcome of subclinical psychotic experiences in the general population. <i>British Journal of Clinical Psychology</i> , 2005 , 44, 181-91	3.6	314
62	First cannabis use: does onset shift to younger ages? Findings from 1988 to 2003 from the Dutch National School Survey on Substance Use. <i>Addiction</i> , 2005 , 100, 963-70	4.6	59
61	Comorbidity of physical and mental disorders and the effect on work-loss days. <i>Acta Psychiatrica Scandinavica</i> , 2005 , 111, 436-43	6.5	165
60	Early trauma may increase the risk for psychotic experiences by impacting on emotional response and perception of control. <i>Acta Psychiatrica Scandinavica</i> , 2005 , 112, 360-6	6.5	79
59	Mental health in immigrant children in the Netherlands. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 489-96	4.5	89
58	Does neuroticism explain variations in care service use for mental health problems in the general population? Results from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 425-31	4.5	54

57	Predicting externalizing problems in Moroccan immigrant adolescents in the Netherlands. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 571-9	4.5	44
56	Alcohol abuse and dependence criteria as predictors of a chronic course of alcohol use disorders in the general population. <i>Alcohol and Alcoholism</i> , 2005 , 40, 441-6	3.5	21
55	Seasonal variations in mental disorders in the general population of a country with a maritime climate: findings from the Netherlands mental health survey and incidence study. <i>American Journal of Epidemiology</i> , 2005 , 162, 654-61	3.8	87
54	Bidirectional associations between depression/anxiety and bowel disease in a population based cohort. <i>Journal of Epidemiology and Community Health</i> , 2005 , 59, 434	5.1	10
53	Patterns of Psychological Acculturation in Adult and Adolescent Moroccan Immigrants Living in the Netherlands. <i>Journal of Cross-Cultural Psychology</i> , 2004 , 35, 689-704	1.9	66
52	Sampling and methods of the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 8-20	6.5	110
51	Prevalence of mental disorders in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 21-7	6.5	791
50	12-Month comorbidity patterns and associated factors in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 28-37	6.5	114
49	Disability and quality of life impact of mental disorders in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 38-46	6.5	213
48	Use of mental health services in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 47-54	6.5	249
47	Psychotropic drug utilization in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 55-64	6.5	103
46	Hallucinatory experiences and onset of psychotic disorder: evidence that the risk is mediated by delusion formation. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 110, 264-72	6.5	63
45	Prevalence of bipolar disorder in the general population: a Reappraisal Study of the Netherlands Mental Health Survey and Incidence Study. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 110, 374-82	6.5	67
44	What depressive symptoms are associated with the use of care services? Results from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). <i>Journal of Affective Disorders</i> , 2004 , 80, 239-48	6.6	41
43	Selecting key variables for depression prevention: results from a population-based prospective epidemiological study. <i>Journal of Affective Disorders</i> , 2004 , 81, 241-9	6.6	48
42	The suicidal process; prospective comparison between early and later stages. <i>Journal of Affective Disorders</i> , 2004 , 82, 43-52	6.6	90
41	Functioning after a major depressive episode: complete or incomplete recovery?. <i>Journal of Affective Disorders</i> , 2004 , 82, 363-71	6.6	33
40	Pathways to comorbidity: the transition of pure mood, anxiety and substance use disorders into comorbid conditions in a longitudinal population-based study. <i>Journal of Affective Disorders</i> , 2004 , 82, 461-7	6.6	91

39	Negative and positive participant responses to the Composite International Diagnostic Interview. Results of the Netherlands Mental Health Survey and Incidence Study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 521-7	4.5	6
38	Is our concept of schizophrenia influenced by Berkson's bias?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 600-5	4.5	33
37	Young adults' recollections of parental bonds--does satisfaction with partner relationships mediate the longitudinal association with mental disorders?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 703-10	4.5	14
36	Rapid onset of comorbidity of common mental disorders: findings from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 55-63	6.5	86
35	Dimensions of depression, mania and psychosis in the general population. <i>Psychological Medicine</i> , 2004 , 34, 1177-86	6.9	78
34	Psychosocial disability before, during, and after a major depressive episode: a 3-wave population-based study of state, scar, and trait effects. <i>Archives of General Psychiatry</i> , 2004 , 61, 387-92		119
33	When does experience of psychosis result in a need for care? A prospective general population study. <i>Schizophrenia Bulletin</i> , 2003 , 29, 349-58	1.3	63
32	Do urbanicity and familial liability coparticipate in causing psychosis?. <i>American Journal of Psychiatry</i> , 2003 , 160, 477-82	11.9	144
31	Discrimination and delusional ideation. <i>British Journal of Psychiatry</i> , 2003 , 182, 71-6	5.4	213
30	Temporal sequencing of lifetime mood disorders in relation to comorbid anxiety and substance use disorders--findings from the Netherlands Mental Health Survey and Incidence Study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003 , 38, 1-11	4.5	146
29	Parent, teacher and self-reported problem behavior in The Netherlands: comparing Moroccan immigrant with Dutch and with Turkish immigrant children and adolescents. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003 , 38, 576-85	4.5	128
28	Young adults' relationship transitions and the incidence of mental disorders: a three-wave longitudinal study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2003 , 38, 669-76	4.5	24
27	The epidemiology of major depressive episodes: results from the International Consortium of Psychiatric Epidemiology (ICPE) Surveys. <i>International Journal of Methods in Psychiatric Research</i> , 2003 , 12, 3-21	4.3	682
26	Self-reported psychotic experiences in the general population: a valid screening tool for DSM-III-R psychotic disorders?. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 107, 369-77	6.5	102
25	Does educational background explain inequalities in care service use for mental health problems in the Dutch general population?. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 107, 178-87	6.5	47
24	Upward trends in the use of community mental health and social work services in the Netherlands between 1979 and 1995: are particular sociodemographic groups responsible?. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 108, 447-54	6.5	3
23	Sex differences in symptoms of psychosis in a non-selected, general population sample. <i>Schizophrenia Research</i> , 2003 , 63, 89-95	3.6	96
22	Parental attachment and romantic relationships: Associations with emotional disturbance during late adolescence.. <i>Journal of Counseling Psychology</i> , 2003 , 50, 28-39	3.6	23

21	Bipolar disorder in the general population in The Netherlands (prevalence, consequences and care utilisation): results from The Netherlands Mental Health Survey and Incidence Study (NEMESIS). <i>Journal of Affective Disorders</i> , 2002 , 68, 203-13	6.6	151
20	The European Study of the Epidemiology of Mental Disorders (ESEMeD/MHEDEA 2000) project: rationale and methods. <i>International Journal of Methods in Psychiatric Research</i> , 2002 , 11, 55-67	4.3	72
19	Bulimia nervosa following psychological and multiple child abuse: support for the self-medication hypothesis in a population-based cohort study. <i>International Journal of Eating Disorders</i> , 2002 , 32, 381-8	6.3	28
18	Gender and age-specific first incidence of DSM-III-R psychiatric disorders in the general population. Results from the Netherlands Mental Health Survey and Incidence Study (NEMESIS). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002 , 37, 372-9	4.5	147
17	Does the urban environment independently increase the risk for both negative and positive features of psychosis?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002 , 37, 460-4	4.5	29
16	Predictors of first incidence of DSM-III-R psychiatric disorders in the general population: findings from the Netherlands Mental Health Survey and Incidence Study. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 106, 303-13	6.5	146
15	Solidarity in Dutch Families: Family Ties Under Strain?. <i>Journal of Family Issues</i> , 2002 , 23, 171-188	1.6	47
14	Risk factors for 12-month comorbidity of mood, anxiety, and substance use disorders: findings from the Netherlands Mental Health Survey and Incidence Study. <i>American Journal of Psychiatry</i> , 2002 , 159, 620-9	11.9	277
13	Combined effect of mental disorder and low social support on care service use for mental health problems in the Dutch general population. <i>Psychological Medicine</i> , 2002 , 32, 311-23	6.9	47
12	Parental and peer attachment and identity development in adolescence. <i>Journal of Adolescence</i> , 2002 , 25, 93-106	3.4	151
11	Predictors of incident care service utilisation for mental health problems in the Dutch general population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2001 , 36, 141-9	4.5	28
10	Course, Co-Occurrence, and Longitudinal Associations of Emotional Disturbance and Delinquency from Adolescence to Young Adulthood: A Six-Year Three-Wave Study. <i>Journal of Youth and Adolescence</i> , 2001 , 30, 401-426	4.5	61
9	Intergenerational Transmission and the Formation of Cultural Orientations in Adolescence and Young Adulthood. <i>Journal of Marriage and Family</i> , 2001 , 63, 1185-1198	4.5	176
8	The structure and stability of common mental disorders: the NEMESIS study. <i>Archives of General Psychiatry</i> , 2001 , 58, 597-603		412
7	Youth Centrism and the Formation of Political Orientations in Adolescence and Young Adulthood. <i>Journal of Cross-Cultural Psychology</i> , 2001 , 32, 229-240	1.9	18
6	Social Support from Parents and Friends and Emotional Problems in Adolescence. <i>Journal of Youth and Adolescence</i> , 2000 , 29, 319-335	4.5	388
5	Psychiatric and sociodemographic predictors of attrition in a longitudinal study: The Netherlands Mental Health Survey and Incidence Study (NEMESIS). <i>American Journal of Epidemiology</i> , 2000 , 152, 1039-47	3.8	270
4	The Emerging Gender Gap: Cultural and Economic Conservatism in the Netherlands 1970-1992. <i>Political Psychology</i> , 1999 , 20, 291-321	3.6	14

3	Patterns of Adolescent Identity Development: Review of Literature and Longitudinal Analysis. <i>Developmental Review</i> , 1999 , 19, 419-461	7.4	282
2	STRESS AND ETHNIC IDENTITY IN ETHNIC MINORITY YOUTH IN THE NETHERLANDS. <i>Social Behavior and Personality</i> , 1997 , 25, 249-258	1.2	10
1	ETHNOCENTRISM IN SECONDARY SCHOOL STUDENTS IN THE NETHERLANDS: AGREEMENT, ABSENCE OF OPINION, AND EDUCATION. <i>Psychological Reports</i> , 1997 , 81, 339	1.6	