Bharat B Aggarwal

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8872816/publications.pdf

Version: 2024-02-01

2101 6471 61,984 161 100 157 citations h-index g-index papers 161 161 161 55236 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Bioavailability of Curcumin: Problems and Promises. Molecular Pharmaceutics, 2007, 4, 807-818.	4.6	4,138
2	Oxidative stress, inflammation, and cancer: How are they linked?. Free Radical Biology and Medicine, 2010, 49, 1603-1616.	2.9	3,991
3	Signalling pathways of the TNF superfamily: a double-edged sword. Nature Reviews Immunology, 2003, 3, 745-756.	22.7	2,358
4	Curcumin as "Curecumin― From kitchen to clinic. Biochemical Pharmacology, 2008, 75, 787-809.	4.4	1,815
5	Human tumour necrosis factor: precursor structure, expression and homology to lymphotoxin. Nature, 1984, 312, 724-729.	27.8	1,715
6	Molecular targets of dietary agents for prevention and therapy of cancer. Biochemical Pharmacology, 2006, 71, 1397-1421.	4.4	1,501
7	Potential therapeutic effects of curcumin, the anti-inflammatory agent, against neurodegenerative, cardiovascular, pulmonary, metabolic, autoimmune and neoplastic diseases. International Journal of Biochemistry and Cell Biology, 2009, 41, 40-59.	2.8	1,495
8	Nuclear factor-κB. Cancer Cell, 2004, 6, 203-208.	16.8	1,428
9	Therapeutic Roles of Curcumin: Lessons Learned from Clinical Trials. AAPS Journal, 2013, 15, 195-218.	4.4	1,416
10	Activation of Transcription Factor NF-κB Is Suppressed by Curcumin (Diferuloylmethane). Journal of Biological Chemistry, 1995, 270, 24995-25000.	3.4	1,183
11	Inflammation and cancer: How hot is the link?. Biochemical Pharmacology, 2006, 72, 1605-1621.	4.4	1,171
12	Phase II Trial of Curcumin in Patients with Advanced Pancreatic Cancer. Clinical Cancer Research, 2008, 14, 4491-4499.	7. O	1,158
13	CURCUMIN: THE INDIAN SOLID GOLD. , 2007, 595, 1-75.		1,148
14	Biological activities of curcumin and its analogues (Congeners) made by man and Mother Nature. Biochemical Pharmacology, 2008, 76, 1590-1611.	4.4	999
15	Role of resveratrol in prevention and therapy of cancer: preclinical and clinical studies. Anticancer Research, 2004, 24, 2783-840.	1.1	987
16	Curcumin and cancer: An "old-age―disease with an "age-old―solution. Cancer Letters, 2008, 267, 133-164.	7.2	951
17	Pharmacological basis for the role of curcumin in chronic diseases: an age-old spice with modern targets. Trends in Pharmacological Sciences, 2009, 30, 85-94.	8.7	940
18	Curcumin inhibits proliferation, invasion, angiogenesis and metastasis of different cancers through interaction with multiple cell signaling proteins. Cancer Letters, 2008, 269, 199-225.	7.2	929

#	Article	IF	Citations
19	Characterization of receptors for human tumour necrosis factor and their regulation by \hat{I}^3 -interferon. Nature, 1985, 318, 665-667.	27.8	906
20	Nuclear factor-?B: its role in health and disease. Journal of Molecular Medicine, 2004, 82, 434-48.	3.9	834
21	Resveratrol Suppresses TNF-Induced Activation of Nuclear Transcription Factors NF-κB, Activator Protein-1, and Apoptosis: Potential Role of Reactive Oxygen Intermediates and Lipid Peroxidation. Journal of Immunology, 2000, 164, 6509-6519.	0.8	817
22	Recent Developments in Delivery, Bioavailability, Absorption and Metabolism of Curcumin: the Golden Pigment from Golden Spice. Cancer Research and Treatment, 2014, 46, 2-18.	3.0	780
23	Curcumin, the golden nutraceutical: multitargeting for multiple chronic diseases. British Journal of Pharmacology, 2017, 174, 1325-1348.	5.4	722
24	Regulation of survival, proliferation, invasion, angiogenesis, and metastasis of tumor cells through modulation of inflammatory pathways by nutraceuticals. Cancer and Metastasis Reviews, 2010, 29, 405-434.	5.9	685
25	Curcumin (diferuloylmethane) down-regulates the constitutive activation of nuclear factor–κB and IκBα kinase in human multiple myeloma cells, leading to suppression of proliferation and induction of apoptosis. Blood, 2003, 101, 1053-1062.	1.4	661
26	Curcumin and Cancer Cells: How Many Ways Can Curry Kill Tumor Cells Selectively?. AAPS Journal, 2009, 11, 495-510.	4.4	657
27	Targeting Inflammatory Pathways for Prevention and Therapy of Cancer: Short-Term Friend, Long-Term Foe. Clinical Cancer Research, 2009, 15, 425-430.	7.0	651
28	Cloning and expression of cDNA for human lymphotoxin, a lymphokine with tumour necrosis activity. Nature, 1984, 312, 721-724.	27.8	647
29	Discovery of curcumin, a component of golden spice, and its miraculous biological activities. Clinical and Experimental Pharmacology and Physiology, 2012, 39, 283-299.	1.9	637
30	Inhibiting NF-κB activation by small molecules as a therapeutic strategy. Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms, 2010, 1799, 775-787.	1.9	636
31	Historical perspectives on tumor necrosis factor and its superfamily: 25 years later, a golden journey. Blood, 2012, 119, 651-665.	1.4	625
32	Curcumin, a component of golden spice: From bedside to bench and back. Biotechnology Advances, 2014, 32, 1053-1064.	11.7	616
33	Signal Transducer and Activator of Transcriptionâ€3, Inflammation, and Cancer. Annals of the New York Academy of Sciences, 2009, 1171, 59-76.	3.8	586
34	Curcumin: Getting Back to the Roots. Annals of the New York Academy of Sciences, 2005, 1056, 206-217.	3.8	581
35	Curcumin Potentiates Antitumor Activity of Gemcitabine in an Orthotopic Model of Pancreatic Cancer through Suppression of Proliferation, Angiogenesis, and Inhibition of Nuclear Factor-κB–Regulated Gene Products. Cancer Research, 2007, 67, 3853-3861.	0.9	561
36	Curcumin Suppresses the Paclitaxel-Induced Nuclear Factor-κB Pathway in Breast Cancer Cells and Inhibits Lung Metastasis of Human Breast Cancer in Nude Mice. Clinical Cancer Research, 2005, 11, 7490-7498.	7.0	552

#	Article	IF	Citations
37	Curcumin, demethoxycurcumin, bisdemethoxycurcumin, tetrahydrocurcumin and turmerones differentially regulate anti-inflammatory and anti-proliferative responses through a ROS-independent mechanism. Carcinogenesis, 2007, 28, 1765-1773.	2.8	552
38	Multitargeting by curcumin as revealed by molecular interaction studies. Natural Product Reports, 2011, 28, 1937.	10.3	531
39	Curcumin (Diferuloylmethane) Inhibits Constitutive and IL-6-Inducible STAT3 Phosphorylation in Human Multiple Myeloma Cells. Journal of Immunology, 2003, 171, 3863-3871.	0.8	494
40	Curcumin (Diferuloylmethane) Down-Regulates Expression of Cell Proliferation and Antiapoptotic and Metastatic Gene Products through Suppression of llºBl̂± Kinase and Akt Activation. Molecular Pharmacology, 2006, 69, 195-206.	2.3	494
41	Evidence That Curcumin Suppresses the Growth of Malignant Gliomas in Vitro and in Vivo through Induction of Autophagy: Role of Akt and Extracellular Signal-Regulated Kinase Signaling Pathways. Molecular Pharmacology, 2007, 72, 29-39.	2.3	480
42	"Spicing Up―of the Immune System by Curcumin. Journal of Clinical Immunology, 2007, 27, 19-35.	3.8	480
43	Curcumin (diferuloylmethane) inhibits constitutive NF- $\hat{\mathbb{P}}$ B activation, induces G1/S arrest, suppresses proliferation, and induces apoptosis in mantle cell lymphoma. Biochemical Pharmacology, 2005, 70, 700-713.	4.4	430
44	Curcumin, the Golden Spice From Indian Saffron, Is a Chemosensitizer and Radiosensitizer for Tumors and Chemoprotector and Radioprotector for Normal Organs. Nutrition and Cancer, 2010, 62, 919-930.	2.0	426
45	Curcumin Inhibits Tumor Growth and Angiogenesis in Ovarian Carcinoma by Targeting the Nuclear Factor-κB Pathway. Clinical Cancer Research, 2007, 13, 3423-3430.	7.0	402
46	Targeting Inflammation-Induced Obesity and Metabolic Diseases by Curcumin and Other Nutraceuticals. Annual Review of Nutrition, 2010, 30, 173-199.	10.1	395
47	Targeting Signal-Transducer-and-Activator-of-Transcription-3 for Prevention and Therapy of Cancer. Annals of the New York Academy of Sciences, 2006, 1091, 151-169.	3.8	392
48	Role of Curcumin in Cancer Therapy. Current Problems in Cancer, 2007, 31, 243-305.	2.0	371
49	TNF: A master switch for inflammation to cancer. Frontiers in Bioscience - Landmark, 2008, Volume, 5094.	3.0	369
50	Activation of NF-κB by RANK Requires Tumor Necrosis Factor Receptor-associated Factor (TRAF) 6 and NF-κB-inducing Kinase. Journal of Biological Chemistry, 1999, 274, 7724-7731.	3.4	367
51	A phase I/II study of gemcitabine-based chemotherapy plus curcumin for patients with gemcitabine-resistant pancreatic cancer. Cancer Chemotherapy and Pharmacology, 2011, 68, 157-164.	2.3	350
52	Inflammation and cancer: how friendly is the relationship for cancer patients?. Current Opinion in Pharmacology, 2009, 9, 351-369.	3.5	343
53	Natural products as a gold mine for arthritis treatment. Current Opinion in Pharmacology, 2007, 7, 344-351.	3.5	326
54	Curcumin, a component of turmeric: From farm to pharmacy. BioFactors, 2013, 39, 2-13.	5.4	320

#	Article	IF	CITATIONS
55	Resveratrol blocks interleukin-1î²â€"induced activation of the nuclear transcription factor NF-îºB, inhibits proliferation, causes S-phase arrest, and induces apoptosis of acute myeloid leukemia cells. Blood, 2003, 102, 987-995.	1.4	307
56	Identification of Novel Anti-inflammatory Agents from Ayurvedic Medicine for Prevention of Chronic Diseases: & amp; #x201C; Reverse Pharmacology & amp; #x201D; and & amp; #x201C; Bedside to Bench & amp; #x201D; Approach. Current Drug Targets, 2011, 12, 1595-1653.	2.1	305
57	Multitargeting by turmeric, the golden spice: From kitchen to clinic. Molecular Nutrition and Food Research, 2013, 57, 1510-1528.	3.3	305
58	Curcumin: an orally bioavailable blocker of <scp>TNF</scp> and other proâ€inflammatory biomarkers. British Journal of Pharmacology, 2013, 169, 1672-1692.	5.4	297
59	Plumbagin (5-Hydroxy-2-methyl-1,4-naphthoquinone) Suppresses NF-κB Activation and NF-κB-regulated Gene Products Through Modulation of p65 and lκBα Kinase Activation, Leading to Potentiation of Apoptosis Induced by Cytokine and Chemotherapeutic Agents. Journal of Biological Chemistry, 2006, 281. 17023-17033.	3.4	295
60	Epigenetic changes induced by curcumin and other natural compounds. Genes and Nutrition, 2011, 6, 93-108.	2.5	294
61	Targeting Nuclear Factor-κB Activation Pathway by Thymoquinone: Role in Suppression of Antiapoptotic Gene Products and Enhancement of Apoptosis. Molecular Cancer Research, 2008, 6, 1059-1070.	3.4	293
62	Antiproliferative effect of curcumin (diferuloylmethane) against human breast tumor cell lines. Anti-Cancer Drugs, 1997, 8, 470-481.	1.4	290
63	Modulation of anti-apoptotic and survival pathways by curcumin as a strategy to induce apoptosis in cancer cells. Biochemical Pharmacology, 2008, 76, 1340-1351.	4.4	288
64	Resveratrol addiction: To die or not to die. Molecular Nutrition and Food Research, 2009, 53, 115-128.	3.3	270
65	Chemosensitization and Radiosensitization of Tumors by Plant Polyphenols. Antioxidants and Redox Signaling, 2005, 7, 1630-1647.	5.4	266
66	Role of pro-oxidants and antioxidants in the anti-inflammatory and apoptotic effects of curcumin (diferuloylmethane). Free Radical Biology and Medicine, 2007, 43, 568-580.	2.9	253
67	Curcumin downregulates human tumor necrosis factor-α levels: A systematic review and meta-analysis ofrandomized controlled trials. Pharmacological Research, 2016, 107, 234-242.	7.1	253
68	Curcumin (Diferuloylmethane) Inhibits Receptor Activator of NF-κB Ligand-Induced NF-κB Activation in Osteoclast Precursors and Suppresses Osteoclastogenesis. Journal of Immunology, 2004, 172, 5940-5947.	0.8	249
69	Targeting Inflammatory Pathways by Triterpenoids for Prevention and Treatment of Cancer. Toxins, 2010, 2, 2428-2466.	3.4	249
70	Downregulation of tumor necrosis factor and other proinflammatory biomarkers by polyphenols. Archives of Biochemistry and Biophysics, 2014, 559, 91-99.	3.0	245
71	Curcumin mediates anticancer effects by modulating multiple cell signaling pathways. Clinical Science, 2017, 131, 1781-1799.	4.3	239
72	Curcuminâ€free turmeric exhibits antiâ€inflammatory and anticancer activities: Identification of novel components of turmeric. Molecular Nutrition and Food Research, 2013, 57, 1529-1542.	3.3	238

#	Article	IF	CITATIONS
73	Chronic diseases, inflammation, and spices: how are they linked?. Journal of Translational Medicine, 2018, 16, 14.	4.4	229
74	Potential of Spice-Derived Phytochemicals for Cancer Prevention. Planta Medica, 2008, 74, 1560-1569.	1.3	223
75	Age-associated chronic diseases require age-old medicine: Role of chronic inflammation. Preventive Medicine, 2012, 54, S29-S37.	3.4	221
76	Curcumin and Liver Cancer: A Review. Current Pharmaceutical Biotechnology, 2012, 13, 218-228.	1.6	218
77	Curcumin is a non-competitive and selective inhibitor of phosphorylase kinase. FEBS Letters, 1994, 341, 19-22.	2.8	205
78	Multiâ€targeted therapy by curcumin: how spicy is it?. Molecular Nutrition and Food Research, 2008, 52, 1010-1030.	3.3	201
79	Curcumin Sensitizes Human Colorectal Cancer Xenografts in Nude Mice to γ-Radiation by Targeting Nuclear Factor-κB–Regulated Gene Products. Clinical Cancer Research, 2008, 14, 2128-2136.	7.0	201
80	Curcumin Differs from Tetrahydrocurcumin for Molecular Targets, Signaling Pathways and Cellular Responses. Molecules, 2015, 20, 185-205.	3.8	195
81	Targeting Inflammatory Pathways by Flavonoids for Prevention and Treatment of Cancer. Planta Medica, 2010, 76, 1044-1063.	1.3	192
82	Food Antioxidants and Their Anti-Inflammatory Properties: A Potential Role in Cardiovascular Diseases and Cancer Prevention. Diseases (Basel, Switzerland), 2016, 4, 28.	2.5	186
83	Curcumin sensitizes human colorectal cancer to capecitabine by modulation of cyclin D1, COXâ€2, MMPâ€9, VEGF and CXCR4 expression in an orthotopic mouse model. International Journal of Cancer, 2009, 125, 2187-2197.	5.1	183
84	Butein, a Tetrahydroxychalcone, Inhibits Nuclear Factor (NF)-κB and NF-κB-regulated Gene Expression through Direct Inhibition of IκBα Kinase β on Cysteine 179 Residue. Journal of Biological Chemistry, 2007, 282, 17340-17350.	3.4	168
85	Curcumin Modulates the Radiosensitivity of Colorectal Cancer Cells by Suppressing Constitutive and Inducible NF-ÎB Activity. International Journal of Radiation Oncology Biology Physics, 2009, 75, 534-542.	0.8	166
86	Molecular Targets of Nutraceuticals Derived from Dietary Spices: Potential Role in Suppression of Inflammation and Tumorigenesis. Experimental Biology and Medicine, 2009, 234, 825-849.	2.4	164
87	Thalidomide Suppresses NF-κB Activation Induced by TNF and H2O2, But Not That Activated by Ceramide, Lipopolysaccharides, or Phorbol Ester. Journal of Immunology, 2002, 168, 2644-2651.	0.8	163
88	Inflammation, a Double-Edge Sword for Cancer and Other Age-Related Diseases. Frontiers in Immunology, 2018, 9, 2160.	4.8	163
89	Cancer Cell Signaling Pathways Targeted by Spice-Derived Nutraceuticals. Nutrition and Cancer, 2012, 64, 173-197.	2.0	162
90	Curcumin potentiates the apoptotic effects of chemotherapeutic agents and cytokines through down-regulation of nuclear factor-κB and nuclear factor-κB–regulated gene products in IFN-ݱ–sensitive and IFN-ݱ–resistant human bladder cancer cells. Molecular Cancer Therapeutics, 2007, 6, 1022-1030.	4.1	152

#	Article	IF	CITATIONS
91	Ursolic Acid Inhibits Growth and Metastasis of Human Colorectal Cancer in an Orthotopic Nude Mouse Model by Targeting Multiple Cell Signaling Pathways: Chemosensitization with Capecitabine. Clinical Cancer Research, 2012, 18, 4942-4953.	7.0	152
92	Neem (Azadirachta indica): An indian traditional panacea with modern molecular basis. Phytomedicine, 2017, 34, 14-20.	5.3	143
93	Curcumin circumvents chemoresistance <i>in vitro</i> and potentiates the effect of thalidomide and bortezomib against human multiple myeloma in nude mice model. Molecular Cancer Therapeutics, 2009, 8, 959-970.	4.1	141
94	Models for prevention and treatment of cancer: Problems vs promises. Biochemical Pharmacology, 2009, 78, 1083-1094.	4.4	140
95	Is curcumin bioavailability a problem in humans: lessons from clinical trials. Expert Opinion on Drug Metabolism and Toxicology, 2019, 15, 705-733.	3.3	140
96	Role of nuclear factor- $\langle i \rangle^{\hat{l}^2} \langle i \rangle$ B-mediated inflammatory pathways in cancer-related symptoms and their regulation by nutritional agents. Experimental Biology and Medicine, 2011, 236, 658-671.	2.4	131
97	Fas antigen signals proliferation of normal human diploid fibroblast and its mechanism is different from tumor necrosis factor receptor. FEBS Letters, 1995, 364, 5-8.	2.8	122
98	Inhibition by all- <i>trans</i> -retinoic acid of tumor necrosis factor and nitric oxide production by peritoneal macrophages. Journal of Leukocyte Biology, 1994, 55, 336-342.	3.3	117
99	Curcumin suppresses proliferation and induces apoptosis in human biliary cancer cells through modulation of multiple cell signaling pathways. Carcinogenesis, 2011, 32, 1372-1380.	2.8	117
100	Salinosporamide A (NPI-0052) potentiates apoptosis, suppresses osteoclastogenesis, and inhibits invasion through down-modulation of NF-κB–regulated gene products. Blood, 2007, 110, 2286-2295.	1.4	113
101	Targeting constitutive and interleukin-6-inducible signal transducers and activators of transcription 3 pathway in head and neck squamous cell carcinoma cells by curcumin (diferuloylmethane). International Journal of Cancer, 2006, 119, 1268-1275.	5.1	111
102	Turmeric (<i>Curcuma longa</i>) inhibits inflammatory nuclear factor (NF)â€₽B and NFâ€₽Bâ€regulated gene products and induces death receptors leading to suppressed proliferation, induced chemosensitization, and suppressed osteoclastogenesis. Molecular Nutrition and Food Research, 2012, 56, 454-465.	3.3	103
103	Chemopreventive and Chemotherapeutic Potential of Curcumin in Breast Cancer. Current Drug Targets, 2012, 13, 1799-1819.	2.1	102
104	Targeting TNF for Treatment of Cancer and Autoimmunity. Advances in Experimental Medicine and Biology, 2009, 647, 37-51.	1.6	98
105	Curcumin down regulates smokeless tobacco-induced NF- \hat{l}^2 B activation and COX-2 expression in human oral premalignant and cancer cells. Toxicology, 2006, 228, 1-15.	4.2	97
106	Curcumin inhibits COPD-like airway inflammation and lung cancer progression in mice. Carcinogenesis, 2009, 30, 1949-1956.	2.8	97
107	Curcumin Selectively Induces Apoptosis in Cutaneous T-Cell Lymphoma Cell Lines and Patients' PBMCs: Potential Role for STAT-3 and NF-κB Signaling. Journal of Investigative Dermatology, 2010, 130, 2110-2119.	0.7	96
108	Inflammation, NF-κB, and Chronic Diseases: How are They Linked?. Critical Reviews in Immunology, 2020, 40, 1-39.	0.5	96

#	Article	IF	CITATIONS
109	Curcumin Potentiates the Antitumor Effects of Bacillus Calmette-Guerin against Bladder Cancer through the Downregulation of NF-κB and Upregulation of TRAIL Receptors. Cancer Research, 2009, 69, 8958-8966.	0.9	95
110	Modification of Cysteine 179 of llºBl̂± Kinase by Nimbolide Leads to Down-regulation of NF-lºB-regulated Cell Survival and Proliferative Proteins and Sensitization of Tumor Cells to Chemotherapeutic Agents. Journal of Biological Chemistry, 2010, 285, 35406-35417.	3.4	95
111	Chemopreventive Agents Induce Suppression of Nuclear Factorâ€PB Leading to Chemosensitization. Annals of the New York Academy of Sciences, 2002, 973, 392-395.	3.8	94
112	Curcumin decreases cholangiocarcinogenesis in hamsters by suppressing inflammationâ€mediated molecular events related to multistep carcinogenesis. International Journal of Cancer, 2011, 129, 88-100.	5.1	93
113	Detection of inflammatory biomarkers in saliva and urine: Potential in diagnosis, prevention, and treatment for chronic diseases. Experimental Biology and Medicine, 2016, 241, 783-799.	2.4	92
114	Nimbolide, a Limonoid Triterpene, Inhibits Growth of Human Colorectal Cancer Xenografts by Suppressing the Proinflammatory Microenvironment. Clinical Cancer Research, 2013, 19, 4465-4476.	7.0	88
115	Resveratrol Chemosensitizes TNF-β-Induced Survival of 5-FU-Treated Colorectal Cancer Cells. Nutrients, 2018, 10, 888.	4.1	85
116	Googling the Guggul (Commiphora and Boswellia) for Prevention of Chronic Diseases. Frontiers in Pharmacology, 2018, 9, 686.	3.5	82
117	Characterization of human tumor necrosis factor produced by peripheral blood monocytes and its separation from lymphotoxin. International Journal of Cancer, 1985, 36, 69-73.	5.1	78
118	Prostate cancer and curcumin: Add spice to your life. Cancer Biology and Therapy, 2008, 7, 1436-1440.	3.4	78
119	Gossypin, a pentahydroxy glucosyl flavone, inhibits the transforming growth factor beta-activated kinase-1-mediated NF-κB activation pathway, leading to potentiation of apoptosis, suppression of invasion, and abrogation of osteoclastogenesis. Blood, 2007, 109, 5112-5121.	1.4	75
120	ROS and CHOP Are Critical for Dibenzylideneacetone to Sensitize Tumor Cells to TRAIL through Induction of Death Receptors and Downregulation of Cell Survival Proteins. Cancer Research, 2011, 71, 538-549.	0.9	73
121	Cancer drug development: The missing links. Experimental Biology and Medicine, 2019, 244, 663-689.	2.4	72
122	Coronarin D, a labdane diterpene, inhibits both constitutive and inducible nuclear factor-κB pathway activation, leading to potentiation of apoptosis, inhibition of invasion, and suppression of osteoclastogenesis. Molecular Cancer Therapeutics, 2008, 7, 3306-3317.	4.1	70
123	COVID-19, cytokines, inflammation, and spices: How are they related?. Life Sciences, 2021, 284, 119201.	4.3	68
124	Monoclonal Antibodies to Human Tumor Necrosis Factors Alpha and Beta: Application for Affinity Purification, Immunoassays, and as Structural Probes. Hybridoma, 1987, 6, 489-507.	0.6	62
125	Curcumin improves the therapeutic efficacy of <scp>L</scp> isteria ^{at} â€ <scp>M</scp> ageâ€b vaccine in correlation with improved <scp>T</scp> â€cell responses in blood of a tripleâ€negative breast cancer model 4T1. Cancer Medicine, 2013, 2, 571-582.	2.8	62
126	Interferon- \hat{l}^3 induces cell surface expression for both types of tumor necrosis factor receptors. FEBS Letters, 1992, 312, 87-90.	2.8	60

#	Article	IF	CITATIONS
127	Targeting Proteasomal Pathways by Dietary Curcumin for Cancer Prevention and Treatment. Current Medicinal Chemistry, 2014, 21, 1583-1594.	2.4	59
128	Regulation of cell signaling pathways by dietary agents for cancer prevention and treatment. Seminars in Cancer Biology, 2017, 46, 158-181.	9.6	57
129	Curcumin glucuronides: Assessing the proliferative activity against human cell lines. Bioorganic and Medicinal Chemistry, 2014, 22, 435-439.	3.0	56
130	Induction of the Epithelial-to-Mesenchymal Transition of Human Colorectal Cancer by Human TNF-β (Lymphotoxin) and its Reversal by Resveratrol. Nutrients, 2019, 11, 704.	4.1	55
131	Piperlongumine Chemosensitizes Tumor Cells through Interaction with Cysteine 179 of lîºBî± Kinase, Leading to Suppression of NF-κB–Regulated Gene Products. Molecular Cancer Therapeutics, 2014, 13, 2422-2435.	4.1	49
132	Inflammation, a silent killer in cancer is not so silent!. Current Opinion in Pharmacology, 2009, 9, 347-350.	3.5	47
133	Evidence that TNF- \hat{l}^2 (lymphotoxin \hat{l}_\pm) can activate the inflammatory environment in human chondrocytes. Arthritis Research and Therapy, 2013, 15, R202.	3.5	47
134	Serendipity in Cancer Drug Discovery: Rational or Coincidence?. Trends in Pharmacological Sciences, 2016, 37, 435-450.	8.7	47
135	Synthesis, Characterization and <i>In Vitro </i> Anticancer Activity of C-5 Curcumin Analogues with Potential to Inhibit TNF- <i<math>\hat{l} -Induced NF-<i<math>\hat{l} B Activation. BioMed Research International, 2014, 2014, 1-10.</i<math></i<math>	1.9	46
136	Dietary nutraceuticals as backbone for bone health. Biotechnology Advances, 2018, 36, 1633-1648.	11.7	46
137	Nuclear factor-kappa B links carcinogenic and chemopreventive agents. Frontiers in Bioscience - Scholar, 2009, S1, 45-60.	2.1	46
138	Cancer-linked targets modulated by curcumin. International Journal of Biochemistry and Molecular Biology, 2012, 3, 328-51.	0.1	46
139	Evidence That Calebin A, a Component of Curcuma Longa Suppresses NF-κB Mediated Proliferation, Invasion and Metastasis of Human Colorectal Cancer Induced by TNF-β (Lymphotoxin). Nutrients, 2019, 11, 2904.	4.1	45
140	Resveratrol downregulates inflammatory pathway activated by lymphotoxin \hat{l}_{\pm} (TNF- \hat{l}_{2}) in articular chondrocytes: Comparison with TNF- \hat{l}_{\pm} . PLoS ONE, 2017, 12, e0186993.	2.5	40
141	Role of Cytokines and Protoâ€oncogenes in Sperm Cell Function: Relevance to Immunologic Infertility. American Journal of Reproductive Immunology, 1994, 32, 26-37.	1.2	38
142	Curcumin: A component of the golden spice, targets multiple angiogenic pathways. Cancer Biology and Therapy, 2011, 11, 236-241.	3.4	34
143	Calebin A Potentiates the Effect of 5-FU and TNF-β (Lymphotoxin α) against Human Colorectal Cancer Cells: Potential Role of NF-κB. International Journal of Molecular Sciences, 2020, 21, 2393.	4.1	34
144	Evidence that TNF- \hat{l}^2 induces proliferation in colorectal cancer cells and resveratrol can down-modulate it. Experimental Biology and Medicine, 2019, 244, 1-12.	2.4	33

#	Article	IF	Citations
145	Evidence that TNF- \hat{l}^2 suppresses osteoblast differentiation of mesenchymal stem cells and resveratrol reverses it through modulation of NF- \hat{l}^2 B, Sirt1 and Runx2. Cell and Tissue Research, 2020, 381, 83-98.	2.9	32
146	Calebin A downregulates osteoclastogenesis through suppression of RANKL signalling. Archives of Biochemistry and Biophysics, 2016, 593, 80-89.	3.0	31
147	Calebin A, a novel component of turmeric, suppresses NF-κB regulated cell survival and inflammatory gene products leading to inhibition of cell growth and chemosensitization. Phytomedicine, 2017, 34, 171-181.	5.3	30
148	Bharangin, a Diterpenoid Quinonemethide, Abolishes Constitutive and Inducible Nuclear Factor-PB (NF-PB) Activation by Modifying p65 on Cysteine 38 Residue and Reducing Inhibitor of Nuclear Factor-PB α Kinase Activation, Leading to Suppression of NF-PB-Regulated Gene Expression and Sensitization of Tumor Cells to Chemotherapeutic Agents. Molecular Pharmacology, 2011, 80, 769-781.	2.3	28
149	Cell density-dependent regulation of cell surface expression of two types of human tumor necrosis factor receptors and its effect on cellular response. Journal of Cellular Biochemistry, 1994, 54, 453-464.	2.6	26
150	Butein, a tetrahydroxychalcone, suppresses cancerâ€induced osteoclastogenesis through inhibition of receptor activator of nuclear factorâ€kappaB ligand signaling. International Journal of Cancer, 2011, 129, 2062-2072.	5.1	25
151	P80 form of the human tumor necrosis factor receptor is involved in DNA fragmentation. FEBS Letters, 1993, 331, 252-255.	2.8	19
152	Both type I and type II interferons down-regulate human tumor necrosis factor receptors in human hepatocellular carcinoma cell line Hep G2. FEBS Letters, 1994, 337, 99-102.	2.8	19
153	RANKL Signaling and Osteoclastogenesis Is Negatively Regulated by Cardamonin. PLoS ONE, 2013, 8, e64118.	2.5	19
154	Upside and Downside of Tumor Necrosis Factor Blockers for Treatment of Immune/Inflammatory Diseases. Critical Reviews in Immunology, 2019, 39, 439-479.	0.5	18
155	Multitargeting Effects of Calebin A on Malignancy of CRC Cells in Multicellular Tumor Microenvironment. Frontiers in Oncology, 2021, 11, 650603.	2.8	16
156	pp $60\hat{l}$ /2-srckinase overexpression leads to cellular resistance to the antiproliferative effects of tumor necrosis factor. FEBS Letters, 1994, 345, 219-224.	2.8	11
157	Transfection of cells with transforming growth factor- \hat{l}_{\pm} leads to cellular resistance to the antiproliferative effects of tumor necrosis factor. FEBS Letters, 1994, 354, 12-16.	2.8	8
158	Suppression of antiproliferative effects of tumor necrosis factor by transfection of cells with human platelet-derived growth factor B/c-sis gene. FEBS Letters, 1995, 357, 1-6.	2.8	7
159	Kokum (Garcinol). , 2009, , 281-309.		4
160	Cancer on fire: role of inflammation in prevention and treatment., 2022,, 605-626.		1
161	Natural Resources for Human Health: A New Interdisciplinary Journal Dedicated to Natural Sciences. , 2021, 1, 1-2.		0