## Anna Nordström

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8872895/publications.pdf

Version: 2024-02-01

109321 95266 5,630 149 35 68 citations g-index h-index papers 152 152 152 9313 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Genome-Wide Association Scan Meta-Analysis Identifies Three Loci Influencing Adiposity and Fat Distribution. PLoS Genetics, 2009, 5, e1000508.	3.5	453
2	Replication and extension of genome-wide association study results for obesity in 4923 adults from northern Sweden. Human Molecular Genetics, 2009, 18, 1489-1496.	2.9	208
3	Risk of infection, hospitalisation, and death up to 9 months after a second dose of COVID-19 vaccine: a retrospective, total population cohort study in Sweden. Lancet, The, 2022, 399, 814-823.	13.7	196
4	Risk of SARS-CoV-2 reinfection and COVID-19 hospitalisation in individuals with natural and hybrid immunity: a retrospective, total population cohort study in Sweden. Lancet Infectious Diseases, The, 2022, 22, 781-790.	9.1	191
5	Daily steps and all-cause mortality: a meta-analysis of 15 international cohorts. Lancet Public Health, The, 2022, 7, e219-e228.	10.0	189
6	Higher Prevalence of Type 2 Diabetes in Men Than in Women Is Associated With Differences in Visceral Fat Mass. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 3740-3746.	3 <b>.</b> 6	182
7	Traumatic brain injury and young onset dementia: A nationwide cohort study. Annals of Neurology, 2014, 75, 374-381.	<b>5.</b> 3	174
8	nâ^'3 Fatty acids are positively associated with peak bone mineral density and bone accrual in healthy men: the NO2Study. American Journal of Clinical Nutrition, 2007, 85, 803-807.	4.7	168
9	Abdominal and Gynoid Fat Mass Are Associated with Cardiovascular Risk Factors in Men and Women. Journal of Clinical Endocrinology and Metabolism, 2008, 93, 4360-4366.	<b>3.</b> 6	166
10	Traumatic brain injury and the risk of dementia diagnosis: A nationwide cohort study. PLoS Medicine, 2018, 15, e1002496.	8.4	155
11	Sports-related concussion increases the risk of subsequent injury by about 50% in elite male football players. British Journal of Sports Medicine, 2014, 48, 1447-1450.	6.7	152
12	Depression and subsequent risk of Parkinson disease. Neurology, 2015, 84, 2422-2429.	1.1	151
13	Length of hospital stay after hip fracture and short term risk of death after discharge: a total cohort study in Sweden. BMJ, The, 2015, 350, h696-h696.	6.0	136
14	High aerobic fitness in late adolescence is associated with a reduced risk of myocardial infarction later in life: a nationwide cohort study in men. European Heart Journal, 2014, 35, 3133-3140.	2.2	129
15	Bone Loss and Fracture Risk After Reduced Physical Activity. Journal of Bone and Mineral Research, 2004, 20, 202-207.	2.8	118
16	Increased postural sway during quiet stance as a risk factor for prospective falls in community-dwelling elderly individuals. Age and Ageing, 2017, 46, 964-970.	1.6	115
17	Effects of Resistance Training on Functional Strength and Muscle Mass in 70-Year-Old Individuals With Pre-sarcopenia: A Randomized Controlled Trial. Journal of the American Medical Directors Association, 2019, 20, 28-34.	2.5	115
18	Effectiveness of heterologous ChAdOx1 nCoV-19 and mRNA prime-boost vaccination against symptomatic Covid-19 infection in Sweden: A nationwide cohort study. Lancet Regional Health - Europe, The, 2021, 11, 100249.	5.6	115

#	Article	IF	Citations
19	Risk factors for COVID-19 diagnosis, hospitalization, and subsequent all-cause mortality in Sweden: a nationwide study. European Journal of Epidemiology, 2021, 36, 287-298.	5.7	102
20	Aerobic fitness in late adolescence and the risk of early death: a prospective cohort study of 1.3 million Swedish men. International Journal of Epidemiology, 2016, 45, 1159-1168.	1.9	99
21	Greater Fall Risk in Elderly Women Than in Men Is Associated WithÂlncreased Gait Variability During Multitasking. Journal of the American Medical Directors Association, 2016, 17, 535-540.	2.5	90
22	Risk Factors in Late Adolescence for Young-Onset Dementia in Men. JAMA Internal Medicine, 2013, 173, 1612.	5.1	73
23	Objectively measured physical activity is associated with parameters of bone in 70-year-old men and women. Bone, 2015, 81, 72-79.	2.9	70
24	Older Adults' Experiences With Using Wearable Devices: Qualitative Systematic Review and Meta-synthesis. JMIR MHealth and UHealth, 2021, 9, e23832.	3.7	63
25	Body composition and mortality risk in later life. Age and Ageing, 2012, 41, 677-681.	1.6	61
26	Low Bone Mineral Density Is an Independent Risk Factor for Stroke and Death. Cerebrovascular Diseases, 2010, 29, 130-136.	1.7	57
27	A 3-Year Longitudinal Study of the Effect of Physical Activity on the Accrual of Bone Mineral Density in Healthy Adolescent Males. Calcified Tissue International, 2003, 73, 108-114.	3.1	54
28	Rapid Loss of Bone Mineral Density of the Femoral Neck After Cessation of Ice Hockey Training: A 6-Year Longitudinal Study in Males. Journal of Bone and Mineral Research, 2003, 18, 1964-1969.	2.8	51
29	Osteoprotegerin Promotes Fibrous Cap Formation in Atherosclerotic Lesions of ApoE-Deficient Mice—Brief Report. Arteriosclerosis, Thrombosis, and Vascular Biology, 2009, 29, 1478-1480.	2.4	51
30	The association of depression with subsequent dementia diagnosis: A Swedish nationwide cohort study from 1964 to 2016. PLoS Medicine, 2020, 17, e1003016.	8.4	51
31	Bone gained from physical activity and lost through detraining: a longitudinal study in young males. Osteoporosis International, 2005, 16, 835-841.	3.1	50
32	Cognitive function and other risk factors for mild traumatic brain injury in young men: nationwide cohort study. BMJ, The, 2013, 346, f723-f723.	6.0	49
33	Effectiveness of a fourth dose of mRNA COVID-19 vaccine against all-cause mortality in long-term care facility residents and in the oldest old: A nationwide, retrospective cohort study in Sweden. Lancet Regional Health - Europe, The, 2022, 21, 100466.	5.6	45
34	Risk Factors Assessed in Adolescence and the Later Risk of Stroke in Men: A 33-Year Follow-Up Study. Cerebrovascular Diseases, 2015, 39, 63-71.	1.7	44
35	Physical activity levels in adults and elderly from triaxial and uniaxial accelerometry. The Troms $\tilde{A}_{s}$ Study. PLoS ONE, 2019, 14, e0225670.	2.5	43
36	Low bone mineral density is associated with increased risk for myocardial infarction in men and women. Osteoporosis International, 2012, 23, 963-970.	3.1	39

#	Article	IF	CITATIONS
37	Sustained Benefits from Previous Physical Activity on Bone Mineral Density in Males. Journal of Clinical Endocrinology and Metabolism, 2006, 91, 2600-2604.	3.6	37
38	Early and Rapid Bone Mineral Density Loss of the Proximal Femur in Men. Journal of Clinical Endocrinology and Metabolism, 2007, 92, 1902-1908.	3.6	37
39	Body Composition and Performance. Journal of Strength and Conditioning Research, 2012, 26, 1799-1804.	2.1	37
40	Impact of Hip Fracture on Mortality: A Cohort Study in Hip Fracture Discordant Identical Twins. Journal of Bone and Mineral Research, 2014, 29, 424-431.	2.8	37
41	Excess Mortality After COVID-19 in Swedish Long-Term Care Facilities. Journal of the American Medical Directors Association, 2021, 22, 1574-1580.e8.	2.5	36
42	Mid-calf skeletal muscle density and its associations with physical activity, bone health and incident 12-month falls in older adults: The Healthy Ageing Initiative. Bone, 2019, 120, 446-451.	2.9	35
43	Interleukin-6 promoter polymorphism is associated with bone quality assessed by calcaneus ultrasound and previous fractures in a cohort of 75-year-old women. Osteoporosis International, 2004, 15, 820-6.	3.1	33
44	Effects of estrogen and testosterone treatment on serotonin transporter binding in the brain of surgically postmenopausal women $\hat{a} \in \mathbb{C}$ a PET study. NeuroImage, 2015, 106, 47-54.	4.2	33
45	Risk of Injurious Fall and Hip Fracture up to 26 y before the Diagnosis of Parkinson Disease: Nested Case–Control Studies in a Nationwide Cohort. PLoS Medicine, 2016, 13, e1001954.	8.4	32
46	Geriatric Rehabilitation and Discharge Location After Hip Fracture in Relation to the Risks of Death and Readmission. Journal of the American Medical Directors Association, 2016, 17, 91.e1-91.e7.	2.5	32
47	Predicting incident falls: Relationship between postural sway and limits of stability in older adults. Human Movement Science, 2019, 66, 117-123.	1.4	32
48	Associations of Objectively Measured Physical Activity and Sedentary Time with the Risk of Stroke, Myocardial Infarction or All-Cause Mortality in 70-Year-Old Men and Women: A Prospective Cohort Study. Sports Medicine, 2021, 51, 339-349.	6.5	32
49	Using Functional Magnetic Resonance Imaging to Detect Chronic Fatigue in Patients With Previous Traumatic Brain Injury: Changes Linked to Altered Striato-Thalamic-Cortical Functioning. Journal of Head Trauma Rehabilitation, 2018, 33, 266-274.	1.7	30
50	Parkinson's disease: A population-based investigation of life satisfaction and employment. Journal of Rehabilitation Medicine, 2015, 47, 45-51.	1.1	29
51	Abdominal and gynoid adipose distribution and incident myocardial infarction in women and men. International Journal of Obesity, 2010, 34, 1752-1758.	3.4	28
52	Abdominal and gynoid adiposity and the risk of stroke. International Journal of Obesity, 2011, 35, 1427-1432.	3.4	28
53	Daily step count and incident diabetes in community-dwelling 70-year-olds: a prospective cohort study. BMC Public Health, 2020, 20, 1830.	2.9	28
54	Associations of accelerometer-determined physical activity and sedentary behavior with sarcopenia and incident falls over 12 months in community-dwelling Swedish older adults. Journal of Sport and Health Science, 2021, 10, 577-584.	6.5	27

#	Article	IF	CITATIONS
55	Associations of Sarcopenia and Its Components with Bone Structure and Incident Falls in Swedish Older Adults. Calcified Tissue International, 2019, 105, 26-36.	3.1	25
56	Retinol, retinol-binding protein 4, abdominal fat mass, peak bone mineral density, and markers of bone metabolism in men: the Northern Osteoporosis and Obesity (NO2) Study. European Journal of Endocrinology, 2008, 158, 765-770.	3.7	24
57	Constant Adaptation of Bone to Current Physical Activity Level in Men: A 12-Year Longitudinal Study. Journal of Clinical Endocrinology and Metabolism, 2008, 93, 4873-4879.	3.6	24
58	Reduced physical activity corresponds with greater bone loss at the trabecular than the cortical bone sites in men. Bone, 2009, 45, 1073-1078.	2.9	23
59	Effects of badminton and ice hockey on bone mass in young males: A 12-year follow-up. Bone, 2010, 47, 666-672.	2.9	23
60	Association between hematocrit in late adolescence and subsequent myocardial infarction in Swedish men. International Journal of Cardiology, 2013, 168, 3588-3593.	1.7	23
61	The Effects of Interdisciplinary Team Assessment and a Rehabilitation Program for Patients with Chronic Pain. American Journal of Physical Medicine and Rehabilitation, 2013, 92, 77-83.	1.4	22
62	Science of floorball: a systematic review. Open Access Journal of Sports Medicine, 2014, 5, 249.	1.3	22
63	Associations of Visceral Adipose Tissue and Skeletal Muscle Density With Incident Stroke, Myocardial Infarction, and Allâ€Cause Mortality in Communityâ€Dwelling 70â€Yearâ€Old Individuals: A Prospective Cohort Study. Journal of the American Heart Association, 2021, 10, e020065.	3.7	22
64	Osteocalcin Gene Polymorphism is Related to Bone Density in Healthy Adolescent Females. Osteoporosis International, 2000, 11, 847-851.	3.1	21
65	Bisphosphonates and mortality: confounding in observational studies?. Osteoporosis International, 2019, 30, 1973-1982.	3.1	21
66	Relationship between Vitamin D Metabolites and Bone Mineral Density in Young Males: A Cross-Sectional and Longitudinal Study. Calcified Tissue International, 2006, 79, 95-101.	3.1	20
67	Low muscle strength in late adolescence and Parkinson disease later in life. Neurology, 2015, 84, 1862-1869.	1.1	20
68	Risks of Myocardial Infarction, Death, and Diabetes in Identical Twin Pairs With Different Body Mass Indexes. JAMA Internal Medicine, 2016, 176, 1522.	5.1	20
69	Low physical activity as a key differentiating factor in the potential high-risk profile for depressive symptoms in older adults. Depression and Anxiety, 2017, 34, 817-825.	4.1	20
70	Epidemiology of osteonecrosis among older adults in Sweden. Osteoporosis International, 2019, 30, 965-973.	3.1	20
71	Effects of different types of weight-bearing loading on bone mass and size in young males: A longitudinal study. Bone, 2008, 42, 565-571.	2.9	19
72	Cerebrospinal fluid monoamine metabolites and suicide. Nordic Journal of Psychiatry, 2009, 63, 276-279.	1.3	19

#	Article	IF	CITATIONS
73	Do Both Areal BMD and Injurious Falls Explain the Higher Incidence of Fractures in Women than in Men?. Calcified Tissue International, 2011, 89, 203-210.	3.1	18
74	Impact of exercise interventions on physical fitness in breast cancer patients and survivors: a systematic review. Breast Cancer, 2022, 29, 402-418.	2.9	18
75	Inflammation in young adulthood is associated with myocardial infarction later in life. American Heart Journal, 2013, 165, 164-169.	2.7	17
76	High physical fitness in young adulthood reduces the risk of fractures later in life in men: A nationwide cohort study. Journal of Bone and Mineral Research, 2013, 28, 1061-1067.	2.8	16
77	Drama as a pedagogical tool for practicing death notification-experiences from Swedish medical students. BMC Medical Education, $2011,11,74.$	2.4	15
78	Association Between Risk of COVID-19 Infection in Nonimmune Individuals and COVID-19 Immunity in Their Family Members. JAMA Internal Medicine, 2021, 181, 1589.	5.1	15
79	Current Physical Activity is Related to Bone Mineral Density in Males but not in Females. International Journal of Sports Medicine, 2007, 28, 431-436.	1.7	14
80	Adiposity Without Obesity: Associations with Osteoporosis, Sarcopenia, and Falls in the Healthy Ageing Initiative Cohort Study. Obesity, 2020, 28, 2232-2241.	3.0	14
81	Web-based exercise versus supervised exercise for decreasing visceral adipose tissue in older adults with central obesity: a randomized controlled trial. BMC Geriatrics, 2020, 20, 173.	2.7	14
82	Cognitive function in young men and the later risk of fractures. Journal of Bone and Mineral Research, 2012, 27, 2291-2297.	2.8	13
83	Bisphosphonate use after clinical fracture and risk of new fracture. Osteoporosis International, 2018, 29, 937-945.	3.1	13
84	Cognitive Performance in Late Adolescence and the Subsequent Risk of Subdural Hematoma: An Observational Study of a Prospective Nationwide Cohort. PLoS Medicine, 2011, 8, e1001151.	8.4	12
85	The Effects of (â^')-OSU6162 on Chronic Fatigue in Patients With Traumatic Brain Injury: A Randomized Controlled Trial. Journal of Head Trauma Rehabilitation, 2017, 32, E46-E54.	1.7	12
86	<p>Effects of interval training on quality of life and cardiometabolic risk markers in older adults: a randomized controlled trial</p> . Clinical Interventions in Aging, 2019, Volume 14, 1589-1599.	2.9	12
87	Sedentary behavior as a potential risk factor for depression among 70-year-olds. Journal of Affective Disorders, 2020, 263, 605-608.	4.1	12
88	White matter hyperintensities increases with traumatic brain injury severity: associations to neuropsychological performance and fatigue. Brain Injury, 2020, 34, 415-420.	1.2	12
89	The Views and Needs of People With Parkinson Disease Regarding Wearable Devices for Disease Monitoring: Mixed Methods Exploration. JMIR Formative Research, 2022, 6, e27418.	1.4	12
90	Dairy product intake and bone properties in 70-year-old men and women. Archives of Osteoporosis, 2018, 13, 9.	2.4	11

#	Article	IF	Citations
91	Alendronate Use and the Risk of Nonvertebral Fracture During Glucocorticoid Therapy: A Retrospective Cohort Study. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 306-313.	3.6	11
92	Medical and pharmacokinetic effects of nanopolyphenols: A systematic review of clinical trials. Food Frontiers, 2021, 2, 140-152.	7.4	11
93	A multiple risk factor programÂis associated with decreased risk of cardiovascular disease in 70-year-olds: A cohort study from Sweden. PLoS Medicine, 2020, 17, e1003135.	8.4	10
94	Cardiovascular Disease and All-Cause Mortality in Male Twins With Discordant Cardiorespiratory Fitness: A Nationwide Cohort Study. American Journal of Epidemiology, 2020, 189, 1114-1123.	3.4	10
95	Bisphosphonate Use After Hip Fracture in Older Adults: AÂNationwide Retrospective Cohort Study. Journal of the American Medical Directors Association, 2017, 18, 515-521.	2.5	9
96	Effects of Interval Training on Visceral Adipose Tissue in Centrally Obese 70â€Yearâ€Old Individuals: A Randomized Controlled Trial. Journal of the American Geriatrics Society, 2019, 67, 1625-1631.	2.6	9
97	Objectively Measured Physical Activity in Older Adults With and Without Diabetes. Clinical Diabetes, 2019, 37, 142-149.	2.2	9
98	The Effect of Physical Activity on Bone Accrual, Osteoporosis and Fracture Prevention. The Open Bone Journal, 2011, 3, 11-21.	1.4	9
99	Higher Muscle Mass but Lower Gynoid Fat Mass in Athletes Using Anabolic Androgenic Steroids. Journal of Strength and Conditioning Research, 2012, 26, 246-250.	2.1	8
100	Recommendations for initial examination, differential diagnosis, and management of concussion and other head injuries in highâ€level football. Scandinavian Journal of Medicine and Science in Sports, 2020, 30, 1846-1858.	2.9	8
101	Effect of Berry Polyphenols on Glucose Metabolism: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. Current Developments in Nutrition, 2020, 4, nzaa100.	0.3	8
102	Trends in Hip Fracture Incidence, Length of Hospital Stay, and 30-Day Mortality in Sweden from 1998–2017: A Nationwide Cohort Study. Calcified Tissue International, 2022, 111, 21-28.	3.1	8
103	Variation in Fracture Rates by Country May Not Be Explained by Differences in Bone Mass. Calcified Tissue International, 2009, 85, 10-16.	3.1	7
104	Treatment-resistant sensory motor symptoms in persons with SCI may be signs of restless legs syndrome. Spinal Cord, 2011, 49, 754-756.	1.9	7
105	Digital exercise interventions for improving measures of central obesity: a systematic review. International Journal of Public Health, 2020, 65, 593-605.	2.3	7
106	Feasibility of Sensor Technology for Balance Assessment in Home Rehabilitation Settings. Sensors, 2021, 21, 4438.	3.8	7
107	Comparison of Machine Learning Techniques for Mortality Prediction in a Prospective Cohort of Older Adults. International Journal of Environmental Research and Public Health, 2021, 18, 12806.	2.6	7
108	Chlamydia pneumoniae infection results in generalized bone loss in mice. Microbes and Infection, 2008, 10, 1175-1181.	1.9	6

#	Article	IF	CITATIONS
109	Postpubertal Development of Total and Abdominal Percentage Body Fat: An 8â€Year Longitudinal Study. Obesity, 2008, 16, 2342-2347.	3.0	5
110	Attention in Older Adults: A Normative Study of the Integrated Visual and Auditory Continuous Performance Test for Persons Aged 70 Years. Clinical Neuropsychologist, 2015, 29, 595-610.	2.3	5
111	Bone mass, size and previous fractures as predictors of prospective fractures in an osteoporotic referral population. Bone, 2009, 45, 808-813.	2.9	4
112	Self-reported protein intake and properties of bone in community-dwelling older individuals. Archives of Osteoporosis, 2018, 13, 10.	2.4	4
113	Use of short-acting and long-acting hypnotics and the risk of fracture: a critical analysis of associations in a nationwide cohort. Osteoporosis International, 2019, 30, 1983-1993.	3.1	4
114	The Effect of Detraining on Bone. The Open Bone Journal, 2011, 3, 22-30.	1.4	4
115	Feasibility of an Online Delivered, Home-Based Resistance Training Program for Older Adults – A Mixed Methods Approach. Frontiers in Psychology, 2022, 13, .	2.1	4
116	A 15-year follow-up study of hip bone mineral density and associations with leisure time physical activity. The TromsÃ, Study 2001–2016. PLoS ONE, 2022, 17, e0262228.	2.5	3
117	Association of dog ownership with accelerometer-measured physical activity and daily steps in 70-year-old individuals: a population-based cross-sectional study. BMC Public Health, 2021, 21, 2313.	2.9	3
118	Pharmaco-fMRI in Patients With Traumatic Brain Injury: A Randomized Controlled Trial With the Monoaminergic Stabilizer (–)-OSU6162. Journal of Head Trauma Rehabilitation, 2019, 34, 189-198.	1.7	2
119	Injuries in Swedish floorball players: A nationwide matched cohort study. Cogent Medicine, 2019, 6, 1673087.	0.7	2
120	The 9+ screening test score does not predict injuries in elite floorball players. Scandinavian Journal of Medicine and Science in Sports, 2020, 30, 1232-1236.	2.9	2
121	Short-term balance training and acute effects on postural sway in balance-deficient older adults: a randomized controlled trial. BMC Sports Science, Medicine and Rehabilitation, 2021, 13, 23.	1.7	2
122	Associations of Light, Moderate to Vigorous, and Total Physical Activity With the Prevalence of Metabolic Syndrome in 4,652 Community-Dwelling 70-Year-Olds: A Population-Based Cross-Sectional Study. Journal of Aging and Physical Activity, 2021, 29, 735-743.	1.0	2
123	Association between Self-Perceived Health, Physical Activity, and BMD in Aging Men and Women. The Open Bone Journal, 2011, 3, 6-10.	1.4	2
124	An exercise in death notification. Medical Education, 2011, 45, 1139-1140.	2.1	1
125	The effect of a role-playing exercise on clerkship students' views of death notification: the Swedish experience. International Journal of Medical Education, 2011, 2, 24-29.	1.2	1
126	Highâ€impact loading on the skeleton is associated with a decrease in glucose levels in young men. Clinical Endocrinology, 2012, 77, 823-827.	2.4	1

#	Article	IF	CITATIONS
127	Bisphosphonate use after clinical fracture and risk of new fracture: response to comments by Wu et al Osteoporosis International, 2018, 29, 2159-2160.	3.1	1
128	Mind Your Head: Potential Short- and Long-Term Effects of Concussion in Sport. , 2020, , 47-51.		1
129	Reality-check in physical activity promotion: Self-report-based guidelines vs. measurement-based estimates. Preventive Medicine, 2016, 91, 395-396.	3.4	0
130	Decreased mortality during inpatient care in The Netherlands: what are the keys to further improve health care for elderly patients?. Age and Ageing, 2016, 45, 4-5.	1.6	0
131	Overestimation of the Limitations of Randomized Controlled Trials. Journal of Bone and Mineral Research, 2019, 34, 1767-1768.	2.8	0
132	Measures Of Adiposity And Its Association To Physical Activity In Adults: The Troms $\tilde{A}_{s}$ , Study. Medicine and Science in Sports and Exercise, 2019, 51, 447-447.	0.4	0
133	Boneâ€Specific Drugs and Osteonecrosis of Sites Other Than the Jaw: A Nationwide Cohort Study. Journal of Bone and Mineral Research, 2020, 35, 1703-1710.	2.8	0
134	Prevention of Bone Loss with Exercise., 2011,,.		0
135	Impact of hip fracture on mortality and life expectancy. Bone Abstracts, 0, , .	0.0	O
136	Title is missing!. , 2020, 17, e1003135.		0
137	Title is missing!. , 2020, 17, e1003135.		0
138	Title is missing!. , 2020, 17, e1003135.		0
139	Title is missing!. , 2020, 17, e1003016.		O
140	Title is missing!. , 2020, 17, e1003016.		0
141	Title is missing!. , 2020, 17, e1003016.		O
142	Title is missing!. , 2020, 17, e1003016.		0
143	Title is missing!. , 2020, 17, e1003016.		0
144	Title is missing!. , 2019, 14, e0225670.		0

#	Article	IF	CITATIONS
145	Title is missing!. , 2019, 14, e0225670.		O
146	Title is missing!. , 2019, 14, e0225670.		0
147	Title is missing!. , 2019, 14, e0225670.		O
148	Title is missing!. , 2019, 14, e0225670.		0
149	Title is missing!. , 2019, 14, e0225670.		0