
## TamÃ;s Németh

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/887338/publications.pdf Version: 2024-02-01



ΤΛΜΑ̃:ς ΝΑΘΜΕΤΗ

#	Article	IF	CITATIONS
1	Synovial fibroblasts as potential drug targets in rheumatoid arthritis, where do we stand and where shall we go?. Annals of the Rheumatic Diseases, 2022, 81, 1055-1064.	0.9	29
2	Signaling through Syk or CARD9 Mediates Species-Specific Anti- <i>Candida</i> Protection in Bone Marrow Chimeric Mice. MBio, 2021, 12, e0160821.	4.1	5
3	Neutrophils as emerging therapeuticÂtargets. Nature Reviews Drug Discovery, 2020, 19, 253-275.	46.4	386
4	Tyrosine Kinases in Autoimmune and Inflammatory Skin Diseases. Frontiers in Immunology, 2019, 10, 1862.	4.8	86
5	Importance of Fc Receptor γ-Chain ITAM Tyrosines in Neutrophil Activation and in vivo Autoimmune Arthritis. Frontiers in Immunology, 2019, 10, 252.	4.8	10
6	Myeloid-Specific Deletion of Mcl-1 Yields Severely Neutropenic Mice That Survive and Breed in Homozygous Form. Journal of Immunology, 2018, 201, 3793-3803.	0.8	35
7	Lineage-Specific Analysis of Syk Function in Autoantibody-Induced Arthritis. Frontiers in Immunology, 2018, 9, 555.	4.8	23
8	The Syk Tyrosine Kinase Is Required for Skin Inflammation in an InÂVivo Mouse Model ofÂEpidermolysis Bullosa Acquisita. Journal of Investigative Dermatology, 2017, 137, 2131-2139.	0.7	43
9	Repercussion of Megakaryocyte-Specific Gata1 Loss on Megakaryopoiesis and the Hematopoietic Precursor Compartment. PLoS ONE, 2016, 11, e0154342.	2.5	15
10	Neutrophil-specific deletion of the CARD9 gene expression regulator suppresses autoantibody-induced inflammation in vivo. Nature Communications, 2016, 7, 11004.	12.8	62
11	Neutrophils in animal models of autoimmune disease. Seminars in Immunology, 2016, 28, 174-186.	5.6	29
12	Feedback Amplification of Neutrophil Function. Trends in Immunology, 2016, 37, 412-424.	6.8	69
13	Rac GTPase Activating Protein ARHGAP25 Regulates Leukocyte Transendothelial Migration in Mice. Journal of Immunology, 2016, 197, 2807-2815.	0.8	14
14	Neutrophils are required for both the sensitization and elicitation phase of contact hypersensitivity. Journal of Experimental Medicine, 2015, 212, 15-22.	8.5	143
15	Targeting Vascular Endothelial Growth Factor Receptor 2 and Protein Kinase D1 Related Pathways by a Multiple Kinase Inhibitor in Angiogenesis and Inflammation Related Processes In Vitro. PLoS ONE, 2015, 10, e0124234.	2.5	7
16	Differential Regulatory Role of Pituitary Adenylate Cyclase–Activating Polypeptide in the Serumâ€Transfer Arthritis Model. Arthritis and Rheumatology, 2014, 66, 2739-2750.	5.6	51
17	The Src family kinases Hck, Fgr, and Lyn are critical for the generation of the in vivo inflammatory environment without a direct role in leukocyte recruitment. Journal of Experimental Medicine, 2014, 211, 1993-2011.	8.5	124
18	The absence of P2X7 receptors (P2rx7) on non-haematopoietic cells leads to selective alteration in mood-related behaviour with dysregulated gene expression and stress reactivity in mice. International Journal of Neuropsychopharmacology, 2013, 16, 213-233.	2.1	83

TamÃis Németh

#	Article	IF	CITATIONS
19	Dasatinib inhibits proinflammatory functions of mature human neutrophils. Blood, 2012, 119, 4981-4991.	1.4	81
20	The role of neutrophils in autoimmune diseases. Immunology Letters, 2012, 143, 9-19.	2.5	162
21	Neutrophil Functions and Autoimmune Arthritis in the Absence of p190RhoGAP: Generation and Analysis of a Novel Null Mutation in Mice. Journal of Immunology, 2010, 185, 3064-3075.	0.8	37
22	Critical but Overlapping Role of FcγRIII and FcγRIV in Activation of Murine Neutrophils by Immobilized Immune Complexes. Journal of Immunology, 2008, 180, 618-629.	0.8	80