

Peter Falk

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8874344/publications.pdf>

Version: 2024-02-01

20
papers

356
citations

933447

10
h-index

794594

19
g-index

21
all docs

21
docs citations

21
times ranked

523
citing authors

#	ARTICLE	IF	CITATIONS
1	Full-thickness skin grafts to reinforce the abdominal wall: a cross-sectional histological study comparing intra- and extraperitoneal onlay positions in mice. <i>Journal of Wound Care</i> , 2022, 31, 48-55.	1.2	3
2	Cryopreservation of Whole Tumor Biopsies from Rectal Cancer Patients Enable Phenotypic and In Vitro Functional Evaluation of Tumor-Infiltrating T Cells. <i>Cancers</i> , 2021, 13, 2428.	3.7	4
3	Plasma MMP-1 Expression as a Prognostic Factor in Colon Cancer. <i>Journal of Surgical Research</i> , 2021, 266, 254-260.	1.6	11
4	EGFR, but not COX-2, protein in resected pancreatic ductal adenocarcinoma is associated with poor survival. <i>Oncology Letters</i> , 2019, 17, 5361-5368.	1.8	9
5	Stability of matrix metalloproteinase-9 as biological marker in colorectal cancer. <i>Medical Oncology</i> , 2018, 35, 50.	2.5	23
6	Role of matrix metalloproteinases in tumour invasion: immunohistochemistry of peritoneum from peritoneal carcinomatosis. <i>Medical Oncology</i> , 2018, 35, 64.	2.5	10
7	Colorectal Cancer Cells Adhere to Traumatized Peritoneal Tissue in Clusters, An Experimental Study. <i>Journal of Investigative Surgery</i> , 2018, 31, 349-356.	1.3	1
8	Band adhesions not related to previous abdominal surgery – A retrospective cohort analysis of risk factors. <i>Annals of Medicine and Surgery</i> , 2018, 36, 185-190.	1.1	15
9	Evaluating full-thickness skin grafts in intraperitoneal onlay mesh position versus onlay position in mice. <i>Journal of Surgical Research</i> , 2018, 230, 155-163.	1.6	9
10	An ex vivo model using human peritoneum to explore mesh-tissue integration. <i>Biology Open</i> , 2017, 6, 1391-1395.	1.2	5
11	DNA alterations in Cd133+ and Cd133- tumour cells enriched from intra-operative human colon tumour biopsies. <i>BMC Cancer</i> , 2017, 17, 219.	2.6	1
12	Levels of matrix metalloproteinases differ in plasma and serum – aspects regarding analysis of biological markers in cancer. <i>British Journal of Cancer</i> , 2016, 115, 703-706.	6.4	40
13	Thymidine phosphorylase expression is associated with time to progression in patients with metastatic colorectal cancer. <i>BMC Clinical Pathology</i> , 2014, 14, 25.	1.8	17
14	TGF- β 1 promotes transition of mesothelial cells into fibroblast phenotype in response to peritoneal injury in a cell culture model. <i>International Journal of Surgery</i> , 2013, 11, 977-982.	2.7	13
15	Studies of TGF- β 1-3 in Serosal Fluid During Abdominal Surgery and Their Effect on In Vitro Human Mesothelial Cell Proliferation. <i>Journal of Surgical Research</i> , 2009, 154, 312-316.	1.6	14
16	A local imbalance between MMP and TIMP may have an implication on the severity and course of appendicitis. <i>International Journal of Colorectal Disease</i> , 2008, 23, 611-618.	2.2	16
17	Matrix metalloproteinases in rectal mucosa, tumour and plasma: response after preoperative irradiation. <i>International Journal of Colorectal Disease</i> , 2007, 22, 667-674.	2.2	19
18	Examination gloves affect secretion of matrix metalloproteinases and their inhibitors from human abdominal skin fibroblasts. <i>Wound Repair and Regeneration</i> , 2003, 11, 230-234.	3.0	5

#	ARTICLE	IF	CITATIONS
19	Overproduction of transforming growth factor- β 1 (TGF- β 1) is associated with adhesion formation and peritoneal fibrinolytic impairment. <i>Surgery</i> , 2001, 129, 626-632.	1.9	98
20	The antiadhesive agent sodium hyaluronate increases the proliferation rate of human peritoneal mesothelial cells. <i>Fertility and Sterility</i> , 2000, 74, 146-151.	1.0	43