

# William Levason

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8875620/publications.pdf>

Version: 2024-02-01

483  
papers

10,703  
citations

66336  
42  
h-index

114455  
63  
g-index

503  
all docs

503  
docs citations

503  
times ranked

4915  
citing authors

#	ARTICLE	IF	CITATIONS
1	Recent developments in the coordination chemistry of selenoether and telluroether ligands. <i>Coordination Chemistry Reviews</i> , 1993, 122, 109-170.	18.8	271
2	Recent developments in the chemistry of selenoethers and telluroethers. <i>Coordination Chemistry Reviews</i> , 2002, 225, 159-199.	18.8	204
3	The chemistry of copper and silver in their higher oxidation states. <i>Coordination Chemistry Reviews</i> , 1987, 76, 45-120.	18.8	135
4	Coordination chemistry of stibine and bismuthine ligands. <i>Coordination Chemistry Reviews</i> , 1994, 133, 115-217.	18.8	133
5	Systematics of palladium(II) and platinum(II) dithioether complexes. The effect of ligand structure upon the structure and spectra of the complexes and upon inversion at coordinated sulphur. <i>Inorganica Chimica Acta</i> , 1979, 35, 265-277.	2.4	130
6	Synthesis, properties, and multinuclear NMR ( $^{125}\text{Te}\{1\text{H}\}$ , $^{13}\text{C}\{1\text{H}\}$ , $^1\text{H}$ ) studies in di- and polytelluroether ligands. <i>Organometallics</i> , 1988, 7, 78-83.	2.3	119
7	Synthesis, properties, and multinuclear ( $^1\text{H}$ , $^{13}\text{C}$ , $^{77}\text{Se}$ ) nuclear magnetic resonance studies of selenoethers containing two or more selenium atoms. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1984, , 429.	0.9	114
8	Coordination chemistry of the main group elements with phosphine, arsine and stibine ligands. <i>Coordination Chemistry Reviews</i> , 2014, 260, 65-115.	18.8	99
9	Developments in the coordination chemistry of stibine ligands. <i>Coordination Chemistry Reviews</i> , 2006, 250, 2565-2594.	18.8	90
10	Medium and high oxidation state metal/non-metal fluoride and oxide-fluoride complexes with neutral donor ligands. <i>Chemical Society Reviews</i> , 2013, 42, 1460-1499.	38.1	81
11	Self-Assembly of Ribbons and Frameworks Containing Large Channels Based upon Methylene-Bridged Dithio-, Diseleno-, and Ditelluroethers. <i>Inorganic Chemistry</i> , 1996, 35, 4432-4438.	4.0	80
12	Coordination complexes of silicon and germanium halides with neutral ligands. <i>Coordination Chemistry Reviews</i> , 2011, 255, 1319-1341.	18.8	80
13	Coordination chemistry of higher oxidation states. Part 21. Platinum-195 NMR studies of platinum(II) and platinum(IV) complexes of bi- and multi-dentate phosphorus, arsenic and sulphur ligands. <i>Inorganica Chimica Acta</i> , 1986, 115, 187-192.	2.4	78
14	Germanium(II) Dications Stabilized by Azamacrocycles and Crown Ethers. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 5152-5154.	13.8	73
15	Electrodeposition of metals from supercritical fluids. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 14768-14772.	7.1	70
16	Selenoether Macrocyclic Chemistry: Syntheses, NMR Studies, Redox Properties, and Single-Crystal Structures of $[\text{M}([16]\text{aneSe}_4)](\text{PF}_6)_2$ .cntdot.2MeCN (M = Pd, Pt; [16]aneSe <sub>4</sub> =) Tj ETQqO O O rgBT /Overlock 10 T#50 137 T#9(1,5,9,13)		
17	Synthesis and properties of two o-phenylenebis(telluroether) ligands, o-C <sub>6</sub> H <sub>4</sub> (TeR) <sub>2</sub> (R = Me, Ph), and of related hybrids, o-C <sub>6</sub> H <sub>4</sub> (TeMe)Y (Y = NMe <sub>2</sub> , PMe <sub>2</sub> , AsMe <sub>2</sub> , SbMe <sub>2</sub> , OMe, SMe, SeMe, Cl). <i>Organometallics</i> , 1989, 8, 1303-1308.	2.3	66
18	Highly Selective Chemical Vapor Deposition of Tin Diselenide Thin Films onto Patterned Substrates via Single Source Diselenoether Precursors. <i>Chemistry of Materials</i> , 2012, 24, 4442-4449.	6.7	64

#	ARTICLE	IF	CITATIONS
19	Thio- and seleno-ether complexes with Group 4 tetrahalides and tin tetrachloride: preparation and use in CVD for metal chalcogenide films. <i>Dalton Transactions</i> , 2007, , 4769.	3.3	63
20	Homoleptic silver(I) complexes with dithio-, diseleno- and ditelluro-ethers: synthesis, structures and multinuclear nuclear magnetic resonance studies. <i>Journal of the Chemical Society Dalton Transactions</i> , 1995, , 3439.	1.1	62
21	Homoleptic Copper(I) and Silver(I) Complexes witho-Phenylene-Backboned Bis(thioethers), Bis(selenoethers), and Bis(telluroethers): Synthesis, Multinuclear NMR Studies, and Crystal Structures of $[\text{Cu}\{\text{o-C}_6\text{H}_4(\text{SeMe})_2\}_2]\text{PF}_6$ , $[\text{Cu}\{\text{o-C}_6\text{H}_4(\text{TeMe})_2\}_2]\text{PF}_6$ , and $[\text{Ag}_n\{\text{l-C}_6\text{H}_4(\text{SeMe})_2\}_n\{\text{o-C}_6\text{H}_4(\text{SeMe})_2\}_n]\text{BF}_4\text{nCH}_2\text{Cl}_2$ . <i>Inorganic Chemistry</i> , 1996, 35, 1820-1824.	4.0	58
22	Halostibines $\text{SbMeX}_2$ and $\text{SbMe}_2\text{X}$ : Lewis Acids or Lewis Bases?. <i>Organometallics</i> , 2012, 31, 1025-1034.	2.3	58
23	Tetrakis(triphenylphosphine oxide) complexes of the lanthanide nitrates; synthesis, characterisation and crystal structures of $[\text{La}(\text{Ph}_3\text{PO})_4(\text{NO}_3)_3]\text{Me}_2\text{CO}$ and $[\text{Lu}(\text{Ph}_3\text{PO})_4(\text{NO}_3)_2]\text{NO}_3$ . <i>Polyhedron</i> , 2000, 19, 2697-2705.	2.2	57
24	Coordination chemistry of organostibines. <i>Accounts of Chemical Research</i> , 1978, 11, 363-368.	15.6	56
25	Macrocyclic and polydentate thio- and seleno-ether ligand complexes of the p-block elements. <i>Dalton Transactions RSC</i> , 2001, , 2953-2960.	2.3	56
26	Synthesis and structural characterisation of germanium(ii) halide complexes with neutral N-donor ligands. <i>Dalton Transactions</i> , 2010, 39, 847-856.	3.3	55
27	Synthesis and solution multinuclear magnetic resonance studies of homoleptic copper(I) complexes of sulfur, selenium and tellurium donor ligands. <i>Journal of the Chemical Society Dalton Transactions</i> , 1994, , 3225.	1.1	53
28	Tin(IV) Fluoride Complexes with Tertiary Phosphane Ligands – A Comparison of Hard and Soft Donor Ligands. <i>European Journal of Inorganic Chemistry</i> , 2006, 2006, 2773-2782.	2.0	52
29	Synthesis, properties, and multinuclear nuclear magnetic resonance ( $^{1}\text{H}$ , $^{77}\text{Se}$ , and $^{195}\text{Pt}$ ) studies on diselenoether complexes of palladium, platinum, and rhodium. <i>Journal of the Chemical Society Dalton Transactions</i> , 1985, , 1265.	1.1	51
30	The chemistry of the p-block elements with thioether, selenoether and telluroether ligands. <i>Dalton Transactions</i> , 2011, 40, 8491.	3.3	51
31	Synthesis and solution multinuclear nuclear magnetic resonance studies of homoleptic copper(I) complexes of Group 15 donor ligands. <i>Journal of the Chemical Society Dalton Transactions</i> , 1993, , 3129.	1.1	50
32	Unique structural features in silver(I) dithioether complexes: the single-crystal structures of $[\text{Ag}_n(\text{PhSCH}_2\text{CH}_2\text{CH}_2\text{SPh})_2\text{n}](\text{BF}_4)\text{n}\cdot 0.5\text{nH}_2\text{O}$ and $[\text{Ag}_n(\text{MeSCH}_2\text{CH}_2\text{CH}_2\text{SMe})\text{n}](\text{BF}_4)\text{n}$ . <i>Journal of the Chemical Society Chemical Communications</i> , 1995, , 1277-1278.	2.0	50
33	Yttrium halide complexes of phosphine- and arsine oxides: synthesis, multinuclear NMR and structural studies. <i>Polyhedron</i> , 2002, 21, 445-455.	2.2	49
34	Six- and eight-coordinate thio- and seleno-ether complexes of $\text{NbF}_5$ and some comparisons with $\text{NbCl}_5$ and $\text{NbBr}_5$ adducts. <i>Dalton Transactions</i> , 2010, 39, 883-891.	3.3	49
35	Chelating ditelluroether complexes of palladium and platinum: synthesis and multinuclear NMR studies. Structure of dibromo(meso-1,3-bis(phenyltelluro)propane)palladium(II): $[\text{Pd}\{\text{meso-PhTe}(\text{CH}_2)_3\text{TePh}\}\text{Br}_2]$ . <i>Inorganic Chemistry</i> , 1989, 28, 692-696.	4.0	48
36	Synthesis, multinuclear magnetic resonance spectroscopic studies and crystal structures of mono- and di-selenoether complexes of tin(IV) halides. <i>Journal of the Chemical Society Dalton Transactions</i> , 1997, , 2207-2214.	1.1	47

#	ARTICLE	IF	CITATIONS
37	Syntheses, powder neutron diffraction structures and Mössbauer studies of some complex iron oxyfluorides: Sr <sub>3</sub> Fe <sub>2</sub> O <sub>6</sub> F <sub>0.87</sub> , Sr <sub>2</sub> FeO <sub>3</sub> F and Ba <sub>2</sub> InFeO <sub>5</sub> F <sub>0.68</sub> . <i>Journal of Materials Chemistry</i> , 1999, 9, 2821-2827.	6.7	47
38	Hydrothermal Synthesis of Rare Earth Iodates from the Corresponding Periodates: Structures of Sc(IO <sub>3</sub> ) <sub>3</sub> , Y(IO <sub>3</sub> ) <sub>3</sub> ·2H <sub>2</sub> O, La(IO <sub>3</sub> ) <sub>3</sub> ·1/2H <sub>2</sub> O and Lu(IO <sub>3</sub> ) <sub>3</sub> ·2H <sub>2</sub> O. <i>Zeitschrift für Anorganische Und Organische Chemie</i> , 2002, 628, 198-202.		
39	Synthesis, properties and crystal structures of 6-, 7- and 8-coordinate Zr(iv) and Hf(iv) complexes involving thioether and selenoether ligands. <i>Dalton Transactions RSC</i> , 2002, , 3153-3159.	2.3	46
40	Synthesis and characterisation of tin(IV) fluoride complexes of phosphine and arsine oxide ligands. <i>Polyhedron</i> , 2006, 25, 930-936.	2.2	46
41	Chemical vapour deposition of antimony chalcogenides with positional and orientational control: precursor design and substrate selectivity. <i>Journal of Materials Chemistry C</i> , 2015, 3, 423-430.	5.5	46
42	Synthesis and structural studies on polymeric assemblies derived from antimony(III) halide complexes with bi- and tri-dentate and macrocyclic thio- and seleno-ether ligands. <i>Dalton Transactions RSC</i> , 2001, , 1621-1627.	2.3	45
43	Triaza-macrocyclic complexes of aluminium, gallium and indium halides: fast <sup>&lt;sup&gt;18&lt;/sup&gt;F and<sup>&lt;sup&gt;19&lt;/sup&gt;F incorporation via halide exchange under mild conditions in aqueous solution. <i>Chemical Science</i>, 2014, 5, 381-391.</sup></sup>	7.4	45
44	Tin( <sup>&lt;sup&gt;iv&lt;/sup&gt;) chalcogenoether complexes as single source precursors for the chemical vapour deposition of SnE<sub>2</sub> and SnE (E = S, Se) thin films. <i>Dalton Transactions</i>, 2018, 47, 2628-2637.</sup>	3.3	45
45	Arsenic(III) Halide Complexes with Acyclic and Macroyclic Thio- and Selenoether Coligands:â‰‰ Synthesis and Structural Properties. <i>Inorganic Chemistry</i> , 2002, 41, 2070-2076.	4.0	44
46	Transition metal complexes with wide-angle dithio-, diseleno- and ditelluroethers: properties and structural systematics. <i>Dalton Transactions</i> , 2007, , 439-448.	3.3	44
47	Synthesis and properties of antimony(III) and bismuth(III) halide complexes of diphosphines and diarsines. Crystal structures of [Bi <sub>2</sub> I <sub>6</sub> {o-C <sub>6</sub> H <sub>4</sub> (AsMe <sub>2</sub> ) <sub>2</sub> } <sub>2</sub> ], [Sb <sub>2</sub> Br <sub>6</sub> {o-C <sub>6</sub> H <sub>4</sub> (PPh <sub>2</sub> ) <sub>2</sub> } <sub>2</sub> ], [Sb <sub>2</sub> Cl <sub>6</sub> {o-C <sub>6</sub> H <sub>4</sub> (AsMe <sub>2</sub> ) <sub>2</sub> }], and [BiCl <sub>3</sub> {o-C <sub>6</sub> H <sub>4</sub> (P(O)Ph <sub>2</sub> ) <sub>2</sub> }](thf)]. <i>Dalton Transactions RSC</i> , 2001, , 1007-1012.	2.3	43
48	Synthesis and complexation of the mixed telluriumâ€“oxygen macrocycles 1-tellura-4,7-dioxacyclononane, [9]aneO <sub>2</sub> Te, and 1,10-ditellura-4,7,13,16-tetraoxacyclooctadecane, [18]aneO <sub>4</sub> Te <sub>2</sub> and their selenium analogues. <i>Dalton Transactions</i> , 2003, , 2852-2858.	3.3	43
49	Non-aqueous electrodeposition of p-block metals and metalloids from halometallate salts. <i>RSC Advances</i> , 2013, 3, 15645.	3.6	43
50	Synthesis, Spectroscopic and Structural Systematics of Complexes of Germanium(IV) Halides (GeX <sub>4</sub> , X = F, Cl, Br or I) with Monoâ€¢, Biâ€¢ and Triâ€¢Dentate and Macroyclic Nitrogen Donor Ligands. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 4897-4905.	2.0	42
51	Hybrid Dibismuthines and Distibines: Preparation and Properties of Antimony and Bismuth Oxygen, Sulfur, and Nitrogen Donor Ligands. <i>Organometallics</i> , 2011, 30, 895-904.	2.3	42
52	Characterization of dibromine monoxide (Br <sub>2</sub> O) by bromine K-edge EXAFS and IR spectroscopy. <i>Journal of the American Chemical Society</i> , 1990, 112, 1019-1022.	13.7	41
53	Studies of platinum electroplating baths Part III. The electrochemistry of Pt(NH <sub>3</sub> ) <sub>4</sub> â~ x(H <sub>2</sub> O) <sub>2+2</sub> and PtCl <sub>4</sub> â~ x(H <sub>2</sub> O)(2 â~ x)â~x. <i>Journal of Electroanalytical Chemistry</i> , 1995, 399, 105-113.	3.8	41
54	Complexes of germanium(iv) fluoride with phosphane ligands: structural and spectroscopic authentication of germanium(iv) phosphane complexes. <i>Dalton Transactions</i> , 2008, , 2261.	3.3	41

#	ARTICLE	IF	CITATIONS
55	Diphosphine and Diarsine Complexes of Germanium(II) Halides—Preparation, Spectroscopic, and Structural Studies. <i>Inorganic Chemistry</i> , 2010, 49, 752-760.	4.0	41
56	Electrodeposition from supercritical fluids. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 9202.	2.8	41
57	Ditelluroether Complexes of Manganese and Rhenium Carbonyl Halides: A Synthesis and IR and Multinuclear NMR Spectroscopic and Structural Studies. Comparison of the Bonding Properties of Dithio-, Diseleno-, and Ditelluroethers in Low-Valent Carbonyl Systems. <i>Organometallics</i> , 1999, 18, 1275-1280.	2.3	40
58	Preparation, Characterization, and Structural Systematics of Diphosphane and Diarsane Complexes of Gallium(III) Halides. <i>Inorganic Chemistry</i> , 2007, 46, 7215-7223.	4.0	40
59	Synthesis, spectroscopic and structural studies on transition metal carbonyl complexes of cyclic di- and tetra-selenoether ligands. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, , 1077-1084.	1.1	39
60	Tin(ii) fluoride vs. tin(ii) chloride – a comparison of their coordination chemistry with neutral ligands. <i>Dalton Transactions</i> , 2013, 42, 8364.	3.3	39
61	Triphenylbismuthine complexes of group 6 metal carbonyls: X-ray crystal structures of [M(CO) <sub>5</sub> (BiPh <sub>3</sub> )] (M = Mo or W). <i>Journal of Organometallic Chemistry</i> , 1997, 545-546, 111-115.	1.8	38
62	Syntheses, structures and multinuclear NMR (45Sc, 89Y, 31P) studies of Ph <sub>3</sub> PO, Ph <sub>2</sub> MePO and Me <sub>3</sub> PO complexes of scandium and yttrium nitrates. <i>Dalton Transactions RSC</i> , 2000, , 2439-2447.	2.3	38
63	Primary and secondary coordination of crown ethers to scandium(iii). Synthesis, properties and structures of the reaction products of ScCl <sub>3</sub> (thf)3, ScCl <sub>3</sub> ·6H <sub>2</sub> O and Sc(NO <sub>3</sub> ) <sub>3</sub> ·5H <sub>2</sub> O with crown ethers. <i>Dalton Transactions</i> , 2003, , 857-865.	3.3	38
64	Synthesis, properties and solution speciation of lanthanide chloride complexes of triphenylphosphine oxide. <i>Inorganica Chimica Acta</i> , 2004, 357, 1083-1091.	2.4	38
65	Synthesis, Spectroscopic and Structural Systematics of Complexes of Germanium(IV) Halides (GeX <sub>4</sub> , X = Tj ETQq1 1 0.784314 rgBT /Ov Inorganic Chemistry, 2007, 2007, 2488-2495.	2.0	38
66	Phosphine complexes of aluminium(<scp>iii</scp>) halides – preparation and structural and spectroscopic systematics. <i>Dalton Transactions</i> , 2014, 43, 14600-14611.	3.3	38
67	Synthesis and multinuclear NMR studies of [M{ <i>o</i> -C <sub>6</sub> H <sub>4</sub> (TeMe) <sub>2</sub> }X <sub>2</sub> ] (M = Pd, Pt; X = Cl, Br, I). The presence of a characteristic ring contribution to tellurium-125 NMR chemical shifts. <i>Inorganic Chemistry</i> , 1990, 29, 731-735.	4.0	37
68	Polyhedron, 1992, 11, 2165-2169.	2.2	37
69	Telluroether and Selenoether Complexes as Single Source Reagents for Low Pressure Chemical Vapor Deposition of Crystalline Ga <sub>2</sub> Te <sub>3</sub> and Ga <sub>2</sub> Se <sub>3</sub> Thin Films. <i>Chemistry of Materials</i> , 2013, 25, 1829-1836.	6.7	37
70	Telluroether adducts of tin(IV) halides: synthesis, spectroscopy and structures. <i>Journal of the Chemical Society Dalton Transactions</i> , 1997, , 4549-4554.	1.1	36
71	Synthesis and Structural Properties of the First Macrocyclic Selenoether Complex of Arsenic(III): A Rare Example of Exo and Endo Coordination in a Single Species. <i>Journal of the American Chemical Society</i> , 2001, 123, 11801-11802.	13.7	36
72	Niobium(<scp>v</scp>) and tantalum(<scp>v</scp>) halide chalcogenoether complexes – towards single source CVD precursors for ME <sub>2</sub> thin films. <i>Dalton Transactions</i> , 2014, 43, 16640-16648.	3.3	36

#	ARTICLE	IF	CITATIONS
73	Taking TiF <sub>4</sub> complexes to extremes - the first examples with phosphine co-ligands. <i>Dalton Transactions</i> , 2010, 39, 10264.	3.3	35
74	Unusual neutral ligand coordination to arsenic and antimony trifluoride. <i>Dalton Transactions</i> , 2011, 40, 5291.	3.3	35
75	Synthesis, properties, and multinuclear ( <sup>1</sup> H, <sup>13</sup> C, <sup>77</sup> Se) magnetic resonance studies of the hybrid selenide ligands o-C <sub>6</sub> H <sub>4</sub> (SeMe)Y (Y = NMe <sub>2</sub> , PMe <sub>2</sub> , AsMe <sub>2</sub> , SbMe <sub>2</sub> , OMe, and SMe). <i>Journal of the Chemical Society Perkin Transactions II</i> , 1987, , 487.	0.9	34
76	Selenoether Macroyclic Complexes of Platinum(IV): Synthesis and Spectroscopic Studies on [Pt([16]aneSe <sub>4</sub> )X <sub>2</sub> ][PF <sub>6</sub> ] <sub>2</sub> , (X = Cl, Br). X-ray Structure of [Pt([16]aneSe <sub>4</sub> )Cl <sub>2</sub> ][PF <sub>6</sub> ] <sub>2</sub> . <i>Inorganic Chemistry</i> , 1994, 33, 6120-6122.	4.0	34
77	Multinuclear NMR studies of diphosphine, diphosphine dioxide and diarsine complexes of tin(IV) halides. Structures of [SnI <sub>4</sub> {o-C <sub>6</sub> H <sub>4</sub> (AsMe <sub>2</sub> ) <sub>2</sub> }] and [SnI <sub>4</sub> {o-C <sub>6</sub> H <sub>4</sub> (P(O)Ph <sub>2</sub> ) <sub>2</sub> }]. <i>Inorganica Chimica Acta</i> , 1999, 288, 142-149.	2.4	34
78	Cationic manganese(I) tricarbonyl complexes with group 15 and 16 donor ligands: synthesis, multinuclear NMR spectroscopy and crystal structures. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, , 2343-2352.	1.1	34
79	Synthesis and structures of one-dimensional co-ordination polymers derived from bismuth(III) selenoether macrocyclic complexes. <i>Dalton Transactions RSC</i> , 2000, , 2163-2166.	2.3	34
80	The first examples of germanium tetrafluoride and tin tetrafluoride complexes with soft thioether coordination <sup>+</sup> synthesis, properties and crystal structures. <i>Dalton Transactions</i> , 2008, , 533-538.	3.3	34
81	Vanadium selenoether and selenolate complexes, potential single-source precursors for CVD of VSe <sub>2</sub> thin films. <i>New Journal of Chemistry</i> , 2009, 33, 641-645.	2.8	34
82	Coordination chemistry of higher oxidation states. 5. Reaction of palladium(II) iodo complexes with molecular iodine and crystal and molecular structure of diiodo(cis-1,2-bis(diphenylphosphino)ethene)palladium(II)-diiodine (1/1). <i>Inorganic Chemistry</i> , 1983, 22, 2362-2366.	4.0	33
83	Synthesis, spectroscopic and structural characterization of PdII and PtII complexes of the cyclic diselenoether 1,5-diselenacyclooctane, [8]aneSe <sub>2</sub> . <i>Polyhedron</i> , 1995, 14, 2753-2758.	2.2	33
84	Synthesis and characterisation of transition-metal complexes involving cyclic diselenoether ligands. <i>Journal of the Chemical Society Dalton Transactions</i> , 1997, , 3493-3500.	1.1	33
85	Coordination networks derived from antimony(iii) halide complexes with thio- and seleno-ether ligation. <i>Chemical Communications</i> , 2001, , 95-96.	4.1	33
86	Structures of Ln(IO <sub>3</sub> ) <sub>3</sub> (Ln = Pr, Nd, Sm, Eu, Gd, Tb, Ho, Er) and Ln(IO <sub>3</sub> ) <sub>3</sub> ·2H <sub>2</sub> O (Ln = Eu, Gd, Dy, Er, Tm, Yb). <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2004, 630, 479-483.	1.2	33
87	Electrodeposition of germanium from supercritical fluids. <i>Physical Chemistry Chemical Physics</i> , 2012, 14, 1517-1528.	2.8	33
88	Synthesis and properties of the first series of mixed thioether/telluroether macrocycles. <i>Chemical Communications</i> , 2001, , 427-428.	4.1	32
89	Synthesis, characterisation and structures of thio-, seleno- and telluro-ether complexes of gallium(iii). <i>Dalton Transactions</i> , 2008, , 6274.	3.3	32
90	Preparation and structures of coordination complexes of the very hard Lewis acids ZrF <sub>4</sub> and HfF <sub>4</sub> . <i>Dalton Transactions</i> , 2012, 41, 12548.	3.3	32

#	ARTICLE	IF	CITATIONS
91	Lead(ii) tetrafluoroborate and hexafluorophosphate complexes with crown ethers, mixed O/S- and O/Se-donor macrocycles and unusual $[BF_4]^-$ and $[PF_6]^-$ coordination. <i>Dalton Transactions</i> , 2013, 42, 4714.	3.3	32
92	Coordination chemistry and applications of medium/high oxidation state metal and non-metal fluoride and oxide-fluoride complexes with neutral donor ligands. <i>Coordination Chemistry Reviews</i> , 2019, 391, 90-130.	18.8	32
93	Synthesis and characterisation of selenoether macrocyclic complexes of Co <sup>III</sup> , Rh <sup>III</sup> and Ir <sup>III</sup> : crystal structures of trans-[CoBr <sub>2</sub> ([16]aneSe <sub>4</sub> )]BPh <sub>4</sub> and trans-[IrBr <sub>2</sub> ([16]aneSe <sub>4</sub> )]BPh <sub>4</sub> ([16]aneSe <sub>4</sub> =) Tj ETQq1 1 0.784B14 rgBT /Overlock 1		
94	Catalytic air oxidation of tertiary arylphosphines in the presence of tin(IV) iodide. <i>Journal of Organometallic Chemistry</i> , 2003, 688, 280-282.	1.8	31
95	Gallium(III) halide complexes with phosphines, arsines and phosphine oxides – a comparative study. <i>Polyhedron</i> , 2007, 26, 4147-4155.	2.2	31
96	Hypervalent neutral O-donor ligand complexes of silicon tetrafluoride, comparisons with other group 14 tetrafluorides and a search for soft donor ligand complexes. <i>Dalton Transactions</i> , 2011, 40, 1584.	3.3	31
97	Soft diphosphine and diarsine complexes of niobium(v) and tantalum(v) fluorides: synthesis, properties, structures and comparisons with the corresponding chlorides. <i>Dalton Transactions</i> , 2014, 43, 9557-9566.	3.3	31
98	Controlling the nanostructure of bismuth telluride by selective chemical vapour deposition from a single source precursor. <i>Journal of Materials Chemistry A</i> , 2014, 2, 4865.	10.3	31
99	Radiofluorination of a Pre-formed Gallium(III) Aza-macrocyclic Complex: Towards Next-generation Positron Emission Tomography (PET) Imaging Agents. <i>Chemistry - A European Journal</i> , 2015, 21, 4688-4694.	3.3	31
100	Coordination chemistry of higher oxidation states. 25. Synthesis and properties (including cobalt-59) Tj ETQq0 0 0 rgBT /Overlock 10 Tf structure of trans-[Co{o-C <sub>6</sub> H <sub>4</sub> (SbMe <sub>2</sub> ) <sub>2</sub> } <sub>2</sub> Cl <sub>2</sub> ] <sub>2</sub> [CoCl <sub>4</sub> ]. <i>Inorganic Chemistry</i> , 1987, 26, 2102-2106.	4.0	30
101	Lanthanide nitrate complexes of diphenylmethylphosphine oxide: synthesis and spectroscopic studies. Crystal structures of [La(Ph <sub>2</sub> MePO) <sub>3</sub> (NO <sub>3</sub> ) <sub>3</sub> ], [La(Ph <sub>2</sub> MePO) <sub>4</sub> (NO <sub>3</sub> ) <sub>3</sub> ]·xMe <sub>2</sub> CO and [Yb(Ph <sub>2</sub> MePO) <sub>4</sub> (NO <sub>3</sub> ) <sub>2</sub> ]PF <sub>6</sub> . <i>Polyhedron</i> , 2001, 20, 2055-2062.	2.2	30
102	Studies on Chromium(III) and Vanadium(III) Complexes with Crown Ether and Crown Thioether Coordination – Synthesis, Properties and Structural Systematics. <i>European Journal of Inorganic Chemistry</i> , 2006, 2006, 4399-4406.	2.0	30
103	Spectroscopic studies on the higher binary fluorides of chromium: CrF <sub>4</sub> , CrF <sub>5</sub> , and CrF <sub>6</sub> , both in the solid state and isolated in inert gas matrices. <i>Journal of the Chemical Society Dalton Transactions</i> , 1985, , 1443.	1.1	29
104	Coordination chemistry of higher oxidation states. 20. Synthesis and cobalt-59 NMR studies of tris(diphosphine)cobalt(3+), tris(diarsine)cobalt(3+) and related complexes. Crystal structure of tris[o-phenylenebis(dimethylarsine)]cobalt(III) tetrafluoroborate-2-water. <i>Inorganic Chemistry</i> , 1986, 25, 1997-2001.	4.0	29
105	Is chromium hexafluoride octahedral? Experiment still suggests "yes!". <i>Inorganic Chemistry</i> , 1991, 30, 4873-4874.	4.0	29
106	Area Selective Growth of Titanium Diselenide Thin Films into Micropatterned Substrates by Low-Pressure Chemical Vapor Deposition. <i>Chemistry of Materials</i> , 2013, 25, 4719-4724.	6.7	29
107	Co-ordination chemistry of higher oxidation states. Part 1. Thioether complexes of osmium (IV), iridium(IV), and platinum(IV). <i>Journal of the Chemical Society Dalton Transactions</i> , 1980, , 1872.	1.1	28
108	Co-ordination chemistry of higher oxidation states. Part 18. Bidentate selenoether complexes of the tetravalent platinum metals. Crystal and molecular structure of [Pt{o-C <sub>6</sub> H <sub>4</sub> (SeMe) <sub>2</sub> }Cl <sub>4</sub> ]. <i>Journal of the Chemical Society Dalton Transactions</i> , 1986, , 1003.	1.1	28

#	ARTICLE	IF	CITATIONS
109	Synthesis of chelating ditelluroether ligands, RTeCH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> TeR (R = Me, Ph). <i>Organometallics</i> , 1987, 6, 206-207.	2.3	28
110	Arsenic(iii) halide complexes with phosphine and arsine co-ligands: synthesis, spectroscopic and structural properties. <i>Dalton Transactions RSC</i> , 2002, , 1188-1192.	2.3	28
111	Synthesis and spectroscopic properties of Mo(VI) complexes with phosphine oxide ligands and the crystal structures of [MoO <sub>2</sub> X <sub>2</sub> (OPMe <sub>3</sub> ) <sub>2</sub> ] (X=Cl or Br) and [MoO <sub>2</sub> Br <sub>2</sub> {o-C <sub>6</sub> H <sub>4</sub> (P(O)Ph <sub>2</sub> ) <sub>2</sub> }]-2CH <sub>2</sub> Cl <sub>2</sub> . <i>Polyhedron</i> , 2004, 23, 1915-1921.	2.2	28
112	Synthesis and properties of new ditertiary stibines based upon o-, m- or p-xylyl and m- or p-phenylene backbones and their complexes with tungsten, iron and nickel carbonyls. <i>Dalton Transactions</i> , 2004, , 51.	3.3	28
113	Coordination networks derived from germanium(ii) thioether macrocyclic complexes—the first authenticated chalcogenoether complexes of Ge(ii). <i>Chemical Communications</i> , 2008, , 5508.	4.1	28
114	Preparation and structure of the unique silicon(iv) cation [SiF <sub>3</sub> (Me <sub>3</sub> tacn)] <sup>+</sup> . <i>Chemical Communications</i> , 2009, , 1334.	4.1	28
115	Synthesis and structures of antimony trifluoride complexes with N-heterocyclic ligands. <i>Journal of Fluorine Chemistry</i> , 2012, 135, 108-113.	1.7	28
116	Tantalum(V) fluoride complexes of thio- and seleno-ether ligands and a comparison with the TaX <sub>5</sub> (X=Cl or Br) analogues. <i>Journal of Fluorine Chemistry</i> , 2012, 137, 77-84.	1.7	28
117	Non-aqueous electrodeposition of functional semiconducting metal chalcogenides: Ge <sub>x</sub> sub>2</sub>Sb <sub>x</sub> sub>2</sub>Te <sub>5</sub> </sub> phase change memory. <i>Materials Horizons</i> , 2015, 2, 420-426.	12.2	28
118	Co-ordination chemistry of higher oxidation states. Part 8. Nickel(III) complexes of bi- and multi-dentate phosphorus and arsenic ligands; crystal and molecular structure of [Ni(Ph <sub>2</sub> PCH <sub>2</sub> CH <sub>2</sub> PPh <sub>2</sub> )Br <sub>3</sub> ]-C <sub>6</sub> H <sub>5</sub> Me. <i>Journal of the Chemical Society Dalton Transactions</i> , 1984, , 459-467.	1.1	27
119	Complexes of Distibinomethane Ligands. 1. Iron, Cobalt, Nickel, and Manganese Carbonyl Complexes. <i>Organometallics</i> , 1997, 16, 5641-5647.	2.3	27
120	Synthesis, spectroscopic and structural studies on rhodium-(I) and -(III) and iridium-(I) and -(III) selenoether and telluroether complexes involving organometallic co-ligands. <i>Dalton Transactions RSC</i> , 2000, , 2537-2543.	2.3	27
121	Recent developments in thio-, seleno-, and telluro-ether ligand chemistry. <i>Heteroatom Chemistry</i> , 2002, 13, 550-560.	0.7	27
122	Unusual structural variations within a family of thioether macrocyclic complexes. Tin(iv) halide adducts of [12]-, [14]- and [16]-aneS <sub>4</sub> . <i>New Journal of Chemistry</i> , 2003, 27, 1784.	2.8	27
123	Evaluation of Group 4 Metal Bis-cyclopentadienyl Complexes with Selenolate and Tellurolate Ligands for CVD of ME <sub>x</sub> sub>2</sub> Films (E = Se or Te). <i>Chemistry of Materials</i> , 2008, 20, 5100-5106.	6.7	27
124	Synthesis, characterisation and structures of thio-, seleno- and telluro-ether complexes of indium(III) halides. <i>Dalton Transactions</i> , 2009, , 1611.	3.3	27
125	Supramolecular assemblies of germanium(ii) halides with O-, S- and Se-donor macrocycles – the effects of donor atom type upon structure. <i>Dalton Transactions</i> , 2011, 40, 694-700.	3.3	27
126	Co-ordination chemistry of higher oxidation states. Part 4. Palladium(IV) complexes of nitrogen, phosphorus, and arsenic donor ligands. Crystal and molecular structures of [Pd(bipy)Cl <sub>4</sub> ] and [Pd{o-C <sub>6</sub> H <sub>4</sub> (AsMe <sub>2</sub> ) <sub>2</sub> } <sub>2</sub> Cl <sub>2</sub> ][ClO <sub>4</sub> ] <sub>2</sub> . <i>Journal of the Chemical Society Dalton Transactions</i> , 1983, , 133.	1.1	26

#	ARTICLE	IF	CITATIONS
127	Spectroscopic studies on the hexafluorides of rhenium, osmium, iridium, and platinum isolated in low-temperature matrices. <i>Journal of the Chemical Society Dalton Transactions</i> , 1988, , 1341.	1.1	26
128	Synthesis, Spectroscopic, and Structural Studies on Transition Metal Complexes Involving Homoleptic Tripodal Selenoether and Telluroether Coordination. <i>Inorganic Chemistry</i> , 2000, 39, 3853-3859.	4.0	26
129	Isolation and structures of sulfonium salts derived from thioethers: [{o-C <sub>6</sub> H <sub>4</sub> (CH <sub>2</sub> SM <sub>e</sub> ) <sub>2</sub> }H][NbF <sub>6</sub> ] and [{[9]aneS <sub>3</sub> }H][NbF <sub>6</sub> ]. <i>Dalton Transactions</i> , 2009, , 7610.	3.3	26
130	Halometallate Complexes of Germanium(II) and (IV): Probing the Role of Cation, Oxidation State and Halide on the Structural and Electrochemical Properties. <i>Chemistry - A European Journal</i> , 2014, 20, 5019-5027.	3.3	26
131	Aza-macrocyclic complexes of the Group 1 cations – synthesis, structures and density functional theory study. <i>Dalton Transactions</i> , 2015, 44, 13853-13866.	3.3	26
132	Synthesis, properties, and <sup>77</sup> Se nuclear magnetic resonance studies of platinum metal complexes of two isomeric tris(selenoethers), MeC(CH <sub>2</sub> SeMe) <sub>3</sub> and Se(CH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> SeMe) <sub>2</sub> . <i>Journal of the Chemical Society Dalton Transactions</i> , 1985, , 2185.	1.1	25
133	Transition metal complexes of 1,3-dihydrobenzo[c]tellurophene: synthesis, spectroscopy and crystal structures. <i>Journal of the Chemical Society Dalton Transactions</i> , 1998, , 3411-3416.	1.1	25
134	Ditelluroether complexes of Group 6 metal carbonyls: synthesis, spectroscopic studies and a comparison with dithio- and diseleno-ether analogues. <i>Journal of Organometallic Chemistry</i> , 1999, 579, 235-242.	1.8	25
135	Synthesis, Properties, and Ligating Behavior of the First Facultative Tritelluroethers, Te(CH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> TeR) <sub>2</sub> (R = Me or Ph). <i>Organometallics</i> , 2001, 20, 3644-3649.	2.3	25
136	Scandium, yttrium and lanthanum nitrate complexes of tertiary arsine oxides: synthesis and multinuclear spectroscopic studies. X-ray structures of [M(Me <sub>3</sub> AsO) <sub>6</sub> ](NO <sub>3</sub> ) <sub>3</sub> (M=Sc or Y), [Sc(Ph <sub>3</sub> AsO) <sub>3</sub> (NO <sub>3</sub> ) <sub>2</sub> ]NO <sub>3</sub> , [M <sup>3+</sup> (Ph <sub>3</sub> AsO) <sub>4</sub> (NO <sub>3</sub> ) <sub>2</sub> ]NO <sub>3</sub> (M <sup>3+</sup> =Y or La) and [La(Ph <sub>3</sub> AsO) <sub>2</sub> (EtOH)(NO <sub>3</sub> ) <sub>3</sub> ]. <i>Polyhedron</i> , 2001, 20, 2711-2720.	2.2	25
137	Scandium halide complexes of phosphine- and arsine-oxides: synthesis, structures and <sup>45</sup> Sc NMR studies. <i>Polyhedron</i> , 2002, 21, 1579-1588.	2.2	25
138	Synthesis, characterisation and coordinating properties of the small ring S <sub>2</sub> Te-donor macrocycles [9]aneS <sub>2</sub> Te, [11]aneS <sub>2</sub> Te and [12]aneS <sub>2</sub> Te. <i>Dalton Transactions</i> , 2003, , 2434.	3.3	25
139	Synthesis and characterisation of transition metal halide complexes of the xyllyl-distibine, 1,2-bis(dimethylstibanyl methyl)benzene. <i>Dalton Transactions</i> , 2004, , 554.	3.3	25
140	Tungsten(VI) and Molybdenum(VI) Complexes with Soft Thioether Ligand Coordination – Synthesis, Spectroscopic and Structural Studies. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 1903-1910.	2.0	25
141	Complexes of Vanadium(V) Oxide Trifluoride with Nitrogen and Oxygen Donor Ligands: Coordination Chemistry and Some Fluorination Reactions. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 802-811.	2.0	25
142	Synthesis, chemistry and structures of complexes of the dioxovanadium(v) halides VO <sub>2</sub> F and VO <sub>2</sub> Cl. <i>Dalton Transactions</i> , 2008, , 6265.	3.3	25
143	Structural Diversity in Supramolecular Complexes of MCl <sub>3</sub> <sub>3</sub> (M = As, Sb, Bi) with Constrained Thio- and Seleno-Ether Ligands. <i>Inorganic Chemistry</i> , 2010, 49, 9036-9048.	4.0	25
144	The electrodeposition of copper from supercritical CO <sub>2</sub> /acetonitrile mixtures and from supercritical trifluoromethane. <i>Physical Chemistry Chemical Physics</i> , 2010, 12, 11744.	2.8	25

#	ARTICLE	IF	CITATIONS
145	Phase behaviour and conductivity study on multi-component mixtures for electrodeposition in supercritical fluids. <i>Physical Chemistry Chemical Physics</i> , 2010, 12, 492-501.	2.8	25
146	Unexpected Reactivity and Coordination in Gallium(III) and Indium(III) Chloride Complexes With Geometrically Constrained Thio- and Selenoether Ligands. <i>Inorganic Chemistry</i> , 2012, 51, 2231-2240.	4.0	25
147	Trivalent scandium, yttrium and lanthanide complexes with thia-oxa and selena-oxa macrocycles and crown ether coordination. <i>Dalton Transactions</i> , 2013, 42, 13179.	3.3	25
148	s-Block chalcogenoether chemistry – thio- and selenoether coordination with hard Group 2 ions. <i>Dalton Transactions</i> , 2013, 42, 89-99.	3.3	25
149	Rapid Aqueous Late-Stage Radiolabelling of $[{\text{GaF}_3}(\text{BnMe}_2)_2\text{acn}]$ by $^{18}\text{F}/^{19}\text{F}$ Isotopic Exchange: Towards New PET Imaging Probes. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 6658-6661.	13.8	25
150	Osmium(III) and Osmium(IV) complexes of bi- and polydentate thioethers. <i>Inorganica Chimica Acta</i> , 1984, 84, 65-69.	2.4	24
151	Coordination chemistry of higher oxidation states. 19. Synthesis and properties of diphosphine and diarsine complexes of iron(IV), and iron K-edge EXAFS data on $[\text{Fe}(\text{o-C}_6\text{H}_4(\text{PMe}_2)_2)_2\text{Cl}_2]_n + [\text{BF}_4]_n$ ( $n = 1$ ). <i>T. J. ETQq1 1.0.784314 rgBT / Overl. Dalton Transactions</i> , 1990, 2609-2616.	1.1	24
152	Monodemethylation of a coordinated ditelluroether. Synthesis and x-ray structure of $[\{\text{Pd}(\text{o-C}_6\text{H}_4(\text{TeMe})\text{Te})\}_4]$ . <i>Organometallics</i> , 1990, 9, 1181-1184.	2.3	24
153	Co-ordination chemistry of higher oxidation states. Part 35. Synthetic, spectroscopic, and electrochemical studies of some mer- and fac-[OsL <sub>3</sub> X <sub>3</sub> ]/[OsL <sub>3</sub> X <sub>3</sub> ] <sup>+</sup> systems (L = PR <sub>3</sub> , AsR <sub>3</sub> , SbR <sub>3</sub> , or) T. J. ETQq1 1.0.784314 rgBT / Overl. <i>Society Dalton Transactions</i> , 1990, 2609-2616.	1.1	24
154	Metal carbonyl complexes of the ditertiary bismuthine p-Ph <sub>2</sub> BiC <sub>6</sub> H <sub>4</sub> BiPh <sub>2</sub> and the effect of coordination upon bismuthine ligand geometry. <i>Journal of Organometallic Chemistry</i> , 1999, 584, 179-184.	1.8	24
155	Synthesis and Characterisation of WVI Complexes of Phosphane Oxide Ligands, $[\text{WO}_2\text{X}_2(\text{OPR}_3)_2]$ (X = F, Cl, Br). <i>T. J. ETQq1 1.0.784314 rgBT / Overl. Dalton Transactions</i> , 2007, 306-313.	2.0	24
156	Tellurium(II) and tellurium(IV) complexes of phosphine chalcogenide ligands, synthesis and X-ray structures. <i>Polyhedron</i> , 2009, 28, 4010-4016.	2.2	24
157	Lewis base complexes of methylidihalobismuthines BiMeX <sub>2</sub> (X = Cl or Br). <i>Journal of Organometallic Chemistry</i> , 2012, 708-709, 106-111.	1.8	24
158	Infrared and electronic spectra of matrix-isolated tetrafluoro- and tetrachloro-oxo-molybdenum(VI) and -oxotungsten(VI) and tetrabromo-oxo-tungsten(VI). <i>Journal of the Chemical Society Dalton Transactions</i> , 1981, 2501.	1.1	23
159	Co-ordination chemistry of higher oxidation states. Part 32. Synthetic, spectroscopic, and electrochemical studies of some trans-[OsL <sub>2</sub> X <sub>4</sub> ][OsL <sub>2</sub> X <sub>4</sub> ]systems (L = PR <sub>3</sub> , AsR <sub>3</sub> , SbR <sub>3</sub> , SeMe <sub>2</sub> , or) T. J. ETQq1 1.0.784314 rgBT / Overl. <i>Dalton Transactions</i> , 1990, 339-347.	1.1	23
160	Metal L III -edge extended X-ray absorption fine structure of 5d transition-metal hexafluorides and related fluoroanions. <i>Journal of the Chemical Society Dalton Transactions</i> , 1992, 139.	1.1	23
161	Ruthenium(II) and (III) complexes of triphenylstibine: a reinvestigation and the X-ray structure of trans-RuCl <sub>2</sub> (SbPh <sub>3</sub> ) <sub>4</sub> . <i>Inorganica Chimica Acta</i> , 1993, 208, 189-194.	2.4	23
162	Synthesis and spectroscopic studies of palladium and platinum complexes of methylene-backboned dithio-, diseleno- and ditelluro-ether ligands, RECH <sub>2</sub> ER (R = Me or Ph; E = S, Se or Te). <i>Journal of the Chemical Society Dalton Transactions</i> , 1994, 2835.	1.1	23

#	ARTICLE	IF	CITATIONS
163	Synthesis and spectroscopic characterisation of tritelluroether, triselenoether, and trithioether complexes of Cr(0), Mo(0) and W(0). <i>Polyhedron</i> , 2000, 19, 1373-1379.	2.2	23
164	Hard/soft interactions in early transition metal chemistry: synthesis, properties and structures of thioether and selenoether complexes of titanium(IV). <i>Dalton Transactions RSC</i> , 2000, , 3001-3006.	2.3	23
165	Synthesis, spectroscopic and structural characterisation of molybdenum, tungsten and manganese carbonyl complexes of tetrathio- and tetraseleno-ether ligands. <i>Journal of Organometallic Chemistry</i> , 2009, 694, 2299-2308.	1.8	23
166	Synthesis, properties and structures of NbOF <sub>3</sub> complexes and comparisons with NbOCl <sub>3</sub> analogues. <i>Dalton Transactions</i> , 2014, 43, 3649.	3.3	23
167	Systematics of BX <sub>3</sub> and BX <sub>2</sub> <sup>+</sup> Complexes (X = F, Cl, Br, I) with Neutral Diphosphine and Diarsine Ligands. <i>Inorganic Chemistry</i> , 2016, 55, 8852-8864.	4.0	23
168	Reinvestigation of the mixed-metal periodates M <sup>2+</sup> MIO <sub>6</sub> (M <sup>2+</sup> = alkali metal, M = Ge, Sn, Pb). <i>Journal of Materials Chemistry</i> , 1993, 3, 447-451.	6.7	22
169	Selenoether macrocyclic chemistry: trans-[RhCl <sub>2</sub> ([16]aneSe <sub>4</sub> )]BF <sub>4</sub> , synthesis, single crystal X-ray structure and <sup>77</sup> Se NMR study ([16]aneSe <sub>4</sub> = 1,5,9,13-tetraselenacyclohexadecane). <i>Journal of the Chemical Society Chemical Communications</i> , 1993, , 1716.	2.0	22
170	Synthesis, spectroscopic and redox properties of ruthenium complexes with selenoether macrocycles: crystal structures of cis-[RuCl <sub>2</sub> ([16]aneSe <sub>4</sub> )] and trans-[RuCl(PPh <sub>3</sub> )([16]aneSe <sub>4</sub> )]PF <sub>6</sub> ([16]aneSe <sub>4</sub> = 1,5,9,13-tetraselenacyclohexadecane). <i>Journal of the Chemical Society Dalton Transactions</i> , 1997, , 3719-3724.	1.1	22
171	Synthesis and properties of scandium, yttrium and lanthanum periodates. Crystal structures of Y(H <sub>2</sub> O) <sub>3</sub> {IO <sub>4</sub> (OH) <sub>2</sub> } and Y(H <sub>2</sub> O) <sub>2</sub> (IO <sub>3</sub> ) <sub>3</sub> . <i>Inorganica Chimica Acta</i> , 2000, 298, 43-49.	2.4	22
172	Unusual structural trends in the [MCl <sub>3</sub> ([8]aneSe <sub>2</sub> )] (M = As, Sb, Bi) adducts. <i>Dalton Transactions</i> , 2004, , 980-981.	3.3	22
173	Unexpected Structural Diversity in Alkali Metal Azide-Crown Ether Complexes: Syntheses, X-ray Structures, and Quantum-Chemical Calculations. <i>Chemistry - A European Journal</i> , 2006, 12, 2620-2629.	3.3	22
174	TeX <sub>4</sub> (X = F, Cl, Br) as Lewis acids “ complexes with soft thio- and seleno-ether ligands. <i>Dalton Transactions</i> , 2012, 41, 10988.	3.3	22
175	Complexes of aluminium, gallium and indium trifluorides with neutral oxygen donor ligands: Synthesis, properties and reactions. <i>Polyhedron</i> , 2016, 106, 65-74.	2.2	22
176	Chromium(III) complexes of multidentate phosphines, arsines, and thioethers. Crystal and molecular structure of the complex mer-[Cr{P(CH <sub>2</sub> CH <sub>2</sub> PPh <sub>2</sub> ) <sub>3</sub> }Cl <sub>3</sub> ]. <i>Journal of the Chemical Society Dalton Transactions</i> , 1984, , 47.	1.1	21
177	Iodine-127 nuclear magnetic resonance spectra of transition-metal periodate complexes. <i>Journal of the Chemical Society Dalton Transactions</i> , 1990, , 2307.	1.1	21
178	Coordination chemistry of higher oxidation states. 37. Tellurato complexes of palladium(IV) and platinum(IV). Crystal structures of Na <sub>8</sub> K <sub>2</sub> H <sub>4</sub> [Pd <sub>2</sub> Te <sub>4</sub> O <sub>24</sub> H <sub>2</sub> ] <sub>2</sub> ·20H <sub>2</sub> O and K <sub>6</sub> Na <sub>2</sub> [Pt(OH) <sub>2</sub> (HTeO <sub>6</sub> ) <sub>2</sub> ] <sub>2</sub> ·12H <sub>2</sub> O. <i>Inorganic Chemistry</i> , 1991, 30, 967-971.	4.0	21
179	Synthesis, solution and magic angle spinning tin-119 nuclear magnetic resonance studies and crystal structures of dithioether complexes of tin(IV) halides. <i>Journal of the Chemical Society Dalton Transactions</i> , 1996, , 4471.	1.1	21
180	Platinum metal ditelluroether complexes: synthesis, spectroscopic and structural studies of [M(L <sub>2</sub> ) <sub>2</sub> ]PF <sub>6</sub> [M=...Pd or Pt, L=...RTe(CH <sub>2</sub> ) <sub>3</sub> TeR (R=...Me or Ph) or C <sub>6</sub> H <sub>4</sub> (TeMe) <sub>2</sub> -o] <sub>2</sub> ·[Rh(L <sub>2</sub> ) <sub>2</sub> Cl <sub>2</sub> ]PF <sub>6</sub> [Ru(L <sub>2</sub> ) <sub>2</sub> X <sub>2</sub> ] (X=...Cl, Br or I) and [Ru(L <sub>2</sub> ) <sub>2</sub> (PPh <sub>3</sub> )Cl]PF <sub>6</sub> . <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, , 2071-2076.	1.1	21

#	ARTICLE	IF	CITATIONS
181	Synthesis, spectroscopic and structural properties of an unusual series of homoleptic phosphine oxide complexes of the alkaline earth dications. <i>Polyhedron</i> , 2005, 24, 121-128.	2.2	21
182	Coordination complexes of the tungsten(VI) oxide fluorides WOF <sub>4</sub> and WO <sub>2</sub> F <sub>2</sub> with neutral oxygen- and nitrogen-donor ligands. <i>Journal of Fluorine Chemistry</i> , 2016, 184, 50-57.	1.7	21
183	Exploration of the Smallest Diameter Tin Nanowires Achievable with Electrodeposition: Sub 7 nm Sn Nanowires Produced by Electrodeposition from a Supercritical Fluid. <i>Nano Letters</i> , 2018, 18, 941-947.	9.1	21
184	Developments in the chemistry of stibine and bismuthine complexes. <i>Coordination Chemistry Reviews</i> , 2021, 432, 213698.	18.8	21
185	Co-ordination complexes containing multidentate ligands. Part IX. The synthesis and donor properties of the open-chain tetraselenoether, 1,3-bis(methylselenoethylseleno)propane. <i>Journal of the Chemical Society Dalton Transactions</i> , 1976, , 269.	1.1	20
186	Synthesis and properties of Group 5B ligand analogues of o-phenylenebis(dimethylarsine), o-C <sub>6</sub> H <sub>4</sub> (EMe <sub>2</sub> )(E= P, N, As, or Sb. <i>Journal of the Chemical Society Dalton Transactions</i> , 1979, , 1718-1724.	1.1	20
187	Synthesis and properties of alkali-metal tetraoxo-osmate(VII) compounds. <i>Journal of the Chemical Society Dalton Transactions</i> , 1985, , 1735.	1.1	20
188	Spectroscopic studies on the hexafluorides of ruthenium and rhodium isolated in low-temperature matrices. <i>Journal of the Chemical Society Dalton Transactions</i> , 1990, , 715.	1.1	20
189	Metal K-edge extended X-ray absorption fine structure studies of MoF <sub>6</sub> , RuF <sub>6</sub> , RhF <sub>6</sub> and related fluoroanions. <i>Journal of the Chemical Society Dalton Transactions</i> , 1992, , 447.	1.1	20
190	Synthesis and <sup>109</sup> Ag NMR Studies of Homoleptic Silver(I) Stibines. <i>Inorganic Chemistry</i> , 1996, 35, 3428-3430.	4.0	20
191	Synthesis, spectroscopic and structural characterisation of complexes of the new ditelluroether 1,2-bis(methyltelluromethyl)benzene, o-C <sub>6</sub> H <sub>4</sub> (CH <sub>2</sub> TeMe) <sub>2</sub> . X-ray structures of [Mn(CO) <sub>3</sub> Cl{o-C <sub>6</sub> H <sub>4</sub> (CH <sub>2</sub> TeMe) <sub>2</sub> }] and [W(CO) <sub>4</sub> {o-C <sub>6</sub> H <sub>4</sub> (CH <sub>2</sub> TeMe) <sub>2</sub> }]. <i>Journal of Organometallic Chemistry</i> , 2001, 619, 218-225.	1.8	20
192	Synthesis and Properties of Complexes of Vanadium(V) Oxide Trichloride with Nitrogen- and Oxygen-Donor Ligands. <i>European Journal of Inorganic Chemistry</i> , 2006, 2006, 4391-4398.	2.0	20
193	Vanadium(IV) and Oxidovanadium(IV) and -(V) Complexes with Soft Thioether Coordination – Synthesis, Spectroscopic and Structural Studies. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 3655-3662.	2.0	20
194	Preparation, Characterization, and Structural Systematics of Diphosphane and Diarsane Complexes of Indium(III) Halides. <i>Inorganic Chemistry</i> , 2008, 47, 9691-9700.	4.0	20
195	Preparation and properties of cyclic and open-chain Sb/N-donor ligands. <i>Dalton Transactions</i> , 2009, , 7811.	3.3	20
196	Synthesis and structures of antimony(III) halide complexes with oxa-thia and oxa-selena crowns. <i>Polyhedron</i> , 2013, 55, 102-108.	2.2	20
197	Bromostibine Complexes of Iron(II): Hypervalency and Reactivity. <i>Organometallics</i> , 2014, 33, 2693-2695.	2.3	20
198	Reaction of lithium diphenylphosphide, diphenylarsenide, and diphenylstibide with 1,2-dichloroethylenes. The preparation of some new bidentate ligands and their monosubstituted precursors. <i>Journal of the Chemical Society Dalton Transactions</i> , 1976, , 1429.	1.1	19

#	ARTICLE	IF	CITATIONS
199	Co-ordination chemistry of higher oxidation states. Part 3. Palladium(IV) complexes with neutral unidentate ligands. <i>Journal of the Chemical Society Dalton Transactions</i> , 1982, , 1895.	1.1	19
200	Co-ordination chemistry of higher oxidation states. Part 13. Synthesis and properties of alkali-metal hydroxo-oxo-osmate(VIII) compounds and the molecular structure of $\text{Cs}[\text{O}_4\text{Os}(\text{OH})\text{OsO}_4]$ . <i>Journal of the Chemical Society Dalton Transactions</i> , 1985, , 199-203.	1.1	19
201	Coordination chemistry of higher oxidation states. 12. Synthesis and complexes of the bis(phosphine) 1,2-bis(dimethylphosphino)-3,4,5,6-tetrafluorobenzene o-C <sub>6</sub> F <sub>4</sub> (PMe <sub>2</sub> ) <sub>2</sub> . <i>Inorganic Chemistry</i> , 1985, 24, 1105-1107.	4.0	19
202	Co-ordination chemistry of higher oxidation states. Part 26. Spectroscopic studies of tellurate complexes of the trivalent Group 1B metals. X-Ray structure of $\text{Na}_5[\text{Cu}\{\text{TeO}_4(\text{OH})_2\}_2]\cdot 16\text{H}_2\text{O}$ . <i>Journal of the Chemical Society Dalton Transactions</i> , 1988, , 1377-1381.	1.1	19
203	Five-coordinate nickel(III) phosphines: spectroscopic and EXAFS studies. <i>Inorganic Chemistry</i> , 1991, 30, 331-334.	4.0	19
204	Synthesis and Properties of the Transition Metal Complexes of a Trifluoromethyl Stibine, 1,1,1-Tris((diphenylstibino)methyl)ethane. Structure of fac-[Mo(CO) <sub>3</sub> {MeC(CH <sub>2</sub> SbPh <sub>2</sub> ) <sub>3</sub> }]. <i>Organometallics</i> , 1996, 15, 1280-1283.	2.3	19
205	Triphenylstibine substituted manganese and rhenium carbonyls: synthesis and multinuclear NMR spectroscopic studies. X-ray crystal structures of ax-[Mn <sub>2</sub> (CO) <sub>9</sub> (SbPh <sub>3</sub> )], [Mn(CO) <sub>5</sub> (SbPh <sub>3</sub> )][CF <sub>3</sub> SO <sub>3</sub> ] and fac-[Re(CO) <sub>3</sub> Cl(SbPh <sub>3</sub> ) <sub>2</sub> ]. <i>Journal of Organometallic Chemistry</i> , 1998, 568, 213-223.	1.8	19
206	Chromium, molybdenum and tungsten carbonyl derivatives of distibinomethane ligands. <i>Journal of the Chemical Society Dalton Transactions</i> , 1998, , 825-832.	1.1	19
207	Synthesis and structures of bismuth(III) complexes involving thio- and seleno-ether ligands. <i>Dalton Transactions RSC</i> , 2000, , 859-865.	2.3	19
208	Synthesis, spectroscopic and structural properties of hexavalent molybdenum complexes with thio- and seleno-ether ligands. <i>Dalton Transactions</i> , 2004, , 2487.	3.3	19
209	Synthesis, spectroscopic studies and structural systematics of phosphine oxide complexes with Group II metal (beryllium-barium) nitrates. <i>New Journal of Chemistry</i> , 2006, 30, 782-790.	2.8	19
210	The Electrodeposition of Silver from Supercritical Carbon Dioxide/Acetonitrile. <i>ChemElectroChem</i> , 2014, 1, 187-194.	3.4	19
211	Six-coordinate NbF <sub>5</sub> and TaF <sub>5</sub> complexes with tertiary mono-phosphine and -arsine ligands. <i>Journal of Fluorine Chemistry</i> , 2015, 172, 62-67.	1.7	19
212	Group 3 metal trihalide complexes with neutral N-donor ligands – exploring their affinity towards fluoride. <i>Dalton Transactions</i> , 2018, 47, 6059-6068.	3.3	19
213	Palladium(II), platinum(II), and rhodium(III) complexes of o-phenylene-bis(diphenylarsine) and (o-diphenylarsinophenyl)diphenylphosphine. <i>Journal of the Chemical Society Dalton Transactions</i> , 1974, , 2238.	1.1	18
214	Working haem analogues; reversible oxygenation of the manganese-tertiary phosphine complexes MnLX <sub>2</sub> . <i>Journal of the Chemical Society Chemical Communications</i> , 1979, , 736-738.	2.0	18
215	Synthesis and properties of tetrahydrofuran complexes of chromium(III). [Cr(THF) <sub>3</sub> X <sub>3</sub> ] (X = Cl, Br, I), [Cr(THF) <sub>2</sub> X <sub>4</sub> ]- (X = Cl, Br, I, NCS), and "[Cr(THF) <sub>6</sub> ](BF <sub>4</sub> ) <sub>3</sub> ". <i>Inorganic Chemistry</i> , 1983, 22, 2642-2644.	4.0	18
216	Coordination chemistry of higher oxidation states. 30. Five-coordinate cobalt(III) phosphine complexes. Spectroscopic and cobalt K-edge EXAFS studies. <i>Inorganic Chemistry</i> , 1989, 28, 2128-2131.	4.0	18

#	ARTICLE	IF	CITATIONS
217	Ruthenium-(II) and -(III) complexes of a ditertiary stibine ligand. The effect of co-ordination on stibine ligand geometry. <i>Journal of the Chemical Society Dalton Transactions</i> , 1998, , 3457-3462.	1.1	18
218	Synthesis, properties and structures of complexes of platinum metal halides and Group 11 metals with two distibinomethane ligands, R <sub>2</sub> SbCH <sub>2</sub> SbR <sub>2</sub> (R=Me or Ph). <i>Dalton Transactions RSC</i> , 2000, , 655-662.	2.3	18
219	Synthesis, Structures and DFT Calculations on Alkaline-Earth Metal Azide-Crown Ether Complexes. <i>Chemistry - A European Journal</i> , 2008, 14, 2615-2624.	3.3	18
220	Supercritical Chemical Fluid Deposition of InP and InAs. <i>Chemistry of Materials</i> , 2010, 22, 4246-4253.	6.7	18
221	Oxa-thia-, oxa-selena and crown ether macrocyclic complexes of tin(ii) tetrafluoroborate and hexafluorophosphate – synthesis, properties and structures. <i>Dalton Transactions</i> , 2013, 42, 15183.	3.3	18
222	Diphosphine dioxide complexes of lanthanum and lutetium – The effects of ligand architecture and counter-anion. <i>Polyhedron</i> , 2017, 133, 264-269.	2.2	18
223	Chalcogenoether complexes of Nb( <sub>4</sub> ) thio- and seleno-halides as single source precursors for low pressure chemical vapour deposition of NbS <sub>2</sub> and NbSe <sub>2</sub> thin films. <i>Dalton Transactions</i> , 2017, 46, 9824-9832.	3.3	18
224	Synthesis and properties of MoCl <sub>4</sub> complexes with thio- and seleno-ethers and their use for chemical vapour deposition of MoSe <sub>2</sub> and MoS <sub>2</sub> films. <i>Dalton Transactions</i> , 2018, 47, 2406-2414.	3.3	18
225	Co-ordination chemistry of higher oxidation states. Part 2. Neutral and cationic complexes of platinum(IV) with bi- and multi-dentate ligands. <i>Journal of the Chemical Society Dalton Transactions</i> , 1981, , 2153.	1.1	17
226	Spectroscopic studies on matrix isolated osmium pentafluoride oxide, osmium tetrafluoride oxide, and osmium difluoride trioxide. <i>Journal of the Chemical Society Dalton Transactions</i> , 1988, , 61.	1.1	17
227	Syntheses and dynamic nuclear magnetic resonance studies of complexes of trimethylplatinum(IV) iodide with ditelluroether chelate ligands. <i>Journal of the Chemical Society Dalton Transactions</i> , 1991, , 591.	1.1	17
228	Coordination chemistry of higher oxidation states. 39. Structural and spectroscopic studies on manganese(IV) periodato complexes. Crystal structure of Na <sub>7</sub> [Mn(HIO <sub>6</sub> ) <sub>2</sub> (H <sub>2</sub> IO <sub>6</sub> )].cntdot.18H <sub>2</sub> O. <i>Inorganic Chemistry</i> , 1992, 31, 2575-2579.	4.0	17
229	Studies of platinum electroplating baths. <i>Journal of Electroanalytical Chemistry</i> , 1993, 348, 211-219.	3.8	17
230	Synthesis and spectroscopic studies of ruthenium(II) selenoether complexes: Structure of trans-[Ru-{PhSe(CH <sub>2</sub> ) <sub>2</sub> SePh} <sub>2</sub> Cl <sub>2</sub> ]. <i>Polyhedron</i> , 1994, 13, 881-886.	2.2	17
231	Photochemical C-Sb Bond Fission in a Palladium-Distibine Complex, Synthesis and Structure of [Pd <sub>2</sub> (.mu.-Ph <sub>2</sub> SbCH <sub>2</sub> SbPh <sub>2</sub> ) <sub>2</sub> Cl <sub>2</sub> Ph <sub>2</sub> ]. <i>Organometallics</i> , 1995, 14, 1522-1524.	2.3	17
232	Chromium(III) complexes of polydentate and macrocyclic selenoethers – synthesis, spectroscopic and exafs studies. <i>Polyhedron</i> , 1997, 16, 4253-4256.	2.2	17
233	Homoleptic octahedral hexakis(trimethylphosphine oxide)lanthanide hexafluorophosphates, [Ln(Me <sub>3</sub> PO) <sub>6</sub> ][PF <sub>6</sub> ] <sub>3</sub> . <i>Inorganica Chimica Acta</i> , 2003, 343, 169-174.	2.4	17
234	Thio-, seleno- and telluro-ether complexes of aluminium(iii) halides: synthesis, structures and properties. <i>Dalton Transactions</i> , 2014, 43, 3637.	3.3	17

#	ARTICLE	IF	CITATIONS
235	A Versatile Precursor System for Supercritical Fluid Electrodeposition of Main-Group Materials. <i>Chemistry - A European Journal</i> , 2016, 22, 302-309.	3.3	17
236	Exploring transition metal fluoride chelates – synthesis, properties and prospects towards potential PET probes. <i>Dalton Transactions</i> , 2019, 48, 6767-6776.	3.3	17
237	Co-ordination chemistry of molybdenum. Part II. Oxomolybdenum(IV) and -(V) complexes of diphosphine, diarsine, and arsine-phosphine ligands. <i>Journal of the Chemical Society Dalton Transactions</i> , 1976, , 1177.	1.1	16
238	trans-Chelation of 1,12-bis(dimethylarsino)dodecane to palladium(II). <i>Journal of Organometallic Chemistry</i> , 1976, 110, C25-C26.	1.8	16
239	Coordination chemistry of higher oxidation states Part 9 [1]. Nickel(III) complexes of monodentate phosphines and related ligands. <i>Inorganica Chimica Acta</i> , 1984, 84, 1-6.	2.4	16
240	Characterisation of chromium(VI) oxide tetrafluoride, CrOF <sub>4</sub> , and caesium pentafluoro-oxochromate(VI) Cs[CrOF <sub>5</sub> ]. <i>Journal of the Chemical Society Dalton Transactions</i> , 1985, , 529.	1.1	16
241	Co-ordination chemistry of higher oxidation states. Part 23. Synthesis and properties of tetrahalogenoiridium(IV) complexes, [IrL <sub>2</sub> X <sub>4</sub> ] [X = Cl or Br; L = pyridine, PR <sub>3</sub> , AsR <sub>3</sub> , SbR <sub>3</sub> , SR <sub>2</sub> , or SeR <sub>2</sub> ]. Crystal and molecular structure of trans-[Ir(AsEt <sub>3</sub> ) <sub>2</sub> Br <sub>4</sub> ]. <i>Journal of the Chemical Society Dalton Transactions</i> , 1987, , 1901.	1.1	16
242	Co-ordination chemistry of higher oxidation states. Part 27. Synthesis, properties, and electrochemistry of some cis-tetrahalogenoiridium(IV) complexes: crystal structure of [Ir(phen)Cl <sub>4</sub> ]. <i>Journal of the Chemical Society Dalton Transactions</i> , 1988, , 2483.	1.1	16
243	Co-ordination chemistry of higher oxidation states. Part 41. Synthesis, spectroscopic and electrochemical studies of cationic ruthenium(III) Group 15 and 16 donor ligand complexes. Structure of trans-[Ru{C <sub>6</sub> F <sub>4</sub> (AsMe <sub>2</sub> ) <sub>2</sub> -o}2Br <sub>2</sub> ]BF <sub>4</sub> . <i>Journal of the Chemical Society Dalton Transactions</i> , 1992, , 3243.	1.1	16
244	Synthesis and spectroscopic studies of periodate complexes of tetravalent cerium. <i>Polyhedron</i> , 1996, 15, 409-413.	2.2	16
245	Macrocyclic selenoether complexes of nickel(II). Synthesis and properties of [NiX <sub>2</sub> ([16]aneSe <sub>4</sub> )] ([16]aneSe <sub>4</sub> =...1,5,9,13-tetraselenacyclohexadecane, X=Cl, Br or I) and [NiX <sub>2</sub> (MeSeCH <sub>2</sub> CH <sub>2</sub> SeMe) <sub>2</sub> ]. <i>Journal of the Chemical Society Dalton Transactions</i> , 1998, , 2185-2190.	1.1	16
246	Synthesis, Spectroscopic and Structural Studies on Six- and Eight-Coordinate Phosphane and Arsane Complexes of Titanium(IV) Halides. <i>European Journal of Inorganic Chemistry</i> , 2001, 2001, 2927.	2.0	16
247	Synthesis and complexation of a new facultative tridentate S <sub>2</sub> Te donor ligand MeS(CH <sub>2</sub> ) <sub>3</sub> Te(CH <sub>2</sub> ) <sub>3</sub> SM <sub>2</sub> : crystal structures of [Rh(Cp*)(S <sub>2</sub> Te)][PF <sub>6</sub> ] <sub>2</sub> and [PtCl(S <sub>2</sub> Te)][PF <sub>6</sub> ]. <i>Journal of Organometallic Chemistry</i> , 2002, 649, 214-218.	1.8	16
248	Crown ether complexes of titanium(iv) chloride and bromide and the structures of the hydrolysis products [Ti <sub>2</sub> Cl <sub>6</sub> ( $\mu$ -O)(18-crown-6) <sub>2</sub> ] and [Ti <sub>4</sub> Cl <sub>8</sub> ( $\mu$ -O) <sub>4</sub> (15-crown-5) <sub>4</sub> ]. <i>Dalton Transactions</i> , 2003, , 291-294.	3.3	16
249	Synthesis, properties and structures of eight-coordinate zirconium(iv) and hafnium(iv) halide complexes with phosphorus and arsenic ligands. <i>Dalton Transactions</i> , 2004, , 3305.	3.3	16
250	Synthesis and properties of Rh(i) and Ir(i) distibine complexes with organometallic co-ligands. <i>Dalton Transactions</i> , 2006, , 4039.	3.3	16
251	Preparation, properties and structures of the first series of organometallic Pt(ii) and Pt(iv) complexes with stibine co-ligands. <i>Dalton Transactions</i> , 2006, , 1667-1674.	3.3	16
252	Selenoether macrocyclic chemistry syntheses and properties of new potentially tridentate and hexadentate Se/O-donor macrocycles. <i>Dalton Transactions</i> , 2008, , 3486.	3.3	16

#	ARTICLE	IF	CITATIONS
253	Selenoether macrocyclic chemistry—syntheses and ligand properties of new small-ring Se3- and Se2N-donor macrocycles. <i>Dalton Transactions</i> , 2009, , 4569.	3.3	16
254	Thioether coordination to divalent selenium halide acceptors — synthesis, properties and structures. <i>Dalton Transactions</i> , 2013, 42, 2963-2972.	3.3	16
255	Co-ordination chemistry of manganese. Part III. The reaction of manganese(II) halides with tertiary phosphine and arsine ligands to produce ligand oxide complexes. <i>Journal of the Chemical Society Dalton Transactions</i> , 1974, , 886.	1.1	15
256	The chemistry of molybdenum and tungsten. Part 7. Oxomolybdenum(V) and oxotungsten(V) complexes of neutral aromatic Schiff-base ligands. <i>Journal of the Chemical Society Dalton Transactions</i> , 1977, , 1762.	1.1	15
257	Coordination complexes of copper(II) fluoride. <i>Inorganica Chimica Acta</i> , 1980, 45, L207-L208.	2.4	15
258	Co-ordination chemistry of higher oxidation states. Part 17. Synthesis and properties of nickel(IV) complexes with neutral ligands, and structures of $[Ni\{o-C_6H_4(EMe_2)_2\}Cl_2][ClO_4]_n$ ( $E = P$ or $As$ ; $n = 1$ ) Tj ETQq0 0.0 rgBT /Overlock 10 Dalton Transactions, 1986, , 317.	0.1	15
259	Ultraviolet-visible spectroscopic studies on manganese and rhenium oxide fluorides in low-temperature matrices. <i>Journal of the Chemical Society Dalton Transactions</i> , 1991, , 3127-3132.	1.1	15
260	Bromine perbromate: synthesis and bromine K-edge EXAFS studies. <i>Journal of the American Chemical Society</i> , 1992, 114, 5469-5470.	13.7	15
261	The synthesis of palladium-gold and platinum-gold bimetallic complexes based upon bis(diphenylarsino)methane: Crystal structure of trans-[Pd( $\text{Ph}_2\text{AsCH}_2\text{AsPh}_2\text{AuCl}$ ) $_2\text{Cl}_2$ ] $\cdot$ xCH $_2\text{Cl}_2$ . <i>Polyhedron</i> , 1996, 15, 591-596.	2.2	15
262	Synthesis and properties of ditelluroether complexes of osmium, trans-[OsCl $_2(L-L)$ $_2$ ] and trans-[OsCl(PPh $_3$ )(L-L) $_2$ ]PF $_6$ ( $L-L = o-C_6H_4(\text{TeMe})_2$ , RTe(CH $_2$ ) $_3\text{TeR}$ ( $R = \text{Ph}$ or $\text{Me}$ )). <i>Polyhedron</i> , 2000, 19, 235-240.	2.2	15
263	Synthesis spectroscopic and structural properties of transition metal complexes of the o-xylyl diphosphine o-C $_6H_4(\text{CH}_2\text{PPh}_2)_2$ . <i>Polyhedron</i> , 2005, 24, 75-87.	2.2	15
264	Preparation and coordinating properties of {CH $_2(o-C_6H_4\text{CH}_2\text{SbMe}_2)$ } $_2$ , a novel wide-angle cis-chelating distibine. <i>Dalton Transactions</i> , 2006, , 5648.	3.3	15
265	Preparation and properties of sterically demanding and chiral distibine ligands. <i>Dalton Transactions</i> , 2008, , 5774.	3.3	15
266	Hybrid dibismuthines and distibines as ligands towards transition metal carbonyls. <i>Dalton Transactions</i> , 2011, 40, 6565.	3.3	15
267	Phosphine and Diphosphine Complexes of Silicon(IV) Halides. <i>Inorganic Chemistry</i> , 2013, 52, 5185-5193.	4.0	15
268	Unexpected neutral aza-macrocycles of sodium. <i>Chemical Communications</i> , 2014, 50, 5843.	4.1	15
269	Cationic aza-macrocyclic complexes of germanium(<math>\text{Ge}^{ii}</math>) and silicon(<math>\text{Si}^{iv}</math>). <i>Dalton Transactions</i> , 2015, 44, 20898-20905.	3.3	15
270	Hydrothermal synthesis of Group 13 metal trifluoride complexes with neutral N-donor ligands. <i>Dalton Transactions</i> , 2015, 44, 9569-9580.	3.3	15

#	ARTICLE	IF	CITATIONS
271	Neutral thioether and selenoether macrocyclic coordination to Group 1 cations ( $\text{Li}^+$ -Cs) – synthesis, spectroscopic and structural properties. <i>Dalton Transactions</i> , 2015, 44, 18748-18759.	3.3	15
272	Complexes of Group 2 dication with soft thioether- and selenoether-containing macrocycles. <i>Dalton Transactions</i> , 2016, 45, 7900-7911.	3.3	15
273	[Pd <sub>4</sub> ( $\text{Pd}(0)$ ) <sub>4</sub> ] Tetrahedron with $\text{SbMe}_3$ -Bridging Trimethylantimony Ligands. <i>Journal of the American Chemical Society</i> , 2016, 138, 6964-6967.	13.7	15
274	Nanoscale arrays of antimony telluride single crystals by selective chemical vapor deposition. <i>Scientific Reports</i> , 2016, 6, 27593.	3.3	15
275	Phosphine and diphosphine complexes of tungsten(VI) oxide tetrafluoride. <i>Journal of Fluorine Chemistry</i> , 2017, 197, 74-79.	1.7	15
276	Compositionally tunable ternary Bi <sub>2</sub> (Se <sub>x</sub> Te <sub>3-x</sub> ) <sub>3</sub> and (Bi <sub>1-y</sub> Sb <sub>y</sub> ) <sub>2</sub> Te <sub>3</sub> thin films via low pressure chemical vapour deposition. <i>Journal of Materials Chemistry C</i> , 2018, 6, 7734-7739.	5.5	15
277	Nickel(II)-bismuth(III) bond formation in nickel(II) complexes of tris(o-dimethylarsinophenyl)bismuthine. <i>Journal of the Chemical Society Chemical Communications</i> , 1975, , 164-165.	2.0	14
278	Bond angle determination at metal coordination centres by E.X.A.F.S.. <i>Journal of the Chemical Society Chemical Communications</i> , 1989, , 181.	2.0	14
279	Cobalt(III) complexes of neutral selenium and tellurium donor ligands: synthesis and nuclear magnetic resonance studies. <i>Journal of the Chemical Society Dalton Transactions</i> , 1990, , 1513.	1.1	14
280	Characterisation of the oxo-anions of bromine BrO <sub>x</sub> <sup>-</sup> ( $x = 1-4$ ) by infrared, Raman, nuclear magnetic resonance, and bromine K-edge extended X-ray absorption fine structure techniques. <i>Journal of the Chemical Society Dalton Transactions</i> , 1990, , 349-353.	1.1	14
281	Coordination Chemistry of Higher Oxidation States. Part 36. Periodato Complexes of Palladium(IV) and Platinum(IV). Crystal Structure of K <sub>4</sub> Na <sub>2</sub> [Pt(OH) <sub>2</sub> (HIO <sub>6</sub> ) <sub>2</sub> ] <sub>n</sub> ·10H <sub>2</sub> O. <i>Journal of Coordination Chemistry</i> , 1991, 23, 67-76.	2.2	14
282	Extended X-ray absorption fine structure studies of transition-metal periodate and tellurate complexes. Crystal structure of Rb <sub>2</sub> Na <sub>4</sub> [OsO <sub>2</sub> (H <sub>2</sub> TeO <sub>6</sub> ) <sub>2</sub> ] <sub>n</sub> ·16H <sub>2</sub> O. <i>Journal of the Chemical Society Dalton Transactions</i> , 1994, , 2983-2988.	1.1	14
283	Synthesis, spectroscopic and electrochemical studies of iodo complexes of osmium(II), (III) and (IV) with phosphorus and arsenic donor ligands. <i>Inorganica Chimica Acta</i> , 1995, 233, 43-50.	2.4	14
284	Synthesis and properties of ruthenium and palladium iodide complexes of phosphorus, arsenic and antimony ligands. <i>Inorganica Chimica Acta</i> , 1996, 244, 65-72.	2.4	14
285	Structural, spectroscopic and redox studies of trans-[RuX <sub>2</sub> L <sub>4</sub> ] <sup>0/+</sup> (L = PR <sub>3</sub> , AsR <sub>3</sub> or SbR <sub>3</sub> ; X = Cl, Br or I). Crystal structures of trans-[RuX <sub>2</sub> (EMe <sub>2</sub> Ph) <sub>4</sub> ] (X = Br, Sb; L = I, As), [Ru <sub>2</sub> Br <sub>5</sub> (PhMe <sub>2</sub> Ph) <sub>4</sub> ] and [Ru <sub>2</sub> I <sub>3</sub> (PMe <sub>2</sub> Ph) <sub>6</sub> ][CF <sub>3</sub> SO <sub>3</sub> ]. <i>Journal of the Chemical Society Dalton Transactions</i> , 1997, , 4223-4230.		
286	[Ru{MeC(CH <sub>2</sub> EMe) <sub>3</sub> } <sub>2</sub> ](CF <sub>3</sub> SO <sub>3</sub> ) <sub>2</sub> : the first homoleptic hexaseleno- and hexatelluro-ether complexes. <i>Chemical Communications</i> , 1999, , 1071-1072.	4.1	14
287	Early Transition Metal Complexes of Polydentate and Macrocyclic Thio- and Seleno-Ethers. <i>Journal of Chemical Research</i> , 2002, 2002, 467-472.	1.3	14
288	Titanium, zirconium and hafnium halide complexes of trithioether and triselenoether ligands. <i>Inorganica Chimica Acta</i> , 2004, 357, 2115-2120.	2.4	14

#	ARTICLE	IF	CITATIONS
289	Phase behaviour and conductivity study of electrolytes in supercritical hydrofluorocarbons. Physical Chemistry Chemical Physics, 2011, 13, 190-198.	2.8	14
290	Developments in the chemistry of the hard early metals (Groups 1–6) with thioether, selenoether and telluroether ligands. Dalton Transactions, 2016, 45, 18393-18416.	3.3	14
291	Neutral and cationic tungsten( $\text{v}i$ ) fluoride complexes with tertiary phosphine and arsine coordination. Chemical Communications, 2018, 54, 11681-11684.	4.1	14
292	Coordination complexes and applications of transition metal sulfide and selenide halides. Coordination Chemistry Reviews, 2020, 424, 213512.	18.8	14
293	Co-ordination complexes containing multidentate ligands. Part VIII. Synthesis of three bis(o-methylthiophenylthio)alkanes and their reactions with cobalt(II), nickel(II), copper(II), palladium(II), platinum(II), and rhodium(III) salts. Journal of the Chemical Society Dalton Transactions, 1975, , 1566.	1.1	13
294	The co-ordination chemistry of manganese. Part V. The preparation and spectroscopic characterisation of some manganese(II) complexes of arsenic and antimony donor ligands. Journal of the Chemical Society Dalton Transactions, 1976, , 1642.	1.1	13
295	Co-ordination complexes containing multidentate ligands. Part 12. Nickel(II)-bismuth(III) co-ordination in nickel(II) complexes of tris(o-dimethylarsinophenyl)bismuthine and tris(3-dimethylarsinopropyl)bis-muthine. Journal of the Chemical Society Dalton Transactions, 1977, , 711-714.	1.1	13
296	Infrared and electronic spectra of matrix-isolated dichlorodioxo- and dibromodioxo-molybdenum(VI) and -tungsten(VI). Journal of the Chemical Society Dalton Transactions, 1982, , 2009.	1.1	13
297	Co-ordination chemistry of higher oxidation states. Part 11. The reaction of nickel(II) iodo-complexes with molecular iodine; crystal and molecular structure of $[\text{Ni}\{\text{o-C}_6\text{H}_4(\text{PMc}_2)\}_2][\text{I}_3]2\text{Å}\cdot 2\text{I}_2$ . Journal of the Chemical Society Dalton Transactions, 1984, , 1433-1439.	1.1	13
298	Co-ordination chemistry of higher oxidation states. Part 38. Synthesis, spectroscopic and electrochemical studies of some trans-dihalogenosmium complexes. Crystal structure of trans-[Os(PMe <sub>3</sub> ) <sub>4</sub> Cl <sub>2</sub> ]BF <sub>4</sub> . Journal of the Chemical Society Dalton Transactions, 1991, , 2777.	1.1	13
299	Co-ordination chemistry of higher oxidation states. Part 40. Spectroscopic, electrochemical and structural studies of cationic osmium-(III) and -(IV) diphosphine and diarsine complexes. Journal of the Chemical Society Dalton Transactions, 1992, , 2201.	1.1	13
300	Synthesis, spectroscopic and structural studies of alkali metal–nickel periodates $M\text{NiO}_6$ ( $M = \text{Na}, \text{K}$ ). $T_j \text{ETQq0 } 0 \text{ rgBT } / \text{Overlock } 10 \text{ T}$		
301	Preparation and crystal structures of $[\text{SnCl}_4(\text{MeSCH}_2\text{SMe})]$ and $[\text{SnCl}_4(\text{MeSeCH}_2\text{SeMe})]$ : dithio- and diseleno-ether complexes incorporating highly strained four-membered chelate rings. Journal of the Chemical Society Dalton Transactions, 1997, , 4479-4480.	1.1	13
302	Synthesis and molecular structures of dimeric assemblies of telluronium salts derived from $\text{o-C}_6\text{H}_4(\text{CH}_2\text{TeMe})_2$ and PhMeTe. Journal of Organometallic Chemistry, 2002, 642, 186-190.	1.8	13
303	Synthesis and complexation of dichalcogenoethers with cyclopropyl backbones, $(\text{CH}_2\text{EMe})_2$ (E=Se or) $T_j \text{ETQq1 } 1 \text{ 0.784314 rgBT } / \text{Overlock } 13 \text{ T}$		
304	Unique Group 1 cations stabilised by homoleptic neutral phosphine coordination. Chemical Communications, 2015, 51, 9555-9558.	4.1	13
305	Thioether complexes of $\text{WSCl}_{4-}$ , $\text{WOCl}_{4-}$ and $\text{WSCl}_{3-}$ and evaluation of thiochloride complexes as CVD precursors for $\text{WS}_{2}$ thin films. Dalton Transactions, 2020, 49, 2496-2504.	3.3	13
306	Magnetic cross-over in six-co-ordinate iron (II) complexes of cis-1,2-bis(diphenylphosphino)ethylene. Journal of the Chemical Society Dalton Transactions, 1975, , 1778.	1.1	12

#	ARTICLE	IF	CITATIONS
307	Palladium(II) and platinum(II) complexes of bis(phenylthio)methane and bis(methylthio)methane. <i>Inorganica Chimica Acta</i> , 1981, 51, 185-189.	2.4	12
308	Synthesis and properties of chromium(V) trifluoride oxide CrOF <sub>3</sub> and related oxo-anions. <i>Journal of the Chemical Society Dalton Transactions</i> , 1984, , 2445.	1.1	12
309	Characterisation of CrO <sub>2</sub> Br <sub>2</sub> and CrO <sub>2</sub> BrCl by matrix-isolation infrared spectroscopy. <i>Journal of the Chemical Society Dalton Transactions</i> , 1986, , 1587.	1.1	12
310	Spectroscopic studies on matrix-isolated molybdenum pentachloride. <i>Journal of the Chemical Society Dalton Transactions</i> , 1990, , 1529.	1.1	12
311	Osmium LIII edge extended X-ray absorption fine-structure studies on the osmium(VIII) oxide-fluorides, OsO <sub>3</sub> F <sub>2</sub> ,K[OsO <sub>3</sub> F <sub>3</sub> ] and Cs <sub>2</sub> [OsO <sub>4</sub> F <sub>2</sub> ]. <i>Journal of Fluorine Chemistry</i> , 1993, 60, 13-17.	1.7	12
312	The transition metal carbonyl complexes of 1,3-bis(di-R-stibino)propanes (R=Me or Ph). <i>Journal of Organometallic Chemistry</i> , 2005, 690, 1540-1548.	1.8	12
313	1,2-Bis(diphenylphosphino)benzene and two related mono-methiodides, [o-C <sub>6</sub> H <sub>4</sub> (PR <sub>2</sub> )(PR <sub>2</sub> Me)]I (R= Ph or) Tj ETQ <sub>0.4</sub> 1 0.784314 rgBT /	0.4	12
314	Sodium Thioether Macroyclic Chemistry: Remarkable Homoleptic Octathia Coordination to Na <sup>+</sup> . <i>Inorganic Chemistry</i> , 2015, 54, 2497-2499.	4.0	12
315	Supercritical Fluid Electrodeposition of Elemental Germanium onto Titanium Nitride Substrates. <i>Journal of the Electrochemical Society</i> , 2015, 162, D619-D624.	2.9	12
316	Phase-Change Memory Properties of Electrodeposited Ge-Sb-Te Thin Film. <i>Nanoscale Research Letters</i> , 2015, 10, 432.	5.7	12
317	Hexafluorosilicate and tetrafluoroborate coordination to lead(II) di- and tri-imine complexes – Unusual fluoroanion coordination modes. <i>Polyhedron</i> , 2015, 85, 530-536.	2.2	12
318	Synthesis and methane cracking activity of a silicon nitride supported vanadium nitride nanoparticle composite. <i>Dalton Transactions</i> , 2017, 46, 8782-8787.	3.3	12
319	Complexes of molybdenum(VI) oxide tetrafluoride and molybdenum(VI) dioxide difluoride with neutral N- and O-donor ligands. <i>Journal of Fluorine Chemistry</i> , 2017, 200, 190-197.	1.7	12
320	Tertiary phosphine oxide complexes of lanthanide diiodides and dibromides. <i>Polyhedron</i> , 2018, 154, 259-262.	2.2	12
321	Synthesis and properties of tetradeятate distibine-diamine, distibine-dithioether and distibine-diether ligands. <i>Journal of Organometallic Chemistry</i> , 1981, 219, 163-168.	1.8	11
322	The synthesis and properties of antimony-nitrogen donor ligands. <i>Journal of Organometallic Chemistry</i> , 1981, 209, 161-168.	1.8	11
323	The synthesis and properties of antimony-sulphur and antimony-oxygen ligands. <i>Journal of Organometallic Chemistry</i> , 1981, 208, 1-9.	1.8	11
324	Diphosphine and diarsine complexes of chromium(III). Crystal and molecular structure of [NPrn <sub>4</sub> ][Cr(cis-Ph <sub>2</sub> PCHCHPPh <sub>2</sub> )Cl <sub>4</sub> ]. <i>Journal of the Chemical Society Dalton Transactions</i> , 1983, , 2573.	1.1	11

#	ARTICLE	IF	CITATIONS
325	Co-ordination chemistry of higher oxidation states. Part 7. Nickel(III) and nickel(II)-nickel(IV) complexes of ethylenediamine and related ligands. A clarification. <i>Journal of the Chemical Society Dalton Transactions</i> , 1983, , 2131-2133.	1.1	11
326	Coordination chemistry of higher oxidation states. 10 [1]. Oxofluoroanions of osmium(VIII) $[\text{OsO}_4\text{F}_2]^{2-}$ and $[\text{OsO}_3\text{F}_3]^{-}$ . <i>Journal of Fluorine Chemistry</i> , 1984, 25, 195-201.	1.7	11
327	Coordination chemistry of higher oxidation states. Part 15. Cobalt(III) complexes of bi- and multi-dentate phenylphosphines. <i>Inorganica Chimica Acta</i> , 1985, 97, 85-90.	2.4	11
328	Co-ordination chemistry of higher oxidation states. Part 22. trans-Dioxo-osmium(VI) complexes of diamines, diphosphines, and diarsines. <i>Journal of the Chemical Society Dalton Transactions</i> , 1987, , 633.	1.1	11
329	Coordination chemistry of higher oxidation states. Part 24. Palladium(IV) and nickel(III) complexes of hybrid thio- and seleno-ether ligands. <i>Inorganica Chimica Acta</i> , 1987, 130, 43-47.	2.4	11
330	Nickel-(II), -(III) and -(IV) complexes of 1,2-bis(dimethylarsino)tetrafluorobenzene and X-ray crystallographic and extended X-ray absorption fine structure studies of nickel-(III) and -(IV) bromo complexes. <i>Journal of the Chemical Society Dalton Transactions</i> , 1991, , 2039.	1.1	11
331	UV-visible spectroscopic studies of group 8-10 metal trifluorides. <i>Journal of Fluorine Chemistry</i> , 1997, 84, 161-165.	1.7	11
332	Rhodium(III) and iridium(III) complexes of the tetraarsine tris(o-dimethylarsinophenyl)arsine. Crystal structure of $[\text{Ir}\{(o\text{-Me}_2\text{AsC}_6\text{H}_4)\}_3\text{As}\}(\text{CO})\text{Cl}][\text{BF}_4]_2$ . <i>Inorganica Chimica Acta</i> , 1997, 254, 99-104.	2.4	11
333	Rhodium(III) ditertiary stibine complexes. <i>Inorganica Chimica Acta</i> , 1998, 271, 203-206.	2.4	11
334	Bismuth(III) thioether chemistry: the synthesis and structure of $[\text{Bi}_4\text{Cl}_{12}(\text{MeSCH}_2\text{CH}_2\text{CH}_2\text{SMe})_4]n\text{H}_2\text{O}$ , a highly unusual network involving $\text{Bi}_4\text{Cl}_4$ rings and bridging dithioether ligands. <i>Chemical Communications</i> , 1998, , 2159-2160.	4.1	11
335	Spectroscopic and structural characterisation of fac- $[\text{Mn}(\text{CO})_3\{\text{MeC}(\text{CH}_2\text{TeMe})_3\}]\text{CF}_3\text{SO}_3$ : the first transition metal complex of a tritelluroether. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, , 823-824.	1.1	11
336	Synthesis and structural properties of the first bismuth(iii) telluroether complex. <i>Dalton Transactions RSC</i> , 2002, , 4316-4317.	2.3	11
337	Periodate and tellurate complexes of palladium.. <i>Inorganica Chimica Acta</i> , 2003, 343, 90-94.	2.4	11
338	Synthesis and structural features of the first thallium(i) selenoether derivatives. <i>Chemical Communications</i> , 2003, , 110-111.	4.1	11
339	The Characterisation of Molecular Alkali-Metal Azides. <i>Chemistry - A European Journal</i> , 2006, 12, 3580-3586.	3.3	11
340	Synthesis and Properties of Organometallic PtII and PtIV Complexes with Acyclic Selenoether and Telluroether Ligands and Selenoether Macrocycles. <i>European Journal of Inorganic Chemistry</i> , 2006, 2006, 4380-4390.	2.0	11
341	Synthesis and coordinating properties of the facultative $\text{Sb}_2\text{O}_3$ - and $\text{As}_2\text{O}_3$ -donor ligands $\text{O}\{(\text{CH}_2)_2\text{ER}_2\}_2$ ( $\text{E}=\text{Sb}$ or $\text{As}$ ; $\text{R}=\text{Ph}$ or $\text{Me}$ ). <i>Journal of Organometallic Chemistry</i> , 2007, 692, 5589-5597.	1.8	11
342	Divalent ytterbium complexes with crown and heterocrown ethers. <i>Dalton Transactions</i> , 2015, 44, 2953-2955.	3.3	11

#	ARTICLE	IF	CITATIONS
343	Niobium tetrahalide complexes with neutral diphosphine ligands. <i>Dalton Transactions</i> , 2016, 45, 8192-8200.	3.3	11
344	Niobium tetrachloride complexes with thio-, seleno- and telluro-ether coordination “synthesis and structures. <i>Dalton Transactions</i> , 2016, 45, 16262-16274.	3.3	11
345	Rare Neutral Diphosphine Complexes of Scandium(III) and Yttrium(III) Halides. <i>Inorganic Chemistry</i> , 2016, 55, 12890-12896.	4.0	11
346	Electrodeposition of tin nanowires from a dichloromethane based electrolyte. <i>RSC Advances</i> , 2018, 8, 24013-24020.	3.6	11
347	Trialkylstibine Complexes of Boron, Aluminum, Gallium, and Indium Trihalides: Synthesis, Properties, and Bonding. <i>Organometallics</i> , 2018, 37, 2123-2135.	2.3	11
348	Complexes of BX3 with EMe2 (X=AF, Cl, Br, I; E=Se or Te): Synthesis, multinuclear NMR spectroscopic and structural studies. <i>Journal of Organometallic Chemistry</i> , 2017, 848, 232-238.	1.8	11
349	Infrared and electronic spectra of matrix-isolated chromium(V) trichloride oxide. <i>Journal of the Chemical Society Dalton Transactions</i> , 1980, , 419.	1.1	10
350	A new synthesis and i.r. characterisation of chromium hexafluoride. <i>Journal of the Chemical Society Chemical Communications</i> , 1984, , 1355.	2.0	10
351	Characterization of nickel(II)-nickel(IV) linear chain compounds by nickel and chlorine K-edge EXAFS. <i>Inorganic Chemistry</i> , 1988, 27, 4521-4523.	4.0	10
352	Synthesis and properties of pentachloro(ligand)iridate(IV) anions [IrLCl5]“ (L = pyridine, PPh3, AsPh3,) Tj ETQq0 0.0 rgBT /Overlock 10	1.1	10
353	Characterization of sodium bromite by x-ray crystallography and bromine K-edge EXAFS, IR, Raman, and NMR spectroscopies. <i>Journal of the American Chemical Society</i> , 1989, 111, 6210-6212.	13.7	10
354	Matrix-isolation infrared and ultraviolet-visible studies on some transition-metal pentachlorides and pentabromides. <i>Journal of the Chemical Society Dalton Transactions</i> , 1991, , 3387-3392.	1.1	10
355	Spectroscopic studies on the hexafluoroanions of platinum(V) and rhodium(V). <i>Polyhedron</i> , 1992, 11, 7-11.	2.2	10
356	The Mixed Valence Structure of “R-NiF3”. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 1998, 624, 1982-1988.	1.2	10
357	Synthesis, characterisation and reactions of ruthenium(II) complexes based upon [RuL3]2+ (L3=...=tripodal triseleno- or tritelluro-ether) fragments. Structures of [RuCl2(PPh3){MeC(CH2SeMe)3}] and [RuCl2(dmso){MeC(CH2SeMe)3}]. <i>Dalton Transactions RSC</i> , 2000, , 4550-4554.	2.3	10
358	Di-1/4-chloro-bis[heptaaquacerium(III)] tetrachloride. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2002, 58, i76-i78.	0.2	10
359	Periodates of Tetravalent Titanium, Zirconium, Hafnium and Thorium: Synthesis, Characterisation and EXAFS Study. <i>European Journal of Inorganic Chemistry</i> , 2005, 2005, 3365-3370.	2.0	10
360	Chemical Vapor Deposition of GaP and GaAs Thin Films From $\left[n\left(i\right)\left(Bu\left(\substack{2 \\ 2}\right)Ga\left(\frac{1}{4}-i\right)E\right)\left(n\left(i\right)\left(Bu\left(\substack{2 \\ 2}\right)2\right)\right)\right]\left(Bu\left(\substack{2 \\ 2}\right)2\right)Ga\left(\substack{6.7 \\ n\left(i\right)}\right)Bu\left(\substack{3 \\ 3}\right)$ . <i>Chemistry of Materials</i> , 2011, 23, 5217-5222.	6.7	10

#	ARTICLE	IF	CITATIONS
361	Synthesis and Reactions of a Hybrid Tristibine Ligand. <i>Organometallics</i> , 2013, 32, 2760-2767.	2.3	10
362	Dinuclear niobium(III), tantalum(III) and tantalum(IV) complexes with thioether and selenoether ligands. <i>Polyhedron</i> , 2015, 99, 230-237.	2.2	10
363	Sol-gel preparation of low oxygen content, high surface area silicon nitride and imidonitride materials. <i>Dalton Transactions</i> , 2016, 45, 5765-5774.	3.3	10
364	[AlCl <sub>3</sub> (BnMe <sub>2</sub> -tacn)] – a new metal chelate scaffold for radiofluorination by Cl/F exchange. <i>Dalton Transactions</i> , 2017, 46, 14519-14522.	3.3	10
365	The reactivity of lattice nitrogen within the Ni <sub>2</sub> Mo <sub>3</sub> N and NiCoMo <sub>3</sub> N phases. <i>Materials Research Bulletin</i> , 2019, 118, 110519.	5.2	10
366	Improved thermoelectric performance of Bi <sub>2</sub> Se <sub>3</sub> alloyed Bi <sub>2</sub> Te <sub>3</sub> thin films via low pressure chemical vapour deposition. <i>Journal of Alloys and Compounds</i> , 2020, 848, 156523.	5.5	10
367	Trans-bidentate behaviour of a potentially tetradentate ligand to palladium(II) and platinum(II). <i>Journal of Organometallic Chemistry</i> , 1975, 101, C29-C31.	1.8	9
368	Nickel, palladium, and platinum complexes of the ditertiary stibine 1,3-bis(dimethylstibino)propane. <i>Journal of the Chemical Society Dalton Transactions</i> , 1978, , 177.	1.1	9
369	Tetrachloro-oxo-osmium(VI): a new synthesis, and matrix-isolation infrared and ultraviolet-visible studies. <i>Journal of the Chemical Society Dalton Transactions</i> , 1982, , 1877-1878.	1.1	9
370	The synthesis and properties of tris(diphosphine)- and bis(triphosphine)-chromium (III) cations and analogues with arsenic and sulphur donor ligands. <i>Journal of the Chemical Society Dalton Transactions</i> , 1983, , 2569.	1.1	9
371	Note. Synthesis and properties of dioxo-osmium(VI) compounds of thio- and seleno-ethers. <i>Journal of the Chemical Society Dalton Transactions</i> , 1985, , 205.	1.1	9
372	Nickel(II) fluoride complexes of diamines and diimines. <i>Inorganica Chimica Acta</i> , 1986, 113, 47-50.	2.4	9
373	Matrix isolation and mass spectrometric studies on the vaporisation of OsO <sub>2</sub> F <sub>3</sub> : characterisation of molecular OsO <sub>2</sub> F <sub>3</sub> . <i>Journal of the Chemical Society Dalton Transactions</i> , 1988, , 997.	1.1	9
374	Titanium(IV) iodide complexes with phosphine and arsine donor ligands and the crystal structures of the iron(II)/(III) redox pair [FeI <sub>2</sub> {o-C <sub>6</sub> H <sub>4</sub> (AsMe <sub>2</sub> ) <sub>2</sub> } <sub>2</sub> ]O <sup>+</sup> . <i>Polyhedron</i> , 2004, 23, 605-609.	2.2	9
375	Secondary coordination of dichlorodioxomolybdenum(VI) to crown ethers. <i>Inorganica Chimica Acta</i> , 2006, 359, 4627-4630.	2.4	9
376	Electrodeposition of Protocrystalline Germanium from Supercritical Difluoromethane. <i>ChemElectroChem</i> , 2016, 3, 726-733.	3.4	9
377	Complexes of vanadium(IV) oxide difluoride with neutral N- and O-donor ligands. <i>Journal of Fluorine Chemistry</i> , 2016, 191, 149-160.	1.7	9
378	Electrodeposition of a Functional Solid State Memory Material: Germanium Antimony Telluride from a Non-Aqueous Plating Bath. <i>Journal of the Electrochemical Society</i> , 2018, 165, D557-D567.	2.9	9

#	ARTICLE	IF	CITATIONS
379	Complexes of $\text{WOCl}_4$ and $\text{WSCl}_4$ with neutral N- and O-donor ligands: Synthesis, spectroscopy and structures. <i>Polyhedron</i> , 2019, 162, 14-19.	2.2	9
380	Selective Chemical Vapor Deposition Approach for $\text{Sb}_{2\text{Te}_3}$ Thin Film Micro-thermoelectric Generators. <i>ACS Applied Energy Materials</i> , 2020, 3, 5840-5846.	5.1	9
381	Nickel(II) complexes of 1,3-bis(dimethylstibino)propane. Stable nickel(II)-stibine complexes. <i>Journal of the Chemical Society Chemical Communications</i> , 1975, .	2.0	8
382	Nickel(II) complexes of hybrid nitrogen-phosphorus, nitrogen-arsenic, and nitrogen-antimony ligands. A comparison. <i>Inorganica Chimica Acta</i> , 1980, 41, 133-141.	2.4	8
383	Infrared and electronic spectra of matrix isolated chalcogenide halides of tungsten(VI), $\text{WYX}_4$ (Y = S) Tj ETQq1 1 0.784314 rgBT /Overloo	1.1	8
384	Coordination chemistry of higher oxidation states. Part 31. Platinum(IV) iodides and platinum(II) polyiodides with phosphorus and arsenic ligands. <i>Inorganica Chimica Acta</i> , 1989, 160, 205-208.	2.4	8
385	Spectroscopic studies on matrix isolated tungsten chlorides and bromides. <i>Journal of the Chemical Society Dalton Transactions</i> , 1989, , 313.	1.1	8
386	Synthesis of a polymer-supported o-phenylene(diphosphine) and characterization of some metal complexes. <i>Journal of Organometallic Chemistry</i> , 1994, 465, 275-281.	1.8	8
387	Spectroscopic and Structural Characterization of Diphosphine and Diarsine Complexes of Iron(III) Iodide. <i>Inorganic Chemistry</i> , 1994, 33, 2060-2061.	4.0	8
388	Complexes of distibinomethane ligands. <i>Polyhedron</i> , 1999, 18, 2673-2677.	2.2	8
389	(Ethanol-O)tris(nitrate-O,O <sup>2-</sup> )bis(triphenylphosphine oxide-O)cerium(III). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2000, 56, 1308-1309.	0.4	8
390	Synthesis and properties of thallium(III) periodate. <i>Inorganica Chimica Acta</i> , 2000, 298, 116-119.	2.4	8
391	Preparation and structures of tellurium(iv) halide complexes with thioether coordination. <i>Dalton Transactions</i> , 2009, , 4122.	3.3	8
392	Synthesis, spectroscopic and structural characterisation of vanadium(IV) and oxovanadium(IV) complexes with arsenic donor ligands. <i>Polyhedron</i> , 2010, 29, 1630-1638.	2.2	8
393	Synthesis and structure of $[\text{CeF}_4(\text{Me}_2\text{SO})_2]$ -A rare neutral ligand complex of a lanthanide tetrafluoride. <i>Journal of Fluorine Chemistry</i> , 2014, 157, 19-21.	1.7	8
394	Phase behaviour and conductivity of supporting electrolytes in supercritical difluoromethane and 1,1-difluoroethane. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 14359-14369.	2.8	8
395	Neutral and cationic phosphine and arsine complexes of tin(iv) halides: synthesis, properties, structures and anion influence. <i>Dalton Transactions</i> , 2019, 48, 17097-17105.	3.3	8
396	Co-ordination complexes containing multidentate ligands. Part XI. Transition-metal derivatives of 1,3-bis(3 $\alpha$ -dimethylarsinopropylthio)propane, a facultative quadridentate ligand with diverse donor properties. <i>Journal of the Chemical Society Dalton Transactions</i> , 1976, , 2321-2326.	1.1	7

#	ARTICLE	IF	CITATIONS
397	Bismuthâ€”carbon bond fission in the reaction of palladium(II) salts with tris( <i>i</i> -dimethylarsinophenyl)bismuthine. <i>Journal of Organometallic Chemistry</i> , 1976, 111, C1-C2.	1.8	7
398	The co-ordination chemistry of molybdenum and tungsten. Part 9. Oxomolybdenum-(IV) and -(V) complexes of methyl-substituted bidentate Group 5B ligands. <i>Journal of the Chemical Society Dalton Transactions</i> , 1977, , 2055.	1.1	7
399	Infrared and ultravioletâ€“visible spectroscopic studies on manganese heptoxide ( $Mn_2O_7$ ). <i>Journal of the Chemical Society Dalton Transactions</i> , 1983, , 2699-2702.	1.1	7
400	Cobalt-59 NMR spectra of some cobalt(III) complexes of bi- and poly-arsines. <i>Inorganica Chimica Acta</i> , 1988, 142, 17-19.	2.4	7
401	UV-Vis spectroscopic studies of fluorides and fluoroanions of silver (III) and gold(III) and (V). <i>Journal of Fluorine Chemistry</i> , 1997, 86, 105-108.	1.7	7
402	Periodates and periodato-complexes of aluminium, gallium and indium. <i>Journal of the Chemical Society Dalton Transactions</i> , 1998, , 3463-3472.	1.1	7
403	Synthesis and properties of the ditelluroethers m- and p- $C_6H_4(CH_2TeMe)_2$ and their Te(IV) derivatives: crystal structures of $PhTel_2(CH_2)_3Tel_2Ph$ , m- $C_6H_4(CH_2Tel_2Me)_2$ and p- $C_6H_4(CH_2Tel_2Me)_2$ . <i>Journal of Organometallic Chemistry</i> , 2004, 689, 1006-1013.	1.8	7
404	Synthesis and spectroscopic studies of antimony pentachloride complexes with neutral oxygen, sulfur and selenium ligands. <i>Inorganica Chimica Acta</i> , 2005, 358, 1263-1268.	2.4	7
405	Structural diversity in gallium(iii) complexes of the tripodal triarsine $MeC(CH_2AsMe)_3$ . <i>Dalton Transactions</i> , 2007, , 2207.	3.3	7
406	[ $GaF_3(BzMe_2)_2$ -tacn] â€“ a neutral â€˜metalloligandâ€™ towards alkali metal and ammonium cations in water. <i>Chemical Communications</i> , 2014, 50, 12673-12675.	4.1	7
407	Synthesis, Properties, and Structures of Chromium(VI) and Chromium(V) Complexes with Heterocyclic Nitrogen Ligands. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2014, 640, 35-39.	1.2	7
408	Hexahalometallate salts of trivalent scandium, yttrium and lanthanum: cationâ€“anion association in the solid state and in solution. <i>New Journal of Chemistry</i> , 2016, 40, 7181-7189.	2.8	7
409	Imidazolium-based ionic liquids with large weakly coordinating anions. <i>New Journal of Chemistry</i> , 2017, 41, 1677-1686.	2.8	7
410	[ $Ge(TeBu_4)$ ] â€“ a single source precursor for the chemical vapour deposition of germanium telluride thin films. <i>Dalton Transactions</i> , 2019, 48, 117-124.	3.3	7
411	Complexes of $TaOCl_3$ and $TaSCl_3$ with neutral N- and O-donor ligands â€“ Synthesis, properties and comparison with the niobium analogues. <i>Polyhedron</i> , 2019, 167, 1-10.	2.2	7
412	Pentagonal bipyramidal complexes of $WOCl_4$ and $WSCl_4$ with diphosphine and diarsine ligands. <i>Polyhedron</i> , 2020, 179, 114372.	2.2	7
413	Tin(iv) fluoride complexes with neutral phosphine coordination and comparisons with hard N- and O-donor ligands. <i>Dalton Transactions</i> , 2021, 50, 14400-14410.	3.3	7
414	Neutral and cationic germanium( $iv$ ) fluoride complexes with phosphine coordination â€“ synthesis, spectroscopy and structures. <i>Dalton Transactions</i> , 2021, 50, 17751-17765.	3.3	7

#	ARTICLE	IF	CITATIONS
415	Cobalt(II) complexes of o-dimethylaminophenyldimethylphosphine, o-dimethylphosphinophenyldimethylarsine and related ligands. <i>Inorganica Chimica Acta</i> , 1982, 60, 73-79.	2.4	6
416	Iron K-edge EXAFS data on $[Fe(o-C_6H_4(PMe_2)_2)_2Cl_2]_n$ ( $n = 0-2$ ). The structure of an iron(IV) complex of o-phenylenebis(dimethylphosphine). <i>Journal of the American Chemical Society</i> , 1986, 108, 526-528.	13.7	6
417	The tris(tellurato)manganate(IV) anion: spectroscopic and structural studies of $Na_7K[MnTeO_4(OH)_2]_3 \cdot 3H_2O$ . <i>Polyhedron</i> , 1995, 14, 967-970.	2.2	6
418	Synthesis, Spectroscopic, and Structural Studies of Diarsine Complexes of Nickel(III) Iodide. <i>Inorganic Chemistry</i> , 1995, 34, 1626-1628.	4.0	6
419	A comparison of cis- and trans-cobalt(III) complexes with phosphorus and arsenic ligands; the effect of stereochemistry on redox and spectroscopic properties. <i>Polyhedron</i> , 1996, 15, 2719-2725.	2.2	6
420	Structural, spectroscopic and redox studies of mer-[RuX <sub>3</sub> L <sub>3</sub> ] ( $L = PMe_2Ph$ or $AsMe_2Ph$ , $X = Cl$ or $Br$ ). Crystal structures of mer-[RuX <sub>3</sub> (AsMe <sub>2</sub> Ph) <sub>3</sub> ] ( $X = Cl$ or $Br$ ) and [Ru <sub>2</sub> X <sub>5</sub> (EMe <sub>2</sub> Ph) <sub>4</sub> ] ( $X = Br$ , $E = P$ or $As$ ). <i>J. Mater. Chem.</i> , 2002, 12, 1871-1875.	1.2	6
421	Synthesis and properties of alkali-metal lithium periodatoferate(III) and periodatocobaltate(III) complexes. <i>Journal of Materials Chemistry</i> , 1997, 7, 1871-1875.	6.7	6
422	X-Ray Crystal Structures of Hexa-oxotellurate Complexes of Ruthenium(VI) and Silver(III): $Na_6[RuO_2\{TeO_4(OH)_2\}_2] \cdot 16H_2O$ and $Na_5[Ag\{TeO_4(OH)_2\}_2] \cdot 16H_2O$ . <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2002, 628, 815.	1.2	6
423	Tetraquaquatetrakis(trimethylphosphine oxide- $\text{^{18}O}$ )cerium(III) trichloride trihydrate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2002, 58, m295-m296.	0.4	6
424	Reversible structural isomerisation in rare thioether complexes of cobalt(ii) – effects of ligand architecture. <i>Dalton Transactions</i> , 2007, , 1986-1988.	3.3	6
425	Synthesis and structure of $[(C_7F_{15}CO_2)_2AgAu(PPh_3)]_2$ and its use in electrodeposition of gold-silver alloys. <i>Inorganica Chimica Acta</i> , 2010, 363, 1048-1051.	2.4	6
426	$[Cl_5Ta(\text{^{1/4}-O})TaCl_3\{iPrS(CH_2)_2SiPr\}]$ and $[(TaCl_4)_2(\text{^{1/4}-O})(\text{^{1/4}-Me}_2Se_2)]$ : two chalcogenoether complexes of $Ta_2OCl_8$ with very different geometries. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2011, 67, m221-m223.	0.4	6
427	Low Pressure Chemical Vapour Deposition of Crystalline $Ga_2Te_3$ and $Ga_2Se_3$ Thin Films from Single Source Precursors Using Telluroether and Selenoether Complexes. <i>Physics Procedia</i> , 2013, 46, 142-148.	1.2	6
428	Rapid Aqueous Late-Stage Radiolabelling of $[GaF_{3-}(BnMe_2)_2]^{+}$ by $^{18}F/^{19}F$ Isotopic Exchange: Towards New PET Imaging Probes. <i>Angewandte Chemie</i> , 2018, 130, 6768-6771.	2.0	6
429	Bis(diphenylphosphino)methane Dioxide Complexes of Lanthanide Trichlorides: Synthesis, Structures and Spectroscopy. <i>Chemistry</i> , 2020, 2, 947-959.	2.2	6
430	Pyramidal Dicationic Ge(II) Complexes with Homoleptic Neutral Pnictine Coordination: A Combined Experimental and Density Functional Theory Study. <i>Inorganic Chemistry</i> , 2021, 60, 12100-12108.	4.0	6
431	Heterocyclic nitrogen donor complexes of aluminium, gallium and indium with weakly coordinating triflate anions. <i>Polyhedron</i> , 2021, 207, 115367.	2.2	6
432	Structural effects of chelate chain length in high-spin nickel(II) complexes of triamines. <i>Inorganica Chimica Acta</i> , 1979, 32, 229-233.	2.4	5

#	ARTICLE	IF	CITATIONS
433	The reactions of lithium dimethylphosphide with cis and trans 1,2-dichloroethylene. Inorganica Chimica Acta, 1981, 54, L15-L16.	2.4	5
434	Notes. Crystal and molecular structure of [AsPh <sub>4</sub> ][Ru(DL-MeSeCH <sub>2</sub> CH <sub>2</sub> SeMe)Cl <sub>4</sub> ]. Journal of the Chemical Society Dalton Transactions, 1986, , 1479.	1.1	5
435	Co-ordination chemistry of higher oxidation states. Part 29. Cobalt(III) complexes of bi- and tetra-thioethers: synthesis, properties, and cobalt-59 nuclear magnetic resonance data. Journal of the Chemical Society Dalton Transactions, 1989, , 453.	1.1	5
436	Co-ordination chemistry of higher oxidation states. Part 33. Five-co-ordinate diphosphine complexes of cobalt(III), [Co{Ph <sub>2</sub> P(CH <sub>2</sub> ) <sub>n</sub> PPh <sub>2</sub> }X <sub>3</sub> ] (n = 4 or 5, X = Cl or Br). Journal of the Chemical Society Dalton Transactions, 1990, , 719.	1.1	5
437	Mass spectrometric and IR spectroscopic characterisation of monomeric molecular ruthenium oxide tetrafluoride. Journal of Fluorine Chemistry, 1993, 64, 117-123.	1.7	5
438	The synthesis of palladium-gold and platinum-gold bimetallic complexes based upon tripod tridentate phosphine and arsine ligands. Polyhedron, 1996, 15, 1309-1314.	2.2	5
439	Synthesis and spectroscopic studies of trans and cis rhodium(III) complexes of o-C <sub>6</sub> H <sub>4</sub> (PMe <sub>2</sub> ) <sub>2</sub> and o-C <sub>6</sub> H <sub>4</sub> (AsMe <sub>2</sub> ) <sub>2</sub> . Crystal structures of trans-[Rh{o-C <sub>6</sub> H <sub>4</sub> (PMe <sub>2</sub> ) <sub>2</sub> } <sub>2</sub> Cl <sub>2</sub> ]Cl and [Rh{o-C <sub>6</sub> H <sub>4</sub> (AsMe <sub>2</sub> ) <sub>2</sub> } <sub>2</sub> I <sub>2</sub> ]BF <sub>4</sub> . Polyhedron, 1997, 16, 1307-1314.	2.2	5
440	Lead( <i>&lt;scp&gt;ii&lt;/scp&gt;</i> ) nitrate and hexafluorosilicate complexes with neutral diphosphine coordination. Dalton Transactions, 2015, 44, 11533-11541.	3.3	5
441	Synthesis, properties and structures of gallium(III) and indium(III) halide complexes with neutral pnictine coordination. Journal of Organometallic Chemistry, 2020, 912, 121176.	1.8	5
442	Tungsten( <i>&lt;scp&gt;vi&lt;/scp&gt;</i> ) selenide tetrachloride, WSeCl <sub>4</sub> â€“ synthesis, properties, coordination complexes and application of [WSeCl <sub>4</sub> (Se <sup>sup</sup> <i>&lt;i&gt;n&lt;/i&gt;&lt;/sup&gt;</i> Bu <sub>2</sub> )] for CVD growth of WSe <sub>2</sub> thin films. Dalton Transactions, 2022, 51, 2400-2412.	3.3	5
443	complexes of bidentate group vb chelates XX. Mass spectral studies in some diphosphine and distibine ligands with backbones of varying length. Journal of Organometallic Chemistry, 1977, 125, 209-214.	1.8	4
444	A convenient synthesis for (o-methoxyphenyl)dimethylphosphine. Journal of Organometallic Chemistry, 1979, 169, 283-287.	1.8	4
445	Synthesis of substituted octahedral anions of chromium(III), [R <sub>4</sub> N][cis-Cr(L-L)X <sub>4</sub> ], and the nature of Cr(L-L)X <sub>3</sub> (L-L = diphosphine or diarsine; X = Cl, Br). Inorganic Chemistry, 1982, 21, 3570-3571.	4.0	4
446	Notes. Preparation and spectroscopic characterization of pseudo-tetrahedral [NiX <sub>2</sub> {Ph <sub>2</sub> P(CH <sub>2</sub> ) <sub>8</sub> PPh <sub>2</sub> }](X = Cl, Br, or I) and planar [Ni(NCS) <sub>2</sub> {Ph <sub>2</sub> P-(CH <sub>2</sub> ) <sub>8</sub> PPh <sub>2</sub> }]. Journal of the Chemical Society Dalton Transactions, 1982, , 841.	1.1	4
447	Platinum metal complexes of the methoxyphenylstibines Ph <sub>3-n</sub> Sb(o-MeOC <sub>6</sub> H <sub>4</sub> ) <sub>n</sub> (n = 1, 2,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 5	2.4	
448	Synthesis, spectroscopic and structural characterisation of periodate complexes of iron(III). Journal of the Chemical Society Dalton Transactions, 1995, , 3367.	1.1	4
449	Hydrates of tin tetrachloride. Acta Crystallographica Section C: Crystal Structure Communications, 2004, 60, i47-i49.	0.4	4
450	Î¼-1,2-Bis(diphenylphosphino)ethane-Îº <sup>2</sup> P:P-bis[trichloridogallium(III)]. Acta Crystallographica Section E: Structure Reports Online, 2007, 63, m1761-m1761.	0.2	4

#	ARTICLE	IF	CITATIONS
451	Supercritical Chemical Fluid Deposition of High Quality Compound Semiconductors. <i>ECS Transactions</i> , 2009, 25, 1193-1197.	0.5	4
452	Synthesis and properties of monometallic, homo- and heterobimetallic complexes based on $\{(\text{l-6-arene})\text{RuCl}\}^+$ and $\{(\text{l-6-arene})\text{OsCl}\}^+$ fragments with tetrathioether and tetraselenoether ligands. <i>Journal of Organometallic Chemistry</i> , 2010, 695, 2039-2047.	1.8	4
453	The preparation and structure of $\text{Ge}_{3-\text{x}}\text{F}_8$ a new mixed-valence fluoride of germanium, a convenient source of $\text{GeF}_2$ . <i>Dalton Transactions</i> , 2014, 43, 14514-14516.	3.3	4
454	Speciation in diethanolamine-moderated $\text{TiO}_2$ precursor sols and their use in film formation. <i>Journal of Sol-Gel Science and Technology</i> , 2016, 79, 550-557.	2.4	4
455	Systematics of boron halide complexes with dichalcogenoether ligands – Synthesis, structures and reaction chemistry. <i>Journal of Organometallic Chemistry</i> , 2018, 854, 140-149.	1.8	4
456	Combination of EXAFS and electronic spectroscopy to determine the structure of nickel(IV) complexes. <i>Journal of the Chemical Society Chemical Communications</i> , 1985, , 484.	2.0	3
457	Nickel K-edge extended X-ray absorption fine structure studies of bis(diamine) nickel-(II) and -(III) complexes. <i>Journal of the Chemical Society Dalton Transactions</i> , 1992, , 1497.	1.1	3
458	Complexes of rhodium with thiobis(ethylenenitrilo)tetraacetic acid; a potential bifunctional chelate for use in radiotherapy. <i>Journal of the Chemical Society Dalton Transactions</i> , 1996, , 467.	1.1	3
459	SELENOETHER COMPLEXES OF COPPER(II) – SYNTHESIS, SPECTROSCOPY AND STRUCTURES. <i>Journal of Coordination Chemistry</i> , 1996, 37, 315-325.	2.2	3
460	Spectroscopic and Vanadium K-Edge EXAFS Studies on $\text{VO}_2\text{Cl}$ and the Crystal Structure of $[\{\text{Cl}_2\text{VO}(\text{O}_2\text{PCl}_2)(\text{POCl}_3)\}_2]$ . <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2009, 635, 1200-1203.	1.2	3
461	Chromium(V) Oxide Trichloride, and some Pentachlorido-Oxido-Chromate(V) Salts: Structures and Spectroscopic Characterization. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2013, 639, 906-910.	1.2	3
462	Chalcogenoether complexes of tantalum(V) sulfide trichloride – Synthesis, properties and structures. <i>Polyhedron</i> , 2019, 169, 129-134.	2.2	3
463	Tertiary Phosphine and Arsine Complexes of Phosphorus Pentafluoride: Synthesis, Properties, and Electronic Structures. <i>Inorganic Chemistry</i> , 2020, 59, 4517-4526.	4.0	3
464	Tungsten disulfide thin films via electrodeposition from a single source precursor. <i>Chemical Communications</i> , 2021, 57, 10194-10197.	4.1	3
465	Mono- and di-phosphine oxide complexes of aluminium, gallium and indium with weakly coordinating triflate anions – Synthesis, structures and properties. <i>Polyhedron</i> , 2021, 210, 115529.	2.2	3
466	Inorganic heterocycles. The reaction of 1,1-bi(1-phospholan-1-thione) with some transition-metal salts. <i>Journal of the Chemical Society Dalton Transactions</i> , 1978, , 1662-1663.	1.1	2
467	Nickel K-edge extended X-ray absorption fine structure studies of tris(diamine) complexes of nickel(II) and their halogen oxidation products. <i>Journal of the Chemical Society Dalton Transactions</i> , 1990, , 3691.	1.1	2
468	Tribenzylphosphane and its hydrochloride salt, tribenzylphosphonium hydrogen dichloride–tribenzylphosphane (1/1). <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2013, 69, 560-564.	0.4	2

#	ARTICLE	IF	CITATIONS
469	Haloplumbate salts as reagents for the non-aqueous electrodeposition of lead. RSC Advances, 2016, 6, 73323-73330.	3.6	2
470	Synthesis, properties and structural features of molybdenum(v) oxide trichloride complexes with neutral chalcogenoether ligands. Dalton Transactions, 2021, 50, 4380-4389.	3.3	2
471	mer-Trichlorotris(dimethyl sulfide)ruthenium(III). Acta Crystallographica Section E: Structure Reports Online, 2004, 60, m207-m208.	0.2	1
472	Synthesis, Spectroscopic and Structural Studies on Vanadium(V) Periodates. European Journal of Inorganic Chemistry, 2011, 2011, 2132-2137.	2.0	1
473	The reactions of MoOCl4 with neutral group 15 and 16 ligands and a re-investigation of some N-donor ligand complexes of MoOCl3. Polyhedron, 2021, 204, 115262.	2.2	1
474	Bis(1,5-cyclopentadienyl)bis(2,4,6-trimethylphenyltellurolato)zirconium(IV). Acta Crystallographica Section E: Structure Reports Online, 2008, 64, m667-m667.	0.2	1
475	The Co-Ordination Chemistry of TIN(IV) Halides with Chelating Group 16 Donor Ligands. Phosphorus, Sulfur and Silicon and the Related Elements, 1999, 150, 99-105.	1.6	0
476	1,2-Bis(diphenylarsino)ethane. Acta Crystallographica Section E: Structure Reports Online, 2001, 57, o700-o701.	0.2	0
477	Early Transition Metal Complexes of Polydentate and Macrocyclic Thio- and Seleno-Ethers.. ChemInform, 2003, 34, no.	0.0	0
478	Hydrothermal Synthesis of Rare Earth Iodates from the Corresponding Periodates. Part 2. Synthesis and Structures of Ln(IO3)3 (Ln: Pr, Nd, Sm, Eu, Gd, Tb, Ho, Er) and Ln(IO3)3–2H2O (Ln: Eu, Gd, Dy, Er, Tm,) Tj ETQ0000rgBT /Overloo	0.0	0
479	Hydrates of Tin Tetrachloride.. ChemInform, 2004, 35, no.	0.0	0
480	Periodates of Tetravalent Titanium, Zirconium, Hafnium and Thorium: Synthesis, Characterization and EXAFS Study.. ChemInform, 2005, 36, no.	0.0	0
481	[{Cp2(tBuSe)Nb}2E] (E= O and Se) with bridging oxide or selenide ligands. Acta Crystallographica Section C: Crystal Structure Communications, 2008, 64, m321-m323.	0.4	0
482	Exploring secondary bonding in p-block chemistry – an experimental study of [GeX<sub>2</sub>{o-C<sub>2</sub>H<sub>4</sub>(PMe<sub>2</sub>)<sub>2</sub>}]<sub>2</sub> using variable pressure single crystal X-ray diffraction. CrystEngComm, 2014, 16, 8169.	2.6	0
483	Synthesis and properties of a new nine-membered triphospha-macrocyclic complex via a manganese(I) tricarbonyl template. Journal of Molecular Structure, 2022, , 133268.	3.6	0