

# Terence G Langdon

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8876525/publications.pdf>

Version: 2024-02-01

1,012  
papers

68,649  
citations

587

125  
h-index

1589

216  
g-index

1039  
all docs

1039  
docs citations

1039  
times ranked

11275  
citing authors

#	ARTICLE	IF	CITATIONS
1	Principles of equal-channel angular pressing as a processing tool for grain refinement. <i>Progress in Materials Science</i> , 2006, 51, 881-981.	16.0	3,680
2	Using high-pressure torsion for metal processing: Fundamentals and applications. <i>Progress in Materials Science</i> , 2008, 53, 893-979.	16.0	2,579
3	Principle of equal-channel angular pressing for the processing of ultra-fine grained materials. <i>Scripta Materialia</i> , 1996, 35, 143-146.	2.6	1,683
4	Producing bulk ultrafine-grained materials by severe plastic deformation. <i>Jom</i> , 2006, 58, 33-39.	0.9	1,350
5	The process of grain refinement in equal-channel angular pressing. <i>Acta Materialia</i> , 1998, 46, 3317-3331.	3.8	1,166
6	The shearing characteristics associated with equal-channel angular pressing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1998, 257, 328-332.	2.6	885
7	An investigation of microstructural evolution during equal-channel angular pressing. <i>Acta Materialia</i> , 1997, 45, 4733-4741.	3.8	778
8	Experimental parameters influencing grain refinement and microstructural evolution during high-pressure torsion. <i>Acta Materialia</i> , 2003, 51, 753-765.	3.8	717
9	Twenty-five years of ultrafine-grained materials: Achieving exceptional properties through grain refinement. <i>Acta Materialia</i> , 2013, 61, 7035-7059.	3.8	649
10	Improving the mechanical properties of magnesium and a magnesium alloy through severe plastic deformation. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001, 300, 142-147.	2.6	606
11	A unified approach to grain boundary sliding in creep and superplasticity. <i>Acta Metallurgica Et Materialia</i> , 1994, 42, 2437-2443.	1.9	499
12	The transition from dislocation climb to viscous glide in creep of solid solution alloys. <i>Acta Metallurgica</i> , 1974, 22, 779-788.	2.1	472
13	Microhardness measurements and the Hall-Petch relationship in an Al-Mg alloy with submicrometer grain size. <i>Acta Materialia</i> , 1996, 44, 4619-4629.	3.8	435
14	Equal-channel angular pressing of commercial aluminum alloys: Grain refinement, thermal stability and tensile properties. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2000, 31, 691-701.	1.1	408
15	The mechanical properties of superplastic materials. <i>Metallurgical and Materials Transactions A - Physical Metallurgy and Materials Science</i> , 1982, 13, 689-701.	1.4	404
16	Influence of channel angle on the development of ultrafine grains in equal-channel angular pressing. <i>Acta Materialia</i> , 1998, 46, 1589-1599.	3.8	398
17	Review: Processing of metals by equal-channel angular pressing. <i>Journal of Materials Science</i> , 2001, 36, 2835-2843.	1.7	391
18	Seventy-five years of superplasticity: historic developments and new opportunities. <i>Journal of Materials Science</i> , 2009, 44, 5998-6010.	1.7	366

#	ARTICLE	IF	CITATIONS
19	Creep of ceramics. <i>Journal of Materials Science</i> , 1983, 18, 1-50.	1.7	354
20	Developing superplasticity in a magnesium alloy through a combination of extrusion and ECAP. <i>Acta Materialia</i> , 2003, 51, 3073-3084.	3.8	351
21	Grain boundary sliding revisited: Developments in sliding over four decades. <i>Journal of Materials Science</i> , 2006, 41, 597-609.	1.7	349
22	Producing Bulk Ultrafine-Grained Materials by Severe Plastic Deformation: Ten Years Later. <i>Jom</i> , 2016, 68, 1216-1226.	0.9	346
23	The evolution of homogeneity in processing by high-pressure torsion. <i>Acta Materialia</i> , 2007, 55, 203-212.	3.8	337
24	Grain refinement and superplasticity in an aluminum alloy processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005, 393, 344-351.	2.6	325
25	Influence of scandium and zirconium on grain stability and superplastic ductilities in ultrafine-grained Al-Mg alloys. <i>Acta Materialia</i> , 2002, 50, 553-564.	3.8	319
26	An investigation of grain boundaries in submicrometer-grained Al-Mg solid solution alloys using high-resolution electron microscopy. <i>Journal of Materials Research</i> , 1996, 11, 1880-1890.	1.2	317
27	The principles of grain refinement in equal-channel angular pressing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 462, 3-11.	2.6	311
28	An investigation of microstructural stability in an AlMg alloy with submicrometer grain size. <i>Acta Materialia</i> , 1996, 44, 2973-2982.	3.8	301
29	Tailoring stacking fault energy for high ductility and high strength in ultrafine grained Cu and its alloy. <i>Applied Physics Letters</i> , 2006, 89, 121906.	1.5	295
30	OBSERVATIONS OF HIGH STRAIN RATE SUPERPLASTICITY IN COMMERCIAL ALUMINUM ALLOYS WITH ULTRAFINE GRAIN SIZES. <i>Scripta Materialia</i> , 1997, 37, 1945-1950.	2.6	294
31	Superplastic forming at high strain rates after severe plastic deformation. <i>Acta Materialia</i> , 2000, 48, 3633-3640.	3.8	294
32	Grain boundary sliding as a deformation mechanism during creep. <i>Philosophical Magazine and Journal</i> , 1970, 22, 689-700.	1.8	288
33	Performance and applications of nanostructured materials produced by severe plastic deformation. <i>Scripta Materialia</i> , 2004, 51, 825-830.	2.6	284
34	Microhardness and microstructural evolution in pure nickel during high-pressure torsion. <i>Scripta Materialia</i> , 2001, 44, 2753-2758.	2.6	282
35	Fundamentals of Superior Properties in Bulk NanoSPD Materials. <i>Materials Research Letters</i> , 2016, 4, 1-21.	4.1	280
36	Deformation mechanisms in h.c.p. metals at elevated temperatures. Creep behavior of magnesium. <i>Acta Metallurgica</i> , 1981, 29, 1969-1982.	2.1	277

#	ARTICLE	IF	CITATIONS
37	Achieving High Strength and High Ductility in Precipitation-Hardened Alloys. <i>Advanced Materials</i> , 2005, 17, 1599-1602.	11.1	273
38	Using finite element modeling to examine the flow processes in quasi-constrained high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 528, 8198-8204.	2.6	273
39	Using finite element modeling to examine the temperature distribution in quasi-constrained high-pressure torsion. <i>Acta Materialia</i> , 2012, 60, 3190-3198.	3.8	271
40	Factors influencing the equilibrium grain size in equal-channel angular pressing: Role of Mg additions to aluminum. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 1998, 29, 2503-2510.	1.1	270
41	An examination of the breakdown in creep by viscous glide in solid solution alloys at high stress levels. <i>Acta Metallurgica</i> , 1982, 30, 2181-2196.	2.1	265
42	Microstructural characteristics of ultrafine-grained aluminum produced using equal-channel angular pressing. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 1998, 29, 2245-2252.	1.1	257
43	Relationship between texture and low temperature superplasticity in an extruded AZ31 Mg alloy processed by ECAP. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005, 402, 250-257.	2.6	257
44	Influence of equal-channel angular pressing on precipitation in an Al-Zn-Mg-Cu alloy. <i>Acta Materialia</i> , 2009, 57, 3123-3132.	3.8	253
45	Influence of stacking-fault energy on microstructural characteristics of ultrafine-grain copper and copper-zinc alloys. <i>Acta Materialia</i> , 2008, 56, 809-820.	3.8	251
46	Deformation mechanism maps based on grain size. <i>Metallurgical and Materials Transactions A - Physical Metallurgy and Materials Science</i> , 1974, 5, 2339-2345.	1.4	249
47	Creep of ceramics. <i>Journal of Materials Science</i> , 1988, 23, 1-20.	1.7	248
48	An evaluation of the strain contributed by grain boundary sliding in superplasticity. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1994, 174, 225-230.	2.6	244
49	Influence of specimen dimensions on the tensile behavior of ultrafine-grained Cu. <i>Scripta Materialia</i> , 2008, 59, 627-630.	2.6	241
50	Improvement of mechanical properties for Al alloys using equal-channel angular pressing. <i>Journal of Materials Processing Technology</i> , 2001, 117, 288-292.	3.1	239
51	Development of a multi-pass facility for equal-channel angular pressing to high total strains. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000, 281, 82-87.	2.6	234
52	The evolution of homogeneity and grain refinement during equal-channel angular pressing: A model for grain refinement in ECAP. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005, 398, 66-76.	2.6	232
53	Factors influencing the shearing patterns in equal-channel angular pressing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002, 332, 97-109.	2.6	226
54	Effect of annealing on mechanical properties of a nanocrystalline CoCrFeNiMn high-entropy alloy processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016, 676, 294-303.	2.6	225

#	ARTICLE	IF	CITATIONS
55	The potential for scaling ECAP: effect of sample size on grain refinement and mechanical properties. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001, 318, 34-41.	2.6	222
56	Deformation mechanisms in h.c.p. metals at elevated temperaturesâ€”II. Creep behavior of a Mg-0.8% Al solid solution alloy. <i>Acta Metallurgica</i> , 1982, 30, 1157-1170.	2.1	221
57	Optimizing the rotation conditions for grain refinement in equal-channel angular pressing. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 1998, 29, 2011-2013.	1.1	221
58	Using ECAP to achieve grain refinement, precipitate fragmentation and high strain rate superplasticity in a spray-cast aluminum alloy. <i>Acta Materialia</i> , 2003, 51, 6139-6149.	3.8	219
59	Principles of superplasticity in ultrafine-grained materials. <i>Journal of Materials Science</i> , 2007, 42, 1782-1796.	1.7	219
60	Orientation imaging microscopy of ultrafine-grained nickel. <i>Scripta Materialia</i> , 2002, 46, 575-580.	2.6	217
61	Nanomaterials by severe plastic deformation: review of historical developments and recent advances. <i>Materials Research Letters</i> , 2022, 10, 163-256.	4.1	215
62	Processing of a low-carbon steel by equal-channel angular pressing. <i>Acta Materialia</i> , 2002, 50, 1359-1368.	3.8	213
63	An investigation of microstructure and grain-boundary evolution during ECA pressing of pure aluminum. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2002, 33, 2173-2184.	1.1	211
64	Microstructural evolution in high purity aluminum processed by ECAP. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009, 524, 143-150.	2.6	209
65	Influence of pressing temperature on microstructural development in equal-channel angular pressing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000, 287, 100-106.	2.6	200
66	Creep and substructure formation in an Al-5% Mg solid solution alloy. <i>Acta Metallurgica</i> , 1981, 29, 1495-1507.	2.1	199
67	An investigation of ductility and microstructural evolution in an Al~3% Mg alloy with submicron grain size. <i>Journal of Materials Research</i> , 1993, 8, 2810-2818.	1.2	199
68	Using equal-channel angular pressing for refining grain size. <i>Jom</i> , 2000, 52, 30-33.	0.9	199
69	Microstructural evolution in commercial purity aluminum during high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005, 410-411, 277-280.	2.6	198
70	Influence of specimen dimensions and strain measurement methods on tensile stressâ€”strain curves. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009, 525, 68-77.	2.6	198
71	Factors influencing ductility in the superplastic Zn-22 Pct Al eutectoid. <i>Metallurgical and Materials Transactions A - Physical Metallurgy and Materials Science</i> , 1977, 8, 933-938.	1.4	196
72	An overview: Fatigue behaviour of ultrafine-grained metals and alloys. <i>International Journal of Fatigue</i> , 2006, 28, 1001-1010.	2.8	188

#	ARTICLE	IF	CITATIONS
73	The microstructural characteristics of ultrafine-grained nickel. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005, 391, 377-389.	2.6	185
74	The effect of severe plastic deformation on precipitation in supersaturated Al-Zn-Mg alloys. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 460-461, 77-85.	2.6	185
75	Thermal stability of ultrafine-grained aluminum in the presence of Mg and Zr additions. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1999, 265, 188-196.	2.6	183
76	The Innovation Potential of Bulk Nanostructured Materials. <i>Advanced Engineering Materials</i> , 2007, 9, 527-533.	1.6	183
77	Influence of stacking fault energy on nanostructure formation under high pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005, 410-411, 188-193.	2.6	179
78	The processing of difficult-to-work alloys by ECAP with an emphasis on magnesium alloys. <i>Acta Materialia</i> , 2007, 55, 4769-4779.	3.8	179
79	Grain refinement and mechanical behavior of a magnesium alloy processed by ECAP. <i>Journal of Materials Science</i> , 2010, 45, 4827-4836.	1.7	179
80	The fundamentals of nanostructured materials processed by severe plastic deformation. <i>Jom</i> , 2004, 56, 58-63.	0.9	176
81	An investigation of hardness homogeneity throughout disks processed by high-pressure torsion. <i>Acta Materialia</i> , 2011, 59, 308-316.	3.8	174
82	Microstructures and microhardness of an aluminum alloy and pure copper after processing by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005, 410-411, 422-425.	2.6	173
83	Influence of stacking fault energy on microstructural development in equal-channel angular pressing. <i>Journal of Materials Research</i> , 1999, 14, 4044-4050.	1.2	172
84	Principles of grain refinement and superplastic flow in magnesium alloys processed by ECAP. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009, 501, 105-114.	2.6	171
85	Developing grain refinement and superplasticity in a magnesium alloy processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008, 488, 117-124.	2.6	170
86	Experimental Evidence for Grain-Boundary Sliding in Ultrafine-Grained Aluminum Processed by Severe Plastic Deformation. <i>Advanced Materials</i> , 2006, 18, 34-39.	11.1	169
87	The evolution of homogeneity in an aluminum alloy processed using high-pressure torsion. <i>Acta Materialia</i> , 2008, 56, 5168-5176.	3.8	167
88	Creep at low stress levels in the superplastic Zn-22% Al eutectoid. <i>Acta Metallurgica</i> , 1975, 23, 117-124.	2.1	166
89	Developing high-pressure torsion for use with bulk samples. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005, 406, 268-273.	2.6	163
90	Influence of ECAP on precipitate distributions in a spray-cast aluminum alloy. <i>Acta Materialia</i> , 2005, 53, 749-758.	3.8	162

#	ARTICLE	IF	CITATIONS
91	Tougher ultrafine grain Cu via high-angle grain boundaries and low dislocation density. <i>Applied Physics Letters</i> , 2008, 92, .	1.5	158
92	Determining the optimal stacking fault energy for achieving high ductility in ultrafine-grained Cu–Zn alloys. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008, 493, 123-129.	2.6	157
93	Spherical nanoindentation creep behavior of nanocrystalline and coarse-grained CoCrFeMnNi high-entropy alloys. <i>Acta Materialia</i> , 2016, 109, 314-322.	3.8	156
94	Microstructure and properties of pure titanium processed by equal-channel angular pressing at room temperature. <i>Scripta Materialia</i> , 2008, 59, 542-545.	2.6	155
95	Structural evolution and the Hall-Petch relationship in an Al–Mg–Li–Zr alloy with ultra-fine grain size. <i>Acta Materialia</i> , 1997, 45, 4751-4757.	3.8	153
96	The use of severe plastic deformation for microstructural control. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002, 324, 82-89.	2.6	153
97	The significance of strain reversals during processing by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008, 498, 341-348.	2.6	153
98	Structural ceramics. <i>Progress in Materials Science</i> , 1976, 21, 171-425.	16.0	152
99	An investigation of the role of intragranular dislocation strain in the superplastic Pb-62% Sn eutectic alloy. <i>Acta Metallurgica Et Materialia</i> , 1993, 41, 949-954.	1.9	150
100	Observations of grain boundary structure in submicrometer-grained Cu and Ni using high-resolution electron microscopy. <i>Journal of Materials Research</i> , 1998, 13, 446-450.	1.2	150
101	Creep behaviour in the superplastic Pb–62% Sn eutectic. <i>Philosophical Magazine and Journal</i> , 1975, 32, 697-709.	1.8	149
102	Advances in ultrafine-grained materials. <i>Materials Today</i> , 2013, 16, 85-93.	8.3	148
103	Influence of pressing speed on microstructural development in equal-channel angular pressing. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 1999, 30, 1989-1997.	1.1	144
104	Evolution of defect structures during cold rolling of ultrafine-grained Cu and Cu–Zn alloys: Influence of stacking fault energy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008, 474, 342-347.	2.6	144
105	The activation energies associated with superplastic flow. <i>Acta Metallurgica</i> , 1975, 23, 1443-1450.	2.1	141
106	The role of stacking faults and twin boundaries in grain refinement of a Cu–Zn alloy processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010, 527, 4959-4966.	2.6	141
107	Ultrafine grains and the Hall–Petch relationship in an Al–Mg–Si alloy processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012, 532, 139-145.	2.6	141
108	Microstructural characteristics and superplastic ductility in a Zn-22% Al alloy with submicrometer grain size. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1998, 241, 122-128.	2.6	140



#	ARTICLE	IF	CITATIONS
109	Enhanced strength–ductility synergy in nanostructured Cu and Cu–Al alloys processed by high-pressure torsion and subsequent annealing. <i>Scripta Materialia</i> , 2012, 66, 227-230.	2.6	140
110	Effect of Mg addition on microstructure and mechanical properties of aluminum. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004, 387-389, 55-59.	2.6	139
111	Evidence for exceptional low temperature ductility in polycrystalline magnesium processed by severe plastic deformation. <i>Acta Materialia</i> , 2017, 122, 322-331.	3.8	139
112	Principles of grain refinement in magnesium alloys processed by equal-channel angular pressing. <i>Journal of Materials Science</i> , 2009, 44, 4758-4762.	1.7	137
113	Microstructure and properties of a CoCrFeNiMn high-entropy alloy processed by equal-channel angular pressing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 705, 411-419.	2.6	137
114	The physics of superplastic deformation. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1991, 137, 1-11.	2.6	136
115	Hardening of an Al <sub>0.3</sub> CoCrFeNi high entropy alloy via high-pressure torsion and thermal annealing. <i>Materials Letters</i> , 2015, 151, 126-129.	1.3	135
116	Evolution of microstructural homogeneity in copper processed by high-pressure torsion. <i>Scripta Materialia</i> , 2010, 63, 560-563.	2.6	134
117	The effect of dislocation density on the interactions between dislocations and twin boundaries in nanocrystalline materials. <i>Acta Materialia</i> , 2012, 60, 3181-3189.	3.8	134
118	A two-step processing route for achieving a superplastic forming capability in dilute magnesium alloys. <i>Scripta Materialia</i> , 2002, 47, 255-260.	2.6	133
119	Influence of stacking fault energy on deformation mechanism and dislocation storage capacity in ultrafine-grained materials. <i>Scripta Materialia</i> , 2009, 60, 52-55.	2.6	133
120	Superplasticity in ceramics. <i>Journal of Materials Science</i> , 1990, 25, 2275-2286.	1.7	132
121	Optimizing the procedure of equal-channel angular pressing for maximum superplasticity. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001, 297, 111-118.	2.6	132
122	Principles of ECAP–Conform as a continuous process for achieving grain refinement: Application to an aluminum alloy. <i>Acta Materialia</i> , 2010, 58, 1379-1386.	3.8	132
123	High-Strain-Rate Superplasticity in Metallic Materials and the Potential for Ceramic Materials.. <i>ISIJ International</i> , 1996, 36, 1423-1438.	0.6	131
124	Identifying creep mechanisms at low stresses. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2000, 283, 266-273.	2.6	131
125	Grain refinement of pure nickel using equal-channel angular pressing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002, 325, 54-58.	2.6	130
126	An investigation of intercrystalline and interphase boundary sliding in the superplastic Pb-62% Sn eutectic. <i>Acta Metallurgica</i> , 1979, 27, 251-257.	2.1	129



#	ARTICLE	IF	CITATIONS
127	Fracture processes in superplastic flow. <i>Metal Science</i> , 1982, 16, 175-183.	0.7	129
128	A new constitutive relationship for the homogeneous deformation of metals over a wide range of strain. <i>Acta Materialia</i> , 2004, 52, 3555-3563.	3.8	129
129	Exceptional superplasticity in an AZ61 magnesium alloy processed by extrusion and ECAP. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006, 420, 240-244.	2.6	128
130	Microstructural evolution in a two-phase alloy processed by high-pressure torsion. <i>Acta Materialia</i> , 2010, 58, 919-930.	3.8	128
131	Influence of magnesium on grain refinement and ductility in a dilute Al–Sc alloy. <i>Acta Materialia</i> , 2001, 49, 3829-3838.	3.8	125
132	Unusual super-ductility at room temperature in an ultrafine-grained aluminum alloy. <i>Journal of Materials Science</i> , 2010, 45, 4718-4724.	1.7	125
133	The influence of stacking fault energy on the mechanical properties of nanostructured Cu and Cu–Al alloys processed by high-pressure torsion. <i>Scripta Materialia</i> , 2011, 64, 954-957.	2.6	124
134	An investigation of grain-boundary sliding during creep. <i>Journal of Materials Science</i> , 1967, 2, 313-323.	1.7	123
135	High strain rate superplasticity in an Al-Mg alloy containing scandium. <i>Scripta Materialia</i> , 1998, 38, 1851-1856.	2.6	123
136	Fabrication of bulk ultrafine-grained materials through intense plastic straining. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 1998, 29, 2237-2243.	1.1	123
137	Influence of preliminary extrusion conditions on the superplastic properties of a magnesium alloy processed by ECAP. <i>Acta Materialia</i> , 2007, 55, 1083-1091.	3.8	122
138	A model for diffusional cavity growth in superplasticity. <i>Acta Metallurgica</i> , 1987, 35, 1089-1101.	2.1	121
139	The fabrication of graphene-reinforced Al-based nanocomposites using high-pressure torsion. <i>Acta Materialia</i> , 2019, 164, 499-511.	3.8	121
140	Influence of stacking fault energy on the minimum grain size achieved in severe plastic deformation. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 463, 22-26.	2.6	119
141	Microstructural evolution in an Al-6061 alloy processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010, 527, 4864-4869.	2.6	119
142	Influence of rolling on the superplastic behavior of an Al-Mg-Sc alloy after ECAP. <i>Scripta Materialia</i> , 2001, 44, 759-764.	2.6	118
143	An investigation of the role of a liquid phase in Al–Cu–Mg metal matrix composites exhibiting high strain rate superplasticity. <i>Acta Metallurgica Et Materialia</i> , 1994, 42, 1739-1745.	1.9	117
144	Development of fine grained structures using severe plastic deformation. <i>Materials Science and Technology</i> , 2000, 16, 1239-1245.	0.8	116

#	ARTICLE	IF	CITATIONS
145	The influence of strain rate on ductility in the superplastic Zn-22% Al eutectoid. Philosophical Magazine and Journal, 1975, 32, 1269-1271.	1.8	113
146	Creep behavior of copper at intermediate temperatures. Mechanical characteristics. Acta Metallurgica, 1989, 37, 843-852.	2.1	113
147	Evolution of microstructure and microtexture in fcc metals during high-pressure torsion. Journal of Materials Science, 2007, 42, 1517-1528.	1.7	113
148	Microstructural and Mechanical Characteristics of AZ61 Magnesium Alloy Processed by High-Pressure Torsion. Materials Transactions, 2008, 49, 76-83.	0.4	112
149	The processing of pure titanium through multiple passes of ECAP at room temperature. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2010, 527, 6335-6339.	2.6	111
150	Microstructural evolution and mechanical properties of a two-phase Cu-Ag alloy processed by high-pressure torsion to ultrahigh strains. Acta Materialia, 2011, 59, 2783-2796.	3.8	110
151	Deformation mechanism maps for superplastic materials. Scripta Metallurgica, 1976, 10, 759-762.	1.2	109
152	The development of superplastic ductilities and microstructural homogeneity in a magnesium ZK60 alloy processed by ECAP. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2006, 430, 151-156.	2.6	109
153	A comparison of microstructures and mechanical properties in a Cu-Zr alloy processed using different SPD techniques. Journal of Materials Science, 2013, 48, 4653-4660.	1.7	108
154	Structural ceramics. Progress in Materials Science, 1976, 21, 171-285.	16.0	107
155	An evaluation of the roles of intercrystalline and interphase boundary sliding in two-phase superplastic alloys. Acta Metallurgica, 1982, 30, 285-296.	2.1	107
156	The significance of slippage in processing by high-pressure torsion. Scripta Materialia, 2009, 60, 9-12.	2.6	107
157	Segregation of solute elements at grain boundaries in an ultrafine grained Al-Zn-Mg-Cu alloy. Ultramicroscopy, 2011, 111, 500-505.	0.8	107
158	Influence of grain size on deformation mechanisms: An extension to nanocrystalline materials. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2005, 409, 234-242.	2.6	106
159	Bulk Nanostructured Metals for Innovative Applications. Jom, 2012, 64, 1134-1142.	0.9	106
160	Significance of adiabatic heating in equal-channel angular pressing. Scripta Materialia, 1999, 41, 791-796.	2.6	104
161	The application of equal-channel angular pressing to an aluminum single crystal. Acta Materialia, 2004, 52, 1387-1395.	3.8	103
162	Developing superplastic properties in an aluminum alloy through severe plastic deformation. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1999, 272, 63-72.	2.6	101

#	ARTICLE	IF	CITATIONS
163	Nanomechanical behavior and structural stability of a nanocrystalline CoCrFeNiMn high-entropy alloy processed by high-pressure torsion. <i>Journal of Materials Research</i> , 2015, 30, 2804-2815.	1.2	101
164	Improving the superplastic properties of a two-phase Mg-8% Li alloy through processing by ECAP. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005, 410-411, 439-442.	2.6	100
165	Wear resistance and electroconductivity in copper processed by severe plastic deformation. <i>Wear</i> , 2013, 305, 89-99.	1.5	100
166	Defect structure and hardness in nanocrystalline CoCrFeMnNi High-Entropy Alloy processed by High-Pressure Torsion. <i>Journal of Alloys and Compounds</i> , 2017, 711, 143-154.	2.8	100
167	Spall strength dependence on grain size and strain rate in tantalum. <i>Acta Materialia</i> , 2018, 158, 313-329.	3.8	100
168	Microtexture and microstructure evolution during processing of pure aluminum by repetitive ECAP. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006, 429, 137-148.	2.6	99
169	The effect of surface configuration on grain boundary sliding. <i>Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science</i> , 1972, 3, 797-801.	1.0	98
170	Creep behavior of an Al-6061 metal matrix composite reinforced with alumina particulates. <i>Acta Materialia</i> , 1997, 45, 4797-4806.	3.8	98
171	Three-dimensional shear-strain patterns induced by high-pressure torsion and their impact on hardness evolution. <i>Acta Materialia</i> , 2011, 59, 3903-3914.	3.8	98
172	Influence of a round corner die on flow homogeneity in ECA pressing. <i>Scripta Materialia</i> , 2003, 48, 1-4.	2.6	97
173	Dynamic testing at high strain rates of an ultrafine-grained magnesium alloy processed by ECAP. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009, 517, 24-29.	2.6	96
174	An investigation of hydrogen storage in a magnesium-based alloy processed by equal-channel angular pressing. <i>International Journal of Hydrogen Energy</i> , 2013, 38, 8306-8312.	3.8	96
175	Properties of a ZK60 magnesium alloy processed by high-pressure torsion. <i>Journal of Alloys and Compounds</i> , 2014, 613, 357-363.	2.8	96
176	Review: achieving superplastic properties in ultrafine-grained materials at high temperatures. <i>Journal of Materials Science</i> , 2016, 51, 19-32.	1.7	96
177	A new type of deformation mechanism map for high-temperature creep. <i>Materials Science and Engineering</i> , 1978, 32, 103-112.	0.1	95
178	Tribological properties of ultrafine-grained materials processed by severe plastic deformation. <i>Journal of Materials Science</i> , 2012, 47, 4779-4797.	1.7	94
179	Effect of grain size on the micro-tribological behavior of pure titanium processed by high-pressure torsion. <i>Wear</i> , 2012, 280-281, 28-35.	1.5	94
180	An investigation of harper-dorn creep. Mechanical and microstructural characteristics. <i>Acta Metallurgica</i> , 1982, 30, 871-879.	2.1	93

#	ARTICLE	IF	CITATIONS
181	Grain growth and dislocation density evolution in a nanocrystalline Ni-Fe alloy induced by high-pressure torsion. <i>Scripta Materialia</i> , 2011, 64, 327-330.	2.6	93
182	Strain rate sensitivity studies in an ultrafine-grained Al-30wt.% Zn alloy using micro- and nanoindentation. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012, 543, 117-120.	2.6	92
183	Grain Boundary Phenomena in an Ultrafine-Grained Al-Zn Alloy with Improved Mechanical Behavior for Micro-Devices. <i>Advanced Engineering Materials</i> , 2014, 16, 1000-1009.	1.6	92
184	Microstructure and strength of severely deformed fcc metals. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 462, 86-90.	2.6	91
185	Review: Overcoming the paradox of strength and ductility in ultrafine-grained materials at low temperatures. <i>Journal of Materials Science</i> , 2016, 51, 7-18.	1.7	91
186	Evidence for superplasticity in a CoCrFeNiMn high-entropy alloy processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 685, 342-348.	2.6	91
187	Using high-pressure torsion for the cold-consolidation of copper chips produced by machining. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008, 486, 123-126.	2.6	90
188	Concurrent microstructural evolution of ferrite and austenite in a duplex stainless steel processed by high-pressure torsion. <i>Acta Materialia</i> , 2014, 63, 16-29.	3.8	90
189	Strengthening and grain refinement in an Al-6061 metal matrix composite through intense plastic straining. <i>Scripta Materialia</i> , 1998, 40, 117-122.	2.6	89
190	Developing superplasticity in a magnesium AZ31 alloy by ECAP. <i>Journal of Materials Science</i> , 2008, 43, 7366-7371.	1.7	89
191	Enhanced grain growth in an Al-Mg alloy with ultrafine grain size. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1996, 216, 41-46.	2.6	88
192	The evolution of delta-phase in a superplastic Inconel 718 alloy. <i>Journal of Materials Science</i> , 2007, 42, 421-427.	1.7	88
193	Correlation between microstructure and mechanical properties of severely deformed metals. <i>Journal of Alloys and Compounds</i> , 2009, 483, 271-274.	2.8	88
194	An investigation of grain boundary sliding in superplasticity at high elongations. <i>Journal of Materials Science</i> , 1988, 23, 2712-2722.	1.7	86
195	Achieving Exceptional Grain Refinement through Severe Plastic Deformation: New Approaches for Improving the Processing Technology. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2011, 42, 2942-2951.	1.1	85
196	Superplasticity of a nano-grained Mg-Gd-Y-Zr alloy processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016, 651, 786-794.	2.6	85
197	Grain refinement and superplastic flow in an aluminum alloy processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005, 408, 141-146.	2.6	84
198	Characteristics of face-centered cubic metals processed by equal-channel angular pressing. <i>Journal of Materials Science</i> , 2007, 42, 1594-1605.	1.7	84

#	ARTICLE	IF	CITATIONS
199	Equal-channel angular pressing: A novel tool for microstructural control. <i>Metals and Materials International</i> , 1998, 4, 1181-1190.	0.2	83
200	Significance of Microstructural Control for Superplastic Deformation and Forming. <i>Materials Transactions, JIM</i> , 1996, 37, 336-339.	0.9	82
201	Achieving exceptional superplasticity in a bulk aluminum alloy processed by high-pressure torsion. <i>Scripta Materialia</i> , 2008, 58, 1029-1032.	2.6	82
202	Processing of nanostructured metals and alloys via plastic deformation. <i>MRS Bulletin</i> , 2010, 35, 977-981.	1.7	82
203	Significance of stacking fault energy on microstructural evolution in Cu and Cu-Al alloys processed by high-pressure torsion. <i>Philosophical Magazine</i> , 2011, 91, 3307-3326.	0.7	82
204	Development of structural heterogeneities in a magnesium alloy processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 528, 4500-4506.	2.6	82
205	A unified interpretation of threshold stresses in the creep and high strain rate superplasticity of metal matrix composites. <i>Acta Materialia</i> , 1999, 47, 3395-3403.	3.8	81
206	Equal-channel angular pressing using plate samples. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003, 361, 258-266.	2.6	81
207	Microstructural development in equal-channel angular pressing using a 60° die. <i>Acta Materialia</i> , 2004, 52, 2497-2507.	3.8	81
208	The development of hardness homogeneity in pure aluminum and aluminum alloy disks processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 529, 345-351.	2.6	81
209	Structural impact on the Hall-Petch relationship in an Al-Mg alloy processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015, 626, 9-15.	2.6	81
210	The significance of self-annealing at room temperature in high purity copper processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016, 656, 55-66.	2.6	81
211	Exceptional ductility in the superplastic Pb-62 Pct Sn eutectic. <i>Metallurgical and Materials Transactions A - Physical Metallurgy and Materials Science</i> , 1977, 8, 1832-1833.	1.4	80
212	Principles of self-annealing in silver processed by equal-channel angular pressing: The significance of a very low stacking fault energy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010, 527, 752-760.	2.6	80
213	Using grain boundary engineering to evaluate the diffusion characteristics in ultrafine-grained Al-Mg and Al-Zn alloys. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004, 371, 241-250.	2.6	79
214	The corrosion behaviour of commercial purity titanium processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2014, 49, 2824-2831.	1.7	79
215	Factors influencing the flow and hardness of materials with ultrafine grain sizes. <i>Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties</i> , 1998, 78, 203-216.	0.8	78
216	Creep at low stresses: An evaluation of diffusion creep and Harper-Dorn creep as viable creep mechanisms. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2002, 33, 249-259.	1.1	78

#	ARTICLE	IF	CITATIONS
217	Characteristics of superplasticity in an ultrafine-grained aluminum alloy processed by ECA pressing. <i>Scripta Materialia</i> , 2003, 49, 467-472.	2.6	78
218	Effect of severe plastic deformation on the biocompatibility and corrosion rate of pure magnesium. <i>Journal of Materials Science</i> , 2017, 52, 5992-6003.	1.7	77
219	Effect of crystallographic texture and twinning on the corrosion behavior of Mg alloys: A review. <i>Journal of Magnesium and Alloys</i> , 2022, 10, 313-325.	5.5	77
220	The development of hardness homogeneity in aluminum and an aluminum alloy processed by ECAP. <i>Journal of Materials Science</i> , 2007, 42, 1542-1550.	1.7	76
221	The contributions of grain size, dislocation density and twinning to the strength of a magnesium alloy processed by ECAP. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010, 528, 533-538.	2.6	76
222	Evidence for cavitation in the superplastic Zn-22 Pct Al eutectoid. <i>Metallurgical and Materials Transactions A - Physical Metallurgy and Materials Science</i> , 1977, 8, 523-525.	1.4	75
223	Creep behavior of an aluminum 2024 alloy produced by powder metallurgy. <i>Acta Materialia</i> , 1997, 45, 529-540.	3.8	75
224	Effect of stacking fault energy on strength and ductility of nanostructured alloys: An evaluation with minimum solution hardening. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009, 525, 83-86.	2.6	75
225	Creep behavior of a reinforced Al-7005 alloy: Implications for the creep processes in metal matrix composites. <i>Acta Materialia</i> , 1998, 46, 1143-1155.	3.8	74
226	An Evaluation of Superplasticity in Aluminum-Scandium Alloys Processed by Equal-Channel Angular Pressing. <i>Materials Transactions, JIM</i> , 1999, 40, 772-778.	0.9	74
227	Significance of strain reversals in a two-phase alloy processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010, 527, 7008-7016.	2.6	74
228	Evolution of Strength and Homogeneity in a Magnesium AZ31 Alloy Processed by High-Pressure Torsion at Different Temperatures. <i>Advanced Engineering Materials</i> , 2012, 14, 1018-1026.	1.6	74
229	Evolution in hardness and texture of a ZK60A magnesium alloy processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015, 630, 90-98.	2.6	74
230	Effect of temperature rise on microstructural evolution during high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 714, 167-171.	2.6	74
231	Characteristics of creep deformation in ceramics. <i>Materials Science and Technology</i> , 1991, 7, 577-584.	0.8	73
232	Characteristics of diffusion in Al-Mg alloys with ultrafine grain sizes. <i>Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties</i> , 2002, 82, 2249-2262.	0.8	73
233	The role of back pressure in the processing of pure aluminum by equal-channel angular pressing. <i>Acta Materialia</i> , 2007, 55, 2351-2360.	3.8	73
234	Particle and grain growth in an Al-Si alloy during high-pressure torsion. <i>Scripta Materialia</i> , 2007, 57, 763-765.	2.6	73



#	ARTICLE	IF	CITATIONS
235	Strategies for achieving high strain rate superplasticity in magnesium alloys processed by equal-channel angular pressing. <i>Scripta Materialia</i> , 2009, 61, 84-87.	2.6	73
236	Developing superplasticity and a deformation mechanism map for the Zn-Al eutectoid alloy processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 528, 6140-6145.	2.6	73
237	Effect of short-term annealing on the microstructures and flow properties of an Al-1% Mg alloy processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014, 615, 231-239.	2.6	73
238	Microstructural evolution and the mechanical properties of an aluminum alloy processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2012, 47, 7789-7795.	1.7	72
239	Introducing a strain-hardening capability to improve the ductility of bulk metallic glasses via severe plastic deformation. <i>Acta Materialia</i> , 2012, 60, 253-260.	3.8	72
240	An investigation of Harper-Dorn creep. II. The flow process. <i>Acta Metallurgica</i> , 1982, 30, 881-887.	2.1	71
241	Developing a strategy for the processing of age-hardenable alloys by ECAP at room temperature. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009, 516, 248-252.	2.6	71
242	The Art and Science of Tailoring Materials by Nanostructuring for Advanced Properties Using SPD Techniques. <i>Advanced Engineering Materials</i> , 2010, 12, 677-691.	1.6	71
243	Optimizing strength and ductility of Cu-Zn alloys through severe plastic deformation. <i>Scripta Materialia</i> , 2012, 67, 871-874.	2.6	71
244	Microstructures, strengthening mechanisms and fracture behavior of Cu-Ag alloys processed by high-pressure torsion. <i>Acta Materialia</i> , 2012, 60, 269-281.	3.8	71
245	Microhardness evolution and mechanical characteristics of commercial purity titanium processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014, 614, 223-231.	2.6	71
246	The effect of grain size on the annealing-induced phase transformation in an Al <sub>0.3</sub> CoCrFeNi high entropy alloy. <i>Materials and Design</i> , 2016, 105, 381-385.	3.3	71
247	Requirements for achieving high-strain-rate superplasticity in cast aluminium alloys. <i>Philosophical Magazine Letters</i> , 1998, 78, 313-316.	0.5	70
248	Flow processes at low temperatures in ultrafine-grained aluminum. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006, 434, 326-334.	2.6	70
249	Microstructure, phase composition and hardness evolution in 316L stainless steel processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016, 657, 215-223.	2.6	70
250	An examination of the flow process in superplastic yttria-stabilized tetragonal zirconia. <i>Acta Materialia</i> , 1999, 47, 2485-2495.	3.8	68
251	Microstructures and textures of a Cu-Ni-Si alloy processed by high-pressure torsion. <i>Journal of Alloys and Compounds</i> , 2013, 574, 361-367.	2.8	68
252	Modeling the temperature rise in high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014, 593, 185-188.	2.6	68



#	ARTICLE	IF	CITATIONS
253	Using high-pressure torsion to process an aluminum–magnesium nanocomposite through diffusion bonding. <i>Journal of Materials Research</i> , 2016, 31, 88-99.	1.2	68
254	The role of matrix dislocations in the superplastic deformation of a copper alloy. <i>Acta Metallurgica</i> , 1986, 34, 1203-1214.	2.1	67
255	The role of grain boundaries in high temperature deformation. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1993, 166, 67-79.	2.6	67
256	Microstructural Evolution in Pure Aluminum in the Early Stages of Processing by High-Pressure Torsion. <i>Materials Transactions</i> , 2010, 51, 2-7.	0.4	67
257	Hardness homogeneity on longitudinal and transverse sections of an aluminum alloy processed by ECAP. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 528, 3833-3840.	2.6	67
258	Grain boundary structure in Al–Mg and Al–Mg–Sc alloys after equal-channel angular pressing. <i>Journal of Materials Research</i> , 2001, 16, 583-589.	1.2	66
259	Severe plastic deformation as a processing tool for developing superplastic metals. <i>Journal of Alloys and Compounds</i> , 2004, 378, 27-34.	2.8	66
260	Using ring samples to evaluate the processing characteristics in high-pressure torsion. <i>Acta Materialia</i> , 2009, 57, 1147-1153.	3.8	66
261	Structure and mechanical properties of commercial purity titanium processed by ECAP at room temperature. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 528, 7708-7714.	2.6	66
262	Effect of Ti on phase stability and strengthening mechanisms of a nanocrystalline CoCrFeMnNi high-entropy alloy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 725, 196-206.	2.6	66
263	Evaluating the influence of pressure and torsional strain on processing by high-pressure torsion. <i>Journal of Materials Science</i> , 2008, 43, 7286-7292.	1.7	65
264	Microstructure and tensile strength of grade 2 titanium processed by equal-channel angular pressing and by rolling. <i>Journal of Materials Science</i> , 2012, 47, 7870-7876.	1.7	65
265	Principles of severe plastic deformation using tube high-pressure shearing. <i>Scripta Materialia</i> , 2012, 67, 810-813.	2.6	65
266	The Strength–Grain Size Relationship in Ultrafine-Grained Metals. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2016, 47, 5827-5838.	1.1	65
267	The influence of grain size and strain rate on the mechanical behavior of pure magnesium. <i>Journal of Materials Science</i> , 2016, 51, 3013-3024.	1.7	65
268	Heterostructured stainless steel: Properties, current trends, and future perspectives. <i>Materials Science and Engineering Reports</i> , 2022, 150, 100691.	14.8	65
269	The evolution of homogeneity on longitudinal sections during processing by ECAP. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008, 480, 449-455.	2.6	64
270	Unusual macroscopic shearing patterns observed in metals processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2010, 45, 4545-4553.	1.7	64

#	ARTICLE	IF	CITATIONS
271	Wear resistance of an ultrafine-grained Cu-Zr alloy processed by equal-channel angular pressing. <i>Wear</i> , 2015, 326-327, 10-19.	1.5	64
272	Influence of grain size on the flow properties of an Al-Mg-Sc alloy over seven orders of magnitude of strain rate. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 685, 367-376.	2.6	64
273	The mechanical properties of a superplastic quasi-single phase copper alloy. <i>Acta Metallurgica</i> , 1978, 26, 639-646.	2.1	63
274	A comparison of the creep properties of an Al-6092 composite and the unreinforced matrix alloy. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 1998, 29, 2523-2531.	1.1	63
275	On the relation between the microstructure and the mechanical behavior of pure Zn processed by high pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013, 562, 196-202.	2.6	63
276	Correlation between hydrogen storage properties and textures induced in magnesium through ECAP and cold rolling. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 3810-3821.	3.8	63
277	The mechanism of creep in polycrystalline magnesium oxide. <i>Acta Metallurgica</i> , 1970, 18, 505-510.	2.1	62
278	An analysis of cavity growth during superplasticity. <i>Metallurgical and Materials Transactions A - Physical Metallurgy and Materials Science</i> , 1979, 10, 1869-1874.	1.4	62
279	Grain refinement and superplasticity in a magnesium alloy processed by equal-channel angular pressing. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2005, 36, 1705-1711.	1.1	62
280	A visualization of shear strain in processing by high-pressure torsion. <i>Journal of Materials Science</i> , 2010, 45, 765-770.	1.7	62
281	Avoiding cracks and inhomogeneities in billets processed by ECAP. <i>Journal of Materials Science</i> , 2010, 45, 4561-4570.	1.7	62
282	Influence of strain rate on the characteristics of a magnesium alloy processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 528, 3601-3608.	2.6	62
283	The shape of grains in a polycrystal. <i>Metallography</i> , 1969, 2, 171-178.	0.4	61
284	Estimating the equivalent strain in equal-channel angular pressing. <i>Scripta Materialia</i> , 2001, 44, 575-579.	2.6	61
285	Microstructural evolution in an aluminum solid solution alloy processed by ECAP. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 528, 6059-6065.	2.6	61
286	Review: achieving superplasticity in metals processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2014, 49, 6487-6496.	1.7	61
287	An Unusual Extrusion Texture in Mg-Gd-Y-Zr Alloys. <i>Advanced Engineering Materials</i> , 2016, 18, 1044-1049.	1.6	61
288	Annealing effect on plastic flow in nanocrystalline CoCrFeMnNi high-entropy alloy: A nanomechanical analysis. <i>Acta Materialia</i> , 2017, 140, 443-451.	3.8	61

#	ARTICLE	IF	CITATIONS
289	Mechanical characteristics of a Zn~22% Al alloy processed to very high strains by ECAP. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006, 429, 324-328.	2.6	60
290	Microhardness, microstructure and tensile behavior of an AZ31 magnesium alloy processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2015, 50, 7424-7436.	1.7	60
291	Using heat treatments, high-pressure torsion and post-deformation annealing to optimize the properties of Ti-6Al-4V alloys. <i>Acta Materialia</i> , 2017, 141, 419-426.	3.8	60
292	Effect of a minor titanium addition on the superplastic properties of a CoCrFeNiMn high-entropy alloy processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 718, 468-476.	2.6	60
293	A critical assessment of flow and cavity formation in a superplastic yttria-stabilized zirconia. <i>Acta Metallurgica Et Materialia</i> , 1994, 42, 2753-2761.	1.9	59
294	Achieving superplasticity in ultrafine-grained copper: influence of Zn and Zr additions. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003, 352, 129-135.	2.6	59
295	Effect of strain reversals on the processing of high-purity aluminum by high-pressure torsion. <i>Journal of Materials Science</i> , 2010, 45, 4583-4593.	1.7	59
296	Microstructural evolution and mechanical properties of a Cu~Zr alloy processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 528, 7715-7722.	2.6	59
297	Processing of an ultrafine-grained titanium by high-pressure torsion: An evaluation of the wear properties with and without a TiN coating. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2013, 17, 166-175.	1.5	59
298	Interpretation of hardness evolution in metals processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2014, 49, 6586-6596.	1.7	59
299	Rapid synthesis of an extra hard metal matrix nanocomposite at ambient temperature. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015, 635, 109-117.	2.6	59
300	Low-temperature superplasticity in a Cu~Zn~Sn alloy processed by severe plastic deformation. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2001, 307, 23-28.	2.6	58
301	Processing of a magnesium alloy by equal-channel angular pressing using a back-pressure. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009, 527, 205-211.	2.6	58
302	Achieving homogeneity in a Cu~Zr alloy processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2012, 47, 7782-7788.	1.7	58
303	Grain boundary formation by remnant dislocations from the de-twinning of thin nano-twins. <i>Scripta Materialia</i> , 2015, 100, 98-101.	2.6	58
304	Flow localization and neck formation in a superplastic metal. <i>Acta Metallurgica</i> , 1981, 29, 911-920.	2.1	57
305	Microstructural examination of a superplastic yttria-stabilized zirconia: Implications for the superplasticity mechanism. <i>Acta Metallurgica Et Materialia</i> , 1995, 43, 1211-1218.	1.9	57
306	Deformation heating and its effect on grain size evolution during equal channel angular extrusion. <i>Scripta Materialia</i> , 2001, 44, 135-140.	2.6	57

#	ARTICLE	IF	CITATIONS
307	Influence of crystal orientation on ECAP of aluminum single crystals. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006, 420, 79-86.	2.6	57
308	Using X-ray microdiffraction to determine grain sizes at selected positions in disks processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 444, 153-156.	2.6	57
309	The processing of ultrafine-grained materials through the application of severe plastic deformation. <i>Journal of Materials Science</i> , 2007, 42, 3388-3397.	1.7	57
310	A critical evaluation of the processing of an aluminum 7075 alloy using a combination of ECAP and HPT. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014, 596, 52-58.	2.6	57
311	Neck formation and cavitation in the superplastic Zn-22% Al eutectoid. <i>Journal of Materials Science</i> , 1979, 14, 2913-2918.	1.7	56
312	High strain rate superplasticity in metal matrix composites: the role of load transfer. <i>Acta Materialia</i> , 1998, 46, 3937-3948.	3.8	56
313	Achieving superplasticity in a Cu-40%Zn alloy through severe plastic deformation. <i>Scripta Materialia</i> , 2001, 45, 965-970.	2.6	56
314	An Analysis of Flow Mechanisms in High Temperature Creep and Superplasticity. <i>Materials Transactions</i> , 2005, 46, 1951-1956.	0.4	56
315	Three-dimensional representations of hardness distributions after processing by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009, 503, 71-74.	2.6	56
316	Enhancement of strain-rate sensitivity and shear yield strength of a magnesium alloy processed by high-pressure torsion. <i>Scripta Materialia</i> , 2015, 94, 44-47.	2.6	56
317	Significance of grain refinement on microstructure and mechanical properties of an Al-3% Mg alloy processed by high-pressure torsion. <i>Journal of Alloys and Compounds</i> , 2016, 686, 998-1007.	2.8	56
318	Achieving enhanced ductility in a dilute magnesium alloy through severe plastic deformation. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2004, 35, 1735-1744.	1.1	55
319	Micro-mechanical and tribological properties of aluminum-magnesium nanocomposites processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 684, 318-327.	2.6	55
320	An evaluation of the flow behavior during high strain rate superplasticity in an Al-Mg-Sc alloy. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2001, 32, 707-716.	1.1	54
321	Developing a superplastic forming capability in a commercial aluminum alloy without scandium or zirconium additions. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003, 342, 294-301.	2.6	54
322	Direct observations of microstructural evolution in a two-phase Cu-Ag alloy processed by high-pressure torsion. <i>Scripta Materialia</i> , 2010, 63, 65-68.	2.6	54
323	Microstructural evolution and mechanical properties in a Zn-Al eutectoid alloy processed by high-pressure torsion. <i>Acta Materialia</i> , 2014, 72, 67-79.	3.8	54
324	Evolution of plasticity, strain-rate sensitivity and the underlying deformation mechanism in Zn-22% Al during high-pressure torsion. <i>Scripta Materialia</i> , 2014, 75, 102-105.	2.6	54

#	ARTICLE	IF	CITATIONS
325	Method of estimating stacking fault energies in alkali halide crystals using creep data. <i>Journal of Applied Physics</i> , 1974, 45, 1965-1967.	1.1	53
326	The influence of rolling direction on the mechanical behavior and formation of cavity stringers in the superplastic Zn-22% Al alloy. <i>Acta Metallurgica</i> , 1989, 37, 715-723.	2.1	53
327	Equal-channel angular pressing of an Al-6061 metal matrix composite. <i>Journal of Materials Science</i> , 2000, 35, 1201-1204.	1.7	53
328	Significance of twinning in the anisotropic behavior of a magnesium alloy processed by equal-channel angular pressing. <i>Scripta Materialia</i> , 2010, 63, 504-507.	2.6	53
329	Wear behavior of an aluminum alloy processed by equal-channel angular pressing. <i>Journal of Materials Science</i> , 2011, 46, 123-130.	1.7	53
330	Microstructural evolution and superplasticity in an Mg-Gd-Y-Zr alloy after processing by different SPD techniques. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 682, 577-585.	2.6	53
331	Fabrication of submicrometer-grained Zn-22% Al by torsion straining. <i>Journal of Materials Research</i> , 1996, 11, 2128-2130.	1.2	52
332	Analysis of plastic flow during high-pressure torsion. <i>Journal of Materials Science</i> , 2012, 47, 7807-7814.	1.7	52
333	Effect of heat treatment on microstructure and microhardness evolution in a Ti-6Al-4V alloy processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2013, 48, 4646-4652.	1.7	52
334	Processing of commercial purity titanium by ECAP using a 90 degrees die at room temperature. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014, 607, 482-489.	2.6	52
335	Effect of grain size and specimen dimensions on micro-forming of high purity aluminum. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015, 646, 207-217.	2.6	52
336	Electrochemical behavior of a magnesium ZK60 alloy processed by high-pressure torsion. <i>Corrosion Science</i> , 2019, 154, 90-100.	3.0	52
337	The deviation from creep by viscous glide in solid solution alloys at high stresses <sup>1</sup> . Characteristics of the dragging stress. <i>Acta Metallurgica</i> , 1984, 32, 1991-1999.	2.1	51
338	Fabrication and thermal stability of a nanocrystalline Ni-Al-Cr alloy: Comparison with pure Cu and Ni. <i>Journal of Materials Research</i> , 1999, 14, 4200-4207.	1.2	51
339	Influence of scandium on superplastic ductilities in an Al-Mg-Sc alloy. <i>Journal of Materials Research</i> , 2000, 15, 2571-2576.	1.2	51
340	Grain Boundary Sliding in a Superplastic Zinc-Aluminum Alloy Processed Using Severe Plastic Deformation. <i>Materials Transactions</i> , 2008, 49, 84-89.	0.4	51
341	Improving the fatigue behavior of dental implants through processing commercial purity titanium by equal-channel angular pressing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014, 619, 312-318.	2.6	51
342	Processing Magnesium and Its Alloys by High-Pressure Torsion: An Overview. <i>Advanced Engineering Materials</i> , 2019, 21, 1801039.	1.6	51

#	ARTICLE	IF	CITATIONS
343	Thermal stability and microstructural evolution in ultrafine-grained nickel after equal-channel angular pressing (ECAP). <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2002, 33, 1865-1868.	1.1	50
344	Flow and cavitation in a quasi-superplastic two-phase magnesium–lithium alloy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006, 429, 334-340.	2.6	50
345	Stable and Unstable Flow in Materials Processed by Equal-Channel Angular Pressing with an Emphasis on Magnesium Alloys. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2010, 41, 778-786.	1.1	50
346	Flow mechanisms in ultrafine-grained metals with an emphasis on superplasticity. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 528, 6624-6629.	2.6	50
347	Microstructural stability and grain growth kinetics in an extruded fine-grained Mg–Gd–Y–Zr alloy. <i>Journal of Materials Science</i> , 2015, 50, 4940-4951.	1.7	50
348	Hardness homogeneity and micro-tensile behavior in a magnesium AZ31 alloy processed by equal-channel angular pressing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013, 586, 108-114.	2.6	49
349	Superplasticity of a fine-grained Mg–9Gd–4Y–0.4Zr alloy evaluated using shear punch testing. <i>Journal of Materials Research and Technology</i> , 2014, 3, 228-232.	2.6	49
350	Orientation imaging microscopy and microhardness in a ZK60 magnesium alloy processed by high-pressure torsion. <i>Journal of Alloys and Compounds</i> , 2017, 712, 185-193.	2.8	49
351	Creep of polycrystalline lithium fluoride. <i>Philosophical Magazine and Journal</i> , 1968, 18, 1181-1192.	1.8	48
352	Influence of high-pressure torsion on microstructural evolution in an Al–Zn–Mg–Cu alloy. <i>Journal of Materials Science</i> , 2010, 45, 4621-4630.	1.7	48
353	Micro-deformation behavior in micro-compression with high-purity aluminum processed by ECAP. <i>Manufacturing Review</i> , 2015, 2, 1.	0.9	48
354	Deformation mechanisms in ultrafine-grained metals with an emphasis on the Hall–Petch relationship and strain rate sensitivity. <i>Journal of Materials Research and Technology</i> , 2021, 14, 137-159.	2.6	48
355	The distribution of grain diameters in polycrystalline magnesium oxide. <i>Metallography</i> , 1969, 1, 333-340.	0.4	47
356	The significance of grain boundary sliding in the superplastic Zn–22% Al alloy after processing by ECAP. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005, 410-411, 447-450.	2.6	47
357	Using differential scanning calorimetry as an analytical tool for ultrafine grained metals processed by severe plastic deformation. <i>Materials Science and Technology</i> , 2009, 25, 687-698.	0.8	47
358	Comparison of microstructures and mechanical properties of a Cu–Ag alloy processed using different severe plastic deformation modes. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 528, 4331-4336.	2.6	47
359	Twenty-five years of severe plastic deformation: recent developments in evaluating the degree of homogeneity through the thickness of disks processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2012, 47, 7719-7725.	1.7	47
360	Effect of aging on microstructural development in an Al–Mg–Si alloy processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2012, 47, 7815-7820.	1.7	47



#	ARTICLE	IF	CITATIONS
361	Indentation and scratch testing of DLC-Zr coatings on ultrafine-grained titanium processed by high-pressure torsion. <i>Wear</i> , 2013, 306, 304-310.	1.5	47
362	The nucleation and growth of cavities in a superplastic quasi-single phase copper alloy. <i>Acta Metallurgica Et Materialia</i> , 1990, 38, 867-877.	1.9	46
363	Strain-path effects on the evolution of microstructure and texture during the severe-plastic deformation of aluminum. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2006, 37, 2879-2891.	1.1	46
364	An evaluation of microstructure and microhardness in copper subjected to ultra-high strains. <i>Journal of Materials Science</i> , 2008, 43, 7451-7456.	1.7	46
365	Formation of fivefold deformation twins in an ultrafine-grained copper alloy processed by high-pressure torsion. <i>Scripta Materialia</i> , 2011, 64, 249-252.	2.6	46
366	Laser compression of nanocrystalline tantalum. <i>Acta Materialia</i> , 2013, 61, 7767-7780.	3.8	46
367	Influence of phase volume fractions on the processing of a Ti-6Al-4V alloy by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013, 559, 861-867.	2.6	46
368	A critical examination of pure tantalum processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015, 638, 174-182.	2.6	46
369	Shape memory effect in nanocrystalline NiTi alloy processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015, 626, 203-206.	2.6	46
370	Bulk-State Reactions and Improving the Mechanical Properties of Metals through High-Pressure Torsion. <i>Materials Transactions</i> , 2019, 60, 1131-1138.	0.4	46
371	Strain hardening and softening in a nanocrystalline Ni-Fe alloy induced by severe plastic deformation. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 528, 3398-3403.	2.6	45
372	Processing a twinning-induced plasticity steel by high-pressure torsion. <i>Scripta Materialia</i> , 2012, 67, 649-652.	2.6	45
373	Microstructural evolution in two-phase alloys processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2013, 48, 4582-4591.	1.7	45
374	An examination of microstructural evolution in a Cu-Ni-Si alloy processed by HPT and ECAP. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013, 576, 149-155.	2.6	45
375	The processing of NiTi shape memory alloys by equal-channel angular pressing at room temperature. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013, 576, 178-184.	2.6	45
376	Texture evolution in high-pressure torsion processing. <i>Progress in Materials Science</i> , 2022, 125, 100886.	16.0	45
377	The dependence of grain-boundary sliding on shear stress. <i>Journal of Materials Science</i> , 1968, 3, 306-313.	1.7	44
378	Microstructural Control of an Al-Mg-Si Alloy Using Equal-Channel Angular Pressing. <i>Materials Science Forum</i> , 2002, 396-402, 333-338.	0.3	44



#	ARTICLE	IF	CITATIONS
379	Factors influencing microstructural development in equal-channel angular pressing. <i>Metals and Materials International</i> , 2003, 9, 141-149.	1.8	44
380	Microstructure and properties of a low-carbon steel processed by equal-channel angular pressing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005, 410-411, 312-315.	2.6	44
381	Characterization of creep properties and creep textures in pure aluminum processed by equal-channel angular pressing. <i>Acta Materialia</i> , 2008, 56, 2307-2317.	3.8	44
382	Deformation Heterogeneity on the Cross-Sectional Planes of a Magnesium Alloy Processed by High-Pressure Torsion. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2011, 42, 3013-3021.	1.1	44
383	Effects of equal-channel angular pressing and accumulative roll-bonding on hydrogen storage properties of a commercial ZK60 magnesium alloy. <i>International Journal of Hydrogen Energy</i> , 2015, 40, 16971-16976.	3.8	44
384	Fracture toughness at cryogenic temperatures of ultrafine-grained Ti-6Al-4V alloy processed by ECAP. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 716, 260-267.	2.6	44
385	Creep fracture maps for 316 stainless steel. <i>Metallurgical and Materials Transactions A - Physical Metallurgy and Materials Science</i> , 1979, 10, 1635-1641.	1.4	43
386	Identifying creep mechanisms in plastic flow. <i>International Journal of Materials Research</i> , 2005, 96, 522-531.	0.8	43
387	Evaluating plastic anisotropy in two aluminum alloys processed by equal-channel angular pressing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008, 497, 206-211.	2.6	43
388	Superplastic flow in a nanostructured aluminum alloy produced using high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009, 500, 170-175.	2.6	43
389	Microstructural evolution in ultrafine-grained titanium processed by high-pressure torsion under different pressures. <i>Journal of Materials Science</i> , 2014, 49, 6558-6564.	1.7	43
390	The determination of the activation energy for superplastic flow. <i>Physica Status Solidi A</i> , 1976, 33, 375-381.	1.7	42
391	Comments on theories of structural superplasticity. <i>Materials Science and Engineering</i> , 1978, 36, 27-33.	0.1	42
392	Achieving superplasticity in ultrafine-grained metals. <i>Mechanics of Materials</i> , 2013, 67, 2-8.	1.7	42
393	Mechanical behavior and microstructure properties of titanium powder consolidated by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 688, 498-504.	2.6	42
394	Nano- and Micro-Mechanical Properties of Ultrafine-Grained Materials Processed by Severe Plastic Deformation Techniques. <i>Advanced Engineering Materials</i> , 2017, 19, 1600578.	1.6	42
395	The Effect of High-Pressure Torsion on Microstructure, Hardness and Corrosion Behavior for Pure Magnesium and Different Magnesium Alloys. <i>Advanced Engineering Materials</i> , 2019, 21, 1801081.	1.6	42
396	Factors Influencing the Exceptional Ductility of a Superplastic Pb-62 pct Sn alloy. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 1994, 25, 2309-2311.	1.1	41

#	ARTICLE	IF	CITATIONS
397	Developing Ultrafine Grain Sizes Using Severe Plastic Deformation. <i>Advanced Engineering Materials</i> , 2001, 3, 121-125.	1.6	41
398	Mechanical Properties of Bulk Nanocrystalline Aluminum-Tungsten Alloys. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2008, 39, 2528-2534.	1.1	41
399	Microstructural evolution and electro-resistivity in HPT nickel. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012, 556, 437-445.	2.6	41
400	Fabrication of nanocomposites through diffusion bonding under high-pressure torsion. <i>Journal of Materials Research</i> , 2018, 33, 2700-2710.	1.2	41
401	Abnormal grain growth in a Zn-0.8Ag alloy after processing by high-pressure torsion. <i>Acta Materialia</i> , 2021, 207, 116667.	3.8	41
402	Cyclic grain boundary migration during high temperature fatigue. Microstructural observations. <i>Acta Metallurgica</i> , 1983, 31, 927-938.	2.1	40
403	Using atomic force microscopy to evaluate the development of mesoscopic shear planes in materials processed by severe plastic deformation. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003, 358, 114-121.	2.6	40
404	An investigation of cavity growth in a superplastic aluminum alloy processed by ECAP. <i>Acta Materialia</i> , 2005, 53, 5353-5364.	3.8	40
405	Constructing a deformation mechanism map for a superplastic Pb-Sn alloy processed by equal-channel angular pressing. <i>Scripta Materialia</i> , 2009, 61, 963-966.	2.6	40
406	The evolution of damage in perfect-plastic and strain hardening materials processed by equal-channel angular pressing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009, 518, 124-131.	2.6	40
407	Development of hardness homogeneity and superplastic behavior in an aluminum-copper eutectic alloy processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013, 561, 118-125.	2.6	40
408	Microstructure, Texture, and Superplasticity of a Fine-Grained Mg-Gd-Zr Alloy Processed by Equal-Channel Angular Pressing. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2016, 47, 6056-6069.	1.1	40
409	Developing superplasticity in an aluminum matrix composite processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016, 655, 36-43.	2.6	40
410	Bulk Nanostructured Materials. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2017, 48, 5181-5199.	1.1	40
411	Texture and microhardness of Mg-Rare Earth (Nd and Ce) alloys processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 724, 477-485.	2.6	40
412	Effect of high-pressure torsion on microstructure, mechanical properties and corrosion resistance of cast pure Mg. <i>Journal of Materials Science</i> , 2018, 53, 16585-16597.	1.7	40
413	The portevin-le chatelier effect in Cu <sub>3</sub> Au. <i>Acta Metallurgica</i> , 1974, 22, 325-332.	2.1	39
414	Evidence for cavitation in superplastic Zn-22 pct Ai of very high purity. <i>Metallurgical and Materials Transactions A - Physical Metallurgy and Materials Science</i> , 1978, 9, 1688-1690.	1.4	39

#	ARTICLE	IF	CITATIONS
415	Creep behavior of an AZ91 magnesium alloy reinforced with alumina fibers. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 1999, 30, 2059-2066.	1.1	39
416	Characterization of deformation processes in a Zn-22% Al alloy using atomic force microscopy. <i>Journal of Materials Science</i> , 2002, 37, 4993-4998.	1.7	39
417	Influence of grain size on the density of deformation twins in Cu-30%Zn alloy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010, 527, 3942-3948.	2.6	39
418	The development of hardness homogeneity in a Cu-Zr alloy processed by equal-channel angular pressing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012, 556, 526-532.	2.6	39
419	Fabricating Ultrafine-Grained Materials through the Application of Severe Plastic Deformation: a Review of Developments in Brazil. <i>Journal of Materials Research and Technology</i> , 2012, 1, 55-62.	2.6	39
420	Microstructural evolution in a Cu-Zr alloy processed by a combination of ECAP and HPT. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013, 579, 126-135.	2.6	39
421	Evolution of microstructure and hardness in an AZ80 magnesium alloy processed by high-pressure torsion. <i>Journal of Materials Research and Technology</i> , 2016, 5, 152-158.	2.6	39
422	Stored energy in ultrafine-grained 316L stainless steel processed by high-pressure torsion. <i>Journal of Materials Research and Technology</i> , 2017, 6, 339-347.	2.6	39
423	Low stress creep behavior: An examination of Nabarro-Herring and Harper-Dorn creep. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1996, 216, 20-29.	2.6	38
424	Fundamental aspects of creep in metal matrix composites. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 1999, 30, 315-324.	1.1	38
425	Creep properties of an Al-2024 composite reinforced with SiC particulates. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002, 328, 39-47.	2.6	38
426	Texture evolution by shear on two planes during ECAP of a high-strength aluminum alloy. <i>Acta Materialia</i> , 2008, 56, 3800-3809.	3.8	38
427	Microstructural evolution of Fe-rich particles in an Al-Zn-Mg-Cu alloy during equal-channel angular pressing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010, 527, 4742-4749.	2.6	38
428	Evolution of texture in a magnesium alloy processed by ECAP through dies with different angles. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010, 527, 1709-1718.	2.6	38
429	De-twinning via secondary twinning in face-centered cubic alloys. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013, 578, 110-114.	2.6	38
430	An in situ synchrotron X-ray diffraction study of precipitation kinetics in a severely deformed Cu-Ni-Si alloy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014, 597, 288-294.	2.6	38
431	An evaluation of the saturation hardness in an ultrafine-grained aluminum 7075 alloy processed using different techniques. <i>Journal of Materials Science</i> , 2015, 50, 4357-4365.	1.7	38
432	High-Cycle Fatigue Behavior of an Ultrafine-Grained Ti-6Al-4V Alloy Processed by ECAP and Extrusion. <i>Advanced Engineering Materials</i> , 2016, 18, 2057-2062.	1.6	38

#	ARTICLE	IF	CITATIONS
433	Characteristics of the allotropic phase transformation in titanium processed by high-pressure torsion using different rotation speeds. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016, 667, 293-299.	2.6	38
434	Direct influence of recovery behaviour on mechanical properties in oxygen-free copper processed using different SPD techniques: HPT and ECAP. <i>Journal of Materials Research and Technology</i> , 2017, 6, 369-377.	2.6	38
435	Mechanical properties of an Al-Zn-Mg alloy processed by ECAP and heat treatments. <i>Journal of Alloys and Compounds</i> , 2018, 769, 631-639.	2.8	38
436	The incorporation of ambipolar diffusion in deformation mechanism maps for ceramics. <i>Journal of Materials Science</i> , 1978, 13, 473-482.	1.7	37
437	Superplasticity of steels and ferrous alloys. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1990, 128, 1-13.	2.6	37
438	Using intense plastic straining for high-strain-rate superplasticity. <i>Jom</i> , 1998, 50, 41-45.	0.9	37
439	An examination of a substructure-invariant model for the creep of metal matrix composites. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1999, 265, 276-284.	2.6	37
440	Achieving a Superplastic Forming Capability through Severe Plastic Deformation. <i>Advanced Engineering Materials</i> , 2003, 5, 359-364.	1.6	37
441	The aging characteristics of an Al-Ag alloy processed by equal-channel angular pressing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006, 437, 240-247.	2.6	37
442	Structural and hardness inhomogeneities in Mg-Al-Zn alloys processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2013, 48, 4661-4670.	1.7	37
443	Evaluating the textural and mechanical properties of an Mg-Dy alloy processed by high-pressure torsion. <i>Journal of Alloys and Compounds</i> , 2019, 778, 61-71.	2.8	37
444	Low-temperature deformation and dislocation mobility in pure and Mg-doped LiF crystals. <i>Philosophical Magazine and Journal</i> , 1974, 30, 145-160.	1.8	36
445	Cavitation in a Superplastic Al-Zn-Mg Alloy. <i>Transactions of the Japan Institute of Metals</i> , 1980, 21, 123-126.	0.5	36
446	Microstructural characteristics of an ultrafine grain metal processed with equal-channel angular pressing. <i>Materials Characterization</i> , 1996, 37, 277-283.	1.9	36
447	Age hardening and the potential for superplasticity in a fine-grained Al-Mg-Li-Zr alloy. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 1998, 29, 169-177.	1.1	36
448	Factors influencing superplastic behavior in a magnesium ZK60 alloy processed by equal-channel angular pressing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009, 503, 141-144.	2.6	36
449	Evolution of microstructure and hardness in NiTi shape memory alloys processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2014, 49, 2998-3009.	1.7	36
450	The contribution of grain boundary sliding in tensile deformation of an ultrafine-grained aluminum alloy having high strength and high ductility. <i>Journal of Materials Science</i> , 2015, 50, 3549-3561.	1.7	36

#	ARTICLE	IF	CITATIONS
451	Mechanical behavior and impact toughness of the ultrafine-grained Grade 5 Ti alloy processed by ECAP. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 696, 166-173.	2.6	36
452	Dependence of Creep Rate on Porosity. <i>Journal of the American Ceramic Society</i> , 1972, 55, 630-631.	1.9	35
453	An evaluation of the rate-controlling flow process in Harper-Dorn creep. <i>Acta Metallurgica Et Materialia</i> , 1994, 42, 2487-2492.	1.9	35
454	An examination of the effect of processing procedure on the creep of metal matrix composites. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1998, 245, 1-9.	2.6	35
455	Microstructural characteristics of nickel processed to ultrahigh strains by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008, 489, 207-212.	2.6	35
456	Enhancement in mechanical properties of a $\beta$ -titanium alloy by high-pressure torsion. <i>Journal of Materials Research and Technology</i> , 2015, 4, 79-83.	2.6	35
457	Microstructure and microhardness of an Al-6061 metal matrix composite processed by high-pressure torsion. <i>Materials Characterization</i> , 2016, 118, 270-278.	1.9	35
458	Effect of ECAP processing on microstructure evolution and dynamic compressive behavior at different temperatures in an Al-Zn-Mg alloy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 684, 617-625.	2.6	35
459	Characterization of precipitates in an Al-Zn-Mg alloy processed by ECAP and subsequent annealing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 712, 146-156.	2.6	35
460	Development of a magnesium-alumina composite through cold consolidation of machining chips by high-pressure torsion. <i>Journal of Alloys and Compounds</i> , 2019, 780, 422-427.	2.8	35
461	Microstructure and mechanical properties of a Zn-0.5Cu alloy processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020, 776, 139047.	2.6	35
462	Grain boundary displacements due to diffusional creep. <i>Scripta Metallurgica</i> , 1970, 4, 563-566.	1.2	34
463	A model investigation of the shearing characteristics in equal-channel angular pressing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003, 347, 223-230.	2.6	34
464	Using Severe Plastic Deformation for the Processing of Advanced Engineering Materials. <i>Materials Transactions</i> , 2009, 50, 1613-1619.	0.4	34
465	Developing Processing Routes for the Equal-Channel Angular Pressing of Age-Hardenable Aluminum Alloys. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2010, 41, 802-809.	1.1	34
466	Plastic behavior of fcc metals over a wide range of strain: Macroscopic and microscopic descriptions and their relationship. <i>Acta Materialia</i> , 2011, 59, 2385-2391.	3.8	34
467	Effect of temperature on the processing of a magnesium alloy by high-pressure torsion. <i>Journal of Materials Science</i> , 2012, 47, 7796-7806.	1.7	34
468	Microstructure and microtexture in pure copper processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2013, 48, 4563-4572.	1.7	34

#	ARTICLE	IF	CITATIONS
469	Influence of annealing on ductility of ultrafine-grained titanium processed by equal-channel angular pressing“Conform and drawing. <i>MRS Communications</i> , 2013, 3, 249-253.	0.8	34
470	Achieving superplastic properties in a ZK10 magnesium alloy processed by equal-channel angular pressing. <i>Journal of Materials Research and Technology</i> , 2017, 6, 129-135.	2.6	34
471	Using Severe Plastic Deformation to Produce Nanostructured Materials with Superior Properties. <i>Annual Review of Materials Research</i> , 2022, 52, 357-382.	4.3	34
472	The activation energies for superplasticity. <i>Scripta Metallurgica</i> , 1977, 11, 575-579.	1.2	33
473	On the possibility of Harper-Dorn creep in non-metallic crystals. <i>Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties</i> , 1983, 47, L29-L33.	0.8	33
474	Creep processes in magnesium alloys and their composites. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2002, 33, 883-889.	1.1	33
475	Achieving superplastic behavior in fcc and hcp metals processed by equal-channel angular pressing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008, 493, 104-110.	2.6	33
476	Dry sliding wear of an AZ31 magnesium alloy processed by equal-channel angular pressing. <i>Journal of Materials Science</i> , 2013, 48, 4117-4127.	1.7	33
477	Influence of Anvil Alignment on Shearing Patterns in High-Pressure Torsion. <i>Advanced Engineering Materials</i> , 2013, 15, 747-755.	1.6	33
478	Microstructure and texture evolution in a magnesium alloy during processing by high-pressure torsion. <i>Materials Research</i> , 2013, 16, 577-585.	0.6	33
479	Wear resistance and electroconductivity in a Cu“0.3Cr“0.5Zr alloy processed by ECAP. <i>Journal of Materials Science</i> , 2017, 52, 305-313.	1.7	33
480	Grain refinement and superplastic flow in a fully lamellar Ti-6Al-4V alloy processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 732, 398-405.	2.6	33
481	Using Equal-Channel Angular Pressing for the Production of Superplastic Aluminum and Magnesium Alloys. <i>Journal of Materials Engineering and Performance</i> , 2004, 13, 683-690.	1.2	32
482	An analysis of the shear zone for metals deformed by equal-channel angular processing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005, 410-411, 239-242.	2.6	32
483	Processing by equal-channel angular pressing: Applications to grain boundary engineering. <i>Journal of Materials Science</i> , 2005, 40, 909-917.	1.7	32
484	Observations of unique plastic behavior in micro-pillars of an ultrafine-grained alloy. <i>MRS Communications</i> , 2012, 2, 75-78.	0.8	32
485	Influence of Pressing Temperature on Microstructure Evolution and Mechanical Behavior of Ultrafine-Grained Cu Processed by Equal-Channel Angular Pressing. <i>Advanced Engineering Materials</i> , 2012, 14, 185-194.	1.6	32
486	A theoretical and experimental evaluation of repetitive corrugation and straightening: Application to Al“Cu and Al“Cu“Sc alloys. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012, 534, 282-287.	2.6	32



#	ARTICLE	IF	CITATIONS
487	Fatigue Life and Failure Characteristics of an Ultrafine-Grained Ti-6Al-4V Alloy Processed by ECAP and Extrusion. <i>Advanced Engineering Materials</i> , 2014, 16, 1038-1043.	1.6	32
488	A critical examination of the paradox of strength and ductility in ultrafine-grained metals. <i>Journal of Materials Research</i> , 2014, 29, 2534-2546.	1.2	32
489	Micro-Mechanical Behavior of an Exceptionally Strong Metal Matrix Nanocomposite Processed by High-Pressure Torsion. <i>Advanced Engineering Materials</i> , 2016, 18, 1001-1008.	1.6	32
490	Factors influencing superplasticity in the Ti-6Al-4V alloy processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 718, 198-206.	2.6	32
491	Effect of grain size on strength and strain rate sensitivity in metals. <i>Journal of Materials Science</i> , 2022, 57, 5210-5229.	1.7	32
492	The relationship between strain rate sensitivity and ductility in superplastic materials. <i>Scripta Metallurgica</i> , 1977, 11, 997-1000.	1.2	31
493	Texture evolution in an aluminum alloy processed by ECAP with concurrent precipitate fragmentation. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008, 473, 219-225.	2.6	31
494	Tribology testing of ultrafine-grained Ti processed by high-pressure torsion with subsequent coating. <i>Journal of Materials Science</i> , 2013, 48, 4742-4748.	1.7	31
495	Annealing behavior and shape memory effect in NiTi alloy processed by equal-channel angular pressing at room temperature. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015, 629, 16-22.	2.6	31
496	Exceptionally high strength and good ductility in an ultrafine-grained 316L steel processed by severe plastic deformation and subsequent annealing. <i>Materials Letters</i> , 2018, 214, 240-242.	1.3	31
497	Superplasticity in Ultrafine-Grained Materials.. <i>Reviews on Advanced Materials Science</i> , 2018, 54, 46-55.	1.4	31
498	Cytotoxicity and Corrosion Behavior of Magnesium and Magnesium Alloys in Hank's Solution after Processing by High-Pressure Torsion. <i>Advanced Engineering Materials</i> , 2019, 21, 1900391.	1.6	31
499	Evaluating the paradox of strength and ductility in ultrafine-grained oxygen-free copper processed by ECAP at room temperature. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021, 802, 140546.	2.6	31
500	The mechanical properties of the superplastic Al-33 Pct Cu eutectic alloy. <i>Metallurgical and Materials Transactions A - Physical Metallurgy and Materials Science</i> , 1988, 19, 2487-2496.	1.4	30
501	Evolution of grain boundary structure in submicrometer-grained Al-Mg alloy. <i>Materials Characterization</i> , 1996, 37, 285-294.	1.9	30
502	Developing superplasticity in a spray-cast aluminum 7034 alloy through equal-channel angular pressing. <i>Materials Letters</i> , 2003, 57, 3588-3592.	1.3	30
503	Achieving enhanced tensile ductility in an Al-6061 composite processed by severe plastic deformation. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005, 410-411, 430-434.	2.6	30
504	A quantitative study of cavity development in the tensile testing of an aluminum metal matrix composite processed by equal-channel angular pressing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005, 410-411, 402-407.	2.6	30



#	ARTICLE	IF	CITATIONS
505	An investigation of the deformation process during equal-channel angular pressing of an aluminum single crystal. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005, 410-411, 194-200.	2.6	30
506	Using X-ray microtomography to evaluate cavity formation in a superplastic magnesium alloy processed by equal-channel angular pressing. <i>Acta Materialia</i> , 2010, 58, 5737-5748.	3.8	30
507	Achieving superplastic properties in a Pb-Sn eutectic alloy processed by equal-channel angular pressing. <i>Journal of Materials Science</i> , 2011, 46, 155-160.	1.7	30
508	Influence of phase volume fraction on the grain refining of a Ti-6Al-4V alloy by high-pressure torsion. <i>Journal of Materials Research and Technology</i> , 2015, 4, 2-7.	2.6	30
509	Grain size and microhardness evolution during annealing of a magnesium alloy processed by high-pressure torsion. <i>Journal of Materials Research and Technology</i> , 2015, 4, 14-17.	2.6	30
510	The Requirements for Superplasticity with an Emphasis on Magnesium Alloys. <i>Advanced Engineering Materials</i> , 2016, 18, 127-131.	1.6	30
511	An evaluation of the hexagonal close-packed to face-centered cubic phase transformation in a Ti-6Al-4V alloy during high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 704, 212-217.	2.6	30
512	Direct Bonding of Aluminum-Copper Metals through High-Pressure Torsion Processing. <i>Advanced Engineering Materials</i> , 2018, 20, 1800642.	1.6	30
513	Observations on the magnitude of grain boundary sliding in Region 1 of superplasticity. <i>Journal of Materials Science</i> , 1981, 16, 2613-2616.	1.7	29
514	An examination of grain boundary migration during high temperature fatigue of aluminum. Microstructural observations. <i>Acta Metallurgica</i> , 1983, 31, 1595-1603.	2.1	29
515	A quantitative analysis of cavitation in Al-Cu-Mg metal matrix composites exhibiting high strain rate superplasticity. <i>Journal of Materials Research</i> , 1996, 11, 1755-1764.	1.2	29
516	Microstructure and microhardness of OFHC copper processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015, 641, 21-28.	2.6	29
517	Evaluating the flow properties of a magnesium ZK60 alloy processed by high-pressure torsion: A comparison of two different miniature testing techniques. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 708, 432-439.	2.6	29
518	Effects on hardness and microstructure of AISI 1020 low-carbon steel processed by high-pressure torsion. <i>Journal of Materials Research and Technology</i> , 2017, 6, 355-360.	2.6	29
519	High temperature thermal stability of nanocrystalline 316L stainless steel processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 682, 323-331.	2.6	29
520	Enhanced grain refinement and microhardness by hybrid processing using hydrostatic extrusion and high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 712, 513-520.	2.6	29
521	A magnesium-aluminium composite produced by high-pressure torsion. <i>Journal of Alloys and Compounds</i> , 2019, 804, 421-426.	2.8	29
522	Ductility of the superplastic Pb-Sn eutectic at room temperature. <i>Journal of Materials Science Letters</i> , 1983, 2, 59-62.	0.5	28

#	ARTICLE	IF	CITATIONS
523	Recent Developments in High Strain Rate Superplasticity. <i>Materials Transactions, JIM</i> , 1999, 40, 716-722.	0.9	28
524	High Strain Rate Superplasticity in a Zn - 22% Al Alloy after Equal-Channel Angular Pressing. <i>Materials Science Forum</i> , 2001, 357-359, 321-326.	0.3	28
525	Fifty years of Harper-Dorn creep: a viable creep mechanism or a Californian artifact?. <i>Journal of Materials Science</i> , 2007, 42, 409-420.	1.7	28
526	Developing Superplastic Ductilities in Ultrafine-Grained Metals. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2007, 38, 1891-1898.	1.1	28
527	Plastic behavior of face-centered-cubic metals over a wide range of strain. <i>Acta Materialia</i> , 2010, 58, 5015-5021.	3.8	28
528	An investigation of flow patterns and hardness distributions using different anvil alignments in high-pressure torsion. <i>Journal of Materials Science</i> , 2013, 48, 4533-4542.	1.7	28
529	Electron backscatter diffraction (EBSD) microstructure evolution in HPT copper annealed at a low temperature. <i>Journal of Materials Research and Technology</i> , 2014, 3, 338-343.	2.6	28
530	Evolution of hardness in ultrafine-grained metals processed by high-pressure torsion. <i>Journal of Materials Research and Technology</i> , 2014, 3, 311-318.	2.6	28
531	Influence of Zn content on the microstructure and mechanical performance of ultrafine-grained Al-Zn alloys processed by high-pressure torsion. <i>Materials Letters</i> , 2017, 186, 334-337.	1.3	28
532	Effect of heat treatments on the microstructures and tensile properties of an ultrafine-grained Al-Zn-Mg alloy processed by ECAP. <i>Journal of Alloys and Compounds</i> , 2018, 749, 567-574.	2.8	28
533	Synthesis of a bulk nanostructured metastable Al alloy with extreme supersaturation of Mg. <i>Scientific Reports</i> , 2019, 9, 17186.	1.6	28
534	A method of distinguishing between diffusion creep and Harper-Dorn creep at low stress levels. <i>Scripta Materialia</i> , 1996, 35, 733-737.	2.6	27
535	The creep behavior of discontinuously reinforced metal-matrix composites. <i>Jom</i> , 2003, 55, 15-20.	0.9	27
536	Influence of scandium on an Al-2% Si alloy processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 528, 1702-1706.	2.6	27
537	Using an Al-Cu binary alloy to compare processing by multi-axial compression and high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013, 588, 280-287.	2.6	27
538	Three-dimensional analysis of plastic flow during high-pressure torsion. <i>Journal of Materials Science</i> , 2013, 48, 4524-4532.	1.7	27
539	Evolution in hardness and microstructure of ZK60A magnesium alloy processed by high-pressure torsion. <i>Journal of Materials Research and Technology</i> , 2015, 4, 18-25.	2.6	27
540	Effect of cold rolling on the structure and hydrogen properties of AZ91 and AM60D magnesium alloys processed by ECAP. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 21822-21831.	3.8	27

#	ARTICLE	IF	CITATIONS
541	Principles of superplastic diffusion bonding. <i>Materials Science and Technology</i> , 1988, 4, 669-674.	0.8	26
542	A characterization of microstructure and microhardness on longitudinal planes of an Al-Mg-Si alloy processed by ECAP. <i>Materials Characterization</i> , 2013, 84, 126-133.	1.9	26
543	Adiabatic heating and the saturation of grain refinement during SPD of metals and alloys: experimental assessment and computer modeling. <i>Journal of Materials Science</i> , 2013, 48, 4626-4636.	1.7	26
544	An examination of the elastic distortions of anvils in high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015, 631, 201-208.	2.6	26
545	Two-Step SPD Processing of a Trimodal Al-Based Nano-Composite. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2015, 46, 5877-5886.	1.1	26
546	Microstructural evolution during hot shear deformation of an extruded fine-grained Mg-Gd-Y-Zr alloy. <i>Journal of Materials Science</i> , 2017, 52, 7843-7857.	1.7	26
547	Microstructural Evolution and Mechanical Behavior of Cu/Nb Multilayer Composites Processed by Accumulative Roll Bonding. <i>Advanced Engineering Materials</i> , 2020, 22, 1900702.	1.6	26
548	Synthesis of Hybrid Nanocrystalline Alloys by Mechanical Bonding through High-Pressure Torsion. <i>Advanced Engineering Materials</i> , 2020, 22, 1901289.	1.6	26
549	A Novel High-Strength Zn-3Ag-0.5Mg Alloy Processed by Hot Extrusion, Cold Rolling, or High-Pressure Torsion. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2020, 51, 3335-3348.	1.1	26
550	Effect of Microstructure on Deformation of Polycrystalline MgO. <i>Journal of the American Ceramic Society</i> , 1971, 54, 240-246.	1.9	25
551	The activation energies for plastic flow in a superplastic copper alloy. <i>Acta Metallurgica</i> , 1978, 26, 1153-1158.	2.1	25
552	Observations on the differences reported in region I for the superplastic Zn-22% Al eutectoid. <i>Scripta Metallurgica</i> , 1981, 15, 229-236.	1.2	25
553	The inter-relationship between grain boundary sliding and cavitation during creep of polycrystalline copper. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 1996, 27, 901-907.	1.1	25
554	An evaluation of the flow behavior during high strain rate superplasticity in an Al-Mg-Sc alloy. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2001, 32, 707-716.	1.1	25
555	Using the stress-strain relationships to propose regions of low and high temperature plastic deformation in aluminum. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005, 410-411, 234-238.	2.6	25
556	Influence of crystal orientation on the processing of copper single crystals by ECAP. <i>Journal of Materials Science</i> , 2007, 42, 1501-1511.	1.7	25
557	The nature of grain refinement in equal-channel angular pressing: a comparison of representative fcc and hcp metals. <i>International Journal of Materials Research</i> , 2009, 100, 1638-1646.	0.1	25
558	Nanocrystalline body-centred cubic beta-titanium alloy processed by high-pressure torsion. <i>International Journal of Materials Research</i> , 2009, 100, 1662-1667.	0.1	25

#	ARTICLE	IF	CITATIONS
559	Creep mechanisms in an Mg–4Zn alloy in the as-cast and aged conditions. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2013, 564, 423-430.	2.6	25
560	Formation of epsilon martensite by high-pressure torsion in a TRIP steel. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015, 625, 114-118.	2.6	25
561	Achieving superior grain refinement and mechanical properties in vanadium through high-pressure torsion and subsequent short-term annealing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016, 655, 60-69.	2.6	25
562	High-pressure torsion-induced phase transformations and grain refinement in Al/Ti composites. <i>Journal of Materials Science</i> , 2017, 52, 12170-12184.	1.7	25
563	An investigation of the limits of grain refinement after processing by a combination of severe plastic deformation techniques: A comparison of Al and Mg alloys. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 712, 373-379.	2.6	25
564	Strain rate dependence of compressive behavior in an Al-Zn-Mg alloy processed by ECAP. <i>Journal of Alloys and Compounds</i> , 2019, 791, 1079-1087.	2.8	25
565	Deformation mechanism maps for solid solution alloys. <i>Scripta Metallurgica</i> , 1975, 9, 137-140.	1.2	24
566	Creep behavior of copper at intermediate temperatures—III. A comparison with theory. <i>Acta Metallurgica Et Materialia</i> , 1991, 39, 1823-1832.	1.9	24
567	Twinning and dislocation activity in silver processed by severe plastic deformation. <i>Journal of Materials Science</i> , 2009, 44, 1656-1660.	1.7	24
568	The significance of grain boundary sliding in the superplastic Zn–22% Al alloy processed by ECAP. <i>Journal of Materials Science</i> , 2013, 48, 4730-4741.	1.7	24
569	Microstructure and texture evolution in a Cu–Ni–Si alloy processed by equal-channel angular pressing. <i>Journal of Alloys and Compounds</i> , 2015, 638, 88-94.	2.8	24
570	Anneal hardening of a nanostructured Cu–Al alloy processed by high-pressure torsion and rolling. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015, 628, 207-215.	2.6	24
571	Mechanical properties and microstructural evolution of nanocrystalline titanium at elevated temperatures. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016, 669, 358-366.	2.6	24
572	An examination of the implications of void growth in submicrometer and nanocrystalline structures. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1993, 168, 225-230.	2.6	23
573	Comment on the role of intragranular dislocations in superplastic yttria-stabilized zirconia. <i>Scripta Materialia</i> , 2003, 48, 599-604.	2.6	23
574	An analysis of superplastic flow after processing by ECAP. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005, 410-411, 476-479.	2.6	23
575	An atom probe characterisation of grain boundaries in an aluminium alloy processed by equal-channel angular pressing. <i>International Journal of Materials Research</i> , 2009, 100, 1674-1678.	0.1	23
576	The effect of impurity level on ultrafine-grained microstructures and their stability in low stacking fault energy silver. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 528, 8694-8699.	2.6	23

#	ARTICLE	IF	CITATIONS
577	Strain hardening behavior of a two-phase Cu–Ag alloy processed by high-pressure torsion. <i>Scripta Materialia</i> , 2011, 65, 477-480.	2.6	23
578	Applied stress controls the production of nano-twins in coarse-grained metals. <i>Applied Physics Letters</i> , 2012, 101, 231903.	1.5	23
579	An analytical approach and experimental confirmation of dislocation–twin boundary interactions in titanium. <i>Journal of Materials Science</i> , 2013, 48, 4476-4483.	1.7	23
580	Evolution of microhardness and microstructure in a cast Al–7% Si alloy during high-pressure torsion. <i>Journal of Materials Science</i> , 2013, 48, 4671-4680.	1.7	23
581	A comparison of repetitive corrugation and straightening and high-pressure torsion using an Al-Mg-Sc alloy. <i>Journal of Materials Research and Technology</i> , 2016, 5, 353-359.	2.6	23
582	Annealing-Induced Hardening in Ultrafine-Grained Ni–Mo Alloys. <i>Advanced Engineering Materials</i> , 2018, 20, 1800184.	1.6	23
583	The Characteristics of Creep in Metallic Materials Processed by Severe Plastic Deformation. <i>Materials Transactions</i> , 2019, 60, 1506-1517.	0.4	23
584	Effect of spark plasma sintering and high-pressure torsion on the microstructural and mechanical properties of a Cu–SiC composite. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019, 766, 138350.	2.6	23
585	An examination of creep data for an Al-Mg composite. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 1997, 28, 1271-1273.	1.1	22
586	Réalisation de superplasticité à grande vitesse dans des alliages Al_Mg_Sc_Zr par utilisation de l'extrusion dans des canaux d'écoulements. <i>Annales De Chimie: Science Des Matériaux</i> , 2002, 27, 99-109.	0.2	22
587	Creep and superplasticity in a spray-cast aluminum alloy processed by ECA pressing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005, 410-411, 398-401.	2.6	22
588	Improving the high-temperature mechanical properties of a magnesium alloy by equal-channel angular pressing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005, 410-411, 435-438.	2.6	22
589	An evaluation of creep behavior in ultrafine-grained aluminum alloys processed by ECAP. <i>Journal of Materials Science</i> , 2010, 45, 271-274.	1.7	22
590	Effect of grain size on compressive behaviour of titanium at different strain rates. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015, 645, 311-317.	2.6	22
591	Effect of Mo addition on the microstructure and hardness of ultrafine-grained Ni alloys processed by a combination of cryorolling and high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 688, 92-100.	2.6	22
592	Characteristics of grain refinement in oxygen-free copper processed by equal-channel angular pressing and dynamic testing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020, 775, 138985.	2.6	22
593	Creep processes in magnesium alloys and their composites. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2002, 33, 883-889.	1.1	22
594	Grain-Boundary Sliding and Axial Strain during Diffusional Creep. <i>Metal Science</i> , 1975, 9, 141-144.	0.7	21

#	ARTICLE	IF	CITATIONS
595	The development of cavitation in superplastic aluminum composites reinforced with Si <sub>3</sub> N <sub>4</sub> . <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1996, 208, 116-121.	2.6	21
596	Creep behavior of an Al-6061 metal matrix composite produced by liquid metallurgy processing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1997, 230, 183-187.	2.6	21
597	Recent developments in modelling of microhardness saturation during SPD processing of metals and alloys. <i>Journal of Materials Science</i> , 2013, 48, 4461-4466.	1.7	21
598	Characterization of stress-strain relationships in Al over a wide range of testing temperatures. <i>International Journal of Plasticity</i> , 2014, 54, 178-192.	4.1	21
599	Microforming Using Ultrafine-Grained Aluminum Processed by Equal-Channel Angular Pressing. <i>Advanced Engineering Materials</i> , 2015, 17, 1022-1033.	1.6	21
600	An EBSD analysis of Fe-36%Ni alloy processed by HPT at ambient and a warm temperature. <i>Journal of Alloys and Compounds</i> , 2018, 753, 46-53.	2.8	21
601	Thermal Stability of an Mg-Nd Alloy Processed by High-Pressure Torsion. <i>Advanced Engineering Materials</i> , 2019, 21, 1900801.	1.6	21
602	Effect of dynamic plastic deformation on the microstructure and mechanical properties of an Al-Zn-Mg alloy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020, 784, 139287.	2.6	21
603	Grain-Boundary Sliding During Creep of MgO. <i>Journal of the American Ceramic Society</i> , 1975, 58, 92-93.	1.9	20
604	Significance of continuous precipitation during creep of a powder metallurgy aluminum alloy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1996, 216, 161-168.	2.6	20
605	Factors contributing to creep strengthening in discontinuously-reinforced materials. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002, 322, 73-78.	2.6	20
606	The role of matrix microstructure in the creep behaviour of discontinuous fiber-reinforced AZ 91 magnesium alloy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002, 324, 151-156.	2.6	20
607	Microstructural evolution in a spray-cast aluminum alloy during equal-channel angular pressing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005, 410-411, 303-307.	2.6	20
608	Evolution of Microstructure and Precipitation in Heat-Treatable Aluminium Alloys during ECA Pressing and Subsequent Heat Treatment. <i>Materials Science Forum</i> , 2006, 503-504, 275-280.	0.3	20
609	Flow behavior of a superplastic Zn-22% Al alloy processed by equal-channel angular pressing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009, 503, 48-51.	2.6	20
610	An experimental evaluation of a special ECAP die containing two equal arcs of curvature. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 528, 4173-4179.	2.6	20
611	Effect of applied pressure on microstructure development and homogeneity in an aluminium alloy processed by high-pressure torsion. <i>Journal of Alloys and Compounds</i> , 2016, 688, 736-745.	2.8	20
612	Effect of carbon content and annealing on structure and hardness of CrFe <sub>2</sub> NiMnV <sub>0.25</sub> high-entropy alloys processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2018, 53, 11813-11822.	1.7	20



#	ARTICLE	IF	CITATIONS
613	On the Heterogeneity of Local Shear Strain Induced by High-Pressure Torsion. <i>Advanced Engineering Materials</i> , 2020, 22, 1900477.	1.6	20
614	The significance of strain weakening and self-annealing in a superplastic Bi-Sn eutectic alloy processed by high-pressure torsion. <i>Acta Materialia</i> , 2020, 185, 245-256.	3.8	20
615	Transitions in Creep Behavior. <i>Materials Transactions, JIM</i> , 1996, 37, 359-362.	0.9	19
616	Research on bulk nanostructured materials in Ufa: Twenty years of scientific achievements. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009, 503, 6-9.	2.6	19
617	The many facets of deformation mechanism mapping and the application to nanostructured materials. <i>Journal of Materials Research</i> , 2013, 28, 1827-1834.	1.2	19
618	An evaluation of the shearing patterns introduced by different anvil alignments in high-pressure torsion. <i>Journal of Materials Science</i> , 2014, 49, 3146-3157.	1.7	19
619	On the microstructure and mechanical properties of an Fe-10Ni-7Mn martensitic steel processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019, 749, 27-34.	2.6	19
620	The Contribution of Severe Plastic Deformation to Research on Superplasticity. <i>Materials Transactions</i> , 2019, 60, 1123-1130.	0.4	19
621	Analysis of the creep behavior of fine-grained AZ31 magnesium alloy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020, 787, 139489.	2.6	19
622	Using High-Pressure Torsion to Achieve Superplasticity in an AZ91 Magnesium Alloy. <i>Metals</i> , 2020, 10, 681.	1.0	19
623	Fabrication and characterization of nanostructured immiscible Cu-Ta alloys processed by high-pressure torsion. <i>Journal of Alloys and Compounds</i> , 2020, 832, 155007.	2.8	19
624	The variation in secondary creep rate at large grain sizes. <i>Scripta Metallurgica</i> , 1970, 4, 693-695.	1.2	18
625	A determination of the structural dependence of cyclic migration in polycrystalline aluminum using electron channeling pattern analysis. <i>Acta Metallurgica</i> , 1989, 37, 705-714.	2.1	18
626	An evaluation of the creep properties of two Al-Si alloys produced by rapid solidification processing. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 1996, 27, 3871-3879.	1.1	18
627	An Evaluation of Superplastic Anisotropy after Processing by Equal-Channel Angular Pressing. <i>Materials Transactions</i> , 2004, 45, 3079-3081.	0.4	18
628	Cavitation and failure in a fine-grained Inconel 718 alloy having potential superplastic properties. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005, 410-411, 130-133.	2.6	18
629	Using ball-indentation to evaluate the properties of an ultrafine-grained Al-2% Si alloy processed by ECAP. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006, 427, 188-194.	2.6	18
630	Factors influencing creep flow and ductility in ultrafine-grained metals. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012, 558, 403-411.	2.6	18



#	ARTICLE	IF	CITATIONS
631	Microstructural heterogeneity in hexagonal close-packed pure Ti processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2012, 47, 4838-4844.	1.7	18
632	Stability of the ultrafine-grained microstructure in silver processed by ECAP and HPT. <i>Journal of Materials Science</i> , 2013, 48, 4637-4645.	1.7	18
633	Strain-induced martensite to austenite reverse transformation in an ultrafine-grained Fe-Ni-Mn martensitic steel. <i>Philosophical Magazine</i> , 2014, 94, 1493-1507.	0.7	18
634	Mechanical properties and microstructure evolution in an aluminum 6082 alloy processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2014, 49, 6597-6607.	1.7	18
635	Synchrotron X-ray microbeam diffraction measurements of full elastic long range internal strain and stress tensors in commercial-purity aluminum processed by multiple passes of equal-channel angular pressing. <i>Acta Materialia</i> , 2016, 112, 231-241.	3.8	18
636	Self-annealing in a two-phase Pb-Sn alloy after processing by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016, 666, 350-359.	2.6	18
637	Hardness evolution of AZ80 magnesium alloy processed by HPT at different temperatures. <i>Journal of Materials Research and Technology</i> , 2017, 6, 378-384.	2.6	18
638	Using Severe Plastic Deformation to Fabricate Strong Metal Matrix Composites. <i>Materials Research</i> , 2017, 20, 46-52.	0.6	18
639	Shape memory characteristics of a nanocrystalline TiNi alloy processed by HPT followed by post-deformation annealing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 734, 445-452.	2.6	18
640	Factors influencing the flow and hardness of materials with ultrafine grain sizes. <i>Philosophical Magazine A: Physics of Condensed Matter, Structure, Defects and Mechanical Properties</i> , 1998, 78, 203-215.	0.8	18
641	An Evaluation of Homogeneity and Heterogeneity in Metals Processed by High-Pressure Torsion. <i>Acta Physica Polonica A</i> , 2012, 122, 425-429.	0.2	18
642	Deformation Mechanism Maps: Their Use in Predicting Creep Behavior. <i>Journal of Engineering Materials and Technology, Transactions of the ASME</i> , 1976, 98, 125-130.	0.8	17
643	Creep behavior of copper at intermediate temperatures <sup>II</sup> . Surface microstructural observations. <i>Acta Metallurgica Et Materialia</i> , 1991, 39, 1817-1822.	1.9	17
644	Future research directions for interface engineering in high temperature plasticity. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1993, 166, 237-241.	2.6	17
645	Evidence for Anelastic Creep Recovery in Silicon Carbide-Whisker-Reinforced Alumina. <i>Journal of the American Ceramic Society</i> , 1994, 77, 1679-1681.	1.9	17
646	Characteristics of thermal cycling in a magnesium alloy composite. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2002, 325, 320-323.	2.6	17
647	The Effect of Grain Boundary Sliding and Strain Rate Sensitivity on the Ductility of Ultrafine-Grained Materials. <i>Materials Science Forum</i> , 0, 667-669, 677-682.	0.3	17
648	An Investigation of Cavity Development during Superplastic Flow in a Zinc-Aluminum Alloy Processed Using Severe Plastic Deformation. <i>Materials Transactions</i> , 2012, 53, 87-95.	0.4	17

#	ARTICLE	IF	CITATIONS
649	Microstructure of low stacking fault energy silver processed by different routes of severe plastic deformation. <i>Journal of Alloys and Compounds</i> , 2012, 536, S190-S193.	2.8	17
650	Influence of rolling direction on flow and cavitation in a superplastic magnesium alloy processed by equal-channel angular pressing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012, 556, 211-220.	2.6	17
651	Effect of temperature on microstructural stabilization and mechanical properties in the dynamic testing of nanocrystalline pure Ti. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015, 634, 64-70.	2.6	17
652	Influence of grain boundary misorientations on the mechanical behavior of a near- $\pm$ Ti-6Al-7Nb alloy processed by ECAP. <i>Materials Letters</i> , 2017, 190, 256-259.	1.3	17
653	An examination of the superplastic characteristics of Al-Mg-Sc alloys after processing. <i>Journal of Materials Research</i> , 2017, 32, 4541-4553.	1.2	17
654	Microstructure and Hardness Evolution in Magnesium Processed by HPT. <i>Materials Research</i> , 2017, 20, 2-7.	0.6	17
655	Using Post-Deformation Annealing to Optimize the Properties of a ZK60 Magnesium Alloy Processed by High-Pressure Torsion. <i>Advanced Engineering Materials</i> , 2018, 20, 1700703.	1.6	17
656	Superior strength of tri-layered Al-Cu-Al nano-composites processed by high-pressure torsion. <i>Journal of Alloys and Compounds</i> , 2020, 846, 156380.	2.8	17
657	Examining the effect of the aging state on strength and plasticity of wrought aluminum alloys. <i>Journal of Materials Science and Technology</i> , 2022, 122, 54-67.	5.6	17
658	Low temperature dislocation mechanisms in ordered and disordered Cu <sub>3</sub> Au. <i>Philosophical Magazine and Journal</i> , 1968, 17, 999-1015.	1.8	16
659	Creep mechanisms in stoichiometric uranium dioxide. <i>Journal of Nuclear Materials</i> , 1971, 38, 88-92.	1.3	16
660	An analysis of cavitation failure incorporating cavity nucleation with strain. <i>Materials Science and Engineering</i> , 1979, 40, 159-166.	0.1	16
661	Cyclic grain boundary migration during high temperature fatigue-II. Measurements of grain boundary sliding. <i>Acta Metallurgica</i> , 1983, 31, 939-946.	2.1	16
662	An examination of the metals deforming by Harper-Dorn creep at high homologous temperatures. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1992, 151, 147-151.	2.6	16
663	Ultrafine-grained materials: a personal perspective. <i>International Journal of Materials Research</i> , 2007, 98, 251-254.	0.1	16
664	On the feasibility of using a continuous processing technique incorporating a limited strain imposed by ECAP. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008, 485, 476-480.	2.6	16
665	The development of internal cavitation in a superplastic zinc-aluminum alloy processed by ECAP. <i>Journal of Materials Science</i> , 2008, 43, 7360-7365.	1.7	16
666	Delayed microstructural recovery in silver processed by equal-channel angular pressing. <i>Journal of Materials Science</i> , 2008, 43, 5672-5676.	1.7	16

#	ARTICLE	IF	CITATIONS
667	Achieving homogeneity in a two-phase Cu–Ag composite during high-pressure torsion. <i>Journal of Materials Science</i> , 2013, 48, 4606-4612.	1.7	16
668	High temperature thermal stability of ultrafine-grained silver processed by equal-channel angular pressing. <i>Journal of Materials Science</i> , 2013, 48, 1675-1684.	1.7	16
669	Processing magnesium alloys by severe plastic deformation. <i>IOP Conference Series: Materials Science and Engineering</i> , 2014, 63, 012171.	0.3	16
670	Evaluating the Superplastic Flow of a Magnesium AZ31 Alloy Processed by Equal-Channel Angular Pressing. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2014, 45, 3197-3204.	1.1	16
671	Effect of annealing on wear resistance and electroconductivity of copper processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2014, 49, 2270-2278.	1.7	16
672	Microstructural Evolution and Microcompression in High-Purity Copper Processed by High-Pressure Torsion. <i>Advanced Engineering Materials</i> , 2016, 18, 241-250.	1.6	16
673	An investigation of the thermal stability of an Mg Dy alloy after processing by high-pressure torsion. <i>Materials Characterization</i> , 2019, 151, 519-529.	1.9	16
674	Inverse Hall–Petch Behaviour in an AZ91 Alloy and in an AZ91–Al <sub>2</sub> O <sub>3</sub> Composite Consolidated by High-Pressure Torsion. <i>Advanced Engineering Materials</i> , 2020, 22, 1900894.	1.6	16
675	Evidence for a phase transition in an AlCrFe <sub>2</sub> Ni <sub>2</sub> high entropy alloy processed by high-pressure torsion. <i>Journal of Alloys and Compounds</i> , 2021, 867, 159063.	2.8	16
676	Relationship between strength and uniform elongation of metals based on an exponential hardening law. <i>Acta Materialia</i> , 2022, 231, 117866.	3.8	16
677	Microstructural evolution and microhardness in a low carbon steel processed by high-pressure torsion. <i>Journal of Materials Research and Technology</i> , 2014, 3, 344-348.	2.6	15
678	Mechanical Properties of ZK60 Magnesium Alloy Processed by High-Pressure Torsion. <i>Advanced Materials Research</i> , 0, 922, 767-772.	0.3	15
679	An examination of the saturation microstructures achieved in ultrafine-grained metals processed by high-pressure torsion. <i>Journal of Materials Research and Technology</i> , 2014, 3, 319-326.	2.6	15
680	Using finite element modelling to examine the flow process and temperature evolution in HPT under different constraining conditions. <i>IOP Conference Series: Materials Science and Engineering</i> , 2014, 63, 012041.	0.3	15
681	Using dilatometry to study martensitic stabilization and recrystallization kinetics in a severely deformed NiTi alloy. <i>Journal of Materials Science</i> , 2015, 50, 4003-4011.	1.7	15
682	The sequence and kinetics of pre-precipitation in Mg-Nd alloys after HPT processing: A synchrotron and DSC study. <i>Journal of Alloys and Compounds</i> , 2017, 719, 236-241.	2.8	15
683	Processing of CP-Ti by high-pressure torsion and the effect of surface modification using a post-HPT laser treatment. <i>Journal of Alloys and Compounds</i> , 2019, 784, 653-659.	2.8	15
684	An investigation of the stored energy and thermal stability in a Cu–Ni–Si alloy processed by high-pressure torsion. <i>Philosophical Magazine</i> , 2020, 100, 688-712.	0.7	15

#	ARTICLE	IF	CITATIONS
685	Processing and superplastic properties of fine grained Si<sub>3</sub>N<sub>4</sub>/Al-Mg-Si composites. Materials Science and Technology, 1995, 11, 1295-1300.	0.8	15
686	The effect of grain size on ductility in the superplastic Pb-Sn eutectic. Journal of Materials Science Letters, 1983, 2, 337-340.	0.5	14
687	A detailed appraisal of steady state flow data for the superplastic Zn-22% Al Alloy. Materials Science and Engineering, 1983, 57, 55-65.	0.1	14
688	An investigation of grain rotation and grain elongation in a superplastic alloy. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1994, 187, 161-165.	2.6	14
689	The characteristics of cavitation in superplastic metals and ceramics. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 1996, 27, 873-878.	1.1	14
690	An evaluation of the creep characteristics of an AZ91 magnesium alloy composite using acoustic emission. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2002, 338, 1-7.	2.6	14
691	A finite element analysis of the superplastic forming of an aluminum alloy processed by ECAP. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2007, 456, 236-242.	2.6	14
692	New observations on high-temperature creep at very low stresses. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2009, 510-511, 20-24.	2.6	14
693	Strain softening in nanocrystalline Ni-Fe alloy induced by large HPT revolutions. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2011, 528, 4807-4811.	2.6	14
694	Stability of Ultrafine-Grained Microstructure in Fcc Metals Processed by Severe Plastic Deformation. Key Engineering Materials, 0, 465, 195-198.	0.4	14
695	Using X-ray microbeam diffraction to study the long-range internal stresses in aluminum processed by ECAP. Acta Materialia, 2013, 61, 7741-7748.	3.8	14
696	Dynamic compressive behavior of ultrafine-grained pure Ti at elevated temperatures after processing by ECAP. Journal of Materials Science, 2014, 49, 6640-6647.	1.7	14
697	Evidence for an early softening behavior in pure copper processed by high-pressure torsion. Journal of Materials Science, 2016, 51, 1923-1930.	1.7	14
698	Principle of one-step synthesis for multilayered structures using tube high-pressure shearing. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2016, 658, 367-375.	2.6	14
699	Mechanical properties and structural stability of a bulk nanostructured metastable aluminum-magnesium system. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2020, 796, 140050.	2.6	14
700	Microstructural Evolution and Microhardness Variations in Pure Titanium Processed by High-Pressure Torsion. Advanced Engineering Materials, 2020, 22, 1901462.	1.6	14
701	Cavitation in high purity aluminium during fatigue at elevated temperatures. Journal of Materials Science Letters, 1983, 2, 522-524.	0.5	13
702	An examination of cyclic grain boundary migration and cavitation in an Al-3% Mg solid solution alloy. Acta Metallurgica, 1989, 37, 725-737.	2.1	13

#	ARTICLE	IF	CITATIONS
703	The Variation of Strain Rate with Stress in Superplastic Zirconia. <i>Materials Science Forum</i> , 1996, 243-245, 357-362.	0.3	13
704	Influence of Equal-Channel Angular Pressing on the Superplastic Properties of Commercial Aluminum Alloys. <i>Materials Research Society Symposia Proceedings</i> , 1999, 601, 359.	0.1	13
705	Flow processes in superplastic yttria-stabilized zirconia: A Deformation Limit Diagram. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005, 409, 46-51.	2.6	13
706	An Investigation of Deformation in Copper Single Crystals Using Equal-Channel Angular Pressing. <i>Materials Science Forum</i> , 2006, 503-504, 113-118.	0.3	13
707	Influence of strain rate on strength and ductility in an aluminum alloy processed by equal-channel angular pressing. <i>Journal of Materials Science</i> , 2009, 44, 3913-3916.	1.7	13
708	A convergent-beam electron diffraction study of strain homogeneity in severely strained aluminum processed by equal-channel angular pressing. <i>Acta Materialia</i> , 2011, 59, 7388-7395.	3.8	13
709	Forty-Five Years of Superplastic Research: Recent Developments and Future Prospects. <i>Materials Science Forum</i> , 0, 838-839, 3-12.	0.3	13
710	Examining the microhardness evolution and thermal stability of an Al-Mg-Sc alloy processed by high-pressure torsion at a high temperature. <i>Journal of Materials Research and Technology</i> , 2017, 6, 348-354.	2.6	13
711	Features of Duplex Microstructural Evolution and Mechanical Behavior in the Titanium Alloy Processed by Equal-Channel Angular Pressing. <i>Advanced Engineering Materials</i> , 2018, 20, 1700813.	1.6	13
712	Grain refining of a Ti-6Al-4V alloy by high-pressure torsion and low temperature superplasticity. <i>Letters on Materials</i> , 2015, 5, 281-286.	0.2	13
713	Effect of creep parameters on the steady-state flow stress of pure metals processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022, 835, 142666.	2.6	13
714	Observations of cyclic grain boundary migration in aluminium after large numbers of fatigue cycles. <i>Journal of Materials Science Letters</i> , 1983, 2, 180-182.	0.5	12
715	The activation energy for superplastic deformation in the Al-33% Cu eutectic alloy. <i>Scripta Metallurgica</i> , 1987, 21, 1669-1673.	1.2	12
716	The Mechanical Properties at High Temperatures of SiC Whisker-Reinforced Alumina. <i>Materials Research Society Symposia Proceedings</i> , 1988, 120, 265.	0.1	12
717	High temperature deformation of an alumina composite reinforced with silicon carbide whiskers. <i>Acta Metallurgica Et Materialia</i> , 1995, 43, 1421-1427.	1.9	12
718	Metallographic investigation of reinforcement damage in creep of an AZ 91 matrix composite. <i>Materials Letters</i> , 1999, 39, 179-183.	1.3	12
719	The role of Harper-Dorn creep at high temperatures and very low stresses. <i>Journal of Materials Science</i> , 2008, 43, 4801-4810.	1.7	12
720	Wear Behaviour of Al-1050 Alloy Processed by Severe Plastic Deformation. <i>Materials Science Forum</i> , 0, 667-669, 1101-1106.	0.3	12

#	ARTICLE	IF	CITATIONS
721	Martensitic Phase Transformation and Deformation Behavior of Fe-Mn-Al Twinning-Induced Plasticity Steel during High-Pressure Torsion. <i>Advanced Engineering Materials</i> , 2014, 16, 927-932.	1.6	12
722	The effect of microstructure heterogeneity on the microscale deformation of ultrafine-grained aluminum. <i>Journal of Materials Research</i> , 2014, 29, 1664-1674.	1.2	12
723	Long-term self-annealing of copper and aluminium processed by high-pressure torsion. <i>Journal of Materials Science</i> , 2014, 49, 6529-6535.	1.7	12
724	Temperature and strain rate dependence of microstructural evolution and dynamic mechanical behavior in nanocrystalline Ti. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015, 641, 29-36.	2.6	12
725	An investigation into the effect of substrate on the load-bearing capacity of thin hard coatings. <i>Journal of Materials Science</i> , 2016, 51, 4390-4398.	1.7	12
726	Magnesium-Based Bioactive Composites Processed at Room Temperature. <i>Materials</i> , 2019, 12, 2609.	1.3	12
727	Effect of Cu on Amorphization of a TiNi Alloy during HPT and Shape Memory Effect after Post-Deformation Annealing. <i>Advanced Engineering Materials</i> , 2020, 22, 1900387.	1.6	12
728	An examination of microstructural evolution and homogeneity in a magnesium AZ80 alloy processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021, 806, 140832.	2.6	12
729	Microstructural properties, thermal stability and superplasticity of a ZK60 Mg alloy processed by high-pressure torsion. <i>Letters on Materials</i> , 2015, 5, 287-293.	0.2	12
730	Fabrication of hybrid nanocrystalline Al-Ti alloys by mechanical bonding through high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022, 833, 142549.	2.6	12
731	Simple reverse bending machine for low cycle fatigue at elevated temperatures. <i>Review of Scientific Instruments</i> , 1983, 54, 353-356.	0.6	11
732	Characteristics of creep deformation in discontinuously reinforced metal matrix composites. <i>Materials Science and Technology</i> , 1999, 15, 357-365.	0.8	11
733	Achieving superplasticity at high strain rates using equal channel angular pressing. <i>Materials Science and Technology</i> , 2000, 16, 1330-1333.	0.8	11
734	Creep properties of a fiber-reinforced magnesium alloy. <i>Journal of Materials Science</i> , 2004, 39, 1647-1652.	1.7	11
735	Achieving Superplasticity of Al-1%Mg-0.2%Sc Alloy in Plate Samples Processed by Equal-channel Angular Pressing. <i>Materials Transactions</i> , 2004, 45, 2521-2524.	0.4	11
736	The characteristics of aluminum-scandium alloys processed by ECAP. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010, 527, 1448-1452.	2.6	11
737	Microstructure and microtexture evolution in pure metals after ultra-high straining. <i>Journal of Materials Science</i> , 2012, 47, 7888-7893.	1.7	11
738	Effect of anvil roughness on the flow patterns and hardness development in high-pressure torsion. <i>Journal of Materials Science</i> , 2014, 49, 6517-6528.	1.7	11



#	ARTICLE	IF	CITATIONS
739	Mechanical property evaluation of an Al-2024 alloy subjected to HPT processing. IOP Conference Series: Materials Science and Engineering, 2014, 63, 012085.	0.3	11
740	The influence of chemical heterogeneities on the local mechanical behavior of a high-entropy alloy: A micropillar compression study. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2018, 721, 165-167.	2.6	11
741	Using Plane Strain Compression Test to Evaluate the Mechanical Behavior of Magnesium Processed by HPT. Metals, 2022, 12, 125.	1.0	11
742	The planar distribution of grain size in a polycrystalline ceramic. Metallography, 1973, 6, 9-15.	0.4	10
743	Further comments on theories of structural superplasticity. Materials Science and Engineering, 1979, 40, 293-295.	0.1	10
744	Deformation mechanism maps for applications at high temperatures. Ceramurgia International, 1980, 6, 11-18.	0.3	10
745	Superplastic-like flow in ceramics: Recent developments and potentials applications. Ceramics International, 1993, 19, 279-286.	2.3	10
746	Yield stress measurements on an Al-1.5% Mg alloy with submicron grain size using a miniature bending procedure. Materials Letters, 1995, 23, 283-287.	1.3	10
747	A model study of cavity growth in superplasticity using single premachined holes. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 1996, 27, 2532-2539.	1.1	10
748	Mechanical behavior of a 6061 Al alloy and an Al <sub>2</sub> O <sub>3</sub> /6061 Al composite after equal-channel angular processing. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2005, 410-411, 472-475.	2.6	10
749	The characteristics of superplastic flow in a magnesium alloy processed by ECAP. International Journal of Materials Research, 2009, 100, 843-846.	0.1	10
750	Using ball indentation to determine the mechanical properties of an Al-7475 alloy processed by high-pressure torsion. Journal of Materials Science, 2013, 48, 4773-4779.	1.7	10
751	Shape memory effect of NiTi alloy processed by equal-channel angular pressing followed by post deformation annealing. IOP Conference Series: Materials Science and Engineering, 2014, 63, 012111.	0.3	10
752	An Investigation of Hardness Homogeneity and Microstructure in Pure Titanium Processed by High Pressure Torsion. Materials Science Forum, 0, 783-786, 2701-2706.	0.3	10
753	Evaluating a New Core-Sheath Procedure for Processing Hard Metals by Equal-Channel Angular Pressing. Advanced Engineering Materials, 2014, 16, 918-926.	1.6	10
754	Microstructures and mechanical properties of pure tantalum processed by high-pressure torsion. IOP Conference Series: Materials Science and Engineering, 2014, 63, 012100.	0.3	10
755	Evolution of the microstructure during annealing of ultrafine-grained Ni with different Mo contents. Materials Characterization, 2017, 130, 56-63.	1.9	10
756	Hardening and thermal stability of a nanocrystalline CoCrFeNiMnTi <sub>0.1</sub> high-entropy alloy processed by high-pressure torsion. IOP Conference Series: Materials Science and Engineering, 2017, 194, 012017.	0.3	10

#	ARTICLE	IF	CITATIONS
757	Microstructural Evolution and Properties of a Hot Extruded and HPT-Processed Resorbable Magnesium WE43 Alloy. <i>Advanced Engineering Materials</i> , 2017, 19, 1600698.	1.6	10
758	Examining the Thermal Stability of an Al-Mg-Sc Alloy Processed by High-Pressure Torsion. <i>Materials Research</i> , 2017, 20, 39-45.	0.6	10
759	Consolidation of Magnesium and Magnesium Alloy Machine Chips Using High-Pressure Torsion. <i>Materials Science Forum</i> , 2018, 941, 851-856.	0.3	10
760	Micro-Embossing Formability of a Superlight Dual-Phase Mg-Li Alloy Processed by High-Pressure Torsion. <i>Advanced Engineering Materials</i> , 2019, 21, 1800961.	1.6	10
761	Effect of Numbers of Turns of High-Pressure Torsion on the Development of Exceptional Ductility in Pure Magnesium. <i>Advanced Engineering Materials</i> , 2020, 22, 1900565.	1.6	10
762	The fabrication of high strength Zr/Nb nanocomposites using high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020, 790, 139693.	2.6	10
763	Interface structures in Al-Nb <sub>2</sub> O <sub>5</sub> nanocomposites processed by high-pressure torsion at room temperature. <i>Materials Characterization</i> , 2020, 162, 110222.	1.9	10
764	Using high-pressure torsion to fabricate an Al-Ti hybrid system with exceptional mechanical properties. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021, 799, 140114.	2.6	10
765	A stored energy analysis of grains with shear texture orientations in Cu-Ni-Si and Fe-Ni alloys processed by high-pressure torsion. <i>Journal of Alloys and Compounds</i> , 2021, 864, 158142.	2.8	10
766	High Temperature Creep of Al-Mg Alloys. , 1985, , 797-802.		10
767	Creep behavior of metals processed by equal-channel angular pressing. <i>Metallic Materials</i> , 2021, 49, 75-83.	0.2	10
768	A general physics-based hardening law for single phase metals. <i>Acta Materialia</i> , 2022, 231, 117877.	3.8	10
769	Grain-Boundary Sliding in Ceramics. <i>Journal of the American Ceramic Society</i> , 1972, 55, 430-430.	1.9	9
770	Evidence for Coble creep in the relaxation of surface-compressive stresses in tempered polycrystalline aluminum oxide. <i>Journal of Applied Physics</i> , 1974, 45, 3729-3731.	1.1	9
771	The significance of grain boundaries in high-temperature creep. <i>Canadian Metallurgical Quarterly</i> , 1974, 13, 223-228.	0.4	9
772	An examination of grain boundary migration during high temperature fatigue of aluminum-II. Measurements of migration. <i>Acta Metallurgica</i> , 1983, 31, 1605-1610.	2.1	9
773	Application of Equal-Channel Angular Pressing to Aluminum and Copper Single Crystals. <i>Materials Science Forum</i> , 2007, 539-543, 2853-2858.	0.3	9
774	Texture evolution during room temperature ageing of silver processed by equal-channel angular pressing. <i>Scripta Materialia</i> , 2011, 64, 1007-1010.	2.6	9

#	ARTICLE	IF	CITATIONS
775	Possible self-organized criticality in the Portevin-Le Chatelier effect during decomposition of solid solution alloys. <i>MRS Communications</i> , 2012, 2, 1-4.	0.8	9
776	Evolution of a martensitic structure in a Cu-Al alloy during processing by high-pressure torsion. <i>Journal of Materials Science</i> , 2013, 48, 4613-4619.	1.7	9
777	High-cycle fatigue behavior of Zn-22% Al alloy processed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014, 618, 37-40.	2.6	9
778	Evaluating the Room Temperature ECAP Processing of a NiTi Alloy via Simulation and Experiments. <i>Advanced Engineering Materials</i> , 2015, 17, 532-538.	1.6	9
779	Thermal stability and superplastic behaviour of an Al-Mg-Sc alloy processed by ECAP and HPT at different temperatures. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017, 194, 012013.	0.3	9
780	A Lifetime of Research in Creep, Superplasticity, and Ultrafine-Grained Materials. <i>Advanced Engineering Materials</i> , 2020, 22, 1900442.	1.6	9
781	The Background to Superplastic Forming and Opportunities Arising from New Developments. <i>Solid State Phenomena</i> , 0, 306, 1-8.	0.3	9
782	Examining the mechanical properties and superplastic behaviour in an Al-Mg-Sc alloy after processing by HPT. <i>Letters on Materials</i> , 2015, 5, 294-300.	0.2	9
783	Microstructure and mechanical properties of an Fe-Mn-Al-C lightweight steel after dynamic plastic deformation processing and subsequent aging. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022, 833, 142566.	2.6	9
784	The significance of grain boundary dislocations in mechanical behavior. <i>Materials Science and Engineering</i> , 1971, 7, 117-118.	0.1	8
785	A Microscopic Examination Of Void Formation In Superplastic Materials. <i>Journal of Microscopy</i> , 1979, 116, 47-54.	0.8	8
786	Grain boundary sliding at high temperatures in torsional fatigue. <i>Journal of Materials Science Letters</i> , 1983, 2, 25-27.	0.5	8
787	Processing by severe plastic deformation:an ancient skill adapted for the modern world. <i>International Journal of Materials Research</i> , 2009, 100, 1623-1631.	0.1	8
788	Principles of deformation in single crystals of two different orientations processed by equal-channel angular pressing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2009, 503, 21-27.	2.6	8
789	The high-temperature creep properties of materials processed using severe plastic deformation. <i>International Journal of Materials Research</i> , 2009, 100, 750-756.	0.1	8
790	Effect of Equal-Channel Angular Pressing on the Creep Resistance of Precipitation-Strengthened Alloys. <i>Materials Science Forum</i> , 2010, 667-669, 897-902.	0.3	8
791	Elemental redistribution in a nanocrystalline Ni-Fe alloy induced by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011, 528, 7500-7505.	2.6	8
792	Using deformation mechanism maps to depict flow processes in superplastic ultrafine-grained materials. <i>Journal of Materials Science</i> , 2012, 47, 7726-7734.	1.7	8

#	ARTICLE	IF	CITATIONS
793	The significance of self-annealing in two-phase alloys processed by high-pressure torsion. IOP Conference Series: Materials Science and Engineering, 2014, 63, 012126.	0.3	8
794	Reassessment of temperature increase and equivalent strain calculation during high-pressure torsion. IOP Conference Series: Materials Science and Engineering, 2014, 63, 012052.	0.3	8
795	Microstructural evolution of cryomilled Ti/Al mixture during high-pressure torsion. Journal of Materials Research, 2014, 29, 578-585.	1.2	8
796	Microstructural Evolution and Grain Refinement in a Cu-Zr Alloy Processed by High-Pressure Torsion. Materials Science Forum, 0, 783-786, 2635-2640.	0.3	8
797	Comparisons of self-annealing behaviour of HPT-processed high purity Cu and a Pb-Sn alloy. Journal of Materials Research and Technology, 2017, 6, 390-395.	2.6	8
798	Effect of Long-Term Storage on Microstructure and Microhardness Stability in OFHC Copper Processed by High-Pressure Torsion. Advanced Engineering Materials, 2019, 21, 1801300.	1.6	8
799	Corrosion Behavior in Hank's Solution of a Magnesium-Hydroxyapatite Composite Processed by High-Pressure Torsion. Advanced Engineering Materials, 2020, 22, 2000765.	1.6	8
800	Recrystallization in an Mg-Nd alloy processed by high-pressure torsion: a calorimetric analysis. Journal of Materials Research and Technology, 2020, 9, 3047-3054.	2.6	8
801	Microstructural Evolution and Mechanical Properties of Ultrafine-Grained Ti Fabricated by Cryorolling and Subsequent Annealing. Advanced Engineering Materials, 2020, 22, 1901463.	1.6	8
802	The nature of the maximum microhardness and thickness of the gradient layer in surface-strengthened Cu-Al alloys. Acta Materialia, 2021, 215, 117073.	3.8	8
803	Exploiting tube high-pressure shearing to prepare a microstructure in Pb-Sn alloys for unprecedented superplasticity. Scripta Materialia, 2022, 209, 114390.	2.6	8
804	The strain dependence of vacancy creation and dislocation density during serrated yielding. Scripta Metallurgica, 1973, 7, 1199-1203.	1.2	7
805	A first report on the use of a non-destructive technique to investigate cavitation in a superplastic aluminum alloy. Scripta Metallurgica Et Materialia, 1992, 26, 423-428.	1.0	7
806	An examination of creep behaviour at low stresses in non-metallic materials. Journal of Materials Science Letters, 1996, 15, 1664-1666.	0.5	7
807	A new miniature mechanical testing procedure: Application to intermetallics. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 1997, 28, 2577-2582.	1.1	7
808	Achieving Microstructural Refinement in Magnesium Alloys through Severe Plastic Deformation. Materials Transactions, 2009, 50, 111-116.	0.4	7
809	Characteristics of High Temperature Creep in Pure Aluminum Processed by Equal-Channel Angular Pressing. Materials Science Forum, 0, 638-642, 1965-1970.	0.3	7
810	Microstructure and microtexture evolution with aging treatment in an Al-Mg-Si alloy severely deformed by HPT. Journal of Materials Science, 2013, 48, 4573-4581.	1.7	7

#	ARTICLE	IF	CITATIONS
811	An overview of flow patterns development on disc lower surfaces when processing by high-pressure torsion. <i>Journal of Materials Research and Technology</i> , 2014, 3, 303-310.	2.6	7
812	The potential for achieving superplasticity in high-entropy alloys processed by severe plastic deformation. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017, 194, 012040.	0.3	7
813	Thermal stability and mechanical properties of HPT-processed CP-Ti. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017, 194, 012012.	0.3	7
814	The effect of high-pressure torsion on the microstructure and outstanding pseudoelasticity of a ternary Fe-Ni-Mn shape memory alloy. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021, 802, 140647.	2.6	7
815	Advanced Materials for Mechanical Engineering: Ultrafine-Grained Alloys with Multilayer Coatings. <i>Advanced Engineering Materials</i> , 2021, 23, 2100145.	1.6	7
816	An Evaluation of the Mechanical Properties, Microstructures, and Strengthening Mechanisms of Pure Mg Processed by High-Pressure Torsion at Different Temperatures. <i>Advanced Engineering Materials</i> , 2022, 24, .	1.6	7
817	A method of printing grids on to metal surfaces for deformation studies. <i>Journal of Scientific Instruments</i> , 1965, 42, 896-896.	0.5	6
818	Activation Energies for Creep of Pyrolytic and Glassy Carbon. <i>Nature: Physical Science</i> , 1972, 236, 60-60.	0.8	6
819	The characteristics of microcavitation in high strain rate superplasticity. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 1998, 246, 117-123.	2.6	6
820	Superplasticity in a Mg-8 mass%Li Two-Phase Alloy Processed by an ECAP Method. <i>Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals</i> , 2006, 70, 729-734.	0.2	6
821	Developing a Model for Grain Refinement in Equal-Channel Angular Pressing. <i>Materials Science Forum</i> , 2006, 503-504, 19-24.	0.3	6
822	The Effect of Equal-Channel Angular Pressing on Structure-Phase Changes and Superplastic Properties of Al-Mg-Li Alloy. <i>Materials Science Forum</i> , 2006, 503-504, 983-988.	0.3	6
823	Monitoring of Self-Annealing in Ultrafine-Grained Silver Using Nanoindentation. <i>Nanoscience and Nanotechnology Letters</i> , 2010, 2, 294-297.	0.4	6
824	Evolution of Microstructure, Phase Composition and Hardness in 316L Stainless Steel Processed by High-Pressure Torsion. <i>Materials Science Forum</i> , 0, 879, 502-507.	0.3	6
825	The effect of high-pressure torsion on the microstructure and properties of magnesium. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017, 194, 012039.	0.3	6
826	Effect of Initial Annealing Temperature on Microstructural Development and Microhardness in High-Purity Copper Processed by High-Pressure Torsion. <i>Advanced Engineering Materials</i> , 2018, 20, 1700503.	1.6	6
827	Low Temperature Superplasticity in Ultrafine-Grained AZ31 Alloy. <i>Defect and Diffusion Forum</i> , 0, 385, 59-64.	0.4	6
828	A possible stabilizing effect of work hardening on the tensile performance of superplastic materials. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019, 759, 448-454.	2.6	6

#	ARTICLE	IF	CITATIONS
829	Microstructural and Hardness Evolution in a Duplex Stainless Steel Processed by High-Pressure Torsion. <i>Crystals</i> , 2020, 10, 1138.	1.0	6
830	Enhanced Creep Resistance of an Ultrafine-Grained Ti-6Al-4V Alloy with Modified Surface by Ion Implantation and (Ti+V)N Coating. <i>Advanced Engineering Materials</i> , 2020, 22, 1901219.	1.6	6
831	An examination of microstructural evolution in a Pb-Sn eutectic alloy processed by high-pressure torsion and subsequent self-annealing. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021, 802, 140653.	2.6	6
832	In situ TEM observations of thickness effect on grain growth in pure titanium thin films. <i>Materials Characterization</i> , 2021, 173, 110929.	1.9	6
833	Effect of grain size and crystallographic structure on the corrosion and tribocorrosion behaviour of a CoCrMo biomedical grade alloy in simulated body fluid. <i>Wear</i> , 2021, 478-479, 203884.	1.5	6
834	A Constant Stress Tensile Creep Machine for Very Low Stresses. <i>Journal of Testing and Evaluation</i> , 1982, 10, 174-178.	0.4	6
835	Developing magnesium-based composites through high-pressure torsion. <i>Letters on Materials</i> , 2019, 9, 541-545.	0.2	6
836	Effect of High-pressure Torsion on Corrosion Behavior of a Solution-treated Al-Mg-Sc Alloy in a Saline Solution. <i>Materials Research</i> , 2019, 22, .	0.6	6
837	Superplasticity in Al-33Cu eutectic alloy in as extruded condition. <i>Materials Science and Technology</i> , 1989, 5, 435-442.	0.8	5
838	Observations on diffusional cavity growth in superplastic materials. <i>Scripta Metallurgica Et Materialia</i> , 1992, 26, 1239-1244.	1.0	5
839	Influence of whisker volume fraction on the creep behavior of alumina composites reinforced with silicon carbide. <i>Journal of Materials Research</i> , 1995, 10, 2925-2932.	1.2	5
840	A simple technique for the preparation of tensile specimens of yttria-stabilized zirconia. <i>Materials Letters</i> , 1996, 27, 211-214.	1.3	5
841	Superplasticity of ultrafine-grained Al-3%Mg-0.2%Sc alloy produced by equal-channel angular pressing.. <i>Keikinzoku/Journal of Japan Institute of Light Metals</i> , 2000, 50, 376-380.	0.1	5
842	Strengthening of a commercial Al-5754 alloy using equal-channel angular pressing. <i>Journal of Materials Science Letters</i> , 2001, 20, 1601-1603.	0.5	5
843	Diffusion in Fine-Grained Al Alloys Having Low and High Angle Grain Boundaries. <i>Materials Science Forum</i> , 2002, 396-402, 1061-1066.	0.3	5
844	Processing of Aluminium Alloys by Severe Plastic Deformation. <i>Materials Science Forum</i> , 2006, 519-521, 45-54.	0.3	5
845	Creep and Mechanical Properties of a Commercial Aluminum Alloy Processed by ECAP. <i>Materials Science Forum</i> , 2006, 503-504, 77-82.	0.3	5
846	Microstructural Evolution in an Al-6061 Alloy Processed by High-Pressure Torsion and Rapid Annealing. <i>Materials Science Forum</i> , 0, 667-669, 223-228.	0.3	5



#	ARTICLE	IF	CITATIONS
847	Microstructural Evolution of Mg-4Nd Alloy Processed by High-Pressure Torsion. Materials Science Forum, 2010, 667-669, 391-396.	0.3	5
848	Inhomogeneous softening during annealing of ultrafine-grained silver processed by HPT. Journal of Materials Science, 2013, 48, 7384-7391.	1.7	5
849	Producing ultrafine-grained materials through severe plastic deformation. Emerging Materials Research, 2014, 3, 252-260.	0.4	5
850	Grain boundary character distribution of CuNiSi and FeNi alloys processed by severe plastic deformation. IOP Conference Series: Materials Science and Engineering, 2015, 82, 012076.	0.3	5
851	The microstructure length scale of strain rate sensitivity in ultrafine-grained aluminum. Journal of Materials Research, 2015, 30, 981-992.	1.2	5
852	Development of an $\eta$ -Phase in Grade 2 Titanium Processed by HPT at High Hydrostatic Pressure. Materials Research, 2016, 19, 1144-1148.	0.6	5
853	Evidence for a transition in deformation mechanism in nanocrystalline pure titanium processed by high-pressure torsion. Philosophical Magazine, 2016, 96, 1632-1642.	0.7	5
854	Investigation of Lattice Defects in a Plastically Deformed High-Entropy Alloy. Materials Science Forum, 0, 885, 74-79.	0.3	5
855	Influence of Mo alloying on the thermal stability and hardness of ultrafine-grained Ni processed by high-pressure torsion. Journal of Materials Research and Technology, 2017, 6, 361-368.	2.6	5
856	Controlling the high temperature mechanical behavior of Al alloys by precipitation and severe straining. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2017, 679, 36-47.	2.6	5
857	Developing Superplasticity in High-Entropy Alloys Processed by Severe Plastic Deformation. Materials Science Forum, 0, 941, 1059-1064.	0.3	5
858	High-pressure torsion and equal-channel angular pressing. , 2019, , 3-19.		5
859	A Comparison of Warm and Combined Warm and Low-Temperature Processing Routes for the Equal-Channel Angular Pressing of Pure Titanium. Advanced Engineering Materials, 2020, 22, 1900698.	1.6	5
860	A multiscale experimental analysis of mechanical properties and deformation behavior of sintered copper-silicon carbide composites enhanced by high-pressure torsion. Archives of Civil and Mechanical Engineering, 2021, 21, 1.	1.9	5
861	Deformation of Olivine, and the Application to Lunar and Planetary Interiors. , 1982, , 757-762.		5
862	Strengthening and weakening in the processing of ultrafine-grained metals. Metallic Materials, 2016, 53, 213-219.	0.2	5
863	Study on the Surface Modification of Nanostructured Ti Alloys and Coarse-Grained Ti Alloys. Metals, 2022, 12, 948.	1.0	5
864	Thinning of Polycrystalline MgO for Transmission Electron Microscopy. Review of Scientific Instruments, 1967, 38, 125-127.	0.6	4

#	ARTICLE	IF	CITATIONS
865	A Re-Appraisal of Cavity Growth Processes in Superplasticity. Materials Research Society Symposia Proceedings, 1990, 196, 39.	0.1	4
866	An Investigation of the Mechanical Behavior of a Superplastic Yttria-Stabilized Zirconia. Materials Research Society Symposia Proceedings, 1990, 196, 325.	0.1	4
867	Cyclic grain boundary migration and sliding in pure aluminum. Acta Metallurgica Et Materialia, 1990, 38, 497-507.	1.9	4
868	An Investigation of Cavitation in the Tensile Testing of a Spray-Cast Aluminum Alloy Processed by ECAP. Materials Science Forum, 2006, 503-504, 83-90.	0.3	4
869	Effect of Pre-Aging on the Microstructure and Strength of Supersaturated AlZnMg Alloys Processed by ECAP. Materials Science Forum, 0, 584-586, 501-506.	0.3	4
870	Microstructures of Aluminum and Copper Single Crystals Processed by Equal-Channel Angular Pressing. Materials Science Forum, 2010, 638-642, 1946-1951.	0.3	4
871	Structural Evolution on the Cross-Section of an AZ31 Magnesium Alloy Processed by High-Pressure Torsion. Materials Science Forum, 2010, 667-669, 247-252.	0.3	4
872	The Influence of Impurity Content on Thermal Stability of Low Stacking Fault Energy Silver Processed by Severe Plastic Deformation. Materials Science Forum, 2012, 729, 222-227.	0.3	4
873	Heterogeneous flow during high-pressure torsion. Materials Research, 2013, 16, 571-576.	0.6	4
874	Microhardness and EBSD microstructure mapping in partially-pressed al and cu through 90° ECAP die. Materials Research, 2013, 16, 586-591.	0.6	4
875	High-Pressure Torsion of Ti: Synchrotron characterization of phase volume fraction and domain sizes. IOP Conference Series: Materials Science and Engineering, 2014, 63, 012147.	0.3	4
876	Strain weakening and superplasticity in a Bi-Sn eutectic alloy processed by high-pressure torsion. IOP Conference Series: Materials Science and Engineering, 2014, 63, 012107.	0.3	4
877	Processing Different Magnesium Alloys through HPT. Materials Science Forum, 0, 783-786, 2617-2622.	0.3	4
878	Micro-Tensile Behavior at a High Temperature in an AZ31 Magnesium Alloy Processed by ECAP. Materials Science Forum, 0, 783-786, 2726-2731.	0.3	4
879	Report of International NanoSPD Steering Committee and statistics on recent NanoSPD activities. IOP Conference Series: Materials Science and Engineering, 2014, 63, 011002.	0.3	4
880	Microstructural homogeneity and superplastic behavior in an aluminum-copper eutectic alloy processed by high-pressure torsion. Journal of Materials Science, 2015, 50, 6700-6712.	1.7	4
881	Influence of Initial Heat Treatment on the Microhardness Evolution of an Al-Mg-Sc Alloy Processed by High-Pressure Torsion. Materials Science Forum, 0, 879, 1471-1476.	0.3	4
882	Influence of High-Pressure Torsion on the Microstructure and the Hardness of a Ti-Rich High-Entropy Alloy. Materials Science Forum, 2016, 879, 732-737.	0.3	4

#	ARTICLE	IF	CITATIONS
883	Microtextural Changes and Superplasticity in an Al-7075 Alloy Processed by High-Pressure Torsion. <i>Materials Science Forum</i> , 2016, 838-839, 445-450.	0.3	4
884	The Influence of Plastic Deformation on Lattice Defect Structure and Mechanical Properties of 316L Austenitic Stainless Steel. <i>Materials Science Forum</i> , 0, 885, 13-18.	0.3	4
885	Fabrication of hybrid metal systems through the application of high-pressure torsion. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017, 194, 012002.	0.3	4
886	Thirty Years of Superplastic Ultrafine-Grained Materials: Examining the Legacy of Oscar Kaibyshev. <i>Defect and Diffusion Forum</i> , 2018, 385, 3-8.	0.4	4
887	Development of an Al 7050-10 vol.% alumina nanocomposite through cold consolidation of particles by high-pressure torsion. <i>Journal of Materials Research and Technology</i> , 2020, 9, 12626-12633.	2.6	4
888	An investigation by EXAFS of local atomic structure in an Mg-Nd alloy after processing by high-pressure torsion and ageing. <i>Materials Letters</i> , 2020, 264, 127379.	1.3	4
889	Phase evolution and mechanical properties of an intercritically-annealed Fe-10Ni-7Mn (wt. %) martensitic steel severely deformed by high-pressure torsion. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021, 804, 140519.	2.6	4
890	Engineering mechanical properties by controlling the microstructure of an Fe-Ni-Mn martensitic steel through pre-cold rolling and subsequent heat treatment. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021, 804, 140760.	2.6	4
891	Micro-mechanical response of ultrafine grain and nanocrystalline tantalum. <i>Journal of Materials Research and Technology</i> , 2021, 12, 1804-1815.	2.6	4
892	Process Modeling the Superplastic Forming Behavior of Inconel Alloy 718SPF. , 1997, , ,		4
893	Formation of ultrafine grains and twins in the $\beta$ -phase during superplastic deformation of two-phase brasses. <i>Scripta Materialia</i> , 2022, 218, 114804.	2.6	4
894	On the nature of superplastic deformation in the Mg-Al eutectic. <i>Scripta Metallurgica</i> , 1970, 4, 337-339.	1.2	3
895	The Significance of Diffusion Creep in Simple and Multicomponent Ceramics. <i>Defect and Diffusion Forum</i> , 1991, 75, 89-106.	0.4	3
896	Observations on the use of a fractal model to predict superplastic ductility. <i>Scripta Metallurgica Et Materialia</i> , 1993, 28, 241-246.	1.0	3
897	A quantitative measure of internal cavitation in superplastic alloys using photoacoustic analysis. <i>Journal of Materials Research</i> , 1994, 9, 2238-2243.	1.2	3
898	Fracture behaviour at elevated temperatures of alumina matrix composites reinforced with silicon carbide whiskers. <i>Journal of Materials Science</i> , 1996, 31, 5487-5492.	1.7	3
899	Superplastic Behavior in Ultrafine-Grained Materials Produced by Equal-Channel Angular Pressing. <i>Materials Science Forum</i> , 0, 579, 29-40.	0.3	3
900	Processing Age-Hardenable Alloys by Equal-Channel Angular Pressing at Room Temperature: Strategies and Advantages. <i>Materials Science Forum</i> , 0, 633-634, 527-534.	0.3	3

#	ARTICLE	IF	CITATIONS
901	Preface to the Special Issue on Ultrafine Grained Materials. Journal of Materials Science, 2010, 45, 4543-4544.	1.7	3
902	The Evolution of Homogeneity during Processing of Aluminium Alloys by HPT. Materials Science Forum, 2010, 667-669, 277-282.	0.3	3
903	Seventy-Five Years of Superplastic Research: An Overall Perspective for the Superplasticity Conferences. Key Engineering Materials, 0, 433, 3-8.	0.4	3
904	Intrinsically Ductile Failure in a Nanocrystalline Beta Titanium Alloy. Advanced Engineering Materials, 2011, 13, 1108-1113.	1.6	3
905	Evaluating the flow processes in ultrafine-grained materials at elevated temperatures. Materials Research, 2013, 16, 565-570.	0.6	3
906	Analysis of Plastic Deformation and Sample Geometry during the Compression Stage in High-Pressure Torsion. Advanced Materials Research, 0, 922, 592-597.	0.3	3
907	An Investigation of Mechanical Properties and Microstructural Evolution in an Aluminum Alloy Processed by Severe Plastic Deformation. Advanced Materials Research, 0, 922, 610-615.	0.3	3
908	Microstructure Development and Superplasticity in a Zn-22% Al Eutectoid Alloy Processed by Severe Plastic Deformation. Materials Science Forum, 0, 783-786, 2647-2652.	0.3	3
909	An evaluation of formability using micro-embossing on an ultrafine-grained magnesium AZ31 alloy processed by high-pressure torsion. MATEC Web of Conferences, 2015, 21, 09005.	0.1	3
910	Microstructural evolution and microhardness variations in a Cu-36Zn-2Pb alloy processed by high-pressure torsion. Journal of Materials Science, 2015, 50, 1535-1543.	1.7	3
911	Superplasticity and superplastic-like flow in cubic zirconia with silica. Journal of Materials Science, 2015, 50, 3716-3726.	1.7	3
912	Superplastic Flow and Micro-Mechanical Response of Ultrafine-Grained Materials. Defect and Diffusion Forum, 0, 385, 9-14.	0.4	3
913	Influence of Inhomogeneity on Mechanical Properties of Commercially Pure Titanium Processed by HPT. Defect and Diffusion Forum, 0, 385, 284-289.	0.4	3
914	An Evaluation of the Microstructure and Microhardness in an Al-Zn-Mg Alloy Processed by ECAP and Post-ECAP Heat Treatments. Advanced Engineering Materials, 2020, 22, 1901040.	1.6	3
915	Effect of post-deformation annealing on the microstructure and mechanical behavior of an Fe-Ni-Mn steel processed by high-pressure torsion. Journal of Materials Research and Technology, 2021, 15, 1537-1546.	2.6	3
916	Fabrication of High Strength Hybrid Materials through the Application of High-Pressure Torsion. Acta Physica Polonica A, 2018, 134, 615-623.	0.2	3
917	The flow characteristics of superplasticity. Letters on Materials, 2014, 4, 78-83.	0.2	3
918	Microstructural saturation, hardness stability and superplasticity in ultrafine-grained metals processed by a combination of severe plastic deformation techniques. Letters on Materials, 2015, 5, 335-340.	0.2	3

#	ARTICLE	IF	CITATIONS
919	Microstructural Evolution and Tensile Testing of a Biâ€Sn (57/43) Alloy Processed by Tube High-Pressure Shearing. Crystals, 2021, 11, 1229.	1.0	3
920	Achieving an excellent combination of strength and plasticity in a low carbon steel through dynamic plastic deformation and subsequent annealing. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2022, 842, 143051.	2.6	3
921	Achieving Superplastic Elongations in an AZ80 Magnesium Alloy Processed by Highâ€Pressure Torsion. Advanced Engineering Materials, 2022, 24, .	1.6	3
922	Examination of fracture surfaces of SiC whisker-reinforced alumina after high temperature creep deformation. Journal of Materials Science Letters, 1995, 14, 188-189.	0.5	2
923	Characteristics of grain boundary migration and sliding during fatigue of high purity lead. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 1997, 222, 9-13.	2.6	2
924	Achieving Superplasticity and Superplastic Forming through Severe Plastic Deformation. Materials Research Society Symposia Proceedings, 2000, 634, 851.	0.1	2
925	Developing High Strain Rate Superplasticity in Aluminum Alloys. Materials Science Forum, 2005, 475-479, 2949-2954.	0.3	2
926	Effect of Microstructures on Tensile Properties of AZ31 Mg Alloy Processed by ECAP. Materials Science Forum, 2005, 488-489, 473-476.	0.3	2
927	Microstructures after Processing by Aging and ECAP for Al-Mg<sub>2</sub>Si Alloys Containing Excess Si or Mg. Materials Science Forum, 2005, 475-479, 4047-4050.	0.3	2
928	Flow Mechanisms in Creep of an AZ 91 Magnesium-based Composite. , 2006, , 246-251.		2
929	Microstructural Evolution of a Mg-8 mass%Li Alloy Processed by ECAP during Superplastic Deformation. Nippon Kinzoku Gakkaishi/Journal of the Japan Institute of Metals, 2006, 70, 775-779.	0.2	2
930	Superplastic Deformation of a Mg-8% Li Alloy Processed at Room Temperature by ECAP. Materials Science Forum, 2007, 539-543, 2940-2946.	0.3	2
931	Factors Influencing Ductility in Ultrafine-Grained Metals Processed by Equal-Channel Angular Pressing. Materials Science Forum, 0, 633-634, 341-352.	0.3	2
932	Grain Size Effect on Deformation Twinning and De-Twinning in a Nanocrystalline Ni-Fe Alloy. Materials Science Forum, 2010, 667-669, 181-186.	0.3	2
933	Preface to the special issue on ultrafine-grained materials. Journal of Materials Science, 2012, 47, 7717-7718.	1.7	2
934	The characteristics of two-phase Al-Cu and Zn-Al alloys processed by high-pressure torsion. IOP Conference Series: Materials Science and Engineering, 2014, 63, 012106.	0.3	2
935	Evolution of hardness, microstructure, and strain rate sensitivity in a Zn-22% Al eutectoid alloy processed by high-pressure torsion. IOP Conference Series: Materials Science and Engineering, 2014, 63, 012101.	0.3	2
936	Factors Influencing the Shearing Patterns in High-Pressure Torsion. Materials Science Forum, 0, 783-786, 45-50.	0.3	2

#	ARTICLE	IF	CITATIONS
937	An X-ray absorption spectroscopy investigation of the local atomic structure in Cu-Ni-Si alloy after severe plastic deformation and ageing. Philosophical Magazine, 2015, 95, 2482-2490.	0.7	2
938	Description of the Superplastic Flow Process by Deformation Mechanism Maps in Ultrafine-Grained Materials. Materials Science Forum, 2016, 838-839, 51-58.	0.3	2
939	Studies on the Superplasticity Effect in UFA: History and Development (In Memory of Prof. O.A.) Tj ETQq1 1 0.784314 rgBT /Qverlock 1.4 2	1.4	2
940	Micro-Scale Mechanical Behavior of Ultrafine-Grained Materials Processed by High-Pressure Torsion. Materials Science Forum, 2018, 941, 1495-1500.	0.3	2
941	Microstructure and Microhardness Evolution in Pure Molybdenum Processed by High-Pressure Torsion. Advanced Engineering Materials, 2020, 22, 1901022.	1.6	2
942	Ultrafine-Grained Metallic Materials and Coatings. Advanced Engineering Materials, 2020, 22, 2001012.	1.6	2
943	Thermal Stability of Ultrafine-Grained Pure Titanium Processed by High-Pressure Torsion. Materials Science Forum, 0, 1016, 338-344.	0.3	2
944	An examination of strain weakening and self-annealing in a Bi-Sn alloy processed by high-pressure torsion. Materials Letters, 2021, 301, 130321.	1.3	2
945	Stability of microstructure in silver processed by severe plastic deformation. International Journal of Materials Research, 2009, 100, 884-887.	0.1	2
946	Structural Evolution and Deformation in an Aluminum-Based Solid Solution Alloy with Submicron Grain Size. Materials Research Society Symposia Proceedings, 1993, 319, 293.	0.1	1
947	Mechanical properties and microstructure of 6061 aluminum alloy matrix composite reinforced with alumina microspheres.. Keikinzoku/Journal of Japan Institute of Light Metals, 1994, 44, 286-291.	0.1	1
948	Creep Behavior of a Superplastic Y-TZP/Al <sub>2</sub> O <sub>3</sub> Composite: An Examination of the Possibility for Diffusion Creep. Materials Research Society Symposia Proceedings, 1999, 601, 111.	0.1	1
949	Processing and Properties of Bulk Ultrafine-Grained Materials Produced through Severe Plastic Deformation. Solid State Phenomena, 2003, 94, 3-12.	0.3	1
950	Superplasticity of a Cu-Zn-Sn Alloy Processed by Equal-Channel Angular Pressing. Materials Science Forum, 2004, 447-448, 483-488.	0.3	1
951	Grain Refinement and Microstructural Evolution in Nickel during High-Pressure Torsion. , 2005, , 387-392.		1
952	Mechanical Properties of a Spray-Cast Aluminum Alloy Processed by Severe Plastic Deformation. Materials Science Forum, 2007, 539-543, 141-148.	0.3	1
953	The Processing of Ultrafine-Grained Materials Using High-Pressure Torsion. Materials Science Forum, 2007, 558-559, 1283-1294.	0.3	1
954	Mechanical Properties of Al-6061 and an Al-6061 Metal Matrix Composite Processed by High-Pressure Torsion. Materials Science Forum, 2010, 667-669, 689-694.	0.3	1



#	ARTICLE	IF	CITATIONS
955	Unique Features of Ultrafine-Grained Microstructures in Materials Having Low Stacking Fault Energy. Materials Science Forum, 2010, 659, 171-176.	0.3	1
956	Developing the Technique of Severe Plastic Deformation Processing through High-Pressure Torsion. Materials Science Forum, 2010, 667-669, 397-402.	0.3	1
957	Effect of a Special ECAP Die Configuration on Microhardness Distributions in Pure Aluminum. Materials Science Forum, 2010, 667-669, 69-74.	0.3	1
958	Application of High-Pressure Torsion to Al-Si Alloys with and without Scandium Additions. Materials Science Forum, 2010, 667-669, 743-748.	0.3	1
959	THE PROPERTIES OF BULK ULTRAFINE-GRAINED METALS PROCESSED THROUGH THE APPLICATION OF SEVERE PLASTIC DEFORMATION. International Journal of Modern Physics Conference Series, 2012, 05, 299-306.	0.7	1
960	Evaluating the Flow Properties of Ultrafine-Grained Materials. Advanced Materials Research, 0, 829, 3-9.	0.3	1
961	Development of Homogeneity in an Al-6061 Alloy Processed by ECAP and ECAP-Conform. Materials Science Forum, 0, 783-786, 294-299.	0.3	1
962	Developing ultrafine-grained materials with high strength and good ductility for micro-forming applications. MATEC Web of Conferences, 2015, 21, 07002.	0.1	1
963	Recovery or Non-Recovery in Al-0.1% Mg and Al-1% Mg Alloy during High-Pressure Torsion Processing. Materials Science Forum, 2016, 879, 773-778.	0.3	1
964	Resolving the Strength-Ductility Paradox through Severe Plastic Deformation of a Cast Al-7% Si Alloy. Materials Science Forum, 0, 879, 1043-1048.	0.3	1
965	Micro-Mechanical Responses of Ultrafine-Grained Materials Processed through High-Pressure Torsion. Materials Science Forum, 2016, 879, 42-47.	0.3	1
966	Mechanical Properties and Microstructural Behavior of a Metal Matrix Composite Processed by Severe Plastic Deformation Techniques. MRS Advances, 2016, 1, 3865-3870.	0.5	1
967	Applying Conventional Creep Mechanisms to Ultrafine-Grained Materials. Minerals, Metals and Materials Series, 2017, , 117-131.	0.3	1
968	Effect of equal-channel angular pressing on the mechanical behavior of a Bi-Sn eutectic alloy. IOP Conference Series: Materials Science and Engineering, 2017, 194, 012042.	0.3	1
969	Effect of high-pressure torsion on the microstructural evolution and mechanical properties of an Fe-10Ni-7Mn (wt. %) lath martensitic steel. AIP Conference Proceedings, 2018, , .	0.3	1
970	The Stability of Oxygen-Free Copper Processed by High-Pressure Torsion after Room Temperature Storage for 12 Months. Advanced Engineering Materials, 2020, 22, 1901015.	1.6	1
971	Achieving Superplasticity in Fine-Grained Al-Mg-Sc Alloys. Materials Science Forum, 0, 1016, 11-17.	0.3	1
972	Recent Developments in the Processing of Advanced Materials Using Severe Plastic Deformation. Materials Science Forum, 0, 1016, 3-8.	0.3	1

#	ARTICLE	IF	CITATIONS
973	Hardness Development of Mechanically-Bonded Hybrid Nanostructured Alloys through High-Pressure Torsion. <i>Materials Science Forum</i> , 0, 1016, 177-182.	0.3	1
974	The 7th International Conference on Nanomaterials by Severe Plastic Deformation: a report of the International NanoSPD Steering Committee. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017, 194, 012001.	0.3	1
975	Severe plastic deformation. <i>Series in Materials Science and Engineering</i> , 2004, , .	0.1	1
976	Achieving superplasticity through severe plastic deformation. <i>Letters on Materials</i> , 2015, 5, 233-239.	0.2	1
977	Achieving superplasticity in a Bi-Sn alloy processed by high-pressure torsion. <i>Letters on Materials</i> , 2015, 5, 301-305.	0.2	1
978	An evaluation of high temperature tensile properties for a magnesium AZ31 alloy processed by high-pressure torsion. <i>Letters on Materials</i> , 2015, 5, 341-346.	0.2	1
979	Macroscopic and Microscopic Descriptions of the Plastic Deformation of Fcc Metals over a Wide Range of Strain and Temperature. <i>Acta Physica Polonica A</i> , 2012, 122, 630-633.	0.2	1
980	Numerical Investigation of Plastic Strain Homogeneity during Equal-Channel Angular Pressing of a Cu-Zr Alloy. <i>Crystals</i> , 2021, 11, 1505.	1.0	1
981	Discussion: "A Constitutive Equation for High-Temperature Flow" (Paton, N., 1975, <i>ASME J. Eng. Mater.</i> ) <i>Tj ETQq1</i> 1 0.784314 rg 1976, 98, 190-190.	0.8	0
982	A Quantitative Study of Cavity Evolution in An Al-Cu-Zr Alloy. <i>Materials Research Society Symposia Proceedings</i> , 1990, 196, 215.	0.1	0
983	A New Analytical Procedure for the Identification of High Temperature Deformation Mechanisms Using the Strain Rate Change Test. <i>Materials Transactions, JIM</i> , 1991, 32, 339-344.	0.9	0
984	Miniaturized Double-Shear Testing Procedure for Evaluation of High Temperature Deformation in Al and Al&ndash;Mg Solid Solution Alloy. <i>Materials Transactions, JIM</i> , 1996, 37, 349-352.	0.9	0
985	An Investigation of the Role of Processing in the High Temperature Creep of Whisker-Reinforced Alumina Composites. <i>Materials and Manufacturing Processes</i> , 1996, 11, 589-604.	2.7	0
986	Creep Behavior of Ceramics and Geological Materials at Low Stress Levels. <i>Key Engineering Materials</i> , 1999, 166, 81-86.	0.4	0
987	A Discussion of Flow Mechanisms in Superplastic Yttria-Stabilized Tetragonal Zirconia. <i>Materials Research Society Symposia Proceedings</i> , 1999, 601, 105.	0.1	0
988	An Examination of the Deformation Process in Equal-Channel Angular Pressing. <i>Materials Research Society Symposia Proceedings</i> , 1999, 601, 347.	0.1	0
989	Superplastic Properties of an Aluminum-Based Alloy After Equal-Channel Angular Pressing. <i>Materials Research Society Symposia Proceedings</i> , 1999, 601, 353.	0.1	0
990	Processing by Equal-Channel Angular Pressing: Potential for Achieving Superplasticity. <i>Materials Research Society Symposia Proceedings</i> , 1999, 601, 365.	0.1	0

#	ARTICLE	IF	CITATIONS
991	Microstructure and Properties of a Low Carbon Steel after Equal Channel Angular Pressing. , 2005, , 829-834.		0
992	Microstructural Evolution in the Processing of Bulk Samples Using High-Pressure Torsion. Materials Science Forum, 2007, 539-543, 80-85.	0.3	0
993	Extending Creep and Superplasticity to Materials with Submicrometer Grain Sizes. Key Engineering Materials, 2007, 345-346, 539-544.	0.4	0
994	Decomposition of Nanostructured Martensite in Cu-Al Alloys Processed by High-Pressure Torsion. Materials Science Forum, 2010, 667-669, 469-474.	0.3	0
995	Mechanical Characteristics of Zn-22% Al and Al-3% Mg Alloys Processed to High Strains by ECAP. Materials Science Forum, 2010, 667-669, 695-700.	0.3	0
996	Developing Hardness and Microstructural Homogeneity in High-Pressure Torsion. Materials Science Forum, 0, 706-709, 1805-1810.	0.3	0
997	Recrystallization and Grain Growth due to Annealing of an Ultrafine-Grained Al Alloy. Materials Science Forum, 2013, 753, 303-306.	0.3	0
998	The Flow Behavior of Ultrafine-Grained Materials. Advanced Materials Research, 0, 1013, 7-14.	0.3	0
999	Investigating Anvil Alignment and Anvil Roughness on Flow Pattern Development in High-Pressure Torsion. Materials Research Society Symposia Proceedings, 2016, 1818, 1.	0.1	0
1000	Mechanical Behavior of a Metal Matrix Nanocomposite Synthesized by High-Pressure Torsion via Diffusion Bonding. Materials Science Forum, 2016, 879, 1068-1073.	0.3	0
1001	Developments in Processing by Severe Plastic Deformation at the 3rd Pan American Materials Congress. Jom, 2017, 69, 2022-2023.	0.9	0
1002	Microstructure evolution of Al-7wt%Si-2wt%Fe alloy processed by high-pressure torsion. MATEC Web of Conferences, 2018, 192, 02068.	0.1	0
1003	Effect of Different Initial Lamellar Plate Thicknesses on Grain Refinement and Superplastic Behaviour in HPT-Processed Ti-6Al-4V Alloy. Defect and Diffusion Forum, 0, 385, 182-188.	0.4	0
1004	Thirty years of collaboration and research from 1989 to 2019: a tribute to Ruslan Z. Valiev. IOP Conference Series: Materials Science and Engineering, 2019, 672, 012001.	0.3	0
1005	An Investigation of Strain-Softening Phenomenon in Al-0.1% Mg Alloy during High-Pressure Torsion Processing. Advanced Engineering Materials, 2020, 22, 1901578.	1.6	0
1006	The mechanics and physics of gradient nanomaterials: Dedicated to the memory of Alexander Zhilyaev (1959-2020). Materials Letters, 2021, 302, 130369.	1.3	0
1007	The Influence of HPT on Microstructure and Wear Resistance of Al-7wt%Si-2wt%Fe Alloy. Materials Science Forum, 0, 1016, 1618-1623.	0.3	0
1008	New Developments in the Processing of Bulk Nanoscale Metals Using High-Pressure Torsion. Nanoscience and Nanotechnology Letters, 2010, 2, 303-307.	0.4	0

#	ARTICLE	IF	CITATIONS
1009	Enhanced Mechanical Properties of Nanostructured Metals Produced by SPD Techniques. , 2011, , 31-59.		0
1010	Recent Advances in the Processing and Properties of Ultrafine-Grained Metals Prepared Using Severe Plastic Deformation. Advanced Structured Materials, 2013, , 241-250.	0.3	0
1011	The Deformation Characteristics of Pure Aluminum Processed by Equal-Channel Angular Pressing. , 2006, , 201-208.		0
1012	Closure to "Discussion of "Deformation Mechanism Maps: Their Use in Predicting Creep Behavior" (1976, ASME J. Eng. Mater. Technol., 98, p. 130). Journal of Engineering Materials and Technology, Transactions of the ASME, 1976, 98, 130-131.	0.8	0